BellSouth d/b/a AT&T MBR Agreement

Contract ID: <u>090047d4802ddf6e</u> (CLEC Name Redacted)

Public Inspection Copy #268

BELLSOUTH® / CLEC Agreement

Customer Name

| MBR with Extension | - 1 |
|---|-----|
| Table of Contents | 3 |
| General Terms and Conditions | - |
| Signature Page | 24 |
| Attachment 1 - Services | 25 |
| Attachment 1 - Exhibit A | 62 |
| Attachment 2 - PreOrdering, Ordering and Maintenance and Repair | 299 |
| Attachment 3 - Billing | 307 |
| Attachment 4 - Service Level Commitments | 317 |

CLEC Agreement with:



TABLE OF CONTENTS

General Terms and Conditions

| - | ~ | • . | • | |
|---------------|------|------|----|-----|
| 1) | 1111 | 11 t | 11 | ons |
| \mathcal{L} | ш | ш | ж | ш |

- 1. Scope of this Agreement
- 2. CLEC Certification
- 3. Term of the Agreement
- 4. Rates
- 5. Court Ordered Requests for Call Detail Records and Other Subscriber Information
- 6. Liability and Indemnification
- 7. Intellectual Property Rights and Indemnification
- 8. Proprietary and Confidential Information
- 9. Resolution of Disputes
- 10. Taxes
- 11. Force Majeure
- 12. Modification of Agreement
- 13. Non-waiver of Legal Rights
- 14. Indivisibility
- 15. Severability
- 16. Waivers
- 17. Governing Law
- 18. Assignments and Transfers
- 19. Notices
- 20. Rule of Construction
- 21. Headings of No Force or Effect
- 22. Multiple Counterparts
- 23. Good Faith Performance
- 24. Survival
- 25. Entire Agreement
- 26. Service Level Commitment

Version: 2Q07 MBR - SLC

TABLE OF CONTENTS (cont'd)

Attachment 1 - Services

Attachment 2 – Pre-Ordering, Ordering, Provisioning and Maintenance and Repair

Attachment 3 – Billing

Attachment 4 – Service Level Commitments (SLCs) for DS0 Wholesale Local Voice Platform Services

Version: 2Q07 MBR - SLC

AGREEMENT

GENERAL TERMS AND CONDITIONS

WITNESSETH

WHEREAS, AT&T is a local exchange telecommunications company authorized to provide Telecommunications Services in the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, CUSTOMER is a Competitive Local Exchange Carrier (CLEC) authorized to provide Telecommunications Services in the state(s) of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee; and

WHEREAS, AT&T desires to provide and CUSTOMER desires to purchase certain Services not required pursuant to Section 251 of the Telecommunications Act of 1996 (Act);

NOW, THEREFORE, in consideration of the mutual agreements contained herein, AT&T and CUSTOMER agree as follows:

Definitions

Affiliate is defined as a person that (directly or indirectly) owns or controls, is owned or controlled by, or is under common ownership or control with, another person. For purposes of this paragraph, the term "own" means to own an equity interest (or equivalent thereof) of more than ten percent (10%).

AT&T Southeast Region 9-State is defined as the states of Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina and Tennessee.

Commission is defined as the appropriate regulatory agency in each state of AT&T's Southeast Region 9-State (Alabama, Florida, Georgia, Kentucky, Louisiana, Mississippi, North Carolina, South Carolina, and Tennessee).

Version: 2Q07 MBR - SLC

Competitive Local Exchange Carrier (CLEC) means a telephone company certificated by the Commission to provide local exchange service within AT&T's franchised area.

Effective Date is defined as the date that the Agreement is effective for purposes of rates, terms and conditions and shall be thirty (30) days after the date of the last signature executing the Agreement. Future amendments for rate changes will be effective thirty (30) days after the date of the last signature executing the amendment.

End User means the ultimate user of the Telecommunications Service.

FCC means the Federal Communications Commission.

Telecommunications means the transmission, between or among points specified by the user, of information of the user's choosing, without change in the form or content of the information as sent and received.

Telecommunications Service means the offering of telecommunications for a fee directly to the public, or to such classes of users as to be effectively available directly to the public, regardless of the facilities used.

Telecommunications Act of 1996 (Act) means Public Law 104-104 of the United States Congress effective February 8, 1996. The Act amended the Communications Act of 1934 (47 U.S.C. Section 1 et. seq.).

1. Scope of this Agreement

- This Agreement sets forth the obligations of each Party with respect to AT&T's provision of certain services, set forth herein, to CUSTOMER (Service(s)).

 AT&T will make available to CUSTOMER the Services and CUSTOMER agrees to purchase AT&T's Services as set forth herein.
- 1.2 Notwithstanding Section 18 below, the Parties acknowledge that this Agreement is intended to be governed by the provisions of 47 U.S.C. §§ 201, 202 and to the extent applicable, § 271. The Parties acknowledge that this Agreement is subject to the exclusive jurisdiction of the FCC.

2. CLEC Certification

2.1 Prior to execution of this Agreement, CUSTOMER agrees to provide AT&T in writing CUSTOMER's CLEC certification for all states covered by this Agreement except Kentucky. Should CUSTOMER's certification in any state be rescinded or otherwise terminated, AT&T may, at its election, terminate this Agreement immediately and all monies owed on all outstanding invoices shall become due, or AT&T may refuse to provide Services hereunder in that state until certification is reinstated in that state. CUSTOMER shall provide proof of

Version: 2Q07 MBR - SLC

authority to do business, issued by the Secretary of State, or equivalent authority, in each state covered by this Agreement.

2.2 To the extent CUSTOMER is not certified as a CLEC, or has not provided proof of authority to do business in any state covered by this Agreement as of the execution hereof, CUSTOMER may not purchase Services under this Agreement in that state. CUSTOMER will notify AT&T in writing and provide CLEC certification when it becomes certified to operate in any other state covered by this Agreement and, upon receipt thereof, CUSTOMER may thereafter purchase Services pursuant to this Agreement in that state.

3. Term of the Agreement

- The term of this Agreement shall commence on the Effective Date and shall apply to the AT&T Southeast Region 9-State. It shall continue in effect until December 31, 2008, except as otherwise provided in this Agreement. This Agreement shall continue in effect as specified herein unless:
 - a) Either Party terminates, without cause, at any time upon at least thirty (30) days prior written notice to the other Party provided no Services are being purchased pursuant to this Agreement; or
 - b) Either Party terminates pursuant to the terms hereof upon the other's breach.
- 3.2 Except as set forth in Attachment 3, if either Party breaches or defaults on any of the terms, conditions, or covenants of this Agreement, the other Party shall give the breaching Party written notice of such breach or default. If such breach or default continues for ten (10) days after such written notice, then all monies owed on all outstanding invoices shall become due, and in addition to all other rights and remedies of law or equity or otherwise, the non-breaching Party may terminate this Agreement without any charge, obligation, or liability whatsoever for such breach, except for payment for Services already received and accepted.
- 3.3 To the extent CUSTOMER is in breach or default of its obligations under any other agreement or tariff to which AT&T and CUSTOMER are parties, such breach or default shall be deemed a breach or default under this Agreement, and AT&T may exercise any right of disconnection, suspension or termination of services, or any other rights upon default or breach as described in this Agreement, to the same extent such rights may be exercised for a default or breach under this Agreement.
- 3.4 In addition to as otherwise set forth in this Agreement, AT&T reserves the right to suspend or terminate Service in the event of prohibited, unlawful or improper use of AT&T facilities or service, or abuse of AT&T facilities.
- 3.5 Upon termination of this Agreement, the rates, terms and conditions of this Agreement shall continue to apply for all Services until the date such Services are

Version: 2Q07 MBR - SLC

actually transitioned from this Agreement, or the date that AT&T specifies for the completion of the transition, whichever is earlier, (Transition Period). CUSTOMER shall not be entitled to place any orders for the purchase of Services or make any changes to the Services other than transitioning the Services from this Agreement during the Transition Period.

4. Rates

- 4.1 CUSTOMER shall pay the charges set forth in this Agreement. In the event that AT&T is unable to bill the applicable rate or no rate is established or included in this Agreement for any Services provided pursuant to this Agreement, AT&T reserves the right to back bill CUSTOMER for such rate or for the difference between the rate actually billed and the rate that should have been billed pursuant to this Agreement.
- 4.2 To the extent a rate element is omitted or no rate is established, AT&T has the right not to provision such Service until the Agreement is amended to include such rate.
- 4.3 To the extent CUSTOMER requests Services not included in this Agreement, such Services shall be provisioned pursuant to the rates, terms and conditions set forth in the applicable tariffs or a separately negotiated Agreement.
- 4.4 In the event that this Agreement or an amendment to this Agreement effects a rate change, AT&T will make a change to such rates. The change shall reflect billing at the new rates from the Effective Date of the Agreement or amendment.

5. Court Ordered Requests for Call Detail Records and Other Subscriber Information

- 5.1 Subpoenas Directed to AT&T. Where AT&T provides the Services for CUSTOMER, AT&T shall respond to subpoenas and court ordered requests delivered directly to AT&T for the purpose of providing call detail records when the targeted telephone numbers belong to CUSTOMER's End Users. Billing for such requests will be generated by AT&T and directed to the law enforcement agency initiating the request. AT&T shall maintain such information for CUSTOMER's End Users for the same length of time it maintains such information for its own End Users.
- Subpoenas Directed to CUSTOMER. Where AT&T is providing to CUSTOMER Services, then CUSTOMER agrees that in those cases where CUSTOMER receives subpoenas or court ordered requests regarding targeted telephone numbers belonging to CUSTOMER's End Users, and where CUSTOMER does not have the requested information, CUSTOMER will advise the law enforcement agency initiating the request to redirect the subpoena or court ordered request to AT&T for handling in accordance with Section 5.1 above.

Version: 2Q07 MBR - SLC

In all other instances, where either Party receives a request for information involving the other Party's End User, the Party receiving the request will advise the law enforcement agency initiating the request to redirect such request to the other Party.

6. Liability and Indemnification

- 6.1 <u>CUSTOMER Liability.</u> In the event that CUSTOMER consists of two (2) or more separate entities as set forth in this Agreement and/or any Amendments hereto, or any third party requests Services under this Agreement using CUSTOMER's codes, all such entities shall be jointly and severally liable for the obligations of CUSTOMER under this Agreement.
- 6.2 <u>Liability for Acts or Omissions of Third Parties.</u> AT&T shall not be liable to CUSTOMER for any act or omission of another entity providing services to CUSTOMER.
- 6.3 <u>Limitation of Liability.</u> Except for any indemnification obligations of the Parties hereunder, AT&T's liability to CUSTOMER for any loss, cost, claim, injury, liability or expense, including reasonable attorneys' fees relating to or arising out of any cause whatsoever, whether based in contract, negligence or other tort, strict liability or otherwise, relating to the performance of this Agreement, shall not exceed a credit for the actual cost of the Services not performed or improperly performed.
- CUSTOMER may, in its sole discretion, provide in its tariffs and contracts with its End Users and third parties that relate to any Service provided or contemplated under this Agreement, that, to the maximum extent permitted by applicable law, CUSTOMER shall not be liable to the End User or third party for (i) any loss relating to or arising out of this Agreement, whether in contract, tort or otherwise, that exceeds the amount CUSTOMER would have charged that applicable person for the Service that gave rise to such loss and (ii) indirect, incidental or consequential damages. To the extent that CUSTOMER elects not to place in its tariffs or contracts such limitations of liability, and AT&T incurs a loss as a result thereof, CUSTOMER shall indemnify and reimburse AT&T for that portion of the loss that would have been limited had CUSTOMER included in its tariffs and contracts the limitations of liability that AT&T included in its own tariffs at the time of such loss, except to the extent caused by AT&T's gross negligence or willful misconduct.
- AT&T shall not be liable for damages to CUSTOMER's terminal location, equipment or End User premises resulting from the furnishing of a Service, including, but not limited to, the installation and removal of equipment or associated wiring, except to the extent caused by AT&T's negligence or willful misconduct.

Version: 2007 MBR - SLC

- Onder no circumstance shall AT&T be responsible or liable for indirect, incidental, or consequential damages, including, but not limited to, economic loss or lost business or profits, damages arising from the use or performance of equipment or software, or the loss of use of software or equipment, or accessories attached thereto, delay, error, or loss of data. In connection with this limitation of liability, CUSTOMER recognizes that AT&T may, from time to time, provide advice, make recommendations, or supply other analyses related to the Services described in this Agreement, and, while AT&T shall use diligent efforts in this regard, CUSTOMER acknowledges and agrees that this limitation of liability shall apply to provision of such advice, recommendations, and analyses.
- 6.3.4 To the extent any specific provision of this Agreement purports to impose liability, or limitation of liability, on AT&T different from or in conflict with the liability or limitation of liability set forth in this Section, then with respect to any facts or circumstances covered by such specific provisions, the liability or limitation of liability contained in such specific provision shall apply.
- Indemnification for Certain Claims. Except as otherwise set forth in this Agreement and except to the extent caused by AT&T's gross negligence or willful misconduct, AT&T, its Affiliates, parent company and their employees and agents shall be indemnified, defended and held harmless by CUSTOMER against any claim, loss or damage arising from CUSTOMER's use of the Services provided under this Agreement pertaining to (1) claims for libel, slander or invasion of privacy arising from the content of CUSTOMER's own communications, or (2) any claim, loss or damage claimed by any third party (including, but not limited to, a customer of the Party receiving services) arising from CUSTOMER'S use or reliance on AT&T's Services, actions, duties, or obligations arising out of this Agreement.
- Disclaimer. EXCEPT AS SPECIFICALLY PROVIDED TO THE CONTRARY IN THIS AGREEMENT, AT&T MAKES NO REPRESENTATIONS OR WARRANTIES TO CUSTOMER CONCERNING THE SPECIFIC QUALITY OF ANY SERVICES, OR FACILITIES PROVIDED UNDER THIS AGREEMENT. CUSTOMER DISCLAIMS, WITHOUT LIMITATION, ANY WARRANTY OR GUARANTEE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARISING FROM COURSE OF PERFORMANCE, COURSE OF DEALING, OR FROM USAGES OF TRADE.

7. Intellectual Property Rights and Indemnification

No License. No patent, copyright, trademark or other proprietary right is licensed, granted or otherwise transferred by this Agreement. The Parties are strictly prohibited from any use, including but not limited to, in the selling, marketing, promoting or advertising of Telecommunications Services, of any name, service mark, logo or trademark (collectively, the "Marks") of the Other Party. The Marks include those Marks owned directly by a Party or its Affiliate(s) and those

Version: 2Q07 MBR - SLC

Marks that a Party has a legal and valid license to use. The Parties acknowledge that they are separate and distinct and that each provides a separate and distinct service and agree that neither Party may, expressly or impliedly, state, advertise or market that it is or offers the same service as the Other Party or engage in any other activity that may result in a likelihood of confusion between its own service and the service of the Other Party.

7.2 Ownership of Intellectual Property. Any intellectual property that originates from or is developed by a Party shall remain the exclusive property of that Party. Except for a limited, non assignable, non exclusive, non transferable license to use patents or copyrights to the extent necessary for the Parties to use any facilities or equipment (including software) or to receive any Service solely as provided under this Agreement, no license in patent, copyright, trademark or trade secret, or other proprietary or intellectual property right, now or hereafter owned, controlled or licensable by a Party, is granted to the other Party. Neither shall it be implied nor arise by estoppel. Any trademark, copyright or other proprietary notices appearing in association with the use of any facilities or equipment (including software) shall remain on the documentation, material, product, service, equipment or software. It is the responsibility of each Party to ensure at no additional cost to the other Party that it has obtained any necessary licenses in relation to intellectual property of third parties used in its network that may be required to enable the other Party to use any facilities or equipment (including software), to receive any service, or to perform its respective obligations under this Agreement.

7.3 Intellectual Property Remedies

- 7.3.1 Indemnification. The Party providing a Service pursuant to this Agreement will defend the Party receiving such Service or data provided as a result of such Service against claims of infringement arising solely from the use by the receiving Party of such Service in the manner contemplated under this Agreement and will indemnify the receiving Party for any damages awarded based solely on such claims in accordance with Section 6 above.
- 7.3.2 <u>Claim of Infringement.</u> In the event that use of any facilities or equipment (including software), becomes, or in the reasonable judgment of AT&T is likely to become, the subject of a third party claim, action, suit, or proceeding based on intellectual property infringement, then AT&T shall have the right to terminate, upon reasonable notice, this Agreement with respect to use of, or Services provided through use of, the affected facilities or equipment (including software), but solely to the extent required to avoid the infringement claim.
- 7.3.3 Exception to Obligations. Neither Party's obligations under this Section shall apply to the extent the infringement is caused by: (i) modification of the facilities or equipment (including software) by the indemnitee; (ii) use by the indemnitee of the facilities or equipment (including software) in combination with equipment or facilities (including software) not provided or authorized by the indemnitor,

Version: 2Q07 MBR - SLC

provided the facilities or equipment (including software) would not be infringing if used alone; (iii) conformance to specifications of the indemnitee which would necessarily result in infringement; or (iv) continued use by the indemnitee of the affected facilities or equipment (including software) after being placed on notice to discontinue use as set forth herein.

7.3.4 <u>Exclusive Remedy.</u> The foregoing shall constitute the Parties' sole and exclusive remedies and obligations with respect to a third party claim of intellectual property infringement arising out of the conduct of business under this Agreement.

8. Proprietary and Confidential Information

- 8.1 Proprietary and Confidential Information. It may be necessary for AT&T and CUSTOMER, each as the "Discloser," to provide to the other Party, as "Recipient," certain proprietary and confidential information (including trade secret information) including but not limited to technical, financial, marketing, staffing and business plans and information, strategic information, proposals, request for proposals, specifications, drawings, maps, prices, costs, costing methodologies, procedures, processes, business systems, software programs, techniques, customer account data, call detail records and like information (collectively the "Information"). All such Information conveyed in writing or other tangible form shall be clearly marked with a confidential or proprietary legend. Information conveyed orally by the Discloser to Recipient shall be designated as proprietary and confidential at the time of such oral conveyance, shall be reduced to writing by the Discloser within forty-five (45) days thereafter, and shall be clearly marked with a confidential or proprietary legend.
- 8.2 Use and Protection of Information. Recipient agrees to protect such Information of the Discloser provided to Recipient from whatever source from distribution, disclosure or dissemination to anyone except employees, consultants, contractors and agents of Recipient or its Affiliates with a need to know such Information solely in conjunction with Recipient's analysis of the Information and for no other purpose except as authorized herein or as otherwise authorized in writing by the Discloser. Recipients may make tangible or electronic copies, notes, summaries or extracts of Information only as necessary for use as authorized herein. All tangible or electronic copies, notes, summaries or extracts must be marked with the same confidential and proprietary notice as appears on the original. Information remains at all times the property of the Discloser. Upon Discloser's request, all or any requested portion of the Information (including, but not limited to, tangible and electronic copies, notes, summaries or extracts of any Information) will be promptly returned to Discloser or destroyed, and Recipient will provide Discloser with written certification stating that such information has been returned or destroyed.

Version: 2Q07 MBR - SLC

8.3 Exceptions

- 8.3.1 Recipient will not have an obligation to protect any portion of the Information which:
- 8.3.2 (a) is made publicly available by the Discloser or lawfully by a non-Party to this Agreement; (b) is lawfully obtained by Recipient from any source other than Discloser; (c) is previously known to Recipient without an obligation to keep it confidential; or (d) is released from the terms of this Agreement by Discloser upon written notice to Recipient.
- Recipient agrees not to publish or use the Information for any advertising, sales or marketing promotions, press releases, or publicity matters that refer either directly or indirectly to the Information or to the Discloser or any of its affiliated companies.
- 8.5 The disclosure of Information neither grants nor implies any license to the Recipient under any trademark, patent, copyright, application or other intellectual property right that is now or may hereafter be owned by the Discloser.
- 8.6 <u>Survival of Confidentiality Obligations.</u> The Parties' rights and obligations under this Section 8 shall survive and continue in effect until two (2) years after the expiration or termination date of this Agreement with regard to all Information exchanged during the term of this Agreement. Thereafter, the Parties' rights and obligations hereunder survive and continue in effect with respect to any Information that is a trade secret under applicable law.

9. Disclosure

Notwithstanding anything in this Agreement, upon execution hereof, AT&T may use CUSTOMER's name in connection with a press release relating to the execution of this Agreement. In addition, AT&T shall post this Agreement or file it with the FCC, as appropriate, to the extent such posting or filing may be required in AT&T's reasonable discretion. Except as expressly set forth in this Agreement, neither Party will disclose any terms of this Agreement to any third party unless required by law, by court order, or by order of a regulatory body having jurisdiction over the Party from whom disclosure is sought.

10. Resolution of Disputes

In the event the Parties are unable to resolve any disputes that arise under this Agreement, the aggrieved Party shall pursue resolution of such dispute(s) with the appropriate federal or state court of competent jurisdiction. The Parties submit to personal jurisdiction in Atlanta, Georgia, and waive any objections to a Georgia venue. Except as otherwise provided in this Agreement, nothing herein shall be deemed a waiver of any right of a Party to pursue any remedy at law or in equity.

Version: 2Q07 MBR - SLC

11. Taxes

- 11.1 <u>Definition.</u> For purposes of this Section, the terms "taxes" and "fees" shall include but not be limited to federal, state or local sales, use, excise, gross receipts or other taxes or tax-like fees of whatever nature and however designated (including tariff surcharges and any fees, charges or other payments, contractual or otherwise, for the use of public streets or rights of way, whether designated as franchise fees or otherwise) imposed, or sought to be imposed, on or with respect to the Services furnished hereunder or measured by the charges or payments therefor, excluding any taxes levied on income.
- 11.2 Taxes and Fees Imposed Directly On Either Providing Party or Purchasing Party
- Taxes and fees imposed on the providing Party, which are not permitted or required to be passed on by the providing Party to its customer, shall be borne and paid by the providing Party.
- Taxes and fees imposed on the purchasing Party, which are not required to be collected and/or remitted by the providing Party, shall be borne and paid by the purchasing Party.
- 11.3 <u>Taxes and Fees Imposed on Purchasing Party But Collected And Remitted By Providing Party</u>
- 11.3.1 Taxes and fees imposed on the purchasing Party shall be borne by the purchasing Party, even if the obligation to collect and/or remit such taxes or fees is placed on the providing Party.
- 11.3.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective Service is billed.
- If the purchasing Party determines that in its opinion any such taxes or fees do not apply, the providing Party shall not bill such taxes or fees to the purchasing Party if the purchasing Party provides written certification, reasonably satisfactory to the providing Party, stating that it is exempt or otherwise not subject to the tax or fee, setting forth the basis therefor, and satisfying any other requirements under applicable law. If any authority seeks to collect any such tax or fee that the purchasing Party has determined and certified not to apply, or any such tax or fee that was not billed by the providing Party, the purchasing Party may contest the same in good faith, at its own expense. In any such contest, the purchasing Party shall promptly furnish the providing Party with copies of all filings in any proceeding, protest, or legal challenge, all rulings issued in connection therewith, and all correspondence between the purchasing Party and the taxing authority.

Version: 2Q07 MBR - SLC

- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery. The purchasing Party shall have the right to contest, at its own expense, any such tax or fee that it believes is not applicable or was paid by it in error. If requested in writing by the purchasing Party, the providing Party shall facilitate such contest either by assigning to the purchasing Party its right to claim a refund of such tax or fee, if such an assignment is permitted under applicable law, or, if an assignment is not permitted, by filing and pursuing a claim for refund on behalf of the purchasing Party but at the purchasing Party's expense.
- 11.3.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.3.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other charges or payable expenses (including reasonable attorney fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- 11.3.7 Each Party shall promptly notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; provided, however, that the failure of a Party to provide notice shall not relieve the other Party of any obligations hereunder.
- 11.4 <u>Taxes and Fees Imposed on Providing Party But Passed On To Purchasing Party</u>
- Taxes and fees imposed on the providing Party, which are permitted or required to be passed on by the providing Party to its customer, shall be borne by the purchasing Party.
- 11.4.2 To the extent permitted by applicable law, any such taxes and/or fees shall be shown on applicable billing documents between the Parties. Notwithstanding the foregoing, the purchasing Party shall remain liable for any such taxes and fees regardless of whether they are actually billed by the providing Party at the time that the respective Service is billed.
- 11.4.3 If the purchasing Party disagrees with the providing Party's determination as to the application or basis for any such tax or fee, the Parties shall consult with respect to the imposition and billing of such tax or fee. Notwithstanding the foregoing, the providing Party shall retain ultimate responsibility for determining whether and to what extent any such taxes or fees are applicable, and the purchasing Party shall

Version: 2Q07 MBR - SLC

abide by such determination and pay such taxes or fees to the providing Party. The providing Party shall further retain ultimate responsibility for determining whether and how to contest the imposition of such taxes and fees; provided, however, that any such contest undertaken at the request of the purchasing Party shall be at the purchasing Party's expense.

- In the event that all or any portion of an amount sought to be collected must be paid in order to contest the imposition of any such tax or fee, or to avoid the existence of a lien on the assets of the providing Party during the pendency of such contest, the purchasing Party shall be responsible for such payment and shall be entitled to the benefit of any refund or recovery. The purchasing Party shall have the right to contest, at its own expense, any such tax or fee that it believes is not applicable or was paid by it in error. If requested in writing by the purchasing Party, the providing Party shall facilitate such contest either by assigning to the purchasing Party its right to claim a refund of such tax or fee, if such an assignment is permitted under applicable law, or, if an assignment is not permitted, by filing and pursuing a claim for refund on behalf of the purchasing Party but at the purchasing Party's expense.
- 11.4.5 If it is ultimately determined that any additional amount of such a tax or fee is due to the imposing authority, the purchasing Party shall pay such additional amount, including any interest and penalties thereon.
- 11.4.6 Notwithstanding any provision to the contrary, the purchasing Party shall protect, indemnify and hold harmless (and defend at the purchasing Party's expense) the providing Party from and against any such tax or fee, interest or penalties thereon, or other reasonable charges or payable expenses (including reasonable attorneys' fees) with respect thereto, which are incurred by the providing Party in connection with any claim for or contest of any such tax or fee.
- Each Party shall promptly notify the other Party in writing of any assessment, proposed assessment or other claim for any additional amount of such a tax or fee by a taxing authority; provided, however, that the failure of a Party to provide notice shall not relieve the other Party of any obligations hereunder.
- 11.5 Additional Tax and Fee Provisions
- Mutual Cooperation. In any contest of a tax or fee by one (1) Party, the other Party shall cooperate fully by providing records, testimony and such additional information or assistance as may reasonably be necessary to pursue the contest. Further, the other Party shall be reimbursed for any reasonable and necessary out-of-pocket copying and travel expenses incurred in assisting in such contest.
- 11.5.2 Notwithstanding any provision of this Agreement to the contrary, any administrative, judicial, or other proceeding concerning the application or amount of a tax or fee shall be maintained in accordance with the provisions of this Section

Version: 2Q07 MBR - SLC

and any applicable federal, state or local law governing the resolution of such disputed tax or fee; and under no circumstances shall either Party have the right to bring a dispute related to the application or amount of a tax or fee before a regulatory authority.

12. Force Majeure

In the event performance of this Agreement, or any obligation hereunder, is either directly or indirectly prevented, restricted, or interfered with by reason of fire, flood, earthquake or like acts of God, wars, revolution, civil commotion, explosion, acts of public enemy, embargo, acts of the government in its sovereign capacity, labor difficulties, including without limitation, strikes, slowdowns, picketing, or boycotts, unavailability of equipment from vendor, changes requested by CUSTOMER, or any other circumstances beyond the reasonable control and without the fault or negligence of the Party affected, the Party affected, upon giving prompt notice to the other Party, shall be excused from such performance on a day-to-day basis to the extent of such prevention, restriction, or interference (and the other Party shall likewise be excused from performance of its obligations on a day-to-day basis until the delay, restriction or interference has ceased); provided, however, that the Party so affected shall use diligent efforts to avoid or remove such causes of non performance and both Parties shall proceed whenever such causes are removed or cease.

13. Modification of Agreement

- Subject to the provisions of Section 19 below, if CUSTOMER changes its name or makes changes to its company structure or identity due to a merger, acquisition, transfer or any other reason, it is the responsibility of CUSTOMER to notify AT&T of said change and request that an amendment to this Agreement, if necessary, be executed to reflect said change, and notify the appropriate state commission of such modification of company structure in accordance with the state rules governing such modification in company structure, if applicable. Additionally, CUSTOMER shall provide AT&T with any necessary supporting documentation.
- No modification, amendment, supplement to, or waiver of the Agreement or any of its provisions shall be effective and binding upon the Parties unless it is made in writing and duly signed by the Parties.

14. Non-waiver of Legal Rights

14.1 Execution of this Agreement by either Party does not confirm or imply that the executing Party agrees with any decision(s) issued pursuant to the Telecommunications Act of 1996 and the consequences of those decisions on specific language in this Agreement. Neither Party waives its rights to appeal or otherwise challenge any such decision(s) and each Party reserves all of its rights to

Version: 2Q07 MBR - SLC

pursue any and all legal and/or equitable remedies, including appeals of any such decision(s); provided, however, that any modification of any law, rule or order issued pursuant to the Act shall not impact or modify the Parties' rights and obligations pursuant to this Agreement.

15. Indivisibility

The Parties intend that this Agreement be indivisible and nonseverable, and each of the Parties acknowledges that it has assented to all of the covenants and promises in this Agreement as a single whole and that all of such covenants and promises, taken as a whole, constitute the essence of the contract. The Parties further acknowledge that this Agreement is intended to constitute a single transaction, that the obligations of the Parties under this Agreement are interdependent, and that payment obligations under this Agreement are intended to be recouped against other payment obligations under this Agreement.

16. Severability

If any provision of this Agreement, or part thereof, shall be held invalid or unenforceable in any respect, the remainder of the Agreement or provision shall not be affected thereby, provided that the Parties shall negotiate in good faith to reformulate such invalid provision, or part thereof, or related provision, to as closely reflect the original intent of the Parties as possible, consistent with applicable law, and to effectuate such portions thereof as may be valid without defeating the intent of such provision.

17. Waivers

A failure or delay of either Party to enforce any of the provisions hereof, to exercise any option which is herein provided, or to require performance of any of the provisions hereof shall in no way be construed to be a waiver of such provisions or options, and each Party, notwithstanding such failure, shall have the right thereafter to insist upon the performance of any and all of the provisions of this Agreement.

18. Governing Law

This Agreement shall be governed by and construed and enforced in accordance with the laws of the State of Georgia without regard to its conflict of laws principles.

19. Assignments and Transfers

19.1 CUSTOMER shall not assign to any entity any right, obligation or duty, or any other interest hereunder, in whole or in part, without the prior written consent of AT&T. No transfer or assignment of this Agreement or of any right, obligation or duty, or any other interest hereunder to any entity by contract, merger, operation

Version: 2Q07 MBR - SLC

of law or otherwise, shall be effective without the prior written consent of AT&T and any such assignment or transfer shall be null and void. AT&T may withhold its consent in its sole discretion. The assignee must provide evidence of a Commission approved certification to provide Telecommunications Service in each state that CUSTOMER is providing service. After AT&T's consent, the Parties shall amend this Agreement to reflect such assignments and shall work cooperatively to implement any changes required due to such assignment. Any such assignment shall be subject to applicable charges negotiated between the Parties. All obligations and duties of any Party under this Agreement shall be binding on all successors in interest and assigns of such Party. No assignment or delegation hereof shall relieve the assignor of its obligations under this Agreement in the event that the assignee fails to perform such obligations. Notwithstanding anything to the contrary in this Section, CUSTOMER shall not assign this Agreement to any Affiliate or non affiliated entity unless either (1) CUSTOMER pays all bills, past due and current, under this Agreement, or (2) CUSTOMER's assignee expressly assumes liability for payment of such bills.

In the event that CUSTOMER desires to transfer any Services hereunder to another provider of Telecommunications Service, or CUSTOMER desires to assume hereunder any services provisioned by AT&T to another provider of Telecommunications Service, the Parties shall negotiate the applicable rates, terms and conditions for such a transfer and CUSTOMER shall follow AT&T's established process for completing such a transfer.

19.3 Change in Control

- In the event that CUSTOMER enters into an agreement which, when consummated, would cause CUSTOMER to become subject to a Change of Control at any point during the term of this Agreement, CUSTOMER shall notify AT&T, and AT&T's consent to such Change in Control, which shall not be unreasonably withheld shall be required. To the extent CUSTOMER consummates any such Change in Control prior to AT&T's consent, AT&T, in its sole discretion, may terminate this Agreement upon 30 days prior written notice to CUSTOMER.
- 19.3.2 The following definitions apply for purposes of this Section 19.3:
- 19.3.2.1 "Change of Control" means a change in Control of CUSTOMER (or its Controlling Affiliate or Controlling Affiliates) where such Control is acquired by any third party.
- "Control" or "Controlling" or "Controlled by" shall, depending upon the context in which it is used, refer respectively to (a) a person that holds fifty percent (50%) or more of the voting power of another person, or (b) a person, fifty percent (50%) or more of whose voting power is held by another person. In addition, Control of a person includes the power, direct or indirect, to elect a majority of its board of

Version: 2Q07 MBR - SLC

directors or similar governing body or to direct or cause the direction of the management and policies of such person, whether by contract or otherwise.

19.3.2.3 "Affiliate" means another person that directly or indirectly Controls, is Controlled by, or is under common Control with, CUSTOMER.

20. Notices


With the exception of billing notices, governed by Attachment 3, every notice, consent or approval of a legal nature, required or permitted by this Agreement shall be in writing and shall be delivered either by hand, by overnight courier or by US mail postage prepaid, or email if an email address is listed below, addressed to:

AT&T

AT&T Local Contract Manager 600 North 19th Street, 10th floor Birmingham, AL 35203

and

Business Markets Attorney Suite 4300 675 West Peachtree Street Atlanta, GA 30375



or at such other address as the intended recipient previously shall have designated by written notice to the other Party.

20.2 Unless otherwise provided in this Agreement, notice by mail shall be effective on the date it is officially recorded as delivered by return receipt or equivalent, and in the absence of such record of delivery, it shall be presumed to have been delivered

Version: 2Q07 MBR - SLC

the fifth day, or next business day after the fifth day, after it was deposited in the mails.

Notwithstanding the foregoing, AT&T shall post to the AT&T Web site changes to business processes and policies and shall post to the AT&T Web site or submit through applicable electronic systems, other business related notices not requiring an amendment to this Agreement.

21. Rule of Construction

No rule of construction requiring interpretation against the drafting Party hereof shall apply in the interpretation of this Agreement.

22. Headings of No Force or Effect

The headings of Articles and Sections of this Agreement are for convenience of reference only, and shall in no way define, modify or restrict the meaning or interpretation of the terms or provisions of this Agreement.

23. Multiple Counterparts

This Agreement may be executed in multiple counterparts, each of which shall be deemed an original, but all of which shall together constitute but one and the same document.

24. Good Faith Performance

Each Party shall act in good faith in its performance under this Agreement and, in each case in which a Party's consent or agreement is required or requested hereunder, such Party shall not unreasonably withhold or delay such consent or agreement.

25. Survival

The Parties' obligations under this Agreement which by their nature are intended to continue beyond the termination or expiration of this Agreement shall survive the termination or expiration of this Agreement.

26. Entire Agreement

This Agreement means the General Terms and Conditions, the Attachments identified in Section 26.2 below, and all incorporated documents, all of which, when taken together, are intended to constitute one indivisible agreement. This Agreement sets forth the entire understanding and supersedes prior agreements between the Parties as they relate to the Services provided under this Agreement and merges all prior discussions between them. Any orders placed under a prior commercial agreement between the Parties for the same like services subsequently

Version: 2Q07 MBR - SLC

provided pursuant to this Agreement shall be governed by the terms of this Agreement and CUSTOMER acknowledges and agrees that any and all amounts and obligations owed for services provisioned or orders placed under prior commercial agreements between the Parties, related to the subject matter hereof, shall, as of the Effective Date, be due and owing under this Agreement and be governed by the terms and conditions of this Agreement as if such services or orders were provisioned or placed under this Agreement; provided, however, that the rates of such prior commercial agreement shall apply to such services until the effective date hereof. Neither Party shall be bound by any definition, condition, provision, representation, warranty, covenant or promise other than as expressly stated in this Agreement or as is contemporaneously or subsequently set forth in writing and executed by a duly authorized officer or representative of the Party to be bound thereby.

This Agreement includes Attachments and Exhibits, incorporated herein by reference with provisions for the following:

Services Pre-Ordering, Ordering, Provisioning, Maintenance and Repair Billing

26.3 Any reference throughout this Agreement to a tariff, industry guideline, AT&T's technical guideline or reference, AT&T business rule, guide or other such document containing processes or specifications applicable to the Services provided pursuant to this Agreement, shall be construed to refer to only those provisions thereof that are applicable to these Services, and shall include any successor or replacement versions thereof, all as they are amended from time to time and all of which are incorporated herein by reference and may be found at AT&T's Interconnection Web site at: www.interconnection.bellsouth.com. References to state tariffs throughout this Agreement shall be to the tariff for the state in which the Services were provisioned; provided, however, that in any state where certain AT&T services or tariff provisions have been or become deregulated or detariffed, any reference in this Agreement to a detariffed or deregulated service or provision of such tariff shall be deemed to refer to the service description, price list or other agreement pursuant to which AT&T provides such services as a result of detariffing or deregulation.

27. Service Level Commitment

Upon the Effective Date of this Agreement, AT&T's performance under this Agreement shall be governed by the service level commitments set forth in this Agreement ("SLCs"). Except as otherwise stated herein, as of the Effective Date hereof, AT&T's performance of this Agreement shall not be subject to any service quality measurement ("SQM") plan, payments of remedies in any self-effectuating enforcement mechanism ("SEEM") plan or any other penalty plan, performance plan or other similar requirements imposed by a Commission or the FCC. In the event a Commission or the FCC determines that Services provided pursuant to this

Version: 2Q07 MBR - SLC

Market Agreement General Terms and Conditions Page 19

Agreement are subject to any penalty payment, remedy or service level measure not incorporated in this Agreement, CUSTOMER, within thirty (30) days of a request from AT&T, shall reimburse AT&T for any such penalty or other remedy paid by AT&T to CUSTOMER. In the event a Commission or the FCC determines AT&T is not entitled to reimbursement of such payment, or AT&T is required to pay any penalty, remedies or other such payments to a Commission or the FCC, then upon AT&T's request, the Parties shall negotiate an amendment to the prices for Services hereunder. The amended prices shall be applied retroactively to the date the SQM/SEEMs, or other penalty or performance plan, is deemed to have applied to the Services set forth herein. As of the date the amended prices are applicable to this Agreement, AT&T shall no longer be responsible for measurement of, or payments associated with, the SLCs described in Attachment 4. Further, CUSTOMER shall reimburse AT&T in an amount equal to the total payments from AT&T associated with such SLCs paid as of the date such amended prices are applicable. If the Parties are unable to reach an agreement and execute an amendment within thirty (30) days after AT&T's request, AT&T may terminate this Agreement in any affected state(s) upon fifteen (15) days written notice to CUSTOMER. SLCs and consequences for failure to maintain SLCs are as set forth in Attachment 4 of this Agreement.

Version: 2Q07 MBR - SLC

IN WITNESS WHEREOF, the Parties have executed this Agreement the day and year written below.

BellSouth Telecommunications, Inc. d/b/a AT&T Alabama, AT&T Florida, AT&T Georgia, AT&T Kentucky, AT&T Louisiana, AT&T Mississippi, AT&T North Carolina, AT&T South Carolina and AT&T Tennessee

By:

Name: Kristen E. Shore

Title: Director

Date:

Name
Title:

Version: 2Q07 MBR - SLC

Market Agreement Attachment 1 Page 1

Attachment 1

Services

Version: 2Q07 MBR - SLC

TABLE OF CONTENTS

| 1. | Introduction | 3 |
|-------|--|------|
| 2. | Wholesale Switch Port Services | 3 |
| 3. | Wholesale Local Platform Services | 7 |
| 4. | Wholesale Switch Port Services and Wholesale Local Platform Services Rates | 13 |
| 5. | Inside Wire Maintenance Service | 17 |
| 6. | Call Related Databases | 20 |
| 7. | Local Number Portability (LNP) | 23 |
| 8. | Access To Numbers | 23 |
| 9. | Wholesale Operator Call Processing and Directory Assistance Services | 24 |
| 10. | Branding for Wholesale OCP and DA | 26 |
| 11. | Wholesale Selective Call Routing Using Line Class Codes (SCR-LCC) | 27 |
| 12. | Optional Daily Usage File (ODUF) | 28 |
| 13. | Access Daily Usage File (ADUF) | 31 |
| 14. | Centralized Message Distribution System (CMDS) Utilizing Revenue Accounting Office (RAO) Hosting | - |
| 15. | Rates | 37 |
| Rates | Fyhib | it A |

Version: 2Q07 MBR - SLC

Services

1. Introduction

- 1.1 Upon request of CUSTOMER, AT&T shall provide Wholesale Switch Port Services and Wholesale Local Platform Services as set forth in this Attachment, at the rates set forth in Exhibit A, and pursuant to the terms and conditions of this Agreement. The terms and conditions set forth in this Attachment apply only when the Services are purchased pursuant to this Agreement. The network components and associated services and functions that comprise Wholesale Switch Port Services and Wholesale Local Platform Services or that may be purchased in conjunction with Wholesale Switch Port Services and Wholesale Local Platform Services under this Agreement are available pursuant to this Agreement only in conjunction with CUSTOMER's purchase of Wholesale Switch Port Services and Wholesale Local Platform Services and are not available for individual purchase. These Services are provided to CUSTOMER solely for the purpose of providing Telecommunications Services to CUSTOMER's End Users and CUSTOMER agrees not to use such Services for any other purpose.
- The network components provided as part of the Services offered hereunder may be subject to modification, retirement, upgrades or other changes. AT&T shall provide notice of such changes in accordance with the applicable provisions of the FCC's network disclosure requirements and any other applicable laws or regulations. In the event a network component is retired, such network component is no longer available.
- 1.3 Unless otherwise specified, the terms and conditions in this Attachment related to Wholesale Switch Port Services apply to both DS0 and DS1 Wholesale Switch Port Services, and the terms and conditions in this Attachment related to Wholesale Local Platform Services apply to both DS0 and DS1 Wholesale Local Platform Services.

2. Wholesale Switch Port Services

- 2.1 Wholesale Switch Port Services provide the features, functions and capabilities of the local circuit switch, including dial tone, the ability to originate and terminate calls, and all vertical features that the local circuit switch is capable of providing and that are available.
- 2.1.1 When ordering Wholesale Switch Port Services, network components that allow for the transport and termination of originated calls and the receipt of calls destined for the switch port are included. These network components, which each have their own pricing elements, include End Office Switching, Tandem Switching and Common Transport. CUSTOMER may also order for an additional charge

Version: 2007 MBR - SLC

switch based vertical features that the switch is capable of providing and that are available. AT&T may make available certain ancillary services that may be ordered with the Wholesale Switch Port Services. If available, such ancillary services will be ordered pursuant to AT&T's tariff or pursuant to an AT&T resale agreement.

- 2.1.2 When ordering Wholesale Switch Port Services as a stand-alone element, CUSTOMER is responsible for obtaining other required elements or components that may be needed to provide its desired voice grade services. These elements or component may include but are not limited to: loops; collocation arrangements; and collocation cross-connects between the Wholesale Switch Port Services and CUSTOMER's collocation arrangement.
- 2.1.3 Wholesale Switch Port Services shall be provided at DS0 and DS1 levels. The following Wholesale Switch Ports are available for ordering. For services not currently available, CUSTOMER may contact their Local Contract Manager and will follow the appropriate AT&T processes.
- 2.1.3.1 DS0 Wholesale Switch Ports listed below shall be provisioned with a 2-wire voice grade port:
- 2.1.3.1.1 DS0 Wholesale Switch Port Residential Service;
- 2.1.3.1.2 DS0 Wholesale Switch Port Business Service;
- 2.1.3.1.3 DS0 Wholesale Switch Port Residential Service with Remote Call Forwarding;
- 2.1.3.1.4 DS0 Wholesale Switch Port Business Service with Remote Call Forwarding; or
- 2.1.3.1.5 DS0 Wholesale Switch Port Coin.
- 2.1.3.2 DS1 Wholesale Switch Ports for Integrated Services Digital Network/Primary Rate ISDN (ISDN/PRI) and ISDN/PRI with Detailed E911 Locator Capability shall be provisioned with a 4-wire ISDN port.
- 2.1.4 <u>End Office Switching.</u> End Office Switching provides the switching function of connecting lines to lines, lines to trunks, trunks to lines, and trunks to trunks. End Office Switching includes the pricing elements of End Office Switching Function and End Office Trunk Ports, as set forth in Exhibit A.
- 2.1.5 <u>Tandem Switching</u>
- 2.1.5.1 Tandem Switching provides the following: (i) trunk connect facilities, which include, but are not limited to, the connection between trunk termination at a cross connect panel and switch trunk card; (ii) the basic switch trunk function of connecting trunks to trunks; and (iii) the functions that are centralized in the

Version: 2007 MBR - SLC

Tandem Switches (as distinguished from separate end office switches), including, but not limited to call recording, the routing of calls to operator services and signaling conversion features. Tandem Switching includes the pricing elements of Tandem Switching Function, Tandem Trunk Ports, Melded Tandem Switching Function and Melded Tandem Trunk Ports, as set forth in Exhibit A.

- 2.1.5.2 When an interoffice call originates from a Wholesale Switch Port and terminates to an AT&T, independent company (ICO) or facility based CLEC end office, AT&T shall apply the Melded Tandem Switching rate(s) as set forth in Exhibit A. For all other calls utilizing Tandem Switching, the Tandem Switching rate as set forth in Exhibit A shall apply.
- 2.1.6 <u>Common Transport.</u> Common (Shared) Transport is defined as transmission facilities shared by more than one (1) carrier, including AT&T, between end office switches, between end office switches and tandem switches, and between tandem switches, in AT&T's network. Common Transport includes the pricing elements of Common Transport per Mile and Common Transport Facilities Termination as set forth in Exhibit A.

2.1.7 Switch Based Vertical Features

- 2.1.7.1 Switch based vertical features include vertical features that the circuit switch is capable of providing and that are available and may be ordered in conjunction with the Wholesale Switch Port. Switch based vertical features are ordered separately and shall be charged at a single rate, as set forth in Exhibit A, regardless of the number of vertical features ordered. CUSTOMER may add or delete vertical features at no additional charge except the applicable ordering charge.
- 2.1.7.2 To the extent that a circuit switch is technically capable of providing a switch based vertical feature but such switch based vertical feature is not currently available, CUSTOMER may contact their Local Contract Manager and shall follow the appropriate AT&T processes.
- 2.1.8 <u>Ancillary Services.</u> CUSTOMER may request certain non-switch based services that are available with Wholesale Switch Port Services. If available, such services shall be provided pursuant to AT&T's Tariff or pursuant to a separate AT&T resale agreement.

2.1.8.1 <u>Directory Listings</u>

2.1.8.1.1 AT&T shall provide one (1) basic White Pages directory listing per telephone number per End User account at no charge other than applicable service order charges as set forth in AT&T's Tariffs. If such listing is requested on the initial local service request (LSR) associated with the request for Service, a single manual service order charge or electronic service order charge, as appropriate, as described in Attachment 2 will apply to both the request for Service and the

Version: 2007 MBR - SLC

request for the directory listing. Where a subsequent LSR is placed solely to request a directory listing, separate service order charges as set forth in AT&T's Tariffs shall apply, as well as the manual service order charge or electronic service order charge, as appropriate, as described in Attachment 2. Additional, enhanced and miscellaneous listings may be provided and shall be rated according to AT&T's General Subscriber Services Tariff (GSST), and tariffed service order charges and manual or electronic service order charges shall apply.

2.2 Remote Call Forwarding

- As an option, AT&T shall make available to CUSTOMER a DS0 switch port with Remote Call Forwarding (RCF) capability. RCF service combines the functionality of End Office Switching, Tandem Switching and Common Transport to forward calls from the RCF service telephone number (i.e., the number dialed by the calling party) to another telephone number selected by the RCF service subscriber (Forward-to-Number). When ordering RCF service, CUSTOMER will ensure that the following conditions are satisfied:
- 2.2.1.1 The End User of the Forward-to-Number agrees to receive calls forwarded using the RCF service (if such End User is different from the RCF service End User);
- 2.2.1.2 The Forward-to-Number is equipped with sufficient capacity to receive the volume of calls that will be generated from the RCF service; and
- 2.2.1.3 The Forward-to-Number is not a public safety number (e.g., 911, fire or police number).
- 2.2.2 In addition to the charge for the RCF service port, AT&T shall charge CUSTOMER the rates set forth in Exhibit A for End Office Switching, Tandem Switching, and Common Transport, including all associated usage incurred for calls from the RCF service telephone number to the Forward-to-Number.
- 2.3 Detailed E911 with Locator Capability
- 2.3.1 CUSTOMER is required to purchase Detailed E911 Locator Capability with any 4-wire ISDN DS1 Port, that has the ability to make and receive voice calls to or from the Public Switched Telecommunications Network (PSTN).
- 2.3.2 Detailed E911 with Locator Capability allows End Users located on CUSTOMER's network ring or loop facilities direct access into an E911 tandem office, delivering the telephone number and location of the End User's number as well as the actual physical location of the calling party's extension to the appropriate E911 Public Safety Answering Point (PSAP).

Version: 2007 MBR - SLC

- 2.3.3 All CUSTOMER's End Users who have service provisioned via 4-wire ISDN DS1 Port with Detailed E911 Locator Capability shall be physically located in the E911 Tandem Switch service area.
- 2.3.4 CUSTOMER shall pass its End User's telephone number to AT&T over the Primary Rate Interface trunk group via Automatic Number Identification (ANI).
- 2.3.5 CUSTOMER shall maintain the individual telephone number and the correct corresponding address/location data, including maintaining the End User's listed address as the actual physical End User location in the E911 Automatic Location Identification (ALI) Database.
- 2.3.6 CUSTOMER will be liable for any errors resulting from the submission of invalid telephone number and address/location data for CUSTOMER's End Users.

3. Wholesale Local Platform Services

- 3.1 Wholesale Local Platform Services provide an end to end Telecommunications Service by combining Wholesale Switch Ports with the loop network component described in this Agreement, which together provide local exchange service for the origination or termination of calls. The loop network component described in this Agreement shall only be provided as part of the Wholesale Local Platform Service. Wholesale Local Platform Services support the same calling and feature attributes as described in the Wholesale Switch Port Services section of this Attachment.
- 3.2 The following DS0 Wholesale Local Platform Services are available for ordering. For services not currently available CUSTOMER shall contact their Local Contract Manager and will follow the appropriate AT&T processes.
- 3.2.1 DS0 Wholesale Local Platform Services listed below shall be provisioned with a 2-wire voice grade port and either a non-designed (SL1) or designed (SL2) 2-wire voice grade loop. Exhibit A shall list the applicable loops associated with each of the DS0 Wholesale Local Platform Services:
- 3.2.1.1 DS0 Wholesale Local Platform Service [Residence];
- 3.2.1.2 DS0 Wholesale Local Platform Service [Business];
- 3.2.1.3 DS0 Wholesale Local Platform Service [Residence Private Branch Exchange (PBX)];
- 3.2.1.4 DS0 Wholesale Local Platform Service [Business PBX];
- 3.2.1.5 DS0 Wholesale Local Platform Service [Coin];
- 3.2.1.6 DS0 Wholesale Local Platform Service [Direct Inward Dial (DID)];

Version: 2Q07 MBR - SLC

- 3.2.1.7 DS0 Wholesale Local Platform Service [Residence Foreign Exchange (FX)/Foreign Central Office (FCO)];
- 3.2.1.8 DS0 Wholesale Local Platform Service [Business FX/FCO];
- 3.2.1.9 DS0 Wholesale Local Platform Service [PBX FX/FCO]; and
- 3.2.1.10 DS0 Wholesale Local Platform Service [PBX/DID with E911 Call Locator].
- 3.2.2 DS0 Wholesale Local Platform Services listed below shall be provisioned with a 2-wire ISDN port and a 2-wire ISDN digital loop:
- 3.2.2.1 DS0 Wholesale Local Platform Service [ISDN/BRI]
- 3.3 DS1 Wholesale Local Platform Services include the following. For services not currently available CUSTOMER shall contact their Local Contract Manager and will follow the appropriate AT&T processes.
- 3.3.1 <u>DS1 Wholesale Local Platform Service Direct Digital Integration Termination Service (DDITS).</u> DS1 Wholesale Local Platform Service –DDITS is an arrangement that allows the termination of a 4-wire DS1 digital loop directly into a digital switch port. It will consist of a DS1 facility that will be terminated into a digital carrier trunk port on a switch. These ports can only be used for DS1 terminations on the trunk side of the switch. A DDITS arrangement can consist of twenty-four (24) DS0 level channels that can be configured as a 2-way, 2-way DID with user transfer, 1-way outward, or 1-way inward with or without DID service. This service allows for assigning multiple trunk groups (made up of individual channel assignments) within a single digital loop, single trunk groups across multiple digital loops, or combinations of both.
- 3.3.2 <u>DS1 Wholesale Local Platform Service 4-wire ISDN/PRI.</u> DS1 Wholesale Local Platform Service 4-wire ISDN/PRI is a 4-wire ISDN DS1 port and 4-wire DS1 digital loop that is an intraLATA offering supported by the ISDN architecture. DS1 Wholesale Local Platform Service 4-wire ISDN/PRI provides an ISDN-based, DS1 access to the PSTN and includes the flexibility of integration of multiple voice and/or data transmission channels on the same line. The service provides connectivity between ISDN compatible Customer Provided Equipment (CPE) and a serving central office. The basic channel structure is twenty-three (23) sixty-four (64) kilobits per second (Kbps) B-Channels and one (1) sixty-four (64) Kbps D-Channel. The End User may activate up to twenty-three (23) B-Channels on the first ISDN/PRI arrangement and up to twenty-four (24) channels on additional 4-wire ISDN/PRI arrangements. The product offerings are: voice/data (standard), digital data only and inward data option.
- 3.3.3 <u>DS1 Wholesale Local Platform Service 4-wire DS1 Loop with Channelization</u> with Port. DS1 Wholesale Local Platform Service 4-wire DS1 Loop with

Version: 2Q07 MBR - SLC

Channelization with Port is a port/loop arrangement consisting of the following four (4) basic components: (a) one (1) 4-wire DS1 digital loop; (b) one (1) channelization interface device (D4 Channel Bank or equivalent) in the AT&T central office; (c) selected central office ports (up to twenty-four (24) per DS1) in the AT&T switch; and (d) DS0 feature activation cards (one (1) per DS0) in the AT&T channel bank. Each DS1 loop supports any combination of the following four (4) service offerings up to a maximum of twenty-four (24) DS0 channels. The following service offerings are available: (1) a 2-way, combination trunks/trunk groups (line side termination in AT&T switch); (2) a 1-way, outward trunks/trunk groups, without DID (line side termination in AT&T switch); and (4) a 1-way, inward trunk/trunk groups, with DID (trunk side termination in an AT&T switch).

3.4 <u>E911 Call Locator Capability</u>

- 3.4.1 E911 Call Locator Capability is available as an adjunct service to DS1 Wholesale Local Platform Services –ISDN/PRI, DS1 Wholesale Local Platform Service DDITS, DS1 Wholesale Local Platform Services 4-wire DS1 Loop with Channelization with Port, and DS0 Wholesale Local Platform Services with E911 Call Locator (includes DID and On/Off Premises Extensions).
- 3.4.2 E911 Call Locator Capability allows a PBX switch located on an End User's premises direct access into an E911 tandem office, delivering the telephone number and location of the PBX End User's station number to the appropriate E911 PSAP.
- 3.4.3 E911 Call Locator Capability offers full E911 service to CUSTOMER's End User's PBX station users. Full E911 service means the actual physical location of the PBX 911 caller and the station telephone number will be identified to the PSAP when a 911 call is made.
- 3.4.4 There are two (2) components to this service: (1) access to the ALI database, which is the database service component of this product. The PBX station information is initiated and maintained by CUSTOMER or CUSTOMER's PBX End User in the ALI database; and (2) E911 Call Locator Capability Service Local Channels, which are the paths that carry E911 calls to the E911 tandem. If CUSTOMER's End User is served via Primary Rate Interface, the E911 calls may travel over either the Primary Rate Interface or over separate CAMA trunks to the E911 tandem, as specified by CUSTOMER when placing the order for the service. If CUSTOMER's End User is served by DDITS, 4-wire Channelization with Port or PBX Trunks, then CAMA trunks must be used.
- 3.4.5 CUSTOMER can as an option purchase private dedicated trunks at the resale tariff rate installed between the AT&T E911 Tandem and CUSTOMER's Point of

Version: 2Q07 MBR - SLC

Interface (POI), usually an adjunct box located at the PBX. If the PBX supports Primary Rate Interface and the calling stations are DID numbers, then the 911 call can be transmitted using Primary Rate Interface without E911 Call Locator Capability Service Local Channels.

- 3.4.6 CUSTOMER is responsible for providing the correct E911 tandem information to AT&T during the ordering and provisioning process.
- 3.4.7 CUSTOMER is responsible for maintaining individual telephone numbers and corresponding address/location data.
- 3.4.8 CUSTOMER is responsible for insuring that the End User listed address is the actual physical End User location as mandated by regulatory and public safety agencies (e.g., E911).
- 3.4.9 CUSTOMER is liable for any error conditions resulting from the submission of invalid telephone number and address/location data for the CUSTOMER's End Users and the PBX stations.
- 3.4.10 CUSTOMER will insure that its End User's telephone number can be passed over the appropriate E911 Call Locator Capability Local Service Channels, the Primary Rate Interface trunk group, or direct CAMA trunks to the appropriate E911 Tandem switch.
- 3.4.11 CUSTOMER or CUSTOMER's designated representative will work with the third party provider of E911 Call Locator Capability to ensure all information in the ALI database is up-to-date.
- 3.5 On/Off Premises extensions and Different Premises Address extension are available for select DS0 Wholesale Local Platform Services. The rates are as set forth in Exhibit A.
- 3.5.1 On/Off Premises extensions are station numbers that are associated with an End User's PBX but which are located at a different physical address than the PBX and On/Off Premises extensions require additional loops to provision the Service. The On/Off Premises extension draws its digital tone from the PBX and must dial an access code to access the PSTN via port/loop combinations (PBX trunks) terminating in the CPE PBX.
- 3.5.2 A Different Premises Address extension consists of one (1) port and two (2) loops with each loop terminating at a different physical address. The Different Premises Address extension draws dial tone directly from the AT&T central office. It constitutes the same telephone number working at two (2) separate physical addresses.

Version: 2007 MBR - SLC

- 3.6 DS0 Wholesale Local Platform Services Centrex provides an end-to-end Telecommunications Service by combining DS0 Wholesale Switch Ports, a Common Block Program within the Switch, and a loop network component described in this Agreement, which together provide local exchange service for the End User for the origination or termination of calls.
- 3.6.1 Within the AT&T Switch the 2-wire Voice Grade Ports (Centrex) are programmed into a Common Block of numbers which will partition the Central Office switch to serve a specific customer and as such share certain inherent Centrex functionalities, capabilities and features. The Common Block program is also known as the "Common Block" or the "Centrex Customer Group". The Centrex Common Block defines system level parameters. Common equipment parameters offer the minimum capabilities of the system:
- 3.6.1.1 Station to Station Calling within the Common Block (intercom calling);
- 3.6.1.2 Direct Inward Dialing to Stations (DID);
- 3.6.1.3 Direct Outward Dialing;
- 3.6.1.4 Touchtone service; or
- 3.6.1.5 Common recorded announcement on interception of calls to unassigned numbers.
- 3.6.2 Network Access Registers (NARs). A NAR is an optional part of the Common Block programming associated with access outside of the Centrex system. Each NAR provides a single talking path to the PSTN. A NAR can be inbound, outbound or combination. All ports are subject to Switching and Local Interconnection Usage charges. These charges will apply to each Centrex line. Other than to limit access to the PSTN, NARs are not necessary components of DS0 Wholesale Local Platform Service Centrex. NARs will be zero (0) rated on the CUSTOMER Account. Rearrangements, additions, or removal of NARs will incur the appropriate subsequent activity charges set forth in Exhibit A. New installations can be provisioned with or without NARs at the request of CUSTOMER.
- 3.6.3 Centrex feature functionality that is a function of the switch will be available to the Centrex port at the rates set forth in Exhibit A. Feature functionality that has been developed by AT&T outside of the function of the Switch, including but not limited to Centrex Control and Centrex Select Features, is separately priced and included in Exhibit A.
- 3.6.4 The Centrex Common Block can be provisioned with a Switch Port to accept/terminate selected ancillary services within the Centrex, including but not limited to FX, Tie Lines, DS1/high cap services, Wide Area Telephone Service (WATS/800 Service), Music on Hold, and Simplified Message Detail Interface.

Version: 2Q07 MBR - SLC

These services are accessed via a dialing code or preprogrammed access as part of the Centrex functionality. Access to the ancillary services will be priced with Wholesale Local Platform – Centrex. The ancillary services will be priced separately from Wholesale Local Platform - Centrex. Pricing for the ancillary/associated service could be at a negotiated rate, tariff rate, or a combination of both depending on the service.

- 3.6.5 DS0 Wholesale Local Platform Service Centrex shall be provisioned with a 2-wire analog voice grade loop, which is a non-designed 2-wire loop start circuit that does not have remote access test points.
- 3.7 Loops. The local loop network component is a transmission facility that AT&T provides between a distribution frame (or its equivalent) in AT&T's central office and the loop demarcation point at an End User premises. Facilities that do not terminate at a demarcation point at an End User premises, including, by way of example, but not limited to, facilities that terminate to another carrier's switch or premises, a cell site, Mobile Switching Center or base station, do not constitute local loops. The loop includes all features, functions, and capabilities of the transmission facilities, including the network interface device, and attached electronics (except those used for the provision of advanced services, such as Digital Subscriber Line Access Multiplexers (DSLAMs)), optronics and intermediate devices (including repeaters and load coils) used to establish the transmission path to the End User's premises, including inside wire owned or controlled by AT&T. CUSTOMER shall purchase the entire bandwidth of the loop and, except as required herein or as otherwise agreed to by the Parties, AT&T shall not subdivide the frequency of the loop.
- 3.7.1 Except as set forth herein, 2-wire voice grade loops may be provisioned using any type of facility that will support voice grade services. This may include loaded copper, non-loaded copper, digital loop carrier systems, fiber/copper combination (hybrid loop) or a combination of any of these facilities. AT&T, at any time, in the normal course of maintaining, repairing, and configuring its network, may also change the facilities that are used to provide the loop utilized in conjunction with the Wholesale Local Platform Service. This change may occur at any time. In these situations, AT&T will only ensure that the newly provided facility will support the same voice grade services provided by the Wholesale Local Platform Services. 2-wire voice grade loops come in two (2) different service levels SL1 and SL2.
- 3.7.1.1 SL1 2-wire voice grade loops are 2-wire loop start circuits, will be non-designed, and will not have remote access test points.
- 3.7.1.2 SL2 2-wire voice grade loops shall have remote access test points and will be designed with a DLR provided to CUSTOMER. SL2 circuits can be provisioned with a loop start, ground start or reverse battery signaling.

Version: 2007 MBR - SLC

- 3.7.2 As specified, certain Wholesale Local Platform services utilize digital loop network components. Digital loops are service specific, will be designed and will be provisioned with test points (where appropriate).
- 3.7.2.1 The following digital loops shall apply to Wholesale Local Platform Services:
- 3.7.2.2 2-Wire ISDN Digital Loop This loop will be provisioned according to industry standards for 2-Wire Basic Rate ISDN services and will come standard with a test point; and
- 3.7.2.3 4-Wire DS1 Digital Loop This loop is a designed 4-wire loop that is provisioned according to industry standards for DS1 or PRI services and will come standard with a test point.
- 3.7.3 The loop does not include any packet switched features, functions or capabilities.
- 3.7.4 AT&T shall not provision Wholesale Local Platform Services over any loop that is comprised entirely of fiber from the distribution frame (or equivalent) in the AT&T central office to the demarcation point at the End User's premises.
- 3.7.5 The loop shall be provided to CUSTOMER in accordance with applicable provisions of Telcordia/ANSI standard technical references.
- 3.7.6 AT&T will only provision, maintain and repair the loops to the standards that are consistent with the loop component associated with the Wholesale Local Platform Services.
- 3.8 <u>Loop Tagging</u>
- 3.8.1 When an AT&T technician is required to be dispatched to provision the loop, AT&T will tag the loop with the telephone number. When a dispatch is not required to provision the loop, AT&T will tag the loop on the next required visit to the End User's location. If CUSTOMER wants to ensure the loop is tagged during the provisioning process for loops that may not require a dispatch, CUSTOMER may order Loop Tagging. Rates for Loop Tagging are as set forth in Exhibit A.
- 4. Wholesale Switch Port Services and Wholesale Local Platform Services Rates
- 4.1 The rates for Wholesale Switch Port Services and Wholesale Local Platform Services in Exhibit A shall include monthly recurring and nonrecurring charges.
- 4.2 Any services assigned a residential class of service shall be used for residential services only. Any services assigned a business class of service shall be used for business services only.

- 4.2.1 For the Wholesale Switch Port, recurring charges apply to the switch port, switch based vertical features, End Office Switching, Tandem Switching and Common Transport pricing elements. Nonrecurring charges apply to the switch port.
- 4.2.2 For the Wholesale Local Platform Services, recurring charges apply to the switch port, loop, switch based vertical features, End Office Switching, Tandem Switching and Common Transport pricing elements. Nonrecurring charges shall apply to the switch port for a new installation. If, however, the Service is converted from AT&T retail, resale, or a loop/port combination provided by AT&T to another CLEC, or is an initial new installation of a simple residential service line provisioned at a location where QuickServe is active on the line, the nonrecurring conversion charges shall apply to such conversions. In the scenario of a line provisioned at a QuickServe location, only the first line shall incur the conversion rate. Any additional lines or subsequently ordered lines shall incur new installation first and additional nonrecurring charges.
- 4.2.3 For the DS0 Wholesale Local Platform Service Centrex, recurring charges apply to the Switch Port, loop, Common Block Program, Centrex Intercom Function, switch based vertical features, End Office Switching, Tandem Switching and Common Transport pricing elements. Nonrecurring charges shall apply to the switch port for a new installation.
- 4.2.4 DID, ISDN/BRI and DS0 Wholesale Local Platform Services with E911 Call Locator (including DID and On/Off Premises Extensions) shall include both recurring and nonrecurring charges.
- 4.3 ISDN/PRI, DS1 Wholesale Local Platform Service DDITS, DS1 Wholesale Local Platform Services 4-wire DS1 Loop with Channelization with Port and shall include both recurring and nonrecurring charges.
- 4.3.1 DS1 Wholesale Local Platform Services also require additional elements, including but not limited to DID number blocks, Superframe Format, D1 channel banks, inter-office channels, for proper provisioning of the particular DS1 Wholesale Local Platform Service. Appropriate recurring and nonrecurring charges for these applicable service specific elements are located in Exhibit A.
- 4.4 The rates for End Office Switching, Tandem Switching and Common Transport are applied based on their use in the transport of an originated or terminated call, with the exception of the coin class of service which contains a monthly recurring flat-rate charge for all three (3) of these pricing elements combined. Originated calls shall utilize these pricing elements until the terminating end office is reached for an AT&T or resale End User terminated call or until the call reaches the network of a third party on a third party terminated call.

4.5 Rates for loops purchased in conjunction with Wholesale Local Platform Services are determined by the zone applicable to the specific loop location. Zones are established by the Commission and may be changed from time to time. In the event the Commission changes the zone applicable to any loop associated with any Wholesale Local Platform Services, the loop component of such Services shall be billed at the applicable rate for the new zone.

4.6 Intercarrier Compensation

- 4.6.1 Intercarrier compensation for seven (7) or ten (10) digit dialed calls originated by CUSTOMER utilizing Wholesale Switch Port Services or Wholesale Local Platform Services shall apply as follows:
- 4.6.1.1 For calls terminating to an AT&T End User or to an End User served by AT&T resold services, AT&T shall charge CUSTOMER for End Office Switching as set forth in Exhibit A at the terminating end office.
- 4.6.1.2 For calls terminating to a CLEC where such CLEC is utilizing an AT&T switch port or port/loop combination to provide service to its End User, AT&T shall charge CUSTOMER for End Office Switching as set forth in Exhibit A at the terminating end office. AT&T will not charge the terminating CLEC for End Office Switching at the terminating end office.
- 4.6.1.3 For calls terminating to third party carriers, such as CLECs, wireless carriers and ICOs, utilizing their own switches to serve their End Users, CUSTOMER is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through AT&T's network. If CUSTOMER does not have such an agreement with a third party carrier and AT&T is charged termination charges by a third party terminating a call originated by CUSTOMER, or if such third party carrier bills AT&T for terminating such calls, despite the existence of such an agreement, then AT&T may, at its option:
- pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to CUSTOMER for each such call; or
- pay such charges as billed by the third party carrier and CUSTOMER will reimburse the full amount of such charges within thirty (30) days of AT&T's request for reimbursement.
- 4.6.2 Intercarrier compensation for seven (7) or ten (10) digit dialed calls terminating to CUSTOMER utilizing Wholesale Switch Port Services or Wholesale Local Platform Services shall apply as follows:
- 4.6.2.1 For calls originated by an AT&T End User or to an End User served by AT&T resold services, AT&T shall not charge CUSTOMER for End Office Switching at the terminating end office for use of the network component; therefore,

Version: 2Q07 MBR - SLC

CUSTOMER shall not charge AT&T intercarrier compensation or any other charges for termination of such calls.

- 4.6.2.2 For calls originated by a CLEC where such CLEC is utilizing an AT&T switch port or port/loop combination to provide service to its End User, AT&T shall not charge CUSTOMER for End Office Switching at the terminating end office for use of the network component; therefore, CUSTOMER shall not charge the originating CLEC or AT&T intercarrier compensation or any other charges for termination of such calls.
- 4.6.2.3 For calls originated by third party carriers, such as CLECs, wireless carriers and ICOs, utilizing their own switches to serve their End Users, CUSTOMER is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through AT&T's network. CUSTOMER may bill the third parties according to such agreements and shall not bill AT&T for the exchange of traffic through AT&T's network.
- 4.6.3 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls originated by CUSTOMER utilizing Wholesale Switch Port Services or Wholesale Local Platform Services where CUSTOMER uses AT&T's Carrier Identification Code (CIC) for its End User's Local Preferred Interexchange Carrier (LPIC):
- 4.6.3.1 For calls terminating to an AT&T End User or to an End User served by AT&T resold services, AT&T shall charge CUSTOMER for End Office Switching as set forth in Exhibit A at the terminating end office.
- 4.6.3.2 For calls terminating to a CLEC where such CLEC is utilizing an AT&T switch port or port/loop combination to provide service to its End User, AT&T shall charge CUSTOMER for End Office Switching as set forth in Exhibit A at the terminating end office. AT&T will not charge the terminating CLEC for End Office Switching at the terminating end office. In the event that AT&T is charged termination charges by the CLEC, AT&T may pay such charges and CUSTOMER will reimburse AT&T the full amount of such charges within thirty (30) days following AT&T's request for reimbursement.
- 4.6.3.3 For calls terminating to third party carriers, such as CLECs, wireless carriers and ICOs, utilizing their own switches to serve their End Users, CUSTOMER is required to enter into interconnection or traffic exchange agreements with such third parties for the exchange of traffic through AT&T's network. If CUSTOMER does not have such an agreement with a third party carrier and AT&T is charged termination charges by a third party terminating a call originated by CUSTOMER, or if such third party carrier bills AT&T for terminating such calls, despite the existence of such an agreement, then AT&T may, at its option:

Version: 2007 MBR - SLC

- 4.6.3.3.1 pay such charges as billed by the third party carrier and charge End Office Switching as set forth in Exhibit A to CUSTOMER for each such call; or
- pay such charges as billed by the third party carrier and CUSTOMER will reimburse AT&T the full amount of such charges within thirty (30) days following AT&T's request for reimbursement.
- 4.6.4 Intercarrier compensation shall apply as follows for intralata 1+ dialed calls terminating to CUSTOMER utilizing Wholesale Switch Port Services or Wholesale Local Platform Services where the originating carrier uses AT&T's CIC for its End User's LPIC:
- 4.6.4.1 For calls originated by an AT&T End User or by an End User served by AT&T resold services, AT&T shall charge CUSTOMER for End Office Switching as set forth in Exhibit A at the terminating end office for use of the End Office Switching network component in terminating such calls. CUSTOMER may charge AT&T for intercarrier compensation at the End Office Switching rate in this Agreement for such calls. CUSTOMER shall not charge originating or terminating switched access rates to AT&T for termination of such calls.
- 4.6.5 For calls originated by or terminating to interexchange carriers (IXCs) through a switched access arrangement, CUSTOMER may bill the IXC in accordance with CUSTOMER's tariff and will not bill AT&T any charges for such call. CUSTOMER shall pay AT&T applicable charges for the use of AT&T's network in accordance with the rates set forth in Exhibit A for originating and terminating such calls.

5. Inside Wire Maintenance Service

- 5.1 Upon request of CUSTOMER, AT&T will provide the Inside Wire Maintenance ("ISWM") Services ordered by CUSTOMER as further detailed in this Attachment.
- ISWM Services are defined as follows: AT&T will repair telephone service troubles that may exist in the wiring and jacks inside CUSTOMER's end user's business or residence where the telecommunications service provided to the CUSTOMER's end user is basic residential and/or business lines purchased from CUSTOMER and provided to CUSTOMER pursuant to this Agreement. Basic residential and/or business lines are defined as Plain Old Telephone Service ("POTS") lines which are provisioned with simple wiring and which do not terminate at a communications system.
- As part of the ISWM Services, AT&T will isolate the source of the trouble reported by CUSTOMER. If the trouble is located in AT&T's network (i.e. on the network side of the demarcation point for that line), AT&T will repair the trouble as specified elsewhere in this Agreement. If the trouble is located between

Version: 2007 MBR - SLC

the network demarcation point and the interface to the jack(s) inside the end user's premises, AT&T, subject to the terms and conditions set forth herein, will repair the basic inside telephone wire and modular jacks.

- 5.4 ISWM Services do not include repairs to telephone sets, fax machines, answering machines, modems, and similar equipment, also known as Customer Premises Equipment ("CPE").
- 5.5 If the trouble is caused by a defect or condition present in the CPE or in the cord from the jack to the CPE, AT&T will advise CUSTOMER and/or CUSTOMER's end user that the CPE should be disconnected and either repaired or replaced, and the trouble ticket will be closed to CUSTOMER.
- 5.6 ISWM Services do not include (i) troubles caused by willful damage to inside wire or jacks; (ii) damage caused by acts of God; (iii) obvious conditions existing at the time of CUSTOMER's subscription to the ISWM Services (e.g. wiring does not exist to the jack at the time of the subscription to the ISWM Services); (iv) inside wire or jacks that do not meet industry standards for telecommunications services; (v) any repair to and/or maintenance of CUSTOMER's end user's inside wiring or jacks to the extent that after reasonable effort AT&T determines that such repair/maintenance cannot be performed in a safe manner due to the presence of asbestos or any other environmentally hazardous substance or due to the existence of an unsafe condition (vi) damage to wiring or jacks due to painting or remodeling; (vii) the rearranging of inside wiring from one DS0 Wholesale Local Voice Platform Services to another DS0 Wholesale Local Voice Platform Services (e.g. previous occupant of premises had two (2) lines and CUSTOMER's end user has only one (1) line); (viii) on-premise, different building extensions; and (ix) inside wiring or jacks installed in Recreational Vehicles, boats and/or travel trailers.
- Replacement of standard miniature modular jacks (i.e. RJ11C/D, RJ11W, RJ14C and RJ14W) is included in ISWM Services. If any other jack type requires replacement, CUSTOMER will be liable for the material cost of said jack type. The labor associated with the replacement of other jack types is included in the ISWM Services.
- Basic residential and business lines serving buildings or developments where the owner/developer of said building or development has chosen to have a single demarcation point installed for all services, and where the owner/developer requires a pre-determined vendor(s) to perform these services, are not eligible for ISWM Services.
- 5.9 If an end user of CUSTOMER has more than one (1) DS0 Wholesale Local Voice Platform line to a premises, each DS0 Wholesale Local Voice Platform line to said premises must be subscribed to ISWM Services.

Version: 2Q07 MBR - SLC

- 5.10 If one (1) or more than one (1) non-basic line is terminated at a premises, all lines at that premise are considered non-basic and are thus ineligible for the ISWM Services.
- 5.11 If an end user of CUSTOMER utilizes a key telephone system, a Private Branch Exchange (PBX) or other non basic telephone system, ISWM Services are not available to CUSTOMER for said end user.
- Except on holidays, AT&T will provide ISWM Services to CUSTOMER Monday through Saturday 8am to 6pm local time of CUSTOMER's end user.
- 5.13 For new DS0 Wholesale Local Voice Platform Services ordered after the Effective Date of this Agreement for which CUSTOMER chooses to order ISWM Service, CUSTOMER will order ISWM Services through the Local Service Request ("LSR") process.
- After subscription to ISWM Services for end users, there will be a thirty (30) day waiting period before ISWM is available to that end user. When ISWM Services are available, CUSTOMER shall submit requests for ISWM Services to be provided to CUSTOMER's end users by submitting a repair request through the maintenance and repair electronic interface available to CUSTOMER. CUSTOMER may alter or cancel a repair request at any time without charge. In an attempt to reduce unnecessary dispatches, CUSTOMER shall use commercially reasonable efforts to cancel a repair request prior to AT&T's dispatch of a technician. ISWM Services will not be performed on a premises visit to install DS0 Wholesale Local Voice Platform Services.
- 5.14.1 AT&T may, at its discretion and upon thirty (30) days written notice to CUSTOMER, discontinue or cancel ISWM Services to an individual end user of CUSTOMER provided that AT&T can demonstrate that the individual end user is abusing the provisions of the ISWM Services, such as, by way of example, where AT&T dispatches to the same location on a repeated basis and trouble is caused by, but not limited to, substandard wire, pets, children or defective CPE.
- In the event AT&T misses an appointment or is delayed in arriving for an appointment to provide ISWM Services to CUSTOMER's end user, AT&T will so notify CUSTOMER through the electronic interface utilized by CUSTOMER to request ISWM Services.
- 5.16 Inside Wire Charges
- 5.16.1 AT&T will charge CUSTOMER per DS0 Wholesale Local Voice Platform line for each CUSTOMER end user subscribing to ISWM at the rates set forth in Exhibit A hereto.

5.16.2 Billing for ISWM Services shall be on a monthly basis. So long as CUSTOMER's documentation regarding its reseller exemption is current, AT&T shall not assess taxes on the charges associated with ISWM Services.

5.17 No Exclusivity

5.17.1 This Agreement does not require AT&T to be the exclusive provider of ISWM Services to CUSTOMER and nothing in this Attachment shall be construed to limit in any way CUSTOMER's ability to enter into any similar agreement with any other provider of ISWM Services for services that are the same as or similar to those performed for CUSTOMER under the terms of this Attachment.

6. Call Related Databases

- Call related databases provided under this Agreement shall only be provided with wholesale local circuit switching pursuant to the terms and conditions herein and at the rates set forth in Exhibit A. Database services that are not available pursuant to this Agreement may be available at the rates, terms and conditions set forth in AT&T's tariffs.
- 6.2 AT&T's Calling Name (CNAM) Database Services
- AT&T's CNAM database Services provide the ability to associate a name with the calling party's number for any name and number stored in the AT&T CNAM database, allowing the End User (to which a call is being terminated and which subscribes to the necessary services) to view the calling party's name before the call is answered.
- CUSTOMER's End Users' names and numbers related to Wholesale Switch Port Services and Wholesale Local Platform Services shall be stored in the AT&T CNAM database, and shall be available, to all entities that launch queries to the AT&T CNAM database. AT&T, at its sole discretion, may opt to interconnect with and query other calling name databases. In the event AT&T does not query a third party calling name database that stores the calling party's information, AT&T cannot deliver the calling party's information to a called End User. In addition, AT&T cannot deliver the calling party's information where the calling party subscribes to any service that would block or otherwise cause the information to be unavailable.
- 6.2.3 For each CUSTOMER End User that subscribes to a switch based vertical feature providing calling name information to that End User for calls received, AT&T will launch a query on a per call basis to the AT&T CNAM database, or, subject to Section 6.2.1 above, to a third party calling name database, to provide calling name information, if available, to CUSTOMER's End User. CUSTOMER shall pay the rates set forth in Exhibit A, for each CUSTOMER End User that

Version: 2007 MBR - SLC

subscribes to the appropriate vertical features that support Caller ID or a variation thereof.

- 6.3 AT&T's Line Information Database (LIDB) Storage
- 6.3.1 The LIDB stores current information on working telephone numbers and billing account numbers.
- Where CUSTOMER purchases Wholesale Switch Port Services or Wholesale Local Platform Services, AT&T shall utilize AT&T's service order generated from CUSTOMER's LSR to populate LIDB with CUSTOMER's End User information. AT&T provides access to information in its LIDB, including CUSTOMER's End User information, to AT&T's LIDB customers via queries to LIDB.
- When necessary for fraud control measures, AT&T may perform additions, updates and deletions of CUSTOMER data to the LIDB (e.g., calling card deactivation).
- 6.3.2.2 AT&T shall provide priority updates to LIDB for CUSTOMER data upon CUSTOMER's request (e.g., to support fraud detection), via password protected telephone card, facsimile, or electronic mail.
- 6.3.2.3 AT&T shall perform periodic backup and recovery of all of CUSTOMER's data in LIDB.
- 6.3.3 Responsibilities of the Parties
- 6.3.3.1 AT&T will administer the data provided by CUSTOMER pursuant to this Agreement in the same manner as AT&T administers its own data.
- 6.3.3.2 CUSTOMER is responsible for the completeness and accuracy of the data being provided to AT&T.
- Other LIDB services, such as transport services or LIDB query services, are available pursuant to AT&T's Tariffs. CUSTOMER shall pay the rates set forth in Exhibit A, on a per query basis, for each query to the AT&T LIDB database made on behalf of a CUSTOMER End User.
- 6.3.5 Fees for Service
- 6.3.5.1 CUSTOMER will not be charged a fee for LIDB storage Services provided by AT&T to CUSTOMER pursuant to this Agreement.

Version: 2007 MBR - SLC

- 6.3.6 Billing and Collection Customers
- 6.3.6.1 AT&T currently has in effect billing and collection (B&C) agreements with various IXCs and billing clearinghouses (B&C Customers) that query AT&T's LIDB to determine whether to accept various billing options from AT&T's End Users.
- AT&T will identify CUSTOMER's End User originated long distance charges and upon receipt of charges applicable to CUSTOMER's End Users, AT&T will reject those charges as not covered by the existing B&C agreement with the B&C Customers.
- AT&T shall have no obligation to become involved in or provide any information relating to any billing disputes between CUSTOMER and the B&C Customers. It shall be the responsibility of CUSTOMER and the B&C Customers to negotiate and arrange for any appropriate adjustments.
- 6.4 Toll Free Dialing Ten (10) Digit Screening Service. Toll Free Dialing Ten (10)
 Digit Screening Service through AT&T's 8XX database in association with
 Services provided hereunder shall be subject to the terms and conditions set forth in the AT&T Tariff. The rates are as set forth in Exhibit A.
- 6.5 <u>Automatic Location Identification/Data Management System (ALI/DMS)</u>
 <u>Database-911/E911 Services</u>
- Basic 911 Services (911) and Enhanced 911 Services (E911) route 911 calls from within the AT&T Network. AT&T shall provide 911 and E911 capability for each End User of CUSTOMER's Wholesale Switch Port Services and Wholesale Local Platform Services in accordance with the provisions below where AT&T is the 911 or E911 provider.
- 6.5.2 911 provides routing of a 911 call to a centralized answering location designated by the PSAP. The End User verbally relays the emergency information to the centralized answering location.
- 6.5.3 E911, through the ALI/DMS database, routes the call to the appropriate PSAP and displays to the PSAP the address associated with the End User's telephone number.
- 6.5.4 CUSTOMER shall be responsible for providing complete and accurate End User information to AT&T via LSRs. AT&T shall use such information to populate and update the ALI/DMS database at no additional charge to CUSTOMER.
- 6.5.5 CUSTOMER is responsible for paying all 911 or E911 surcharges to the applicable governmental agency, and AT&T will not bill CUSTOMER for such 911 or E911 surcharges.

7. Local Number Portability (LNP)

- 7.1 LNP will be provided in accordance with rules, regulations and guidelines adopted by the Commission, the FCC and industry fora, and CUSTOMER will work cooperatively with AT&T to implement any LNP changes.
- When CUSTOMER submits an LSR for Services, if the telephone number associated with the Services requested resides in a switch other than AT&T's, then AT&T will submit an LNP LSR to the appropriate switch owner. CUSTOMER shall be responsible for reimbursing AT&T for any costs or charges imposed on AT&T by the switch owner resulting from the submission of the LNP LSR. In addition, CUSTOMER shall pay to AT&T the manual service order charges and/or electronic service order charges as specified in Exhibit A for AT&T's creation and submission of the LNP LSR to the appropriate switch owner.
- 7.3 Working telephone numbers, telephone numbers for which payment has been made to reserve and telephone numbers that are in a denied state (but not disconnected) or suspended status may be subject to porting.

8. Access To Numbers

- Where AT&T provides Wholesale Switch Port Service or Wholesale Local Platform Services to CUSTOMER, AT&T will provide CUSTOMER with online access to available telephone numbers as defined by, and in accordance with, applicable FCC rules and regulations on a first come first serve basis. CUSTOMER may designate up to a forecasted six (6) months supply of available numbers as intermediate (an available number provided to CUSTOMER) telephone numbers per rate center if the following conditions are met:
- 8.1.1 CUSTOMER must: (1) indicate that all of the intermediate numbers currently held by CUSTOMER in each rate center where CUSTOMER will be requesting intermediate telephone numbers have six (6) or less months to exhaust; (2) supply projected monthly telephone number demand on a rate center basis for the coming twelve (12) months for each rate center where CUSTOMER will be requesting intermediate telephone numbers; and, (3) demonstrate that the utilization level on current intermediate numbers held by CUSTOMER in the rate center where CUSTOMER is requesting telephone numbers has reached at least seventy-five percent (75%). The above information will be provided by CUSTOMER by submitting to AT&T a fully completed "CO Code Assignments Months To Exhaust Certification Worksheet – TN Level" (MTE Worksheet), Appendix B to the Central Office Code (NXX) Assignments Guidelines, INC 95-0407-008 for each rate center where CUSTOMER will be requesting intermediate telephone numbers. The utilization level is calculated by dividing all intermediate numbers currently assigned by CUSTOMER to End Users by the total number of intermediate numbers held by CUSTOMER in the rate center and multiplying the

Version: 2007 MBR - SLC

result by one hundred (100). After June 30, 2004, rate center utilization level must be at seventy-five percent (75%) (Part F of the MTE Worksheet).

- 8.1.2 If fulfilling CUSTOMER's request for intermediate numbers results in AT&T having to submit a request for additional telephone numbers to a national numbering administrator (either the North American Numbering Plan Administration (NANPA) CO Code Administration or NeuStar Pooling Administration or their successors), AT&T will submit the required numbering request to the national numbering administrator to satisfy CUSTOMER's request for intermediate numbers. AT&T will also pursue all appropriate steps (including submitting a safety valve request (petition) to the appropriate Commission if the numbering request is denied by the national administrator) to satisfy CUSTOMER's request for intermediate numbers. In these cases, AT&T is not obligated to fulfill the request by CUSTOMER for intermediate numbers unless, and until, AT&T's request for additional numbering resources is granted.
- 8.1.3 CUSTOMER agrees to supply supporting information for any numbering request and/or safety valve request that AT&T files pursuant to Section 7.1.2 above.
- 8.2 CUSTOMER acknowledges that there may be instances where there is an industry shortage of available telephone numbers in the Numbering Plan Area (NPA). These instances occur where a jeopardy status has been declared by NANPA and the industry has determined that limiting the assignment of new numbers is the appropriate method to employ until the jeopardy can be alleviated. In such NPA jeopardy situations where assignment of new numbers is restricted as per the jeopardy guidelines developed by the industry, AT&T may request that CUSTOMER cancel all or a portion of its unassigned intermediate numbers. CUSTOMER's consent to AT&T's request shall not be unreasonably withheld.

9. Wholesale Operator Call Processing and Directory Assistance Services

9.1 The following terms and conditions relate to AT&T's provision of operator services and directory assistance in association with the services provided pursuant to this Agreement. These terms and conditions represent AT&T's standard offering for such services. To the extent CUSTOMER is interested in negotiating volume and term arrangements that provide for different rates, terms, and conditions for the various products provided herein or as set forth on AT&T's Interconnection website, CUSTOMER should provide such request in writing to AT&T. Such negotiated terms and conditions may be amended in to this Agreement or provided for in a separate operator services and directory assistance agreement. AT&T's Wholesale Operator Call Processing (OCP) provides: (1) operator handling for call completion (for example, collect, third number billing, and manual calling card calls); (2) operator or automated assistance for billing after the End User has dialed the called number (for example, calling card calls); and (3) special services including but not limited to Busy Line Verification and Emergency

Version: 2007 MBR - SLC

Line Interrupt (ELI), Emergency Agency Call, and Operator-assisted Directory Assistance.

| 9.1.1 | Upon request for OCP, AT&T shall: |
|--------|--|
| 9.1.2 | Process 0+ and 0- dialed local calls; |
| 9.1.3 | Process 0+ and 0- intraLATA toll calls; |
| 9.1.4 | Process calls that are billed to CUSTOMER End User's calling card that can be validated by AT&T |
| 9.1.5 | Process person-to-person calls; |
| 9.1.6 | Process collect calls; |
| 9.1.7 | Provide the capability for callers to bill to a third party and shall also process such calls; |
| 9.1.8 | Process station-to-station calls; |
| 9.1.9 | Process Busy Line Verify and ELI requests. Rates are set forth under Inward Operator Services in Exhibit A; |
| 9.1.10 | Process emergency call trace originated by a PSAP; |
| 9.1.11 | Process operator assisted directory assistance calls; |
| 9.1.12 | Adhere to equal access requirements, providing CUSTOMER local End Users the same IXC access as provided to AT&T End Users; |
| 9.1.13 | Exercise at least the same level of fraud control in providing operator service to CUSTOMER that AT&T provides for its own operator service; |
| 9.1.14 | Perform Billed Number Screening when handling collect, person-to-person, and billed-to-third-party calls; |
| 9.1.15 | Direct customer account and other similar inquiries to the customer service center designated by CUSTOMER; and |
| 9.1.16 | Provide call detail records to CUSTOMER via the ODUF described in this Attachment. |
| 9.1.17 | The interface requirements shall conform to the interface specifications for the platform used to provide Operator Services as long as the interface conforms to industry standards. |

Version: 2Q07 MBR - SLC

- 9.1.18 AT&T will provide access to OCP Service at the rates set forth in Exhibit A.
- 9.2 Wholesale Directory Assistance Service
- 9.2.1 AT&T's Wholesale Directory Assistance (DA) Service provides local and non-local End User telephone number listings with the option to complete the call at the caller's direction separate and distinct from Wholesale Switch Ports Services or Wholesale Local Platform Services.
- 9.2.2 AT&T will provide access to DA Service at the rates set forth in Exhibit A.
- 9.2.3 DA Service shall provide up to two (2) listing requests per call. If available and if requested by CUSTOMER's End User, AT&T shall provide caller-optional DA call completion service to one (1) of the provided listings.
- 9.2.4 <u>DA Service Updates.</u> AT&T shall update End User listings changes daily. These changes include:
- 9.2.5 New End User connections;
- 9.2.6 End User disconnections: and
- 9.2.7 End User address changes.
- 9.2.8 These updates shall also be provided for non listed and non published numbers for use in emergencies.

10. Branding for Wholesale OCP and DA

- 10.1 AT&T's branding feature provides a definable announcement to CUSTOMER End Users using DA/OCP prior to placing such End Users in queue or connecting them to an available operator or automated operator system. This feature allows CUSTOMER to have its calls custom branded with CUSTOMER's name on whose behalf AT&T is providing DA and/or OCP.
- 10.2 AT&T offers three (3) branding options to CUSTOMER when ordering AT&T's DA and OCP: AT&T Branding, Unbranding and Custom Branding.
- 10.3 Upon receipt of the custom branding order from CUSTOMER, the order is considered firm after ten (10) business days. Should CUSTOMER decide to cancel the order, CUSTOMER must provide written notification to CUSTOMER's Local Contract Manager. If CUSTOMER decides to cancel after ten (10) business days from receipt of the custom branding order, CUSTOMER shall pay all charges per the order. For branding and unbranding via Originating Line Number Screening (OLNS), CUSTOMER must contact its account team to initiate the order via the OLNS Branding Order form.

Version: 2007 MBR - SLC

- 10.4 <u>Branding via OLNS.</u> Where CUSTOMER is purchasing Wholesale Switch Port Services or Wholesale Local Platform Services hereunder, AT&T Branding, Unbranding and Custom Branding are also available for DA, OCP or both via OLNS software. When utilizing this method of Unbranding or Custom Branding, CUSTOMER shall not be required to purchase dedicated trunking.
- 10.4.1 AT&T Branding is the default branding offering.
- 10.4.2 For AT&T to provide Unbranding or Custom Branding via OLNS software for OCP or for DA, CUSTOMER must have its Operating Company Number (OCN(s)) and telephone numbers reside in AT&T's LIDB. To implement Unbranding and Custom Branding via OLNS software, CUSTOMER must submit a manual order form which requires, among other things, CUSTOMER's OCN and a forecast, pursuant to the appropriate AT&T form provided, for the traffic volume anticipated for each AT&T Traffic Operator Position System (TOPS) during the peak busy hour. CUSTOMER shall provide updates to such forecast on a quarterly basis and at any time such forecasted traffic volumes are expected to change significantly. Upon CUSTOMER's purchase of Unbranding or Custom Branding using OLNS software for any particular TOPS, all CUSTOMER End Users served by that TOPS will receive the Unbranded "no announcement" or the Custom Branded announcement.

11. Wholesale Selective Call Routing Using Line Class Codes (SCR-LCC)

- Where CUSTOMER utilizes an operator services provider other than AT&T, AT&T will route CUSTOMER's End User calls to that provider through SCR-LCC.
- 11.1.1 SCR-LCC provides the capability for CUSTOMER to have its OCP/DA calls routed to AT&T's OCP/DA platform for AT&T provided Custom Branded or Unbranded OCP/DA or to its own or an alternate OCP/DA platform for Self-Branded OCP/DA. SCR-LCC is only available if LCC capacity is available in the requested AT&T end office switches.
- 11.1.2 Custom Branding for DA is not available for certain classes of service, including but not limited to Hotel/Motel services, WATS service, and certain PBX services.
- 11.1.3 Where available, CUSTOMER specific and unique LCCs are programmed in each AT&T end office switch where CUSTOMER intends to serve End Users with customized OCP/DA branding. The LCCs specifically identify CUSTOMER's End Users so OCP/DA calls can be routed over the appropriate trunk group to the requested OCP/DA platform. Additional LCCs are required in each end office if the end office serves multiple NPAs (i.e., a unique LCC is required per NPA), and/or if the end office switch serves multiple rate areas and CUSTOMER intends

Version: 2007 MBR - SLC

to provide CUSTOMER - branded OCP/DA to its End Users in these multiple rate areas.

- 11.1.4 SCR-LCC supporting Custom Branding and Self Branding require CUSTOMER to order dedicated trunking from each AT&T end office identified by CUSTOMER, either to TOPS for Custom Branding or to the CUSTOMER operator service provider for Self Branding. Separate trunk groups are required for OS and for DA. Rates for trunks are set forth in applicable AT&T Tariffs.
- 11.1.5 Unbranding Unbranded DA and/or OCP calls ride common trunk groups provisioned by AT&T from those end offices identified by CUSTOMER to the AT&T TOPS.
- 11.1.6 The rates for SCR-LCC are as set forth in Exhibit A.

12. Optional Daily Usage File (ODUF)

- 12.1 Upon written request from CUSTOMER, AT&T will provide the ODUF Services to CUSTOMER pursuant to the terms and conditions set forth in this section.
- 12.2 CUSTOMER shall furnish all relevant information required by AT&T for the provision of the ODUF.
- The ODUF feed provides CUSTOMER messages, associated with Wholesale Switch Port Services and Wholesale Local Platform Services that CUSTOMER has purchased from AT&T that were carried over the AT&T network and processed by AT&T for CUSTOMER.
- 12.4 Charges for the ODUF Service will appear on CUSTOMER's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit A.
- The ODUF feed will contain both rated and unrated messages. All messages will be in the standard Alliance for Telecommunications Industry Solutions (ATIS) Exchange Message Interface (EMI) record format.
- Messages that error in the billing system of CUSTOMER will be the responsibility of CUSTOMER. If, however, CUSTOMER should encounter significant volumes of errored messages that prevent processing by CUSTOMER within its systems, AT&T will work with CUSTOMER to determine the source of the errors and the appropriate resolution.
- 12.7 <u>ODUF Specifications</u>
- 12.7.1 ODUF Messages to be Transmitted
- 12.7.1.1 The following messages recorded by AT&T will be transmitted to CUSTOMER:

Version: 2007 MBR - SLC

- 12.7.1.1.1 Message recording for per use/per activation type services (examples: Three-Way Calling, Verify, Interrupt, Call Return, etc.);
- 12.7.1.1.2 Measured local calls;
- 12.7.1.1.3 DA messages;
- 12.7.1.1.4 IntraLATA Toll;
- 12.7.1.1.5 WATS and 800 Service;
- 12.7.1.1.6 N11;
- 12.7.1.1.7 Information Service Provider Messages;
- 12.7.1.1.8 Operator Services Messages;
- 12.7.1.1.9 Operator Services Message Attempted Calls;
- 12.7.1.1.10 Credit/Cancel Records; and
- 12.7.1.1.11 Usage for Voice Mail Message Service.
- 12.7.1.2 Rated Incollects (messages AT&T receives from other revenue accounting offices) also appear on ODUF. Rated Incollects will be intermingled with AT&T recorded rated and unrated usage. Rated Incollects will not be packed separately.
- 12.7.1.3 AT&T will perform duplicate record checks on records processed to ODUF. Any duplicate messages detected will be deleted and not sent to CUSTOMER.
- 12.7.1.4 In the event that CUSTOMER detects a duplicate on ODUF they receive from AT&T, CUSTOMER will drop the duplicate message and will not return the duplicate to AT&T.
- 12.7.2 ODUF Physical File Characteristics
- ODUF will be distributed to CUSTOMER via Secure File Transfer Protocol (FTP). The ODUF feed will be a variable block format. The data on the ODUF feed will be in a non-compacted EMI format (one hundred seventy-five (175) byte format plus modules). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If AT&T determines the FTP mailbox is nearing capacity levels, AT&T may move the CUSTOMER to CONNECT:Direct file delivery.

- 12.7.2.2 If the CUSTOMER is moved to CONNECT: Direct, data circuits (private line or dial-up) will be required between AT&T and CUSTOMER for the purpose of data transmission. Where a dedicated line is required, CUSTOMER will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with AT&T. CUSTOMER will also be responsible for any charges associated with this line. Equipment required on the AT&T end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be CUSTOMER's responsibility. Where a dial-up facility is required, dial circuits will be installed in the AT&T data center by AT&T and the associated charges assessed to CUSTOMER. Additionally, all message toll charges associated with the use of the dial circuit by CUSTOMER will be the responsibility of CUSTOMER. Associated equipment on the AT&T end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on CUSTOMER's end for the purpose of data transmission will be the responsibility of CUSTOMER.
- 12.7.2.3 If CUSTOMER utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of CUSTOMER.
- 12.7.3 <u>ODUF Packing Specifications</u>
- 12.7.3.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety- nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.
- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to CUSTOMER which AT&T RAO is sending the message. AT&T and CUSTOMER will use the invoice sequencing to control data exchange. CUSTOMER will notify AT&T of sequence failures identified by CUSTOMER and AT&T will resend the data as appropriate.
- ODUF Pack Rejection. CUSTOMER will notify AT&T within one (1) business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. CUSTOMER will not be required to return the actual rejected data to AT&T. Rejected packs will be corrected and retransmitted to CUSTOMER by AT&T.
- 12.7.5 <u>ODUF Control Data.</u> CUSTOMER will send one (1) confirmation record per pack that is received from AT&T. This confirmation record will indicate

CUSTOMER's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by CUSTOMER for reasons stated in the above section.

12.7.6 <u>ODUF Testing.</u> Upon request from CUSTOMER, AT&T shall send ODUF test files to CUSTOMER. The Parties agree to review and discuss the ODUF content and/or format. For testing of usage results, AT&T shall request that CUSTOMER set up a production (live) file. The live test may consist of CUSTOMER's employees making test calls for the types of services CUSTOMER requests on ODUF. These test calls are logged by CUSTOMER, and the logs are provided to AT&T. These logs will be used to verify the files. Testing will be completed within thirty (30) days from the date on which the initial test file was sent.

13. Access Daily Usage File (ADUF)

- Upon written request from CUSTOMER, AT&T will provide the ADUF Services to CUSTOMER pursuant to the terms and conditions set forth in this section.
- 13.2 CUSTOMER shall furnish all relevant information required by AT&T for the provision of ADUF Services.
- The ADUF provides CUSTOMER originating and terminating access and third party messages associated with Wholesale Switch Port Services and Wholesale Local Platform Services that CUSTOMER has purchased from AT&T.
- 13.4 Charges for ADUF Services will appear on CUSTOMER's monthly bills for the previous month's usage in arrears. The charges are as set forth in Exhibit A.
- Messages that error in the billing system of CUSTOMER will be the responsibility of CUSTOMER. If, however, CUSTOMER should encounter significant volumes of errored messages that prevent processing by CUSTOMER within its systems, AT&T will work with CUSTOMER to determine the source of the errors and the appropriate resolution.

13.6 <u>ADUF Messages To Be Transmitted</u>

- 13.6.1 The following messages recorded by AT&T will be transmitted to CUSTOMER:
- 13.6.1.1 Recorded originating and terminating interstate and intrastate access records associated with Wholesale Switch Port Services and Wholesale Local Platform Services; and
- 13.6.1.2 Recorded terminating access records for undetermined jurisdiction access records associated with Wholesale Switch Port Services and Wholesale Local Platform Services.

Version: 2007 MBR - SLC

- 13.6.2 AT&T will perform duplicate record checks on records processed to ADUF. Any duplicate messages detected will be dropped and not sent to CUSTOMER; and
- In the event that CUSTOMER detects a duplicate on ADUF they receive from AT&T, CUSTOMER will drop the duplicate message and will not return the duplicate to AT&T.
- 13.6.4 ADUF Physical File Characteristics
- 13.6.4.1 ADUF will be distributed to CUSTOMER via FTP mailbox. The ADUF feed will be a fixed block format. The data on the ADUF feed will be in a non-compacted EMI format (two hundred ten (210) bytes). It will be created on a daily basis Monday through Friday except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. There will be a maximum of one (1) dataset per workday per OCN. If AT&T determines the FTP mailbox is nearing capacity levels, AT&T may move the CUSTOMER to CONNECT:Direct file delivery.
- 13.6.4.2 If the CUSTOMER is moved to CONNECT: Direct, data circuits (private line or dial-up) will be required between AT&T and CUSTOMER for the purpose of data transmission. Where a dedicated line is required, CUSTOMER will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with AT&T. CUSTOMER will also be responsible for any charges associated with this line. Equipment required on the AT&T end to attach the line to the mainframe computer and to transmit messages successfully on an ongoing basis will be negotiated on an individual case basis. Any costs incurred for such equipment will be CUSTOMER's responsibility. Where a dial-up facility is required, dial circuits will be installed in the AT&T data center by AT&T and the associated charges assessed to CUSTOMER. Additionally, all message toll charges associated with the use of the dial circuit by CUSTOMER will be the responsibility of CUSTOMER. Associated equipment on the AT&T end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on CUSTOMER's end for the purpose of data transmission will be the responsibility of CUSTOMER.
- 13.6.4.3 If CUSTOMER utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of CUSTOMER.
- 13.6.5 <u>ADUF Packing Specifications</u>
- 13.6.5.1 The data will be packed using ATIS EMI records. A pack will contain a minimum of one (1) message record or a maximum of ninety-nine thousand nine hundred and ninety-nine (99,999) message records plus a pack header record and a pack trailer record. One transmission can contain a maximum of ninety-nine (99) packs and a minimum of one (1) pack.

- The OCN, From RAO, and Invoice Number will control the invoice sequencing. The From RAO will be used to identify to CUSTOMER which AT&T RAO is sending the message. AT&T and CUSTOMER will use the invoice sequencing to control data exchange. CUSTOMER will notify AT&T of sequence failures identified by CUSTOMER and AT&T will resend the data as appropriate.
- 13.6.6 <u>ADUF Pack Rejection.</u> CUSTOMER will notify AT&T within one (1) business day of rejected packs (via the mutually agreed medium). Packs could be rejected because of pack sequencing discrepancies or a critical edit failure on the Pack Header or Pack Trailer records (e.g., out-of-balance condition on grand totals, invalid data populated). Standard ATIS EMI error codes will be used. CUSTOMER will not be required to return the actual rejected data to AT&T. Rejected packs will be corrected and retransmitted to CUSTOMER by AT&T.
- 13.6.7 <u>ADUF Control Data.</u> CUSTOMER will send one (1) confirmation record per pack that is received from AT&T. This confirmation record will indicate CUSTOMER's receipt of the pack and acceptance or rejection of the pack. Pack Status Code(s) will be populated using standard ATIS EMI error codes for packs that were rejected by CUSTOMER for reasons stated in the above section.
- 13.6.8 <u>ADUF Testing.</u> Upon request from CUSTOMER, AT&T shall send a test file of generic data to CUSTOMER via CONNECT:Direct or Text File via e-mail. The Parties agree to review and discuss the test file's content and/or format.
- 14. Centralized Message Distribution System (CMDS) Utilizing Revenue Accounting Office (RAO) Hosting
- 14.1 Definitions
- 14.1.1 CMDS is a national message exchange system administered by Telcordia used to transmit alternately billed calls (e.g., credit card, third number and collect) from the Earning Company, as defined herein, to the Billing Company, as defined herein, to permit the Earning Company and the Billing Company to receive appropriate compensation.
- Direct Participants are Telecommunications carriers that exchange data directly with other Direct Participants via the CMDS Data Center and may act as host companies (Host) for those Telecommunications carriers that do not exchange data directly via the CMDS Data Center (Indirect Participants).
- 14.1.3 RAO Hosting is a hosting relationship where an Indirect Participant sends and receives CMDS eligible messages to and from its Host, who then interfaces, on behalf of the Indirect Participant, with other Direct Participants for distribution and collection of these messages. RAO Hosting also includes the Direct Participant's provision of revenue settlements functions (compensation) for alternately billed calls based upon reports generated by Credit Card and Third Number Settlement

(CATS) and Non-InterCompany Settlement (NICS) as described herein. CATS and NICS are collectively referred to as Intercompany Settlements.

- 14.1.4 The CATS System is a national system administered by Telcordia, used to settle revenues for calls that are sent from one (1) CMDS Direct Participant to another for billing. CATS applies to calls that originate within one (1) Regional Bell Operating Company's (RBOC) territory, as defined at Divestiture, and bill in another RBOC's territory. CATS calculates the amounts due to Earning Companies (i.e., billed revenue less the billing and collection fee). For alternately billed calls, the originating company, whose facilities are used to place the call, is the Earning Company and the company that puts the charges on the End User's bill is the Billing Company.
- 14.1.5 The Non-InterCompany Settlement (NICS) System is the national system administered by Telcordia that is used in the settlement of revenues for calls that are originated and billed by two (2) different local exchange carriers (LEC) within a single Direct Participant's territory to another for billing. NICS applies to calls involving another LEC where the Earning Company and the Billing Company are located withinAT&T Southeast Region 9-State.
- 14.2 Upon CUSTOMER's request, AT&T, as a Direct Participant, shall provide RAO Hosting Services to CUSTOMER, as an Indirect Participant, as set forth herein.
- 14.2.1 Where CUSTOMER selects AT&T as its RAO Host for the delivery of Intercompany Settlements messages, CUSTOMER must request that AT&T establish a unique hosted RAO code for CUSTOMER. Such request shall be in writing to the AT&T RAO Hosting coordinator and must be submitted at least eight (8) weeks prior to provision of Services pursuant to this Section. Services shall commence on a date mutually agreed to by the Parties.
- 14.2.2 AT&T will record CUSTOMER's End User messages and forward such messages to CUSTOMER via the ODUF in EMI format. CUSTOMER must rate the messages and forward them to AT&T, as its RAO Host, for distribution to the Billing Company via CMDS. AT&T will deliver such messages for CUSTOMER through CMDS and will bill CUSTOMER for CMDS on a per message basis as set forth in Exhibit A. CUSTOMER must follow all Telcordia message exchange standards to send and receive the above referenced NICS and CATS settlements.
- 14.2.3 AT&T will receive messages from CUSTOMER that are to be processed by AT&T, another LEC in the AT&T region or a LEC outside the AT&T region. CUSTOMER must send all messages to AT&T no later than eighty-nine (89) days after the message date or Telcordia will reject the entire pack.
- 14.2.4 RAO Hosting, CATS and NICS Services provided to CUSTOMER by AT&T will be in accordance with the methods and practices regularly applied by AT&T to its

Version: 2Q07 MBR - SLC

own operations during the term of this Agreement, including such revisions as may be made from time to time by AT&T.

- 14.2.5 CUSTOMER shall furnish all relevant information required by AT&T for the provision of RAO Hosting, CATS and NICS.
- 14.2.6 AT&T will perform invoice sequence checking, standard EMI format editing, and balancing of message data with the EMI trailer record counts on all data received from CUSTOMER. All messages and related data exchanged between AT&T and CUSTOMER will be formatted for EMI formatted records and packed between appropriate EMI header and trailer records in accordance with accepted industry standards.
- 14.2.7 All data received from CUSTOMER that is to be processed or billed by another LEC within the AT&T region will be distributed to that LEC in accordance with the agreement(s) in effect between AT&T and the involved LEC.
- All data received from CUSTOMER that is to be placed on the CMDS network for distribution outside the AT&T region will be handled in accordance with the agreement(s) in effect between AT&T and its connecting contractor, currently Telcordia.
- 14.2.9 AT&T will receive messages from the CMDS network that are destined to be processed by CUSTOMER and will forward them to CUSTOMER on a daily basis for processing.
- 14.2.10 CMDS data between AT&T and CUSTOMER will be distributed via FTP mailbox. It will be created on a daily basis Monday through Friday, except holidays. Details such as dataset name and delivery schedule will be addressed during negotiations of the distribution medium. If AT&T determines the FTP mailbox is nearing capacity levels, AT&T may move CUSTOMER to CONNECT:Direct file delivery.
- 14.2.11 If CUSTOMER is moved to CONNECT:Direct, data circuits (private line or dial-up) will be required between AT&T and CUSTOMER for the purpose of data transmission when utilizing CONNECT:Direct. Where a dedicated line is required, CUSTOMER will be responsible for ordering the circuit, overseeing its installation and coordinating the installation with AT&T. CUSTOMER will also be responsible for any charges associated with this line. Equipment required on the AT&T end to attach the line to the mainframe computer and to transmit successfully ongoing will be negotiated on an individual case basis. Any costs incurred for such equipment will be CUSTOMER's responsibility. Where a dial-up facility is required, dial circuits will be installed in the AT&T data center by AT&T and the associated charges assessed to CUSTOMER. Additionally, all message toll charges associated with the use of the dial circuit by CUSTOMER

Version: 2007 MBR - SLC

will be the responsibility of CUSTOMER. Associated equipment on the AT&T end, including a modem, will be negotiated on an individual case basis between the Parties. All equipment, including modems and software, that is required on the CUSTOMER end for the purpose of data transmission will be the responsibility of CUSTOMER.

- 14.2.12 If CUSTOMER utilizes FTP for data file transmission, purchase of the FTP software will be the responsibility of CUSTOMER.
- 14.2.13 CUSTOMER will maintain recorded message detail necessary to recreate files provided to AT&T for a period of three (3) calendar months beyond the related message dates.
- In the event that data to be exchanged between CUSTOMER and AT&T via CMDS should become lost or destroyed, the Party responsible for creating the data will make every effort to restore and retransmit such data. Should an error be detected by the EMI format edits performed by AT&T on data received from CUSTOMER, the entire pack containing the affected data will not be processed by AT&T. AT&T will notify CUSTOMER of the error. CUSTOMER will correct the error(s) and will resend the entire pack to AT&T for processing. In the event that an out-of-sequence condition occurs on subsequent packs, CUSTOMER will resend these packs to AT&T after the pack containing the error has been successfully reprocessed by AT&T.
- 14.3 <u>Intercompany Settlements Messages</u>
- 14.3.1 AT&T will receive the monthly NICS and CATS reports from Telcordia on behalf of CUSTOMER and will distribute copies of these reports to CUSTOMER on a monthly basis.
- Through CATS AT&T will collect the revenue earned by CUSTOMER from the RBOC in whose territory the messages are billed, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of CUSTOMER. AT&T will remit the revenue billed by CUSTOMER to the RBOC in whose territory the messages originated, less a per message billing and collection fee of five cents (\$0.05), or such other amount as may be approved by the Direct Participants and Telcordia, on behalf of CUSTOMER. These two (2) amounts will be netted together by AT&T and the resulting charge or credit issued to CUSTOMER via a Carrier Access Billing System (CABS) miscellaneous bill on a monthly basis in arrears.
- 14.3.3 Through NICS AT&T will collect the revenue earned by CUSTOMER within the AT&T territory from another LEC also within the AT&T territory (NICS) where the messages are billed, less a per message billing and collection fee of five cents

Version: 2Q07 MBR - SLC

(\$0.05), on behalf of CUSTOMER. AT&T will remit the revenue billed by CUSTOMER within the AT&T region to the LEC also within the AT&T Southeast Region 9-State, where the messages originated, less a per message billing and collection fee of five cents (\$0.05). These two (2) amounts will be netted together by AT&T and the resulting charge or credit issued to CUSTOMER via a CABS miscellaneous bill on a monthly basis in arrears.

- 14.3.4 AT&T and CUSTOMER agree that monthly-netted amounts of less than fifty dollars (\$50.00) will not be settled.
- 15. Rates
- 15.1 For ODUF, ADUF and CMDS rates are as set forth in Exhibit A.

Version: 2Q07 MBR - SLC

| SERV | ICES - | Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|--|----------|----------|--------------------|--------------|----------|----------|-----------|--------------|------------|-----------|-----------|---------------|--|-------------|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | | | Manual Svc |
| CATE | GORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | po. 2011 | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Auu | DISC 1St | DISC Add I |
| | | | | | | | Dee | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| SERVI | | ADVANCEMENT (A.K.A EXPEDITE) CHARGE | | | | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSou | th's FC | | n 5 as appli | cable. | | | | | | | | | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| 1 | | | | 1 | UC1BC, UC1BL, | I | | | | | | 1 | | | I | | |
| 1 | | | | 1 | UC1CC, UC1CL, | I | | | | | | 1 | | | I | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | | | | U1TUB, | | | | | | | | | | | | |
| | | | | | U1TUA,NTCVG,NTC | | | | | | | | | | | | |
| | | Expedite Charge per Circuit or Line Assignable USOC, per Day | | | UD,NTCD1 | SDASP | | 200.00 | | | | | | | | | |
| ORDE | R MODIF | ICATION CHARGE | | | | | | | | | | | | | | | |
| | 1 | Order Modification Charge (OMC) | | | | | | 35.13 | 0.00 | 0.00 | 0.00 | | | | | | |
| | 1 | Order Modification Additional Dispatch Charge (OMCAD) | | <u> </u> | | ļ | | 150.00 | 0.00 | 0.00 | 0.00 | | | | ļ | | |
| LOCAL | SERVI | CE REQUEST (LSR) ORDERING CHARGE | | <u> </u> | | | | | | | | | | | L | | |
| | | Electronic Service Order Charge, Per Local Service Request | | | | | | | | | | | | | 1 | | |
| | ļ | (LSR) | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | . | | |
| 1 | | | | 1 | | | | | | | | 1 | | | I | | |
| 1.00- | l l | Manual Service Order Charge, Per Local Service Request (LSR) | — | ! | | SOMAN | | 15.66 | 0.00 | 1.97 | 0.00 | | | | - | | |
| LINE | NFORMA | ATION DATA BASE ACCESS (LIDB) | | | | | 0.0000 | | | | | | | | _ | | |
| <u> </u> | 1 | LIDB Common Transport Per Query | | _ | 001/ | DI IN 41 1 | 0.0003 | | | | | | | | - | | |
| — | 1 | LIDB Validation Per Query | — | ! | OQV | BHML1 | 0.035378 | 2.2 | | | - | | | | - | | |
| DEATH | DING - | LIDB Originating Point Code Establishment or Change | - | ├ | OQV | NRBPX | | 91.00 | | 42.08 | - | - | | | | - | |
| BKAN | | IRECTORY ASSISTANCE Based CLEC | - | ├ | | | | | | - | - | - | | | | - | |
| - | racility | | - | - | | - | | | | | | - | | | | | <u> </u> |
| 1 | | Recording and Provisioning of DA Custom Branded | | 1 | ANAT | CDAPA | | 2 000 00 | 0.000.00 | | | 1 | | | I | | |
| - | | Announcement | - | ├ | AMT | CBADA | | 3,000.00 | 3,000.00 | - | - | - | | | | - | |
| | | Loading of Custom Branded Announcement per Switch per | | | AMT | CBABC | | 1 470 00 | 4 470 00 | | | | | | 1 | | |
| \vdash | Whater | OCN sale CLEC | - | + | AIVÍ I | CBADC | | 1,170.00 | 1,170.00 | | | | | | | | |
| \vdash | vvnoies | | - | - | | | | 3 000 00 | 3 000 00 | | - | | | | | - | |
| - | 1 | Recording of DA Custom Branded Announcement | | - | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| 1 | | Loading of DA Custom Branded Announcement per Switch per OCN | | 1 | | I | | 1 470 00 | 4 470 00 | | | 1 | | | I | | |
| - | Haber | | | - | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| \vdash | unbran | Iding via OLNS for Wholesale CLEC | - | + | | - | | 420.00 | 420.00 | | | | | | | | |
| \vdash | 1 | Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN | - | - | | | | | 420.00 | | - | | | | | - | |
| | 1 | Loading of DA per Switch per OCN | | <u> </u> | l | L | | 16.00 | 16.00 | l | l | 1 | l | | 1 | | |

| CATEGORY RATE ELEMENTS Interference Interfe | RVICES - AI | Mabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--------------|---|---------|--|--------------|--|------|----------|-----------|--------------|------------|--|--|---------------|-------------|--|--|
| ARTE ELEMENTS Manual Plane BCS | . 710E0 - AI | шимини | | | | | I | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| ATT ELEMENTS Part | | | | | 1 | | | | | | | | | | | Charge - | Charge - |
| APPLICATION | | | | | | | | | | | | | | | | | Manual Svc |
| Recording Court Processing Court Proce | FGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | | | | | | |
| No. No. | | | m | | | | | | | | | per LSR | per LSR | | | | Order vs. |
| Rec Rec Rec Rec Rec Rec | | | | | | | | | | | | | | | | | Electronic- |
| DRECTORY ASSESTANCE SENDINGS DOBLED STATES DOBLED STATES | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| DRECTORY ASSESTANCE SENDINGS DOBLED STATES DOBLED STATES | | | | 1 | | 1 | | Nonrec | urring | Nonrecurring | Disconnect | 1 | | OSS | Rates(\$) | | |
| DIRECTORY ASSISTANCE SERVICE | | | | | | | Rec | | | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| DIRECTORY ASSISTANCE ACCESS SERVICE (CACC) DIRECTORY ADDRESS SERVICE (CACC) | FCTORY ASS | SISTANCE SERVICES | | 1 | | 1 | | 11100 | Auui | 11100 | Addi | COME | COMPAR | COMPAN | COMPAR | COMPAR | COMPAR |
| Directory Assistance Acoes Service Clark, Charge For Call Directory Assistance Acoes Service (DACC) Directory Acoes Service (DACC) Directory Assistance Acoes Service (DACC) Directory Acoes Service Acoes Service Acoes Service (DACC) Directory Acoes Service Service Acoes Service Acoes Service Acoes Service Acoes Service Service Acoes Service Acoes Service Acoes Service Acoes Service Service Acoes Service A | | | | 1 | | 1 | | | | | | 1 | 1 | | | | |
| DIRECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (DACC) | | | | 1 | | 1 | 0.31 | | | | | 1 | 1 | | | | |
| Discotory Assistance Call Completion Access Service (DACC) | DIRECTO | DRY ASSISTANCE CALL COMPLETION ACCESS SERVICE (| ACC) | | | 1 | 0.01 | | | | | | | | | | |
| Per Call Attention | | | ,,,,,,, | 1 | | 1 | | | | | | 1 | 1 | | | | |
| BRANDING - OPERATOR CALL PROCESSING | | | | | | | 0.10 | | | | | | | | | | 1 |
| Facility based CLEC Recording of Custom Branded OA Announcement AMT CBAOS 7,000.00 7,000.00 | | | | 1 | | 1 | 0.10 | | | | | 1 | 1 | | | | |
| Recording of Custom Branded OA Announcement AMT CBAOL | | | | | | | | | | | | 1 | | | | | |
| Loading of Custom Standard CA Antonucroment per shelfNAV per OON | | | | | ΔΜΤ | CRAOS | | 7 000 00 | 7 000 00 | | | | | | | | |
| Per OCN | | | | | AIVII | OBAGO | | 7,000.00 | 7,000.00 | | | | | | | | |
| Windesde CLEC Recording of Custom Branded OA Announcement per shelf/NAV Foreign of Custom Branded OA Announcement per shelf/NA | | | | 1 | AMT | CBAOL | | 500.00 | 500.00 | | | | | | | I | |
| Recording of Custom Branded OA Announcement per shift/RAV Local Color Co | | | | | CUVII | OBAUL | | 300.00 | 500.00 | 1 | | 1 | | | 1 | + | + |
| Loading of Custom Branded CA Announcement per shalfMAV | | | | | | | | 7 000 00 | 7 000 00 | | | | 1 | | | | |
| Dept C/N Society Soc | | | - | - | | + | | 1,000.00 | 1,000.00 | + | | | — | - | - | | + |
| Unbranding via OLNS for Wholesale CLEC | | | | 1 | İ | 1 | | E00.00 | E00.00 | | | | | | | I | |
| Loading of OA per CON (Regional) 1,200.00 1,200.0 | | | | 1 | - | | | 500.00 | 500.00 | | | + | - | | | | |
| INWARD OPERATOR SERVICES Imward Operator Services - Verification, Per Minute | | | | - | _ | _ | | 1 000 00 | 1 000 00 | | | | — | | - | | |
| Inward Operator Services - Verification, Per Minute | | | | - | | _ | | 1,200.00 | 1,200.00 | | | | | | | | |
| Inward Operator Services - Verification and Emergency Interrupt 1.15 | | | | - | | | 4.45 | | | | | | | | | | <u> </u> |
| Per Minute 1.15 | | | | - | | | 1.15 | | | | | | | | | | <u> </u> |
| OPERATOR CALL PROCESSING Oper. Provided, Per Min Using BST LIDB 1.20 | | | | | | | | | | | | | | | | | 1 |
| Oper. Cell Processing - Oper. Provided, Per Min Using BST 1.20 | | | | | | | 1.15 | | | | | | | | | | |
| LIDB | | | | | | | | | | | | | | | | | |
| Oper. Call Processing - Oper. Provided, Per Kin Using Ferriging LIDB | | | | | | | | | | | | | | | | | 1 |
| Foreign LIDB | | | | | | | 1.20 | | | | | | | | | | <u> </u> |
| Coper_Call Processing = Fully Automated, per Call - Using BST | | | | | | | | | | | | | | | | | ' |
| LIDB | | | | | | | 1.24 | | | | | | | | | | <u> </u> |
| Oper: Call Processing - Fully Automated, per Call - Using Proligin LIDB O.20 O | | | | | | | | | | | | | | | | | 1 |
| CALLINO NAME (CNAM) SERVICE CNAM Service, per line ULEPER NIACR CLI CL | | | | | | | 0.20 | | | | | | | | | | |
| CALLING NAME (CNAM) SERVICE ULPPB N1ACR | | | | | | | | | | | | | | | | |
| CNAM Service, per line UEPB N1ACR 2.11 | | | | | | | 0.20 | | | | | | | | | | ļ |
| CNAM Service, per line UEPBX N1ACR 2.11 | LING NAME (| (CNAM) SERVICE | | | | | | | | | | | | | | | ļ |
| CNAM Service, per line | | | | | | | | | | | | | | | | | ļ |
| CANM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | | | | | | | | | | | | | | | | | 1 |
| CNAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | CI | CNAM Service, per line | | | | | | | | | | | | | | | |
| CNAM Service, per line | CI | CNAM Service, per line | | | | | | | | | | | | | | | |
| CNAM Service, per line | CI | CNAM Service, per line | | | | | | | | | | | | | | | |
| CNAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | | | | | | NXMCR | | | | | | | | | | | |
| CNAM Service, per line | | | | | UEPFP | NXMCR | 2.11 | | | | | | | | | | |
| CNAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | | | | | | | | | | l i | | | | | | | |
| CNAM Service, per line | | | | | UEPVB | | 2.11 | | | | | | | | | | |
| CNAM Service, per line | CI | CNAM Service, per line | | | UEPSR | NXMMN | 2.11 | | | l i | | | | | | | |
| CNAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line UEPFB NXMMN 2.11 CNAM Service, per line UEPBX NXMMN 2.11 CNAM Service, per line UEPPR NXMMN 2.11 | | | | | | | | | | | | | | | | | |
| CNAM Service, per line UEPBX NXMMN 2.11 CNAM Service, per line UEPPR NXMMN 2.11 | CI | CNAM Service, per line | | | UEPFB | NXMMN | 2.11 | | | | | | | | ĺ | | |
| CNAM Service, per line UEPPR NXMMN 2.11 | | | | | | | | | | | | | | | ĺ | | |
| | | | | i | | | | | | i i | | ĺ | | | | | 1 |
| I I CINAM Service, per line I I UEPSB INXMMN I 2.11I I I I I I I I I I I I | | CNAM Service, per line | | | UEPSB | NXMMN | 2.11 | | | | | | | | İ | İ | 1 |
| CNAM Service, per line UEPRG NXMMN 2.11 | | | | | | | | | | | | | | | İ | İ | 1 |
| CNAM Service, per line UEPSE NXMMN 2.11 | | | | t | | | | | | | | 1 | | | i e | 1 | |

| SERVICES - | Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------------|---|-------------|--|--------------------|----------------|----------------|----------------|----------------|---------------|----------------|--|---|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | l l | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | | curring | | g Disconnect | 001150 | 0011411 | | Rates(\$) | 0011411 | 0011411 |
| | CNAM Service, per line | | | UEPFP | NXMMN | 2.11 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CNAM Service, per line | | | UEPSP | NXMMN | 2.11 | | | | 1 | | | | | | |
| | CNAM Service, per line | | | UEPPX | NXMMN | 2.11 | | | | | 1 | | | | | |
| | CNAM Service, per line | | | UEPFB | NXECR | 2.11 | | | | | | | | | | |
| ĺ | CNAM Service, per line | | | UEPBX | NXECR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPVB | NXECR | 2.11 | | | | | | | | | | Ĺ |
| | CNAM Service, per line | | | UEPSB | NXECR | 2.11 | | | | | | | | | | ! |
| | CNAM Service, per line CNAM Service, per line | | | UEPFP UEPSP | NXECR NXECR | 2.11 | | | | | ļ | | | | | + |
| | CNAM Service, per line | | <u> </u> | UEPPX | NXECR | 2.11 | | | | - | | | | | | —— |
| - | CNAM Service, per line | | - | UEPFB | NCACR | 2.11 | | | 1 | | | | | | | |
| 1 | CNAM Service, per line CNAM Service, per line | | t | UEPBX | NCACR | 2.11 | | i | İ | 1 | | | | | | |
| | CNAM Service, per line | | | UEPSB | NCACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPFP | NCACR | 2.11 | • | | | | | | | | | |
| | CNAM Service, per line | | | UEPSP | NCACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPPX | NCACR | 2.11 | | | | | ļ | | | | | |
| DEU WHOI EE | CNAM Service, per line ALE LOCAL SWITCHING PORTS | | | UEPVB | NCACR | 2.11 | | | 1 | - | . | | | | | |
| | New Install scenarios the Nonrecurring charges are listed in t | ho Eire | t and A | dditional NPC colu | mne for oach | Port USOC Fo | r Evicting Dla | tform coonario | se the Nepres | irring charges | are listed in | the NPC - | Conversions | Loction Addi | tional NDCs r | may apply |
| URECU DS0 W | HOLESALE LOCAL SWITCHING PORTS - (Res) | | | luspop. | Lucasi | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | 1 | UEPSR | UEPRL | 8.38 | 33.48 | 10.04 | 0.00 | 0.00 | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 8.38 | 33.48 | 10.04 | 0.00 | 0.00 | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 8.38 | 33.48 | 10.04 | 0.00 | 0.00 | | | | | | 1 |
| | Exchange Ports - 2-Wire VG AL extended local dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAR | 8.38 | 33.48 | 10.04 | 0.00 | 0.00 | | | | | | |
| | Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) Exchange Ports - 2-Wire VG Alabama Residence Dialing Plan | | | UEPSR | UEPAP | 8.38 | 33.48 | 10.04 | 0.00 | 0.00 | | | | | | |
| | without Caller Id | | | UEPSR | UEPWA | 8.38 | 33.48 | 10.04 | 0.00 | 0.00 | | | | | | 1 |
| | 2-Wire voice Low Usage Line Port without Caller ID Capability | | - | UEPSR | UEPRT | 8.38 | 33.48 | 10.04 | | 0.00 | | | | | | |
| FEATL | | | 1 | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSR | UEPVF | 1.98 | 0.00 | 0.00 | | | | | | | | |
| Cross | Connects | | | | | | | | | | | | | | | |
| | Physical Expanded Interconnection Two Wire Cross Connect, | | | UEPSR | PE1R2 | 0.03 | 12.30 | 44.00 | | | | | | | | 1 |
| | Provsioning Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSR | VE1R2 | 0.03 | 12.30 | 11.80 11.80 | | - | | | | | | |
| Non-R | ecurring Charges | | | UEFOR | VEIRZ | 0.03 | 12.30 | 11.00 | | 1 | | | | | | |
| iton it | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSR | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| DS0 W | HOLESALE LOCAL SWITCHING PORTS - (PBX) | | | | | | | | | | | | | | | (|
| | 2-Wire VG 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 11.38 | 55.75 | 10.04 | | 0.00 | | | | | | |
| | 2-Wire VG Line Side 2-Way PBX Trunk - Bus | | <u> </u> | UEPSP | UEPPC | 11.38 | 55.75 | 10.04 | | 0.00 | 1 | | | | | |
| - | 2-Wire VG Line Side Outward PBX Trunk - Bus 2-Wire VG Line Side Incoming PBX Trunk - Bus | - | | UEPSP UEPSP | UEPPO UEPP1 | 11.38 11.38 | 55.75 55.75 | 10.04 10.04 | | 0.00 | ļ | - | - | | - | |
| | 2-Wire VG Line Side Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | - | | UEPSP | UEPLD | 11.38 | 55.75 | 10.04 | | 0.00 | 1 | | - | - | 1 | |
| - | 2-Wire Voice 2-Way PBX Alabama Calling Port | | † | UEPSP | UEPA2 | 11.38 | 55.75 | 10.04 | | 0.00 | | | | | | |
| | 2-Wire Voice PBX LD Terminal Ports | | t | UEPSP | UEPLD | 11.38 | 55.75 | 10.04 | | 0.00 | | | | | | |
| | 2-Wire Vice 2-Way PBX Usage Port | | L | UEPSP | UEPXA | 11.38 | 55.75 | 10.04 | | 0.00 | | | | | | |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 11.38 | 55.75 | 10.04 | | 0.00 | | | | | | |
| | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 11.38 | 55.75 | 10.04 | | 0.00 | | | | | | \vdash |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | <u> </u> | UEPSP | UEPXD | 11.38 | 55.75 | 10.04 | | 0.00 | 1 | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | - | | UEPSP | UEPXE | 11.38 | 55.75 | 10.04 | 0.00 | 0.00 | ļ | | | | | —— |
| | 2-Wire Voice 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 11.38 | 55.75 | 10.04 | 0.00 | 0.00 | | | | | | ĺ |

| RATE ELEMENTS Interior To the control of the contro | SERVICES - | · Alabama | • | | | | | | | | | | Att: 1 Exh: A | | | |
|--|------------|--|--|--|----------|-------------|-------|-------|-------|------|-------------------|------------------------------------|--|---|--|---|
| Mile Wile Wiley Poly Noorthoppid Connenty Roun Calling September Sep | CATEGORY | RATE ELEMENTS | Zone | BCS | USOC | | | | | | Submitted Elec | Svc Order Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| Windows Wind | | | | | | Rec | | | | | | | | | | |
| Proc | | O Mire Veice O Mer. DDV Hetel/Hereitel Feerers. Deep Celling | 1 | | 1 | | First | Addi | First | Addi | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| E-YMPS Victor 1-YMP COURGING PRY NOVERHOUSE DECOUNT LEPAC 11.38 60.7% 10.04 0.00 0.00 | | | | LIEDSD | HEDYM | 11 38 | 55.75 | 10.04 | 0.00 | 0.00 | | | | | | |
| Room Calling Port | + | | | ULFSF | OLFAIN | 11.30 | 33.73 | 10.04 | 0.00 | 0.00 | | | | | | + |
| Silver Vivor 1 Number Post Memory PEX Memory PEX Memory PEX Memory | | | | UEPSP | UEPXO | 11.38 | 55.75 | 10.04 | 0.00 | 0.00 | | | | | | |
| All Analates winder instance | | 2-Wire Voice 1-Way Outgoing PBX Measured Port | | UEPSP | UEPXS | 11.38 | 55.75 | 10.04 | 0.00 | 0.00 | | | | | | |
| Cross Connects | FEATU | | | | | | | | | | | | | | | |
| Project of Expanded Henconnection Two Wire Cross Comment. UEPSP PE182 0.00 12.20 11.80 | | | | UEPSP UEPSE | UEPVF | 1.98 | 0.00 | 0.00 | | | | | | | | |
| Prosporting | Cross | | | | | | | | | | | | | | | |
| Witsal Collocation - Two Wiles Cross Commed. Provisioning UEPSP VEVR 0.03 12.30 11.80 | | | | LIEDOD | DE4D0 | 0.00 | 40.00 | 44.00 | | | | | | | | |
| Non-Recurring Charges 2 Wire Voice Orands (Loop Line Port Platform - Subsequent UERSP USASC 0.00 | | | 1 | | | | | | | | - | | | | - | |
| 2-Wine Votor Grade Long Line Port Parform - Subsequent UEPSP USASC 0.00 0. | Non-R | | 1 | OLI GI | VETIVE | 0.03 | 12.30 | 11.00 | | | 1 | | | | | † |
| Subsequent Activity UEPSP USASC 0.00 | | | | UEPSP | USAS2 | | 0.00 | 0.00 | | | | | | | t | |
| 2-Wine Coin 2-Way without Operator Screening and Windows UEP2C UEPRF 11.38 57.75 10.04 | | | | UEPSP | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Blocking (AL, KY, LA, MS) | DS0 L | | | | | | | | | | | | | | | |
| 2-Wire Coin 2-Way with Operator Screening AL, KY) UEP2C UEPRA 11.38 57.75 10.04 UEP2C UEPRA 11.38 57.75 10.04 UEP2C UEPRA UEPAC UEPRA UEPAC UEPA | | | | | | | | | | | | | | | | |
| 2-Wire Con 2-Way with Operator Screening and Blocking 011, 900, 1-D00 (AL, KY, LA, MS) | | | | | | | | | | | | | | | | |
| S00, 1+D00 (AL, KY, LA, & MS) | | | | UEP2C | UEPRE | 11.38 | 57.75 | 10.04 | | | | | | | | |
| 2-Wire Coin 2-Way with Operator Screening and Off Blocking (AL, LM MS) | | | | LIEDOC | LIEDDA | 44.00 | F7 7F | 40.04 | | | | | | | | |
| (AL, LA, MS) | | | 1 | UEP2C | UEPRA | 11.38 | 57.75 | 10.04 | | | - | | | | - | |
| 2-Wire Coin 2-Way with Operator Screening & Blocking: 900, UEP2C UEPCD 11.38 57.75 10.04 | | | | LIEP2C | LIEPRR | 11 38 | 57.75 | 10.04 | | | | | | | | |
| 1+DDD, 01+, & Local (AL, KY, LA, MS) | | | | OLI ZO | OLITO | 11.50 | 37.73 | 10.04 | | | | | | | - | 1 |
| 2-Wire Coin Outward with Operator Screening and D11 Blocking (AL, FL) | | | | UEP2C | UEPCD | 11.38 | 57.75 | 10.04 | | | | | | | | |
| 2-Wire Coin Outward with Operator Screening and Blocking: 011, 901, 1900 (L, KY, LA, MS) UEPC UEPRH 11.38 57.75 10.04 | | | | | | | | | | | | | | | | |
| D11, 900, 1+DDD (AL, KY, LA, MS) | | | | UEP2C | UEPRK | 11.38 | 57.75 | 10.04 | | | | | | | | |
| 2-Wire Coin Outward Operator Screening & Blocking: 900, UEPC UEPCN 11.38 57.75 10.04 | | | | | | | | | | | | | | | | |
| 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | | UEP2C | UEPRH | 11.38 | 57.75 | 10.04 | | | | | | | | |
| 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | | LIEBOO | LIEDON | 44.00 | | 10.01 | | | | | | | | |
| 2-Wire Coin Outward Smartline with 900/976 (all states except UEP2C UEPCR 11.38 57.75 10.04 | | | | | | | | | | | | | | | - | - |
| LA UEPC UEPCR 11.38 57.75 10.04 | | | | ULFZC | OLFCK | 11.30 | 31.13 | 10.04 | | | | | | | - | |
| DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | | | | UEP2C | UEPCR | 11.38 | 57.75 | 10.04 | | | | | | | | |
| DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) UEP2C | Coin L | Jsage | | | | | | | | | | | | | | |
| Cross Connects | | | | | | | | | | | | | | | | |
| Physical Expanded Interconnection Two Wire Cross Connect, Provisioning UEP2C PE1R2 0.03 12.30 11.80 | | | | UEP2C | URECU | 5.50 | | | | | | | | | | |
| Provisioning | Cross | | | | | | | | | | | | | | | |
| Virtual Collocation - Two Wire Cross Connect, Provisioning | | | | LIEBOO | DE 4 D 0 | 0.00 | 40.00 | 44.00 | | | | | | | | |
| Non-Recurring Charges | | | 1 | | | | | | | | - | | | | - | |
| 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent UEP2C USAS2 0.00 0.00 0.00 | Non-P | | | UEP2C | VETR2 | 0.03 | 12.30 | 11.80 | | | | | | | | 1 |
| Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEP2C URETL 8.33 0.83 | INOII-IX | | 1 | UEP2C | USAS2 | | 0.00 | 0.00 | | | † | | | | | † |
| Premise | | | | 02. 20 | 00,102 | | 0.00 | 0.00 | | | | | | | t | |
| End Office Switching Function, Per MOU 0.0007025 0.0007025 0.0007025 0.0007025 0.0007025 0.0007025 0.0007025 0.0001638 0.0007025 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0000095 0.0000095 0.0000095 0.0000095 0.0000095 0.0000095 0.0000095 0.0000095 0.0000095 0.00000095 0.00000095 0.00000095 0.00000095 0.00000095 0.00000095 0.00000095 0.000000095 0.00000095 0.00000095 0.00000095 0.000000095 0.000000095 0.000000095 0.0000000000000000000000000000000000 | | | | UEP2C | URETL | | 8.33 | 0.83 | | | | | | | | |
| End Office Switching Function, Per MOU 0.0007025 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.0001638 0.000095 0.0000095 0.0000095 0.0000095 0.0000095 0.0000095 0.0000095 0.0000095 0.0000095 0.0000095 0.0000095 0.00000095 0.00000095 0.00000095 0.00000095 0.00000095 0.000000095 0.00000095 0.000000095 0.000000095 0.000000095 0.000000095 0.0000000095 0.0000000000000000000000000000000000 | | | | | | | | | | | | | | | | |
| End Office Trunk Port - Shared, Per MOU 0.0001638 0.000095 0.0000095 0.0000095 0.000095 | End O | | | | | | | | | | | | | | | ļ |
| Tandem Switching (Port Usage) (Local or Access Tandem) | | | - | | 1 | | | | | | 1 | | | | | <u> </u> |
| Tandem Switching Function Per MOU 0.000095 0.000095 0.000095 0.0000215 0.0000215 0.0000215 0.0000215 0.0000215 0.0000215 0.0000215 0.0000215 0.0000215 0.0000215 0.0000215 0.0000215 0.0000215 0.0000215 0.0000215 0.0000225 0.0000225 0.0000225 0.0000225 0.0000225 0.0000025 0.0000225 0.0000225 0.0000225 0.0000225 0.0000225 0.0000225 0.0000225 0.0000225 0.0000225 0.0000225 0.0000225 0.0000225 0.0000225 0.0000225 0.0000025 0.0000025 0.000025 0. | Torde | | 1 | | 1 | 0.0001638 | | | | | | | | - | | |
| Tandem Trunk Port - Shared, Per MOU 0.0002015 0.0002015 0.0002015 0.0002015 0.0002015 0.0002015 0.0002015 0.000040993 0.00004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0.0004093 0. | rande | | | | + | 0.000005 | | | | | - | | | | | + |
| Melded Factor: 43.15% of the Tandem Rate 0.000040993 Tandem Switching Function Per MOU (Melded) 0.000040993 Tandem Trunk Port - Shared, Per MOU (Melded) 0.000086947 Wholesale Common Transport 0.0000023 Common Transport - Per Mile, Per MOU 0.000023 Common Transport - Facilities Termination Per MOU 0.0003224 | | | | | 1 | | | | | | | | | | | |
| Tandem Switching Function Per MOU (Melded) 0.000040993 | Melde | | | 1 | 1 | 0.0002010 | | | | | | | | 1 | 1 | <u> </u> |
| Tandem Trunk Port - Shared, Per MOU (Melded) 0.000086947 | | | | | | 0.000040993 | | | | | | | | | | |
| Common Transport - Per Mile, Per MOU 0.000023 | | Tandem Trunk Port - Shared, Per MOU (Melded) | L | | | | | | | | | | | | | |
| Common Transport - Facilities Termination Per MOU 0.0003224 | Whole | | | | | | | | | | | | | | | |
| | | | | ļ | 1 | | | | | | | | | ļ | | <u> </u> |
| | | | <u> </u> | | + | 0.0003224 | | | | | | | | | - | |

| SERVICES | - Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|---|--|--|---------------------|---------------|--------------------|-------------------|---------------|--|----------------|--|--|---------------|--|---------------|--|
| | | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | po. 2011 | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Auu | DISC 1St | DISC Add I |
| | | | | | | B | Nonred | curring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| i | | | | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| >> Fo | or New Install scenarios the Nonrecurring charges are listed in | the First | and A | dditional NRC colu | mns for each | Port USOC. Fo | | | | | | | | | | |
| | and are categorized accordingly. | | | | | | | | , | 3 - 3 - | | | | | | ., ., ., |
| | nd Office and Tandem Switching Usage and Wholesale Commo | n Trana | nort He | aga ratas in the De | rt coation of | this rate exhibit | hahall annly to | all DC0 What | anala I anal Blat | form Consisos | avaant far | the Cain C | anvice which | has a flat rate | | a (HEOC) |
| | | ii iiaiis | port us | age rates in the Fo | it section of | inis rate exilibil | i Silali appiy to | all DSU WIIOI | esale Local Flat | ionii Services | , except for | the Com Se | ervice, which | i nas a nat rati | e usage charg | je (USUC: |
| UREC | | | | | 1 | 1 | | | | | | | | | | 1 |
| | WHOLESALE LOCAL PLATFORM SERVICE (Residence) | | | | | | | | | | | | | | | |
| DS0 L | oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 11.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 20.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 33.65 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice port - residence | | $\bot _ $ | UEPRX | UEPRL | 8.15 | 33.48 | 10.04 | | | | | | | | |
| | 2-Wire voice port with Caller ID - res | | $\bot _ $ | UEPRX | UEPRC | 8.15 | 33.48 | 10.04 | | | | | | | | |
| | 2-Wire voice port outgoing only - res | | | UEPRX | UEPRO | 8.15 | 33.48 | 10.04 | | | | | | | | |
| | 2-Wire voice Alabama extended local dialing parity port with | | | | | | | | | | | | | | | |
| | Caller ID - res | | | UEPRX | UEPAR | 8.15 | 33.48 | 10.04 | | | | | | | | 1 |
| | 2-Wire voice res, low usage line port with Caller ID | | | UEPRX | UEPAP | 8.15 | 33.48 | 10.04 | i i | | | 1 | | | 1 | |
| i | 2-Wire voice Low Usage Line Port without Caller ID Capability | İ | İ | UEPRX | UEPRT | 8.15 | 33.48 | 10.04 | † | | | İ | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Alabama Residence Dialing Plan without Caller ID | | | UEPRX | UEPWA | 8.15 | 33.48 | 10.04 | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 1.98 | 0.00 | 0.00 | <u> </u> | | | | | | | - |
| NONE | RECURRING CHARGES - Conversions | | | OLITIX | OLI VI | 1.30 | 0.00 | 0.00 | | | 1 | | | | | |
| NON | 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is | 1 | | UEPRX | USAC2 | <u> </u> | 10.00 | 10.00 | | | † | | | | | |
| | | - | - | UEFRA | USACZ | ļ | 10.00 | 10.00 | - | | - | - | | - | | |
| | 2-Wire Voice Grade Loop / Line Port Platform - Switch with | | | UEPRX | USACC | | 10.00 | 10.00 | | | | | | | | |
| | change | | | UEPRX | USACC | | 10.00 | 10.00 | | | ļ | | | ļ | | |
| | 2-Wire Voice Grade Loop / Line Port Platform - Installation | | | | | | | | | | | | | | | |
| | Charge at QuickService location - Not Conversion of Existing | | | | | | | | | | | | | | | |
| | Service | | | UEPRX | URECC | | 10.00 | | | | | | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Platform - | | | | | | | | | | | | | | | |
| | Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEPRX | URETL | | 8.33 | 0.83 | | | | | | | | |
| Inside | e Wire Maintenance | | | | | | | | | | | | | | | |
| | Inside Wire Maintenance Plan | | | UEPRX | SEQ1X | 4.50 | | | | | | | | | | |
| OFF/0 | ON PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop - Non-Design | | 1 | UEPRX | UEAEN | 12.58 | 37.81 | 17.56 | ĺ | | | | | | | |
| 1 | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPRX | UEAEN | 21.05 | 37.81 | 17.56 | l i | | | | | | | |
| 1 | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPRX | UEAEN | 34.34 | 37.81 | 17.56 | l i | | | | | | | |
| 1 | 2 Wire Analog Voice Grade Extension Loop – Design | | 1 | UEPRX | UEAED | 14.38 | 88.00 | 55.00 | | | | l | | | | |
| <u> </u> | 2 Wire Analog Voice Grade Extension Loop – Design | 1 | 2 | UEPRX | UEAED | 22.85 | 88.00 | 55.00 | | | | | | İ | | |
| | 2 Wire Analog Voice Grade Extension Loop – Design | 1 | 3 | UEPRX | UEAED | 36.14 | 88.00 | 55.00 | 1 | | 1 | i | | 1 | İ | |
| INTE | ROFFICE TRANSPORT | | Ť | | 1 | | 22,00 | 22.00 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | 1 | | | | | | | | | 1 | i | |
| | Termination | | | UEPRX | U1TV2 | 21.13 | 40.54 | 27.41 | | | | | | | | 1 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | - | SE. 100 | 0111V2 | 21.10 | -10.04 | 27.71 | | | 1 | | | 1 | | — |
| | or Fraction Mile | 1 | 1 | UEPRX | U1TVM | 0.008838 | 0.00 | 0.00 | | | 1 | 1 | | 1 | | 1 |
| Dear | WHOLESALE LOCAL PLATFORM SERVICE (Res-PBX) | | | OLI IVA | O I I VIVI | 0.000030 | 0.00 | 0.00 | | | t | | | t | | 1 |
| | Loop Rates | | | | 1 | | | | | | | l | | | | |
| D30 I | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 11.55 | | | + | | | | | | | |
| | | | 2 | | | 20.04 | | | | | 1 | - | | | - | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEPRG | UEPLX | | | | | | 1 | - | | | - | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | - | 3 | UEPRG | UEPLX | 33.65 | | | | | - | | | - | - | |
| 2-Wir | e Voice Grade Line Port Rates (RES - PBX) | | | | Luene - | | | | ļ | | - | | | | | ├ |
| | 2-Wire voice 2-Way PBX Trunk Port - Res (E: 1/1/2005) | ļ | | UEPRG | UEPRD | 11.15 | 57.75 | 10.04 | ļ | | - | | | | | └ |
| FEAT | URES | | | | <u> </u> | | | | | | 1 | | | 1 | | |
| | All Features Offered | | | UEPRG | UEPVF | 1.98 | | | | | | | | | | |
| NONE | RECURRING CHARGES - Conversions | | | | 1 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPRG | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | 1 | | | | | | | | | 1 | | | l | 1 |
| 1 | Change | | <u></u> | UEPRG | USACC | | 10.00 | 10.00 | <u> </u> | | <u> </u> | <u> </u> | | <u> </u> | <u> </u> | <u> </u> |

| SERVI | ICES - | Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--------|--|-------------|------|--------|----------|----------|--------|-----------|--|-------|---|---|---|---|---|---|
| CATEG | GORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | IXEC | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPRG | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | | Premise | | | UEPRG | URETL | | 8.33 | 0.83 | | | | | | | | |
| | OFF/O | PREMISES EXTENSION CHANNELS | | L. | LIEBBO | Do !! !! | 44.00 | | | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 1 | UEPRG | P2JHX | 14.38 | 88.00 | 55.00 | | | | | | | | |
| L | | Local Channel Voice grade, per termination | | 2 | UEPRG | P2JHX | 22.85 | 88.00 | 55.00 | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 3 | UEPRG | P2JHX | 36.14 | 88.00 | 55.00 | | | | | | | | |
| \vdash | | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPRG | SDD2X | 22.41 | 131.60 | 61.92 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPRG | SDD2X | 23.88 | 131.60 | 61.92 | | | | | | | | |
| igsquare | | Non-Wire Direct Serve Channel Voice Grade | ļ | 3 | UEPRG | SDD2X | 33.72 | 131.60 | 61.92 | ļ | | | | | | ļ | ļ |
| igsqcut | INTER | DEFICE TRANSPORT | ļ | | ļ | 1 | | | | | | | | | | ļ | ļ |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPRG | U1TV2 | 21.13 | 40.54 | 27.41 | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPRG | U1TVM | 0.008838 | 0.00 | 0.00 | | | | | | | | |
| | DS0 W | HOLESALE LOCAL PLATFORM SERVICE (Bus-PBX) | | | | | | | | | | | | | | | |
| | DS0 Lo | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 11.55 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 20.04 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 33.65 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | Î | Î |
| | | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | Line Side Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 11.15 | 57.75 | 10.04 | | | | | | | Î | Î |
| | | Line Side Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice 2-Way Combination PBX Alabama Calling Port | | | UEPPX | UEPA2 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice 1-Way Outdial AL Calling Plan Port | | | UEPPX | UEPOA | 11.15 | 57.75 | 10.04 | | | | | | | Î | Î |
| | | 2-Wire Voice PBX LD Terminal Ports | | | UEPPX | UEPLD | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 1.98 | 0.00 | 0.00 | | | | | | | | |
| | NONRE | CURRING CHARGES - Conversions | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPPX | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | . <u></u> | | | | | | | | |
| | | Change | | | UEPPX | USACC | | 10.00 | 10.00 | | | | | | | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | İ | | | | | | | | | | | | | | |
| | | Premise | | | UEPPX | URETL | | 8.33 | 0.83 | | | | | | | | |
| | OFF/O | PREMISES EXTENSION CHANNELS | | | İ | 1 | | | | | | | | | | ĺ | ĺ |
| | | Local Channel Voice grade, per termination | Ì | 1 | UEPPX | P2JHX | 14.38 | 88.00 | 55.00 | | | | | | | | |
| | | Local Channel Voice grade, per termination | Ì | 2 | UEPPX | P2JHX | 22.85 | 88.00 | 55.00 | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 3 | UEPPX | P2JHX | 36.14 | 88.00 | 55.00 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPPX | SDD2X | 22.41 | 131.60 | 61.92 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPPX | SDD2X | 23.88 | 131.60 | 61.92 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPPX | SDD2X | 33.72 | 131.60 | 61.92 | | | | | | | | |
| | INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPPX | U1TV2 | 21.13 | 40.54 | 27.41 | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | 1 | 12:::- | | | | | | İ | | | | İ | İ |
| | Dec w | or Fraction Mile HOLESALE LOCAL PLATFORM SERVICE (Coin) | | | UEPPX | U1TVM | 0.008838 | 0.00 | 0.00 | | | | | | | | |

| SERVICES | - Alabama | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|-------------|----------|--------|--------|--------------|--------|-----------|---|---|-----------------------|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Dee | Nonrec | urring | Nonrecurring Disconne | t | | oss | Rates(\$) | • | • |
| | | | | | | Rec | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DS0 L | oop Rates | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 11.55 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 20.04 | | | | | | | Î | | Î |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 33.65 | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 11.15 | 57.75 | 10.04 | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening (AL, KY) | | | UEPCO | UEPRE | 11.15 | 57.75 | 10.04 | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900, 1+DDD (AL, KY, LA, MS, SC) | | | UEPCO | UEPRA | 11.15 | 57.75 | 10.04 | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS) | | | UEPCO | UEPRB | 11.15 | 57.75 | 10.04 | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 11.15 | 57.75 | 10.04 | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL) | | | UEPCO | UEPRK | 11.15 | 57.75 | 10.04 | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 11.15 | 57.75 | 10.04 | | | | | | | |
| I | 2-Wire Coin Outward Operator Screening & Blocking: 900, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 11.15 | 57.75 | 10.04 | | | | | | I | |
| | 2-Wire 2-Way Smartline with 900 (all states except LA) | | - | UEPCO | UEPCK | 11.15 | 57.75 | 10.04 | H | - | - | | - | - | - |
| | 2-Wire Coin Outward Smartline with 900 (all states except LA) | | | UEPCO | UEPCR | 11.15 | 57.75 | 10.04 | | | | | | - | |
| Coin | Usage | | | UEPCO | UEPCK | 11.15 | 57.75 | 10.04 | + | | | | | 1 | |
| COIII | Usage | | - | | + | | | | | | | | 1 | | 1 |
| NONE | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | | | UEPCO | URECU | 5.50 | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPCO | USAC2 | | 10.00 | 10.00 | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with Change | | | UEPCO | USACC | | 10.00 | 10.00 | | | | | | | |
| ADDI | FIONAL NRCs | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPCO | URETL | | 8.33 | 0.83 | | | | | | | |
| | VHOLESALE LOCAL PLATFORM SERVICE (FX/FCO Res) | | | | 1 | | | | | | | | | | |
| DS0 L | oop Rates | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 14.38 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | | UEPFR | UECF2 | 22.85 | | | ļ | | | | | | |
| 0.14" | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 36.14 | | | + | - | ļ | | . | | . |
| 2-Wir | e Voice Grade Line Port Rates (Res) | | - | UEPFR | UEPRL | 0.00 | 220.00 | 145.00 | + + + - + | + | 1 | | | | |
| | 2-Wire voice port - residence 2-Wire voice port with Caller ID - res | - | - | UEPFR | UEPRC | 8.38 8.38 | 220.00 | 145.00 | | + | - | - | | | - |
| | 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res | - | - | UEPFR | UEPRO | 8.38 | 220.00 | 145.00 | | + | 1 | | | | |
| | 2-Wire voice Port outgoing only - res 2-Wire voice Alabama extended local dialing parity port with Caller ID - res | | | UEPFR | UEPAR | 8.38 | 220.00 | 145.00 | | | | | | | |
| i i | 2-Wire voice res, low usage line port with Caller ID | | | UEPFR | UEPAP | 8.38 | 220.00 | 145.00 | | | | | İ | 1 | İ |
| | 2-Wire voice res, low usage line port without Caller ID capabilty | | | UEPFR | UEPRT | 8.38 | 220.00 | 145.00 | | | | | | | |
| | 2-Wire Voice Alabama Residence Dialing Plan without Caller ID | | | UEPFR | UEPWA | 8.38 | 220.00 | 145.00 | | | | | | | |
| INTER | ROFFICE TRANSPORT | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFR | U1TV2 | 21.13 | 40.54 | 27.41 | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFR | 1L5XX | 0.008838 | | | | | | | | | |
| FEAT | URES Officer of the second of | | - | LIEDED | LIED\" | 1.00 | 2.22 | 0.00 | | - | 1 | | - | | - |
| NONE | All Features Offered ECURRING CHARGES (NRCs) - CONVERSIONS | | | UEPFR | UEPVF | 1.98 | 0.00 | 0.00 | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 10.00 | 10.00 | | | | | | | |

| SERVICES | 6 - Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---|--|--|----------------|----------------|----------------|------------------|------------------|----------------|------------|---|-----------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | _ | Nonrec | urring | Nonrecurring I | Disconnect | | | oss | Rates(\$) | 1 | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | | | | | | |
| | - Conversion - Switch-With-Change | | | UEPFR | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADD | ITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | LIEDED | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | - Subsequent Activity Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | UEPFR | USAS2 | 0.00 | 0.00 | 0.00 | + + | | | | | | | |
| | End User Premise | | | UEPFR | URETN | | 11.21 | 1.10 | | | | | | | | |
| DS0 | WHOLESALE LOCAL PLATFORM SERVICE (FX/FCO Bus) | | | | | | | | | | | | | | | |
| DS0 | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 14.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 22.85 | | | + + | | | | | | | - |
| 2.14/: | 2-Wire Voice Grade Loop (SL2) - Zone 3 re Voice Grade Line Port (Bus) | | 3 | UEPFB | UECF2 | 36.14 | | | ++ | | | | | | | - |
| Z-VVII | 2-Wire voice port without Caller ID - bus | | | UEPFB | UEPBL | 11.38 | 220.00 | 145.00 | + | | | | | | - | - |
| | 2-Wire voice port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 11.38 | 220.00 | 145.00 | + + | | | | | | t | † |
| | 2-Wire voice port outgoing only - bus | | | UEPFB | UEPBO | 11.38 | 220.00 | 145.00 | 1 | | | | | | 1 | |
| | 2-Wire voice Grade Alabama extended local dialing parity port | | | | | | | | | | | | | | | |
| | with Caller ID - bus | | | UEPFB | UEPAW | 11.38 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 11.38 | 220.00 | 145.00 | | | | | | | | |
| | O.M. Velia Malana Barina Birlia Blanciil and Oallan B | | | UEPFB | LIEDWD | 44.00 | 000 00 | 4.45.00 | | | | | | | | |
| -+ | 2-Wire Voice Alabama Business Dialing Plan without Caller ID 2-Wire voice incoming only port without Caller ID capability | | 1 | UEPFB | UEPWB UEPBE | 11.38 11.38 | 220.00 220.00 | 145.00 145.00 | - | | | | | | - | |
| INTE | ROFFICE TRANSPORT | | | UEPFB | UEPBE | 11.30 | 220.00 | 145.00 | 1 | | | | | | | |
| INTE | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFB | U1TV2 | 21.13 | 40.54 | 27.41 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.008838 | | | | | | | | | | |
| FEAT | TURES | | | LIEDED | LUEDVE | | | | | | | | | | | |
| NON | All Features Offered | - | | UEPFB | UEPVF | 1.98 | 0.00 | 0.00 | <u> </u> | | | | | | 1 | |
| NON | RECURRING CHARGES (NRCs) - CONVERSIONS 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | + | | | | | | | |
| | - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | | | | | | |
| | - Conversion - Switch-With-Change | | | UEPFB | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADD | ITIONAL NRCs | | | | | | | | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | l | | | | | | | | | | | |
| DCO | End User Premise WHOLESALE LOCAL PLATFORM SERVICE (FX/FCO PBX) | - | | UEPFB | URETN | | 11.21 | 1.10 | <u> </u> | | | | | | 1 | |
| | Loop Rates | | | | | | | | | | | | | | - | |
| 200 | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 14.38 | | | + + | | | | | | | - |
| -+ | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 22.85 | | | † † | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 36.14 | | | | | | | | | | |
| 2-Wi | re Voice Grade Line Port Rates (BUS - PBX) | | | | | | | · · · · · | | | | | | | | |
| $-\!\!\!\!-\!$ | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 11.38 | 285.00 | 175.00 | \perp | | | | | | | |
| | Line Side Outward PBX Trunk Port - Bus | | - | UEPFP | UEPPO | 11.38 | 285.00 | 175.00 | + + | | | | | | | 1 |
| | Line Side Incoming PBX Trunk Port - Bus 2-Wire Voice 2-Way Combination PBX Alabama Calling Port | - | + | UEPFP UEPFP | UEPP1 UEPA2 | 11.38 11.38 | 285.00 285.00 | 175.00 175.00 | + | | | | | | | - |
| | 2-Wire Voice 2-Way Combination PBX Alabama Calling Port 2-Wire Voice 1-Way Outdial AL Calling Plan Port | | | UEPFP | UEPOA | 11.38 | 285.00 | 175.00 | + + | | | | | | | 1 |
| -+ | 2-Wire Voice PBX LD Terminal Ports | | | UEPFP | UEPLD | 11.38 | 285.00 | 175.00 | + + | | | | | | | - |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 11.38 | 285.00 | 175.00 | † † | | | | | | | |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 11.38 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 11.38 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 11.38 | 285.00 | 175.00 | 1 | | | | | | 1 | |
| 15: | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | 1 | - | UEPFP | UEPXE | 11.38 | 285.00 | 175.00 | + | | | | | | | 1 |
| INTE | ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | 1 | - | - | + | | | | ++ | | | | | | | |
| | Termination | | | UEPFP | U1TV2 | 21.13 | 40.54 | 27.41 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | | İ | 1 | | | | † † | | | | | | 1 | |
| 1 | or Fraction Mile | 1 | 1 | UEPFP | 1L5XX | 0.008838 | | | | | | | | | 1 | 1 |

| SERVICES | S - Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---|---|-----------|--|----------------------|------------------|------------------|------------------|---------------|-----------------|----------------|---------------|----------------|----------------|------------------|---------------|--|
| OLIVIOLO | Alabama | 1 | 1 | | | | | | | | Cua Ordar | Cyo Ordor | Incremental | | Ingramantal | Incremental |
| | | | | | | | | | | | l . | | | | | 1 1 |
| | | | | | | | | | | | 1 | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | l_ | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | - | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 130 | Addi | Diac iat | Disc Add I |
| | | | | | | D | Nonred | urring | Nonrecurring | Disconnect | | - | OSS | Rates(\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFP | UEPVF | 1.98 | 0.00 | 0.00 | | | 1 | | | | | † |
| NON | RECURRING CHARGES (NRCs) - CONVERSIONS | | t - | UEPFP | 02 | 1.00 | 0.00 | 0.00 | | | | 1 | | | | |
| - INON | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | OLITI | | | | | | | † | | | | | |
| | - Conversion - Switch-as-is | 1 | | UEPFP | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| — | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | 1 | OLFIF | USACZ | | 10.00 | 10.00 | | | 1 | † | | 1 | - | |
| | | 1 | | LIEDED | 110400 | | 40.00 | 40.00 | | | | | | | | |
| | - Conversion - Switch-With-Change | | | UEPFP | USACC | | 10.00 | 10.00 | | | | ļ | | | | |
| ADD | ITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port (PBX) | | | | | | | | | | | | | | | |
| | Platform - Subsequent Activity | | | UEPFP | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | <u> </u> | | | | 14.64 | 14.64 | | | | | | <u> </u> | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | | | | | | | 1 | | | | | |
| | End User Premise | | 1 | UEPFP | URETN | | 11.21 | 1.10 | | | 1 | | | | | |
| DS0 WHOLE | SALE LOCAL SWITCHING PORTS | | | | | | | | | | ĺ | | | | | |
| | or New Install scenarios the Nonrecurring charges are listed in | the First | and A | dditional NRC colu | ımns for each | Port USOC. Fo | or Existing Pla | form scenario | s. the Nonrecu | rring charges | are listed in | the NRC - | Conversions | section. Add | itional NRCs | may apply |
| | and are categorized accordingly. | | | | | | | | -, | | | | | | | ,, |
| | End Office and Tandem Switching Usage and Wholesale Commo | n Trans | nort I | loogo rotoo in the D | ort coation of | thic rote evhibi | t chall apply to | the DCO Whe | locale Local Cu | uitahina Barta | avaant far | the Coin D | arto urbiob be | an a flat rate u | oogo oborgo | (UEOC: |
| | | on Trans | sport u | sage rates in the P | ort section of | tnis rate exnibi | t Shaii appiy to | the DS0 Who | iesaie Locai Sv | witching Ports | , except for | the Coin Po | orts, which ha | as a flat rate u | sage charge | ,0500: |
| URE | | | | | | | | | | | | | | | | _ |
| DS0 | WHOLESALE LOCAL SWITCHING PORTS - (Bus) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | | | | | |
| | Bus | | | UEPSB | UEPBL | 11.38 | 55.75 | 10.04 | 0.00 | 0.00 | | | | | | |
| | Exchange Ports - 2-Wire VG Line Port with port with | | | | | | | | | | | | | | | |
| | Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 11.38 | 55.75 | 10.04 | 0.00 | 0.00 | | | | | | |
| | | | | | | | | | | | ĺ | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 11.38 | 55.75 | 10.04 | 0.00 | 0.00 | | | | | | |
| | Exchange Ports - 2-Wire VG AL extended local dialing parity | t - | | | | | | | 0.00 | | † | | | | | |
| | Port with Caller ID - Bus. | | | UEPSB | UEPAW | 11.38 | 55.75 | 10.04 | 0.00 | 0.00 | | | | | | |
| | Exhange Ports - 2-Wire VG incoming only port with Caller ID - | † | | OLI OD | OLI 74V | 11.00 | 00.70 | 10.04 | 0.00 | 0.00 | 1 | 1 | | 1 | | |
| | Bus | | | UEPSB | UEPB1 | 11.38 | 55.75 | 10.04 | 0.00 | 0.00 | | | | | | |
| - | | | <u> </u> | ULF 3D | OLFBI | 11.30 | 33.73 | 10.04 | 0.00 | 0.00 | - | | | - | | |
| | Exchange Ports - 2-Wire Voice Alabama Business Dialing Plan | | | | | 44.00 | | | | | | | | | | |
| | without Caller ID | | | UEPSB | UEPWB | 11.38 | 55.75 | 10.04 | 0.00 | 0.00 | ļ | | | | | |
| | 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 11.38 | 55.75 | 10.04 | 0.00 | 0.00 | | | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 1.98 | 0.00 | 0.00 | | | | | | | | |
| Cros | ss Connects | | | | | | | | | | | | | | | |
| | Physical Expanded Interconnection Two Wire Cross Connect, | | | | | | | | | | 1 | | | | | |
| | Provsioning | | 1 | UEPSB | PE1R2 | 0.03 | 12.30 | 11.80 | | | 1 | | | | | |
| | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSB | VE1R2 | 0.03 | 12.30 | 11.80 | | | | | | | | |
| Non- | -Recurring Charges | 1 | 1 | | | | _ | | | | 1 | | 1 | 1 | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | i – | 1 | UEPSB | USAS2 | | 0.00 | 0.00 | | | İ | 1 | İ | İ | 1 | |
| | Subsequent Activity | 1 | t | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | 1 | 1 | 1 | 1 | 1 | |
| DS0 WHO! F | SALE LOCAL PLATFORM SERVICE | 1 | t | | 30,.00 | 5.00 | 3.00 | 0.00 | | | 1 | 1 | | † | 1 | |
| | or New Install scenarios the Nonrecurring charges are listed in | the Eire | tand ^ | Idditional NPC and | Impe for each | Port USOC E | r Evicting Blo | form coonsis | e the Nepresi | rring charges | are listed in | the NPC | Conversions | coction Add | itional NPCa | may apply |
| | | uie FirS | and A | AUGILIONAL NKC COIL | annis for each | FUIL USUG. FO | יי בגוטנות Pla | norm scenario | s, the Monrecu | ming charges | are iisted Ir | i tile NKC - (| Conversions | section. Add | ILIOIIAI NKUS | пау арріу |
| | and are categorized accordingly. | | | | | | | | | | | | | | | |
| | nd Office and Tandem Switching Usage and Wholesale Commo | n Trans | port U | sage rates in the Po | ort section of t | nıs rate exhibit | snall apply to | all DS0 Whole | esale Local Pla | ttorm Services | s, except for | the Coin S | ervice, which | nas a flat rat | e usage char | je (USOC: |
| URE | | | | | | | | | | | | | | | | |
| | WHOLESALE LOCAL PLATFORM SERVICE (Business) | | | | | | | | | | | | | | | |
| DS0 | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 11.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | 1 | 2 | UEPBX | UEPLX | 20.04 | | | | | 1 | | 1 | 1 | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | 1 | | UEPBX | UEPLX | 33.65 | | | | | İ | Ì | i | İ | 1 | |
| 2-Wi | re Voice Grade Line Port (Bus) | 1 | Ť | 1 | | 55.55 | | | | | 1 | 1 | 1 | 1 | 1 | |
| | 2-Wire voice port without Caller ID - bus | t | t | UEPBX | UEPBL | 11.15 | 57.75 | 10.04 | | | 1 | t | | 1 | i | † |
| | 2-Wire voice port without Caller 10 - Bus | 1 | | UEPBX | UEPBC | 11.15 | 57.75 | 10.04 | | | | | | + | | |
| \vdash | | - | - | UEPBX | UEPBO | 11.15 | 57.75 | 10.04 | | | 1 | | - | 1 | - | + |
| \vdash | 2-Wire voice port outgoing only - bus | 1 | - | OLYDA | UEFBU | 11.15 | 31.15 | 10.04 | | | | 1 | | | 1 | |
| 1 | 2-Wire voice Alabama extended local dialing parity port with | | 1 | LIEBBY . | | ll | | 40 | | | 1 | | 1 | | 1 | |
| | Caller ID - bus 2-Wire voice incoming only port with Caller ID - Bus | L | <u> </u> | UEPBX | UEPAW | 11.15 | 57.75 | 10.04 | | | ļ | ļ | | ļ | | ļ |
| | | | | UEPBX | UEPB1 | 11.15 | 57.75 | 10.04 | | | 1 | 1 | 1 | 1 | | |

Version: 2Q07 MBR - SLC 06/04/07 Page 9 of 237

| Svc Order Svc Order Incremental Incremental Incremental Submitted Submitted Submitted Submitted Charge - Charge | SERVI | CES - | Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---|-----------------|----------|---|--|----------|----------------------|-----------------|-------------------|------------------|---------------|-----------------|----------------|-----------------|-------------|---------------|--|---------------|-------------|
| CATEGORY RATE ELEMENTS Inter Zone BCS USC RATES(A) Standard | 02 | | , udbuma | | | | 1 | | | | | | Cyo Ordor | | | Ingramantal | Ingramantal | Incremental |
| ATTECHNESS RATE ELEMENTS RATE ELEMENTS ROSE | | | | | | | | | | | | | | | | | | |
| CATEGORY RATE ELEMENTS | | | | | | | | | | | | | 1 | | | | • | Charge - |
| Martic Lateral Martic Carlot Martic Carl | | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| Part | CATEG | ORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| Second Content | | | | | | | | | | | | | | | | | | Electronic- |
| Post | | | | | | | | | | | | | | | | | | |
| No. | | | | | | | | | | | | | | | 1St | Addi | DISC 1St | Disc Add'l |
| No. | | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| 2-Wise used incoming Oil yPost willows Cardle TO Guidelity ULPPEX ULP | | | | | | | 1 | Rec | | | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| Fig. 10, 15 Fig. 10, 16 | \vdash | | 2 Wire voice Incoming Only Port without Caller ID Canability | | | LIEDDY | LIEDDE | 11 15 | | | 11130 | Addi | JOINEC | JOINAIN | JOINAIN | JOWAN | JOINAIN | JOINAIN |
| Partness | \vdash | - | | | | | | | | | | | | | | | | |
| MAP Settures Officed DEPRIX UPPY 1.98 0.00 | | | | | | DEPBX | UEPWB | 11.15 | 57.75 | 10.04 | | | ļ | | | | | |
| NON-ECURRING CHARGES - Conversions | | | | | | | | | | | | | ļ | | | | | |
| 2. Wire Vote Grade Loop Line POT Platform - Switch 46 to U.E.PSX | | | | | | UEPBX | UEPVF | 1.98 | 0.00 | 0.00 | | | | | | | | |
| C-Wise Voto Grade Log-Lue Pot Platform - Switch with U-PRX USACC 10.00 | | NONRE | | | | | | | | | | | | | | | | |
| Change C | | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPBX | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| Chunges | | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | ĺ | | | | | | | | | | |
| ADDITIONAL NRC6 | | | | | | UEPBX | USACC | | 10.00 | 10.00 | | | | | | | | |
| NRC - 3-Wire Valor Grade Loop Line Port Platform UEPBX USAS2 | | ADDITIO | | | | | | | | | | | | | | | | |
| Shipsequent | | 7122111 | | - | | | 1 | | | | | | | | | | | |
| | | | | l | | LIEDDY | 116763 |] | 0.00 | 0.00 | | 1 | |] | | 1 | | |
| Premise | \vdash | | | - | \vdash | OLFDA | UUAUZ | - | 0.00 | 0.00 | | | 1 | | | - | | |
| Inside Wire Maintenance | | | | l | | LIEDDY | LIDET! | | 0.00 | 2.00 | | | | | | | | |
| India Virte Maintenance Plan | | | | ļ | | UEPBX | UKEIL | | 8.33 | 0.83 | | | | | | | | |
| PFFON PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | | | | |
| 2 Wise Analogy Voice Grade Edemonts Loop — Non-Design | | | | | | UEPBX | SEQ1X | 4.50 | | | | | | | | | | |
| 2 Wise Analogy Voice Grade Edemonts Loop — Non-Design | | OFF/ON | PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| 2 Wise Analog Voice Grade Entension Loop - Non-Design 2 UEPBX UEAEN 2.05 3.781 17.56 | | | 2 Wire Analog Voice Grade Extension Loop - Non-Design | | 1 | UEPBX | UEAEN | 12.58 | 37.81 | 17.56 | | | | | | | | |
| 2 Vive Analog Voce Grade Extension Log - Design | | | | | 2 | UEPBX | UEAEN | 21.05 | 37.81 | 17.56 | | | | | | | | |
| 2 Wire Anslang Voice Grade Estension Loop — Design 2 UEPDX | | | | - | | | | | | | | | | | | | | |
| 2 Wire Analog Voice Grade Exements Loop — Design 2 UEPDX UEAED 22.85 88.00 55.00 | \vdash | | | | | | | | | | | | 1 | | | | | |
| 2 Wire Analog Vace Grade Extension Loop - Design 3 UEPBX UEAED 36.14 88.00 56.00 | | | | | | | | | | | | | | | | | | |
| Interesting | \vdash | | | - | | | | | | | | | ļ | | | | | |
| Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPBX | | | | | 3 | UEPBX | UEAED | 36.14 | 88.00 | 55.00 | | | | | | | | |
| Termination | | INTERC | | | | | | | | | | | | | | | | |
| Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile UEPEX | | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| OF Fraction Mile | | | Termination | | | UEPBX | U1TV2 | 21.13 | 40.54 | 27.41 | | | | | | | | |
| DEPON HOLESALE LOCAL PLATFORM SERVICE - CENTREX UPPN | | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | 1 | Ì | | | | | 1 | | | | | |
| DSW MHOLESALE LOCAL PLATFORM SERVICE - CENTREX | | | | | | LIEPBX | U1TVM | 0.008838 | 0.00 | 0.00 | | | | | | | | |
| The following D50 Wholesale Local Platform Service - CENTREX rates shall apply to the elements indicated accordance with the following criteres: > > For New Installs centerating the Nonceutring charges are listed in the First and Additional NRC columns for each Port USOC. For Existing Platform scenarios, the Nonrecurring charges are listed in the NRC - Conversions section. Additional NRC also and are categorized accordingly. > For New Installs centerated accordingly. > Send Office and Tandem Switching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to the D50 Wholesale Local Platform Service - CENTREX SY CENTRAL OFFICE SWITCH TYPE ACCORD REVIEW OF Install Continued to Provide Grade Loop (SL 1) - Zone 1 UECS1 | DS0 WI | IOI ESA | | | | 02. 5/ | 0 | 0.000000 | 0.00 | 0.00 | | | 1 | | | | | |
| >> For New Install scenarios the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USCC. For Existing Platform scenarios, the Nonrecurring charges are listed in the NRC - Conversions section. Additional NRC also and are categorized accordingly. >> End Office and Tandem Switching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to the DS0 Wholesale Local Platform Service - CENTREX DS0 WhOLESALE LOCAL PLATFORM SERVICE - CENTREX W CENTRAL OFFICE SWITCH TYPE | | | | ne chall | annly (| to the elements indi | icated accord | ance with the f | allowing critor | 001 | | | † | | | | | |
| also and are categorized accordingly. | | | | | | | | | | | a tha Namaa | | ana liata di in | the NDC (| | | tional NDCs : | |
| >> End Office and Tandem Switching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to the DS0 Wholesale Local Platform Service - CENTREX S DS0 WhoLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENTRAL OFFICE SWITCH TYPE | | | | ne Firs | and A | dditional NKC colur | mns for each | Port USUC. FC | or Existing Plat | rorm scenario | s, the Nonrecu | irring charges | are listed in | the NRC - C | conversions | section. Addi | tional NRCS I | пау арріу |
| DS0 WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENTRAL OFFICE SWITCH TYPE | | | | | | | | | | | | | | | | | | |
| AESS SWITCH - (Valid in AL,FL,GA,KYL,A,MS,&TN) | | | | | | | rt section of t | this rate exhibit | shall apply to | the DS0 Whol | esale Local Pla | atform Service | - CENTREX | (| | | | |
| Loop Rates | | DS0 WH | HOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN | TRAL C | FFICE | SWITCH TYPE | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop (St. 1) - Zone 1 UECS1 | | 1AESS | SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) | | | | | ĺ | | | | | | | | | | |
| 2-Wire Voice Grade Loop (St. 1) - Zone 1 UECS1 | | Loop R | ates | | | | 1 | | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | | | | | 1 | LIEP91 | LIECS1 | 11 55 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 3 UEP91 UECS1 33.65 | \vdash | | | - | | | | | | | | | t | | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | \vdash | | | | | | | | | | | | 1 | | | | | |
| 2-Wire Voice Grade Loop (St. 2) - Zone 2 UECS2 | \vdash | | | ! | | | | | | | | - | | | | 1 | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 3 UEP91 UECS2 36.14 | $\vdash \vdash$ | | | <u> </u> | | | | | | | | | | | | | | |
| Port Rates - Effective As Specified | \vdash | | | . | | | | | | | | | ! | | | | | |
| All States (Except North Carolina and South Carolina) | oxdot | | | | 3 | UEP91 | UECS2 | 36.14 | | | | | 1 | | | | | |
| 2-Wire Voice Grade Port (Centrex) Basic Local Área UEP91 UEPYA 11.15 57.75 10.04 | | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local UEP91 UEPYB 11.15 57.75 10.04 | | All Stat | es (Except North Carolina and South Carolina) | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local UEP91 UEPYB 11.15 57.75 10.04 | | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 11.15 | 57.75 | 10.04 | | | | | | | | |
| Area | | | | İ | | | i | i | | | | i | Ì | i | | İ | | |
| 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | | l | | LIFP91 | LIEPYR | 11 15 | 57 75 | 10.04 | | 1 | |] | | 1 | | |
| Area | \vdash | | | - | | OE1 01 | OLI ID | 11.13 | 51.15 | 10.04 | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex from diff Serving Wire UEP91 UEPYM 11.15 139.82 64.06 | | | | l | | LIED04 | LIEDVII | 44.45 | cz zc | 40.04 | | 1 | |] | | 1 | | |
| Center)2 Basic Local Area | $\vdash \vdash$ | | | <u> </u> | | UEPSI | UEPTH | 11.15 | 5/./5 | 10.04 | | | | | | | | |
| 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service UEP91 UEPYZ 11.15 139.82 64.06 | | | | l | | | | l l | , | | | 1 | |] | | 1 | | |
| Term - Basic Local Area | oxdot | | | | | UEP91 | UEPYM | 11.15 | 139.82 | 64.06 | | | 1 | | | | | |
| 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP91 | | | | l | | | 1 |] | | | | 1 | |] | | 1 | | |
| 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP91 | L | | Term - Basic Local Area | <u> </u> | L | UEP91 | UEPYZ | 11.15 | 139.82 | 64.06 | | <u> </u> | <u> </u> | <u> </u> | | <u> </u> | | <u></u> |
| Basic Local Area | | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Port Terminated on 800 Service Term | | | | l | | UEP91 | UEPY9 | 11.15 | 57.75 | 10.04 | | 1 | |] | | 1 | | |
| AL, KY, LA, MS, & TN Only L 2-Wire Voice Grade Port (Centrex) UEP91 UEPQA 11.15 57.75 10.04 | | | | i | | | | | | | | | 1 | 1 | | i e | | |
| 2-Wire Voice Grade Port (Centrex) UEP91 UEPQA 11.15 57.75 10.04 | \vdash | ΔI K∨ | | - | | | 1 | 0 | 50 | 10.04 | | | t | | | | | |
| | \vdash | ΛL, NI, | | | | LIED01 | LIEDO A | 44.45 | E7 7F | 10.04 | | | 1 | | | - | | |
| I I IZ-vvice voice Grade Port (Centrex 800 termination) | $\vdash \vdash$ | | | | \vdash | | | | | | | | 1 | — | | | | |
| | \vdash | | | . | | | | | | | | | ! | | | | | |
| 2-Wire Voice Grade Port (Centrex with Caller ID)1 UEP91 UEPQH 11.15 57.75 10.04 | | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 11.15 | 57.75 | 10.04 | | | | | | | | |

Version: 2Q07 MBR - SLC 06/04/07 Page 10 of 237

| SERVICE | S | Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|-------|---|-------------|------|----------------|----------------|----------------|----------------|----------------|--|------------|---|---|--|--|--|---|
| CATEGOR | Υ | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | 1 | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | 1 |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 | | | UEP91 | UEPQM | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term | | | UEP91 | UEPQZ | 11.15 | 139.82 | 64.06 | L | | | | | | | |
| | | O Wiss Vision Cond. Book to residented in on Manufacture and include | | | LIEDO4 | LIEDOO | 44.45 | F7 7F | 10.01 | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | 1 | UEP91 UEP91 | UEPQ9 UEPQ2 | 11.15 11.15 | 57.75 57.75 | 10.04 10.04 | — | | - | | | | - | - |
| Loc | | witching | | | OLF91 | ULFQZ | 11.13 | 31.13 | 10.04 | + + | | | | | | - | |
| | | Centrex Intercom Funtionality, per port | | 1 | UEP91 | URECS | 0.5488 | | | | | † | | | | | |
| Fea | ature | | | | | | 0.0.00 | | | † † | | | | | | t | t |
| | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 1.98 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 405.52 | | | | | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 1.98 | | | | | | | | | | |
| NA | RS | | | | | | | | | ↓ | | | | | ļ | | ļ |
| | | Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| \vdash | | Network Access Register - Indial Network Access Register - Outdial | | - | UEP91 UEP91 | UAR1X UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | | | - | 1 | 1 |
| Mi | | network access Register - Outdial aneous Terminations | | 1 | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | - | | | | - | - |
| | | Frunk Side | | 1 | | + | | | | — | | - | | | | - | - |
| 2-11 | | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | | | | - | |
| Inte | | ice Channel Mileage - 2-Wire | | | OLI OI | OLI WIO | 0.00 | 110.01 | 10.74 | 00.00 | 0.70 | 1 | | | | | |
| | | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.008838 | | | | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 | | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP91 | 1PQW7 | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP91 | 1PQWP | 0.56 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.56 | | | | | | | | | | |
| Nor | n-Re | curring Charges (NRC) | | | | | | | | | | | | | | | |
| | | Conversion - Existing Platform Switch-As-Is with allowed | | | LIEDO4 | 110400 | | 40.00 | 40.00 | | | | | | | | |
| | | changes, per port Conversion of Existing Centrex Common Block | | | UEP91 UEP91 | USAC2 USACN | | 10.00 40.00 | 10.00 20.00 | - | | | | | | - | - |
| | | New Centrex Standard Common Block | | 1 | UEP91 | M1ACS | | 770.00 | 20.00 | — | | - | | | | - | - |
| | | New Centrex Standard Common Block New Centrex Customized Common Block | | | UEP91 | M1ACC | | 770.00 | | | | | | | | | |
| -+ | | Secondary Block, per Block | | | UEP91 | M2CC1 | | 80.00 | | | | | | | | — | — |
| | | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | | 85.00 | | | | | | | İ | 1 | 1 |
| Adr | | nal Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP91 | URETL | | 8.33 | 0.83 | | · · · · · | | | | | | |
| | Ī | Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP91 | URETN | | 11.21 | 1.10 | | | | | | | | |
| 5E5 | SS S | WITCH (Valid in All States) | | | | | | | | | | | | | | | |
| Loc | op R | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP95 | UECS1 | 11.55 | | | ↓ | | | | | ļ | | ļ |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 20.04 | | | | | | | | | | |
| + | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 UEP95 | UECS1 UECS2 | 33.65 14.38 | | | | | 1 | | | - | 1 | 1 |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 2-Wire Voice Grade Loop (SL 2) - Zone 2 | - | 2 | UEP95 UEP95 | UECS2 | 14.38 22.85 | | | + | | - | | | | | |
| + | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP95 | UECS2 | 36.14 | | | | | | | | | | |
| Po | rt Ra | | | Ť | | 02002 | 00.14 | | | | | 1 | | | 1 | 1 | 1 |
| | | owing port rates are effective as specified | | | | 1 | | | | † † | | | | | İ | t | t |

| CEDV//C | | Alabama | | | | | | | | | | | | | | | |
|---------------------|----------|---|----------|----------|-------|-------|----------|--------|-----------|--------------|---------|----------|-----------|---------------|-------------|-------------|-------------|
| SERVIC | ES - | Alabama | | | 1 | 1 | 1 | | | | | | | Att: 1 Exh: A | | l | |
| | | | | | | | | | | | | | | Incremental | | Incremental | 1 |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | D)/ | DATE EL EMENTO | Interi | - | 500 | 11000 | | | DATEO(6) | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATEGO | RY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| <u> </u> | | | | | | | ļ., | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| \vdash | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| A | II Stat | | | | | | | | | | | | | | | | |
| \vdash | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 11.15 | 57.75 | 10.04 | | | | | | | | |
| $\perp \perp \perp$ | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP95 | UEPYH | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 Basic Local Area | | | UEP95 | UEPYM | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term - Basic Local Area | | | UEP95 | UEPYZ | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | 1 | | | 1 | | | | | | | | | I | | I |
| $\sqcup \bot$ | | - Basic Local Area | | | UEP95 | UEPY9 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | 1 | | | 1 | | | | | | | | | I | | I |
| $\perp \perp \perp$ |] | Basic Local Area | | | UEP95 | UEPY2 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| A | | LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 | | | UEP95 | UEPQM | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term | | | UEP95 | UEPQZ | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| L | ocal S | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.5488 | | | | | | | | | | |
| F/ | eature | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 1.98 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 405.52 | | | | | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 1.98 | | | | | | | | | | |
| N | ARS | | | | | | | | | | | | | | | | |
| | | Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| M | liscella | aneous Terminations | | | | | | | | | | | | | | | |
| 2- | -Wire | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | | | | | |
| 4- | -Wire I | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | | | | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.48 | | | | | | | | | |
| In | teroff | ice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.008838 | | | | | | | | | | |
| Fr Fr | eature | Activations (DS0) Centrex Loops on Channelized DS1 Service | се | | | | | | | | | | | | | | |
| D | 4 Cha | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.56 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.56 | | | | | | | | 1 | | 1 |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | | Slot | <u> </u> | | UEP95 | 1PQW7 | 0.56 | | <u></u> | <u> </u> | <u></u> | <u> </u> | | | <u> </u> | <u> </u> | L |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP95 | 1PQWP | 0.56 | | | | | | | | 1 | | 1 |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | 1 | | UEP95 | 1PQWV | 0.56 | | | | | | | | I | | I |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | 1 | | UEP95 | 1PQWQ | 0.56 | | | | | | | | I | | I |
| | _ | Feature Activation on D-4 Channel Bank WATS Loop Slot | 1 | 1 | UEP95 | 1PQWA | 0.56 | | | | i e | | | | | 1 | |
| \vdash | - 1 | realule Activation on D-4 Channel Bank WATS Loop Stot | | | | | | | | | | | | | | | |

| SERVICES - | - Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|---|--|--|----------------|----------------|----------------|----------------|----------------|--|------------|---|-----------|---------------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port Conversion of Existing Centrex Common Block, each | <u> </u> | 1 | UEP95 UEP95 | USAC2 USACN | | 10.00 40.00 | 10.00 20.00 | - | | | | | | | |
| \vdash | New Centrex Standard Common Block | 1 | 1 | UEP95 | M1ACS | | 770.00 | 20.00 | + | | | | | | | |
| | New Centrex Customized Common Block | 1 | | UEP95 | M1ACC | | 770.00 | | | | | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | | 85.00 | | | | | | | | | |
| Additi | onal Non-Recurring Charges (NRC) | ļ | | | | | | | | | | | | | | |
| \vdash | Miscellaneous Rate Element, Tag Loop at End Use Premise Miscellaneous Rate Element, Tag Design Loop at End Use | ļ | - | UEP95 | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Premise | | | UEP95 | URETN | | 11.21 | 1.10 | | | | | | | | |
| DMS10 | 00 SWITCH (Valid in All States) | <u> </u> | | 021 00 | OKETIV | | 11.21 | 1.10 | | | | | | | | |
| Loop I | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 11.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | ļ | 2 | UEP9D UEP9D | UECS1 UECS1 | 20.04 33.65 | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 | 1 | 3 | UEP9D | UECS1 | 14.38 | | | + | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | <u> </u> | 2 | UEP9D | UECS2 | 22.85 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 36.14 | | | | | | | | | | |
| Port R | | | | | | | | | | | | | | | | |
| | llowing port rates are effective as specified | ļ | <u> </u> | | | | | | | | | | | | | |
| All Sta | 2-Wire Voice Grade Port (Centrex) Basic Local Area | - | | UEP9D | UEPYA | 11.15 | 57.75 | 10.04 | _ | | | | | | | |
| | 2-Wire Voice Grade Fort (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | 1 | 1 | OLI 3D | OLITA | 11.13 | 37.73 | 10.04 | | | | | | | | |
| | Area | | | UEP9D | UEPYB | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | | | | | | | | | | | | |
| | Area | | 1 | UEP9D | UEPYC | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | OLF 9D | OLFID | 11.13 | 37.73 | 10.04 | + | | | | | | | |
| | Area | | | UEP9D | UEPYE | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | ļ | | UEP9D | UEPYF | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 11.15 | 57.75 | 10.04 | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | 1 | 1 | DEP9D | UEPTG | 11.15 | 57.75 | 10.04 | + | | | | | | | |
| | Area | | | UEP9D | UEPYT | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYU | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | UEP9D | UEPYV | 11 15 | E7 7E | 10.04 | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | - | | OLFAD | UEFTV | 11.15 | 57.75 | 10.04 | + | | | | | | | |
| | Area | | | UEP9D | UEPY3 | 11.15 | 57.75 | 10.04 | | | | | | | | . |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | | | | | | | | | | |
| | Area | ļ | 1 | UEP9D | UEPYH | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 11.15 | 57.75 | 10.04 | 1 | | | | | | | , l |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | OLFBD | ULF T VV | 11.15 | 51.15 | 10.04 | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYJ | 11.15 | 57.75 | 10.04 | 1 | | | | | | | , l |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | i | | | | | | | | | |
| | 2 Basic Local Area | ļ | <u> </u> | UEP9D | UEPYM | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 11.15 | 139.82 | 64.06 | 1 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | OLFBD | ULF TU | 11.15 | 139.02 | 04.00 | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYP | 11.15 | 139.82 | 64.06 | 1 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | ļ | <u> </u> | UEP9D | UEPYQ | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 11.15 | 139.82 | 64.06 | 1 | | | | | | | , l |
| | Padio Local Alba | · | 1 | OL1 3D | OLITA | 11.13 | 133.02 | 04.00 | | | L | | | I | | |

| SERVICES | - Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------------|--|-------------|--|----------------|----------------|----------------|----------------|----------------|--------------|------------|---|-------|---------------|--------------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | | Incremental | | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | + + | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | | | | | | | | i ' |
| | Basic Local Area | | | UEP9D | UEPYS | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 11.15 | 139.82 | 64.06 | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPY7 | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | Term | | | UEP9D | UEPYZ | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 11.15 | 57.75 | 10.04 | | | | | | | | l |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| AL. K | Y, LA, MS, SC, & TN Only | | | OLI 3D | OLF 12 | 11.15 | 51.75 | 10.04 | | | | | | | | |
| 7.2,10 | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 11.15 | 57.75 | 10.04 | | | | İ | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 11.15 | 57.75 | 10.04 | | | | | | | | |
| ļ | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 11.15 | 57.75 | 10.04 | | | | | | | | —— |
| - | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 11.15 | 57.75 | 10.04 | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 11.15 | 57.75 | 10.04 10.04 | | | - | - | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D UEP9D | UEPQ3 UEPQH | 11.15 11.15 | 57.75 57.75 | 10.04 | | | - | - | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | UEP9D | UEPQH | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | Indication)3 | | | UEP9D | UEPQW | 11.15 | 57.75 | 10.04 | | | | | | | | í |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 11.15 | 57.75 | 10.04 | 1 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/msg Wtg Earnp Indication)3 | | | OLI 3D | OLI QU | 11.13 | 37.73 | 10.04 | | | | | | | | |
| | 2 | | | UEP9D | UEPQM | 11.15 | 139.82 | 64.06 | | | | | | | | í |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | | | | | | | | | | | | | | | | ł |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 11.15 | 139.82 | 64.06 | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 11.15 | 139.82 | 64.06 | | | | | | | | l |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | , , , | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 11.15 | 139.82 | 64.06 | | | | | | | | |
| 1 I [—] | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | 1 7 | | 🗍 | | | | | | | | | |
| | Term | - | | UEP9D | UEPQZ | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| - | 2-Wire Voice Grade Port Terminated on 800 Service Term | | \vdash | UEP9D | UEPQ2 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| Local | Switching Control Internal Control Inter | | | LIEDOD | LIDECC | 0.5400 | | | | | | | | - | | |
| Featu | Centrex Intercom Funtionality, per port | - | \vdash | UEP9D | URECS | 0.5488 | | | - | | - | | | | - | |
| reatu | All Standard Features Offered, per port | - | | UEP9D | UEPVF | 1.98 | | | | | - | - | | | | |
| | All Standard realures Offered, per port | L | | OLFSD | UEPVF | 1.98 | | | I | | l | 1 | | 1 | | |

| ATTEORY RATE ELEMENTS Part | SERVICES - | Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---|--------------|--|----------|----------|--------|---|----------|--------|-----------|--------------|------------|-------------------|-----------------------|--|--|--|---|
| No. Select Features Offend, cet port | CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Incrementa Charge - Manual Svo Order vs. Electronic Disc Add'l |
| Mil Scheen Federins Criment, per port | | | | | | | | Nonros | urrina | Monrocurring | Dissennest | | | | | 2.00 .00 | 2.007.444. |
| MI Spend Features College (per poort 0.6PPO 0.9PPVC 0.99 0.90 0.00 | | | 1 | | | + | Rec | | | | | COMEC | COMAN | | | COMAN | SOMAN |
| MARTER M | | All Soloct Footures Offered, per port | 1 | - | LIEDOD | LIEDV/S | 0.00 | | Add I | FIISL | Add I | SOWIEC | SUMAN | SOWAN | SOWAN | SOWAN | SUMAN |
| NAME Not Compared Recipies - Combination UPPD | | | | | | | | 403.32 | | | | † | | | | | |
| Neverth Access Register - Combination IRPPID USPCX 0.00 | NARS | | | 1 | OLI OD | OLI VO | 1.50 | | | | | 1 | | | | | |
| Network Access Register Lewert | 1 | | | 1 | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | | | | | |
| Network Access Register - Options UEPPD UAPOX 0.00 | | | | | | | | | | | | | | | | | |
| Miscellaneoux Terminations | | | | | UEP9D | | 0.00 | | | | | | | | | | |
| Finals Site Terminations, each | Miscel | | i | 1 | | | | | | | | | | | | | |
| A Wire Digital (1,544 Megaletis) | 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| DST Cricket Terminations, each UEPSD MITHOD 0.00 14.48 | | | | | UEP9D | CEND6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | | | | | |
| DSC Channels Activised per Channel UEPD MHDO 0.00 14.48 | 4-Wire | | | | | | | | | | | | | | | | |
| Interoffice Channel Brings - 2-Wire | | | | | | | | | 95.69 | 72.59 | 2.46 | | | | | | |
| Interedition Charmel Facilities Terrination UEPBO MIGBM UEBBO MIGBM UEPBO MIGBM UEBBO MIGB | | | | | UEP9D | M1HDO | 0.00 | 14.48 | | | | | | | | | |
| Interoffice Channel milespe, per mile or fraction of mile | Interof | | ļ | <u> </u> | LIEDOD | NACCO | 21.1- | 40 = : | | 10.7 | | | | | | | |
| Feature Activations (SSI) Centrex Loops on Channelized SSI Service | | | <u> </u> | <u> </u> | | | | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| December Bank Feature Activation of Decimination Deciminatio | | | <u> </u> | <u> </u> | UEP9D | M1GBM | 0.008838 | | | | | ļ | | | | 1 | |
| Feature Activation on D4 Channel Bank Exiting Side Loop Stot UEP9D 1POW6 0.56 | | | ce | 1 | | + | | | | | | - | | | | | - |
| Feature Activation on D-4 Channel Bank FX line Side Loop Stot UEP9D 1POW7 0.56 | D4 Cha | | | | LIEDOD | 100000 | 0.56 | | | | | | | | | | |
| Feature Activation on D-4 Channel Bank PX Trunk Side Loop UEPBD 1PQW7 0.56 | | · | | | | | | | | | | | | | | | |
| Stot | | | | | UEP9D | 1PQW6 | 0.56 | | | | | | | | | | |
| Different Wire Center | | Slot | | | UEP9D | 1PQW7 | 0.56 | | | | | | | | | | |
| Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop UEPBD 1POWO 0.56 | | | | | UEP9D | 1PQWP | 0.56 | | | | | | | | | | |
| Sior | | | | | UEP9D | 1PQWV | 0.56 | | | | | | | | | | |
| Non-Recurring Charges (NRC) | | | | | UEP9D | 1PQWQ | 0.56 | | | | | | | | | | |
| Conversion - Existing Platform Switch-As-Is with allowed changes, per port | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.56 | | | | | | | | | | |
| Changes, per port | Non-Re | | | | | | | | | | | | | | | | |
| Conversion of Existing Centrex Common Block UEP9D USACN 40.00 20.00 | | | | | | | | | | | | | | | | | |
| New Centrex Standard Common Block | | | | | | | | | | | | | | | | | |
| New Centrex Customized Common Block | | | | | | | | | 20.00 | | | | | | | | |
| NAR Establishment Charge, Per Occasion | | | | | | | | | | | | | | | | | |
| Additional Non-Recurring Charges (NRC) | | | ļ | | | | | | | | | ļ | | | | | |
| Miscellaneous Rate Element, Tag Loop at End Use Premise UEP9D URETL 8.33 0.83 0.83 | A -1 -1:4: - | | 1 | 1 | UEP9D | URECA | | 85.00 | | | | - | | | | | |
| Miscellaneous Rate Element, Tag Design Loop at End Use UEP9D URETN 11.21 1.10 | Additio | | | | LIEDOD | LIDETI | | 0.22 | 0.00 | | | | | | | | |
| Premise | | | <u> </u> | - | UEP9D | UKETL | | 0.33 | 0.63 | | | - | | | | | |
| EWSD SWITCH (Valid in AL, FL, KY, LA, MS & TN) | | | | | LIEDOD | LIBETN | | 11 21 | 1 10 | | | | | | | | |
| Loop Rates | FWSD | | | | OLFBD | OKLIN | | 11.21 | 1.10 | | | † | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | | 1 | | + | | | | | | 1 | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | 1 | 1 | UEP9E | UECS1 | 11.55 | | | | | † | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEP9E UECS1 33.65 2-Wire Voice Grade Loop (SL 2) - Zone 1 1 UEP9E UECS2 14.38 2-Wire Voice Grade Loop (SL 2) - Zone 2 2 UEP9E UECS2 22.85 2-Wire Voice Grade Loop (SL 2) - Zone 3 3 UEP9E UECS2 36.14 Port Rates The following port rates are effective as specified AL, FL, KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9E UEPYA 11.15 57.75 10.04 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9E UEPYB 11.15 57.75 10.04 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP9E UEPYB 11.15 57.75 10.04 | | | | 2 | UEP9E | | | | | | | İ | | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | | | 3 | UEP9E | | 33.65 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | | | | | | | | | | | | | | | | |
| Port Rates | | | | | | | | | | | | | | | | | |
| The following port rates are effective as specified | | | | 3 | UEP9E | UECS2 | 36.14 | | | | | | | | | | |
| AL, FL, KY, LA, MS, & TN only 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area UEP9E UEPYA 11.15 57.75 10.04 UEP9E UEPYB 11.15 57.75 10.04 | | | | | | | | | | | | | | - | | | |
| 2-Wire Voice Grade Port (Centrex) Basic Local Area UEP9E UEPYA 11.15 57.75 10.04 | | | | | | 1 | | | | | | | | | | | |
| 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP9E UEPYB 11.15 57.75 10.04 | AL, FL | | ļ | <u> </u> | | | | | | | | | | | ļ | | |
| Area UEP9E UEPYB 11.15 57.75 10.04 Image: Control of the cont | | | ! | <u> </u> | UEP9E | UEPYA | 11.15 | 57.75 | 10.04 | | | ļ | | | | | |
| 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area UEP9E UEPYH 11.15 57.75 10.04 | | | | | UEP9E | UEPYB | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| Center)2 Basic Local Area UEP9E UEPYM 11.15 139.82 64.06 | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | 1 | 1 | | | | | | | | | | | | | |

| SERVICE | S - / | Alabama | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | Att: 1 Exh: A | | | |
|---------|-------|--|-------------|----------|--------|----------|----------|---------------------------------------|-----------|--------------|------------|---|---|--|--|----------|--|
| CATEGOR | Υ | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Charge - |
| | | | | | | | Poo | Nonred | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term - Basic Local Area | | | UEP9E | UEPYZ | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | : | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP9E | UEPY9 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9E | UEPY2 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| AL, | | LA, MS, & TN Only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP9E | UEPQM | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term | | | UEP9E | UEPQZ | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| Loc | | witching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.5488 | | | | | | | | | | |
| Fea | ature | | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP9E | UEPVF | 1.98 | | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 405.52 | | | | | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 1.98 | | | | | | | | | | |
| NA | RS | | | | | | | | | | | | | | | | |
| | | Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Network Access Register - Outdial | | <u> </u> | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | aneous Terminations | | <u> </u> | | | | | | | | | | | | | |
| 2-1 | | Trunk Side | | - | LIEDOE | OFNE | 0.05 | 440.04 | 10.71 | 50.00 | 0.70 | | | | | | - |
| 4 14 | | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | | | - | | + |
| 4-1 | | Digital (1.544 Megabits) DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | - | | | | | + |
| | | DS0 Channel Activated Per Channel | | 1 | UEP9E | M1HD0 | 0.00 | 14.48 | 95.09 | 72.59 | 2.40 | 1 | | | | - | + |
| Inte | | ce Channel Mileage - 2-Wire | | 1 | OLFBL | WITIDO | 0.00 | 14.40 | | | | 1 | | | | - | + |
| 11100 | | Interoffice Channel Facilities Termination | | 1 | UEP9E | M1GBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | 1 | | | | - | + |
| | | Interoffice Channel mileage, per mile or fraction of mile | | - | UEP9E | M1GBM | 0.008838 | 40.34 | 27.41 | 10.74 | 0.90 | | | | | | |
| For | | Activations (DS0) Centrex Loops on Channelized DS1 Service | | | OLI SL | WITODIVI | 0.000000 | | | | | | | | | | + |
| | | nnel Bank Feature Activations | ĭ | 1 | | + | | | | | | † | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.56 | | | | | | | | | | 1 |
| | | | | | | 450140 | 0.50 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.56 | | | | | | | | - | | + |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| -+ | | Different Wire Center | | 1 | UEP9E | 1PQWP | 0.56 | | | | | - | | | | - | + |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | ļ | UEP9E | 1PQWV | 0.56 | | | | | | | | | | <u> </u> |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP9E | 1PQWQ | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.56 | | | | | | | | i | t | |
| No | | curring Charges (NRC) | | | | | 3.50 | | | | | | | | i | 1 | 1 |
| 1.10. | | Conversion - Existing Platform Switch-As-Is with allowed | | | | 1 | | | | | | | | | İ | t | † |
| | | changes, per port | | 1 | UEP9E | USAC2 | | 10.00 | 10.00 | | | | | | | I | 1 |
| | | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 40.00 | 20.00 | 1 | | | | | İ | İ | <u> </u> |
| | | New Centrex Standard Common Block | | | UEP9E | M1ACS | | 770.00 | | | | | | | 1 | | 1 |
| | | New Centrex Customized Common Block | | | UEP9E | M1ACC | | 770.00 | | | | | | | | | 1 |
| | | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | | 85.00 | | | | | | | | | |
| Ado | ditio | nal Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP9E | URETL | | 8.33 | 0.83 | | | | | | | | |

| SERVICES - | Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|--|-------------|----------|----------------|----------------|----------------|--------|-----------|--|------------|---|---|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Miscellaneous Rate Element, Tag Design Loop at End Use | | | | | | | | | | | | | | | |
| | Premise | | | UEP9E | URETN | | 11.21 | 1.10 | | | | | | | | |
| | WITCH (Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | |
| Loop I | | | | 115500 | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 UEP93 | UECS1 UECS1 | 11.55 20.04 | | | | | | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 33.65 | | | | | - | | | | - | |
| 1 | 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 14.38 | | | | | 1 | | | | 1 | 1 |
| 1 | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 2 | UEP93 | UECS2 | 22.85 | | | | | 1 | | | | 1 | 1 |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 36.14 | | | 1 | | | | | | | |
| Port R | | | Ŭ | 02.00 | 02002 | 00.11 | | | | | | | | | t | |
| | llowing port rates are effective as specified | | | | | | | | | | | | | | | |
| | , KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | ĺ | | | | _ | | | |
| | Area | | | UEP93 | UEPYB | 11.15 | 57.75 | 10.04 | | | | | | | | ļ |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | l | | | | | | | | | | | 1 | |
| | Area | | | UEP93 | UEPYH | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP93 | UEPYM | 11.15 | 139.82 | 64.06 | | | | | | | | ļ |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOO | LIEDV7 | 44.45 | 400.00 | 04.00 | | | | | | | | |
| | Term - Basic Local Area | | | UEP93 | UEPYZ | 11.15 | 139.82 | 64.06 | | | | | | - | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP93 | UEPY9 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | OLF 93 | OLF19 | 11.13 | 31.13 | 10.04 | | | 1 | | | | - | - |
| | Basic Local Area | | | UEP93 | UEPY2 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 11.15 | 57.75 | 10.04 | 1 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 11.15 | 57.75 | 10.04 | | | | | | | t | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | i i | | | | | | | |
| | Center)2 | | | UEP93 | UEPQM | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP93 | UEPQZ | 11.15 | 139.82 | 64.06 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 11.15 | 57.75 | 10.04 | | | | | | | | |
| Local | Switching | | | LIEBOO | LIDEOO | 0.5400 | | | | | | | | | | |
| Featur | Centrex Intercom Funtionality, per port | | - | UEP93 | URECS | 0.5488 | | | | | | | | | 1 | <u> </u> |
| reatur | All Standard Features Offered, per port | | - | UEP93 | UEPVF | 1.98 | | | 1 | | - | | | | - | |
| | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 1.98 | | | | | | | | | - | |
| NARS | | | | OLI 33 | OLI VO | 1.90 | | | 1 | | 1 | | | | | |
| 100 | Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| <u> </u> | Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | İ | 1 | |
| | Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | İ | 1 | |
| Miscel | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | • | | • | | | | | | |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.05 | 119.31 | 18.74 | 59.90 | 3.76 | | | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | 1 | | | | ļ | | | | | ļ | | |
| | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 60.09 | 202.02 | 95.69 | 72.59 | 2.46 | | | | | ļ | |
| 1 | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 14.48 | | | | | | | - | | |
| Interof | fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination | - | - | UEP93 | M1GBC | 21.13 | 40.54 | 27.41 | 16.74 | 6.90 | | | | | | |
| | Interoffice Channel Facilities Termination Interoffice Channel mileage, per mile or fraction of mile | - | - | UEP93 | M1GBC M1GBM | 0.008838 | 40.54 | 21.41 | 10.74 | 6.90 | | | | | | |
| Fastur | e Activations (DS0) Centrex Loops on Channelized DS1 Service | | - | OLF 30 | IVITGOIVI | 0.000038 | | | | | | | | | | |
| | annel Bank Feature Activations | | | | + | | | | | | | | | | | |
| 5.000 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.56 | | | | | | | | | <u> </u> | |
| | and the second s | | | | 1 | 5.55 | | | | | | | | İ | 1 | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.56 | | | | | | | | | | |

| SERVIC | CES - | Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------|---------|---|-------------|--|-----------------------|----------------|-----------------|------------------|----------------|------------------|----------------|--|---|--|--|---|--|
| CATEGO | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | | Rec | Nonrec | curring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP93 | 1PQW7 | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP93 | 1PQWP | 0.56 | | | | | | | | | | ļ |
| | | Facture Activistics on D.4 Channel Book British Line Land Clat | | | LIEDOS | 1PQWV | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | - | UEP93 | TPQWV | 0.56 | | | | | - | | | - | - | |
| | | Slot | | | UEP93 | 1PQWQ | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | 1 | UEP93 | 1PQWA | 0.56 | | | | | † | | | | | |
| N | Non-R | ecurring Charges (NRC) | | | | | | | | | | | | | 1 | t | |
| | | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP93 | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | | 40.00 | 20.00 | | | | | | | | |
| | | New Centrex Standard Common Block | | | UEP93 | M1ACS | | 770.00 | | | | | | | | | |
| | | New Centrex Customized Common Block | | lacksquare | UEP93 | M1ACC | | 770.00 | | | | | | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | | 85.00 | | | | | | | | | |
| Α | Additio | onal Non-Recurring Charges (NRC) | | | | LIBET | | | | | | | | | | | ļ |
| | | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP93 | URETL | | 8.33 | 0.83 | | | | | | | | ļ |
| | | Miscellaneous Rate Element, Tag Design Loop at End Use | | | LIEDOS | LIDETN | | 44.04 | 4.40 | | | | | | | | |
| | Note 1 | Premise - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | UEP93 | URETN | | 11.21 | 1.10 | | | - | | | - | - | |
| | | 2 - Required Port for Centrex Control III TAESS, 3ESS & EWSD | - | - | | 1 | | | | | | 1 | | | - | - | |
| | | - Requires Specific Customer Premises Equipment | | 1 | | 1 | | | | | | 1 | | | 1 | 1 | - |
| | | ALE LOCAL SWITCHING PORTS | | | | + | | | | | | | | | | - | - |
| | | HOLESALE LOCAL SWITCHING PORTS | | 1 | | 1 | | | | | | 1 | | | 1 | 1 | 1 |
| | | Exchange Ports - 2-Wire DID Port | | | UEPSP | UEPP2 | 28.02 | 407.31 | 173.74 | | | | | | | | |
| | | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports - 2-Wire ISDN Port (See Note1and 2 Below.) | | | UEPTX, UEPSX | U1PMA | 50.00 | 200.00 | 130.00 | | | | | | | | |
| | | All Features Offered | | | UEPTX, UEPSX | UEPVF | 1.98 | 0.00 | 0.00 | | | | | | | | |
| | | Wholesale Exchange Ports - 2-Wire ISDN Port Channel | | | | | | | | | | | | | | | |
| | | Profiles | | | UEPTX, UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| N. | NOTE | 1: Transmission/usage charges associated with POTS circuit | switche | ed usag | ge will also apply to | circuit switch | hed voice and/o | or circuit switc | hed data trans | mission by B- | Channels asso | ciated with | 2-wire ISDN | ports. | | | |
| | | 2: Access to B Channel or D Channel Packet capabilities will HOLESALE LOCAL SWITCHING PORTS WITH REMOTE CALL | | | | w Business F | Request Proces | s. Rates for th | e packet capa | oilities will be | determined via | the Bona F | ide Reques | t/New Busine | ess Request F | rocess. | |
| | | TE CALL FORWARDING SERVICE - (Residence) | FORW. | AKDIN | G CAPABILITY | - | | | | | | | | | - | 1 | <u> </u> |
| | KEWIO | Remote Call Forwarding Service, Area Calling, Res | | - | UEPVR | UERAC | 8.38 | 33.48 | 10.04 | | | - | | | - | - | |
| -+ | | Remote Call Forwarding Service, Area Calling, Res Remote Call Forwarding Service, Local Calling - Res | | t | UEPVR | UERLC | 8.38 | 33.48 | 10.04 | | | - | | | | t | |
| | | Remote Call Forwarding Service, InterLATA - Res | 1 | t | UEPVR | UERTE | 8.38 | 33.48 | 10.04 | | | | | | t | <u> </u> | 1 |
| | | Remote Call Forwarding Service, IntraLATA - Res | i e | t — | UEPVR | UERTR | 8.38 | 33.48 | 10.04 | | İ | | | | 1 | 1 | 1 |
| N | Non-R | ecurring (Residence) | | | | | | | | | | | | | | | |
| | | Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVR | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | | Remote Call Forwarding Service - Conversion with allowed | | | 1 | | | | | | | | | | | | |
| | | change (PIC and LPIC) | | <u> </u> | UEPVR | USACC | | 10.00 | 10.00 | | | | | | | | ļ |
| R | REMO | TE CALL FORWARDING - (Business) | | | ļ | 1 | | | | | | | | | | | <u> </u> |
| | | Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 11.38 | 57.75 | 10.04 | | | | | | | | |
| | | Remote Call Forwarding Service, Local Calling - Bus | | <u> </u> | UEPVB | UERLC | 11.38 | 57.75 | 10.04 | | - | | | | | | |
| | | Remote Call Forwarding Service, InterLATA - Bus | - | | UEPVB | UERTE | 11.38 | 57.75 57.75 | 10.04 | | | - | | | | | |
| | | Remote Call Forwarding Service, IntraLATA - Bus Remote Call Forwarding Service Expanded and Exception Local | - | | UEPVB | UERTR | 11.38 | 57.75 | 10.04 | | | | | | | | + |
| | | Calling | l | | UEPVB | UERVJ | 11.38 | 57.75 | 10.04 | | | | | | I | I | |
| | Non-P | ecurring (Business) | - | | OLF VD | OLIVU | 11.38 | 51.15 | 10.04 | | | | | | | | |
| | | Remote Call Forwarding Service - Conversion - Switch-as-is | 1 | | UEPVB | USAC2 | | 10.00 | 10.00 | | | | | | t | I | t |
| | | Remote Call Forwarding Service - Conversion - Witch-as-is | 1 | t | | 30.102 | | 10.00 | 10.00 | | | | | | t | <u> </u> | 1 |
| | | change (PIC and LPIC) | | 1 | UEPVB | USACC | | 10.00 | 10.00 | | | | | | I | I | |
| | | ALE LOCAL SWITCHING PORTS | | | | <u> </u> | | | | | | | | | | | |
| | | ANGE PORT RATES | | | | | | | | | | | | | | | |
| ı T | | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | | | | | | | | | | | | | | |
| | | Below.) | I | 1 | UEPEX | UEPEX | 415.00 | 1,000.00 | 900.00 | | 1 | 1 | 1 | | 1 | 1 | 1 |

| SERVIC | ES - | Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|--------|---|----------|----------|----------------|----------------|----------------|----------------|---------------|--|-----------------|-------------|-------------|---------------|--------------|-------------|--|
| | | *************************************** | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGO | RY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | B | Nonrec | urring | Nonrecurring D | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 | | | | | | | | | | | | | | | |
| | | Locator Capability (See Note1and 2 Below.) | | | UEPEX | UEPEX | 415.00 | 1,000.00 | 900.00 | | | | | | | | ļ |
| | | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 Below.) | | | UEPDX | UEPDX | 415.00 | 1,000.00 | 900.00 | | | | | | | | |
| - | | Physical Collocation - DS1 Cross-Connects | | 1 | UEPEX UEPDX | PE1P1 | 1.11 | 22.03 | 15.93 | | | | | | | | + |
| | | Virtual collocation - cross-connect per DS1 | | | UEPEX UEPDX | CNC1X | 1.11 | 22.03 | 15.93 | | | | | | | | |
| De | etaile | d E911 with Locator Capability (required with UEPEX port) | | | | | | | | | | | | | | | |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | | | | | | | | | | | |
| | | Capability - Initial Profile Establishment per CLEC per State | | | UEPEX | UEP1A | 0.00 | 1,804.00 | | | | | | | | | |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions | | | UEPEX | UEP1B | 0.00 | 175.14 | | | | | | | | | |
| No | ew or | Additional PRI Telephone Numbers | | † | OLI LA | OLI ID | 0.00 | 175.14 | | | | | | | | | |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | | | | 1 | | | | | | | |
| | | Capability 2-way Telephone Numbers, per number in E911 | | | | | | | | | | | | | | | |
| | | profile [New or Additional] | | | UEPEX | UEP1C | 0.0697 | 0.49 | | | | | | | | | |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | | | | | | | | | | | |
| | | Capability - Outdial Telephone Numbers, per number in E911 profile [New or Additional] | | | UEPEX | UEP1D | 0.0697 | 11.51 | | | | | | | | | |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone | | | OLFLX | OLFID | 0.0097 | 11.51 | | | | | | | | | |
| | | Numbers - Inward Data Only Option [New or Additional] | | | UEPDX | UEP1E | 0.00 | 0.049 | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] | | | | | ĺ | | | | | | | | | | |
| | | Inward Tel Numbers [Customer Testing Purposes] | | | UEPEX | PR7ZT | 0.00 | 23.02 | | | | | | | | | |
| IN | | ACE (Provsioning Only) | | ļ | LIEBEV . | | 2.00 | | | | | | | | | | |
| - | | Voice/Data Digital Data | | - | UEPEX UEPEX | PR71V PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| | | Inward Data | | | UEPDX | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| No | | Additional Channel | | | 02. 5% | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | New or Additional - Voice/Data "B" Channel | | | UEPEX | PR7BV | 0.00 | 14.53 | | | | | | | | | |
| | | New or Additional - Digital Data "B" Channel | | | UEPEX | PR7BF | 0.00 | 14.53 | | | | | | | | | |
| | | New or Additional Inward Data "B" Channel | | | UEPDX | PR7BD | 0.00 | 14.53 | | | | | | | | | |
| - | | New or Additional Useage Sensitive Voice Data "B" Channel New or Additional Useage Sensitive Digital Data "B" Channel | | | UEPEX UEPEX | PR7BS PR7BU | 0.00 | 14.53 14.53 | | - | | | | | | | . |
| | | New or Additional PRI "D" Channel | | | UEPEX | PR7EX | 0.00 | 14.53 | | | | | | | | | † |
| C | | YPES | | | | | | | | | | | | | | | |
| | | Inward | | | UEPEX UEPDX | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPEX | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| N/ | | Two-way : Transmission/usage charges associated with POTS circuit | owitch | | UEPEX | PR7CC | 0.00 | 0.00 | 0.00 | | annala acca | aiotad with | 2 wire ICDA | l norto | | | <u> </u> |
| | | 2: Access to B Channel or D Channel Packet capabilities will | | | | | | | | | | | | | ss Remiest P | rocess | |
| | | ALE LOCAL PLATFORM SERVICE | | | ,oug 2 | | | | o paonor sapa | | rtorrininou vic | 1 | rao rioquoc | | l logueou . | | |
| D: | S0 WI | nolesale Local Platform Service-Direct Inward Dialing (DID) | | | | | | | | | | | | | | | |
| D: | | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | ļ | 1 | UEPPX | UECD1 | 14.38 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | - | 3 | UEPPX UEPPX | UECD1 UECD1 | 22.85 36.14 | | | | | - | | | | | - |
| D: | | rt Rates | - | 3 | ULFFA | OECDI | 30.14 | | | | | | | | | | - |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 28.02 | 407.31 | 173.74 | | | | | | | | |
| N/ | | CURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Existing | | | | | | | <u> </u> | | | | | | | | |
| \vdash | | Platform - Switch-As-Is | ļ | _ | UEPPX | USAC1 | | 10.00 | 10.00 | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with AT&T Allowable Changes | | | UEPPX | USA1C | | 10.00 | 10.00 | [| | | | | | | |
| Δ | | ONAL NRCs | - | | OLFFA | JUSAIC | | 10.00 | 10.00 | + + | | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 26.78 | 26.78 | | | | | | | | † |
| | | Miscellaneous Rate Element, Tag Designed Loop at End User | | | | | | | | | | | | | | | |
| | | Premise | | | UEPPX | URETN | | 11.21 | 1.10 | | | | | | | | |
| Te | | one Number/Trunk Group Establisment Charges | ļ | _ | HEDDY | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| \vdash | | DID Trunk Termination (One Per Port) Additional DID Numbers for each Group of 20 DID Numbers | - | - | UEPPX UEPPX | NDT ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| | | אין עוע עו און פוטען פוטען איז פוטע איז איז איז איז איז איז איז איז איז איז | l | ь | OLFFA | INDA | 0.00 | 0.00 | 0.00 | | | L | | L | l | | |

| SERV | ICES - | Alabama | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|--|--|--|----------------|-------------|----------------|------------------|-------------------|----------------|--|----------------|---------------|-----------|---------------|-------------|--------------|---------------|
| 3LIV | ICLS - | Alabama | 1 | | 1 | | | 1 | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | | | | | | |
| CATE | OPV | RATE ELEMENTS | Interi | Zone | l p | cs | USOC | | | RATES(\$) | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CAIL | JOKI | RATE ELEMENTS | m | 20116 | " | 03 | 0300 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| - | 1 | | <u> </u> | - | - | | + | l | Nonre | urrina | Monrocurring | Disconnect | - | | 088 | Rates(\$) | | |
| - | | | 1 | - | | | | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | | DID North are Not accounting DID North are Dec North as | 1 | - | UEPPX | | NDC | 0.00 | 0.00 | | FIRST | Addi | SOWIEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN |
| - | | DID Numbers, Non- consecutive DID Numbers , Per Number Reserve Non-Consecutive DID numbers | | - | UEPPX | | ND5 ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | | | 1 | - | | | | | | | | | | | | | | |
| | D00 14/ | Reserve DID Numbers | I/DDI) | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | holesale Local Platform Service - ISDN/Basic Rate ISDN (ISDN holesale Local Voice Service Platform Rates | (BRI) | - | ļ | | 1 | | | | | | | | | | | |
| - | | oop Rates | 1 | - | | | | | | | | | | | | | | |
| - | ISDN F | 2-Wire ISDN Digital Grade Loop - Zone 1 | 1 | 1 | UEPPB | UEPPR | USL2X | 19.03 | | | | | | | | | | |
| - | | 2-Wire ISDN Digital Grade Loop - Zone I | 1 | 1 | UEPPB | UEPPR | USLZX | 19.03 | | | | | | | | | | |
| | | 2 Wire ICDN Digital Conde Lang. Zang 2 | | 2 | UEPPB | UEPPR | USL2X | 29.62 | | | | | | | | | | ı |
| | | 2-Wire ISDN Digital Grade Loop - Zone 2 | | | | | | | | | - | | | | | | | |
| - | ICDN | 2-Wire ISDN Digital Grade Loop - Zone 3 | 1 | 3 | UEPPB | UEPPR | USL2X | 45.60 | | | | | | | | | | |
| — | אטפון F | Port Rates Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPR | | UEPPR | 50.00 | 425.00 | 285.00 | | | | | | | | |
| - | | Exchange Port - 2-Wire ISDN Line Side Port Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPB | | UEPPR | 50.00 | 425.00 | 285.00 | | - | | | | | | |
| - | NOND | ECURRING CHARGES - Existing Platform | | - | UEPPB | | UEPPB | 50.00 | 425.00 | ∠85.00 | | | | | | | | |
| - | NONKI | | | - | + | | 1 | - | | | | | | | | | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port - | | | LIEDDD | UEPPR | USACB | 0.00 | 00.00 | CF 00 | | | | | | | | ı l |
| - | ADDIT | Conversion - | 1 | - | UEPPB | UEPPR | USACB | 0.00 | 90.00 | 65.00 | | | | | | | | |
| - | ADDIT | | 1 | - | | | | | | | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Designed Loop at End User | | | LIEDDD | UEPPR | LIDETN | | 44.04 | 4.40 | | | | | | | | ı |
| | | Premise Programm | <u> </u> | - | UEPPB | | URETN | | 11.21 | 1.10 | | | | | | | | |
| - | D CITA | Miscellaneous Rate Element, Tag Loop at End User Premise | 1 | - | UEPPB | UEPPR | URETL | | 8.33 | 0.83 | | | | | | | | |
| - | В-СПА | NNEL USER PROFILE ACCESS: | 1 | - | LIEDDD | UEPPR | LIALICA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | | CVS/CSD (DMS/5ESS) | 1 | - | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | 1 | CVS (EWSD) | <u> </u> | | UEPPB UEPPB | UEPPR | U1UCB U1UCC | 0.00 | 0.00 | 0.00 | - | | - | | | | | |
| - | D CITA | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C NAC O | TAIL | UEPPB | UEPPR | 01000 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | ь-спа | CVS/CSD (DMS/5ESS) | C,IVIS, 6 | I IN) | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | - | - | | | | $\overline{}$ |
| - | - | CVS (EWSD) | <u> </u> | - | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | - | - | | | | |
| _ | | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | HEED | TERMINAL PROFILE | <u> </u> | - | OLFFB | OLFFR | 01001 | 0.00 | 0.00 | 0.00 | | | - | - | | | | |
| | USER | User Terminal Profile (EWSD only) | 1 | 1 | UEPPB | UEPPR | LIALIMA | 0.00 | 0.00 | 0.00 | - | | | | | | | $\overline{}$ |
| | VEDTI | CAL FEATURES | | | OLFFB | ULFFR | UTUNA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | VEIXIII | All Vertical Features - One per Channel B User Profile- All | | | | | | | | | | | | | | | | |
| | | States | | | UEPPB | UEPPR | UEPVF | 1.98 | 0.00 | 0.00 | | | | | | | | ı |
| | INTER | OFFICE CHANNEL MILEAGE | | | OLITE | OLITIK | OLI VI | 1.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | |
| | | facilities termination | | | LIEPPR | UEPPR | M1GNC | 21.13 | 40.54 | 27.41 | | | | | | | | ı l |
| | | Interoffice Channel mileage each, additional mile | | | | | M1GNM | 0.008838 | 0.00 | 0.00 | | | | | | | | $\overline{}$ |
| DS1 W | HOLES | ALE LOCAL PLATFORM SERVICE | | | OLITE | OLITIK | WITCHWI | 0.000000 | 0.00 | 0.00 | | | | | | | | $\overline{}$ |
| -5. ** | | llowing Terms and Conditions apply to DS1 Wholesale Local | Platforn | n Servi | ce : | | 1 | <u> </u> | | | t | | | | | | | |
| | | r New Install scenarios the Nonrecurring charges are listed in | | | | NRC colu | mns for each | Port USOC F | or Existing Pla | tform scenario | ns the Nonreci | urring charges | are listed in | the NRC - | Conversions | section Add | itional NRCs | may apply |
| | | nd are categorized accordingly. | | , u.i.u , | | | | | o. =og | | | 9 0.1 900 | | | | | | nay appry |
| - | | d Office and Tandem Switching Usage and Wholesale Commo | n Trans | enort II | Isane rate | s in the Po | rt section of | this rate exhibi | t shall annly to | all DS0 Whol | esale I ocal Pla | atform Service | 2 | | | I | | |
| | | holesale Local Platform Service - ISDN/Primary Rate ISDN (ISI | | | - Cago rate. | 0 | 1 30001017 01 | rate exhibi | . C.idii appiy ti | DOG 171101 | COUNTY C | | Ĭ | | | | | |
| — | | pop Rates | | | 1 | | 1 | <u> </u> | | | t | | | | | | | $\overline{}$ |
| | | | l | t | t | | 1 | | | | - | | - | | | | | |
| 1 | 1 | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 1 | 1 | 1 | UEPPP | | USL4P | 168.00 | | | 1 | | | | | | | ı l |
| | 1 | | l - | | 32.11 | | 302.1 | 100.00 | | | t | | | | | | | |
| 1 | 1 | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 2 | 1 | 2 | UEPPP | | USL4P | 175.00 | | | I | | 1 | | | | | , I |
| | t | J 2 22 23 25 25 25 25 25 25 25 25 25 25 25 25 25 | † | Ť | t iii | | 1 | | | | † | İ | | | | | | $\overline{}$ |
| 1 | 1 | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 3 | | 3 | UEPPP | | USL4P | 180.00 | | | 1 | | | | | | | ı l |
| | DS1 Po | ort Rate | 1 | | 1 | | İ | | | | İ | | | | | | | |
| | T | Exchange Ports - 4-Wire ISDN DS1 Port | 1 | | UEPPP | | UEPPP | 415.00 | 1,200.00 | 1,000.00 | İ | | | | | | | |
| | NONRE | CURRING CHARGES - Existing Platform | 1 | | T | | i . | | ,, | ,,,,,,,,,,, | İ | | | | | | | |
| | 1 | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | 1 | | 1 | | İ | | | | İ | | | | | | | |
| 1 | 1 | Conversion -Switch-As-Is | 1 | | UEPPP | | USACP | 0.00 | 500.00 | 500.00 | I | | 1 | | | | | , I |
| | ADDIT | IONAL NRCs | 1 | | 1 | | 1 | | | | İ | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | 1 | | İ | | 1 | | | | | | | | | | | |
| 1 | 1 | Inward/two way Telephone Numbers (except NC) | 1 | | UEPPP | | PR7TF | | 0.9801 | | I | | 1 | | | | | , l |
| | | 1 2 1 | | | | | | | | 1 | | | | | l . | | | |

Version: 2Q07 MBR - SLC 06/04/07 Page 20 of 237

| SERVI | CES - | Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---------|--|--------|----------|--------|----------|--------|----------|-----------|--------------|------------|-----------|-----------|---------------|-------------|-------------|-------------|
| OLIVIN | | Alabama | 1 | | | 1 | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | l | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGO | DRY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | · · · · · · · · · · · · · · · · · · · | m | | | | | | | | | per LSK | per LSK | | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | Electronic- | | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | 1 | 1 | | | | | | 1 | | | | | | | |
| | | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 23.02 | 23.02 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | 1 | 1 | | | | | | | | | | | | | |
| | | Subsequent Inward Telephone Numbers | | | UEPPP | PR7ZT | | 46.05 | 46.05 | | | | | | | | |
| | NTERE | ACE (Provsioning Only) | | | | | | | | | | | | | | | |
| | | Voice/Data | 1 | 1 | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | 1 | 1 | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | 1 | 1 | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| — | New or | Additional "B" Channel | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | 1 | 1 | UEPPP | PR7BV | 0.00 | 40.00 | | | | | | | | | |
| | | New or Additional - Digital Data B Channel | t | 1 | UEPPP | PR7BF | 0.00 | 40.00 | | | | İ | | | İ | | |
| | | New or Additional Inward Data B Channel | 1 | 1 | UEPPP | PR7BD | 0.00 | 40.00 | | | | | | | İ | | |
| 1 | CALL T | | 1 | 1 | | 1 | 2.00 | | | | | | | | İ | | |
| | | Inward | 1 | 1 | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | i | | |
| \vdash | | Outward | 1 | 1 | UEPPP | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | i | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nteroff | ice Channel Mileage | | | 02 | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| H | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 54.41 | 89.27 | 81.81 | | | | | | | | |
| + | | Each Airline-Fractional Additional Mile | 1 | 1 | UEPPP | 1LN1B | 13.39 | 00.27 | 01.01 | | | | | | | | |
| | 251 W | holesale Local Platform Service - 4-wire DDITS | 1 | 1 | 02 | 12.11.0 | 10.00 | | | | | | | | | | |
| | | holesale Local Platform Service Rates | 1 | 1 | | + | | | | | | | | | | | |
| | | op Rates | 1 | 1 | | + | | | | | | | | | | | |
| H | 700 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | USLDC | 168.00 | | | | | | | | | | |
| + | | 4-Wire DS1 Digital Loop - Zone 2 | 1 | 2 | UEPDC | USLDC | 175.00 | | | | | | | | | | |
| + | | 4-Wire DS1 Digital Loop - Zone 3 | 1 | 3 | UEPDC | USLDC | 180.00 | | | | | | | | | | |
| — | S1 Po | ort Rate | | <u> </u> | OLI DO | OOLDO | 100.00 | | | | | | | | | | |
| H | 1 | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 365.00 | 1,100.00 | 900.00 | | | | | | | | |
| | NONRE | CURRING CHARGES - Existing Platform | | | 02. 50 | 022 | 000.00 | 1,100.00 | 000.00 | | | | | | | | |
| H | 1 | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | | | | | | | | | | | | | | | |
| | | Switch-As-Is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | | | 02. 20 | 00/101 | | 000.00 | 000.00 | | | | | | | | |
| | | Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | | | 02. 50 | 00/11//1 | | 000.00 | 000.00 | | | | | | | | |
| | | Conversion with Change | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | |
| | ADDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| H | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | | 1 | UEPDC | UDTTA | | 14.48 | 14.48 | | | 1 | | | | | 1 |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | 1 | 1 | | | | 0 | : :: 10 | | | | | | İ | | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | | 1 | UEPDC | UDTTB | | 14.48 | 14.48 | | | 1 | | | | | 1 |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | 1 | 1 | İ | 1 | | | | | | 1 | | | İ | | İ |
| | | Activation/Chan Inward Trunk w/out DID | | 1 | UEPDC | UDTTC | | 14.48 | 14.48 | | | 1 | | | | | I |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | 1 | 1 | - | | | | | | | | | | | | |
| | | Activation Per Chan - Inward Trunk with DID | | 1 | UEPDC | UDTTD | | 14.48 | 14.48 | | | 1 | | | | | I |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | 1 | 1 | | 1 | | | | | | | | | İ | | |
| | | Activation / Chan - 2-Way DID w User Trans | | 1 | UEPDC | UDTTE | | 14.48 | 14.48 | | | 1 | | | | | I |
| | 3IPOL/ | AR 8 ZERO SUBSTITUTION | 1 | 1 | | <u> </u> | | 10 | 10 | i - 1 | | 1 | | | İ | | İ |
| | | B8ZS -Superframe Format | 1 | 1 | UEPDC | CCOSF | | 0.001 | 600.00S | | | | | | | | |
| | | B8ZS - Extended Superframe Format | 1 | | UEPDC | CCOEF | | 0.001 | 600.00S | | | | | | ĺ | | |
| 1 | Alterna | te Mark Inversion | 1 | 1 | İ | 1 | | | - | i | | 1 | | | İ | | İ |
| | | AMI -Superframe Format | 1 | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | ĺ | | |
| | | AMI - Extended SuperFrame Format | 1 | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | ĺ | | |
| | Telepho | one Number/Trunk Group Establisment Charges | 1 | | 1 | | | | - 1 | i i | | | | | ĺ | | |
| | | Telephone Number for 2-Way Trunk Group | 1 | | UEPDC | UDTGX | 0.00 | | | | | | | | ĺ | | |
| | | Telephone Number for 1-Way Outward Trunk Group | 1 | 1 | UEPDC | UDTGY | 0.00 | | | i i | | İ | | | | | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | 1 | | UEPDC | UDTGZ | 0.00 | | | | | | | | ĺ | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group | 1 | | 1 | | | | | | | | | | ĺ | | |
| 1 1 | | of 20 DID Numbers | | 1 | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | | 1 | 1 | UEPDC | ND4 | | 0.00 | | 1 | | | | | 1 | | |
| \vdash | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |

| SERVIC | FS - | Δlahama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---------------------------------------|----------------|--|--|--|------------------|----------------|----------|--|-----------|--|---------|--|--|---------------|--|-------------|--|
| SERVIC | , <u>:3-</u> / | Miavailia | 1 | Ι | I | 1 | | | | | | Sup Order | | Incremental | | Incremental | Incremental |
| 1 | | | | | | | | | | | | | | | | | |
| l | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| CATECO | DV. | RATE ELEMENTS | Interi | 7 | BCS | USOC | | | DATEC(A) | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGOR | KY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| l | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| i | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| \vdash | | | | | | - | | NI. | | I M | D' | | l | | D-1(A) | | l |
| \vdash | | | ļ | | | | Rec | | curring | Nonrecurring | | | | | Rates(\$) | | |
| \vdash | | | ļ | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| $\vdash \vdash$ | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| $\vdash \vdash$ | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| De | | ed DS1 (Interoffice Channel Mileage) - FX/FCO for DDITS | ļ | | | | | | | | | | | | | | |
| i l | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | [| Termination) | | | UEPDC | 1LNO1 | 54.41 | 89.27 | 81.81 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| i l | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 13.39 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | |
| i l | - 1 | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| 1 | | miles | 1 | | UEPDC | 1LNOB | 13.39 | 0.00 | 0.00 | | | l | I | | 1 | | l |
| -+ | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | 1 | t | | | 10.00 | 0.00 | 0.00 | t 1 | | | | | t | | |
| 1 | | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| $\vdash \vdash$ | | TOTTIMAGO(I) | | | 021 00 | ILINUS | 0.00 | 0.00 | 0.00 | | | | | | | | |
| i l | | Intereffice Channel Mileson Additional acts and mile Of Carille | | | LIEDDO | 41.000 | 42.20 | 0.00 | 0.00 | | | | | | | | |
| $\vdash \vdash$ | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | + | 1 | UEPDC UEPDC | 1LNOC CTG | 13.39 | 0.00 | 0.00 | | | | - | | | | |
| | 64 147 | Central Office Termininating Point | I A NIE I E | 174716 | NIMITH BOST | UIG | 0.00 | - | | | | | - | | 1 | | |
| D: | S1 Wh | olesale Local Platform Service - 4-WIRE DS1 LOOP WITH CH | IANNEL | IZATIO | N WITH PORT | | | | | | | | | | | | |
| | | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | | | | | | | | | | | | | |
| | | m can have various rate combinations based on type and nu | mber of | ports | used | | | | | | | | | | | | |
| D' | S1 Loc | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - Zone 2 | | 2 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | | | | | | |
| | | 4-Wire DS1 Loop - Zone 3 | | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | | |
| D' | SO Ch | annelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 101.40 | 0.00 | 0.00 | | | | | | 1 | | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 202.80 | 0.00 | 0.00 | | | | | | | | |
| | | 96 DSO Channel Capacity -1per 4 DS1s | | t | UEPMG | VUM96 | 405.60 | 0.00 | 0.00 | | | | | | | | |
| | | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 608.40 | 0.00 | 0.00 | | | | | | 1 | | |
| | | 192 DS0 Channel Capacity -1 per 8 DS1s | _ | - | UEPMG | VUM19 | 811.20 | 0.00 | 0.00 | | | | | | | | |
| \vdash | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 1,014.00 | 0.00 | 0.00 | | | - | - | | | | |
| \vdash | | | - | - | UEPMG | VUM28 | 1,216.80 | 0.00 | 0.00 | | | | | | | | |
| \vdash | | 288 DS0 Channel Capacity - 1 per 12 DS1s | 1 | 1 | | VUM38 | | | | | | | | | | | |
| $\vdash \vdash$ | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | - | UEPMG | | 1,622.40 | 0.00 | 0.00 | | | | | | ļ | | |
| \vdash | | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 2,028.00 | 0.00 | 0.00 | | | | | | | | |
| $\vdash \vdash$ | | 576 DS0 Channel Capacity -1 per 24 DS1s | ļ | | UEPMG | VUM57 | 2,433.60 | 0.00 | 0.00 | | | | | | | | |
| $\vdash \vdash$ | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,839.20 | 0.00 | 0.00 | | | | | | | | |
| | | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | ļ | | | ļ | | |
| | | num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | ļ | | | | ļ | | | ļ | | |
| | | es of this configuration functioning as one are considered Ac | | r the m | inimum system co | nfiguration is | counted. | | | | | | | | | | |
| S | ystem | Additions Where Platform Currently Exists and New Installat | tions | | | | | | | | | | | | | | |
| ı | | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| oxdot | | Fea Activation - | <u></u> | L_ | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | <u> </u> | <u></u> | <u> </u> | <u> </u> | | L | <u> </u> | <u> </u> |
| B ² | ipolar | 8 Zero Substitution | | | | | | | | | | | | | | | |
| | | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| 1 | | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.001 | 600.00S | | | | 1 | | | | |
| | | Clear Channel Capability Format - Extended Superframe - | 1 | 1 | | İ | | | | | | ĺ | ĺ | | | İ | İ |
| 1 | | Subsequent Activity Only | 1 | | UEPMG | CCOEF | 0.00 | 0.001 | 600.00S | | | I | I | | 1 | | l |
| Δ | | te Mark Inversion (AMI) | | 1 | _ | 1 | 2.30 | | | | | İ | i | | 1 | İ | İ |
| | | Superframe Format | 1 | 1 | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | 1 | 1 | | | | |
| \vdash | | Extended Superframe Format | † | t - | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | 1 | | | - | | | | |
| - | | ge Ports Associated with 4-Wire DS1 Loop with Channelization | ion with | Port | 02. NO | | 0.00 | 0.00 | 0.00 | | | | + | | 1 | | |
| | | ge Ports ge Ports | T WILL | 1 011 | | 1 | | 1 | | 1 | | | | | t | | <u> </u> |
| | ACHAI | 961 0110 | | | - | + | | | | | | | | | | | |
| 1 | I. | Line Cide Combination Channelland BDV Tauri Dord Building | | | LIEDDY | LIEDCY | 44.00 | 0.00 | 0.00 | | | | 1 | | | | 1 |
| $\vdash \vdash$ | | Line Side Combination Channelized PBX Trunk Port - Business | 1 | 1 | UEPPX | UEPCX | 11.38 | 0.00 | 0.00 | ļ | | | | | | | |
| $\vdash \vdash$ | | Line Side Outward Channelized PBX Trunk Port - Business | 1 | ļ | UEPPX | UEPOX | 11.38 | 0.00 | 0.00 | | | | | | | | |
| 1 | | | 1 | | | | | | | | | l | I | | 1 | | l |
| otag | | Line Side Inward Only Channelized PBX Trunk Port without DID | 1 | L | UEPPX | UEP1X | 11.38 | 0.00 | 0.00 | | | ļ | | | | | ļ |
| $ldsymbol{ldsymbol{ldsymbol{eta}}^-}$ | | 2-Wire Trunk Side Channelized DID Trunk Port | | | UEPPX | UEPDM | 28.02 | 0.00 | 0.00 | | | | | | | | |
| | T | Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, | 1 | 1 - | <u> </u> | | | I | | | | 1 | 1 | | | 1 | |
| ıTT | | MS, & TN) | 1 | | UEPPX | UEPCY | 11.38 | | | | | | | | | | |

| SEDV | ICES - | Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|--|--|----------|---------------------|----------------|------------------|-----------------|----------------|---------------|--|--|-------------|--|--|--------------|---------------|
| SERV | IOE3 - | Alabama | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | D130 131 | DISO Add I |
| | | | | | | | Rec | Nonre | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Exchange Ports, 2-Wire Channelized – Combination (AL, KY, | | | | | | | | | | | | | | | |
| | | LA, MS, & TN | | | UEPPX | UEPCT | 11.38 | | | | | ļ | | | | | |
| | | 2-Wire Channelized PBX Area Calling Service Combination Port | | | | | | | | | | | | | | | |
| | - | (AL Only) 2 Wire Channelized PBX Area Calling Service Outgoing Only | - | - | UEPPX | UEPA4 | 11.38 | 0.00 | 0.00 | | | 1 | | | | | |
| | | Port (AL Only) | | | UEPPX | UEPA3 | 11.38 | 0.00 | 0.00 | | | | | | | | |
| | Featur | e Activations - Loop Concentration | | | OLFFX | ULFAS | 11.30 | 0.00 | 0.00 | | | <u> </u> | | 1 | | | |
| - | i catur | Feature (Service) Activation for each Line Port Terminated in D4 | | | | + | | | | | | † | | | | | |
| | | Bank | | | UEPPX | 1PQWM | 0.62 | 57.75 | 10.04 | | | | | | | | |
| | | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | İ | | | | | |
| 1 | | D4 Bank | 1 | | UEPPX | 1PQWU | 0.62 | 407.31 | 173.74 | | I | | | | | | |
| | Teleph | one Number/ Group Establishment Charges for DID Service | i – | | | | | | | | | İ | | 1 | 1 | | |
| | | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | JRES - Vertical and Optional | | | | | | | | | | | | | | | |
| | Local | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| CENT | DAL OF | All Features Available FICE SYNC TEST (COST) | - | | UEPPX | UEPVF | 1.98 | 0.00 | 0.00 | | 1 | 1 | | | | | |
| CENTI | | COST rates are applicable for Central Office Line Sharing & Li | no Cali | ting in | a maintananaa maa | lo only Note | nnliachta far 🛭 | omoto Cito I in | o Charina 9 I | ina Calittina | | | | | | | |
| - | Note: | Contral Office Sync Test (COST) - Per 15 Minute Increments - | ne Spin | lung in | a maintenance mod | T Only, NOL a | ipplicable for K | emote Site Lii | ie Sharing & L | ine Splitting | - | 1 | | | | | |
| | | Basic | | | | | | 25.00 | | | | | | | | | |
| | | Central Office Sync Test (COST) - Per 15 Minute Increments - | | | | + | | 20.00 | | | | 1 | | | | | |
| | | Overtime | | | | | | 30.00 | | | | | | | | | |
| | | Central Office Sync Test (COST) - Per 15 Minute Increments - | | | | | | | | | | | | | | | |
| | | Premium | | | | | | 40.00 | | | | | | | | | |
| LOOP | SPLITTI | ING FRAME CONNECTION SERVICE | | | | | | | | | | | | ĺ | | | |
| WHOL | ESALE | SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR | R-LCC) | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | |
| | | Switch | | | | | | 228.68 | 228.68 | 38.10 | 38.10 | | | | | | |
| DS0 W | | e Local Platform Service With E911 Call Locator Capability | l | | | 1 | | | | | | | | | | | |
| - | | llowing contidions apply to DS0 Wholesale Local Platform Se | | | | | | -1111 | (1 14/1 1 1 - | L I Bl . (f | | F044 0-11 I | | -1.70% | | | |
| - | | Office and Tandem Switching Usage and Wholesale Common | | | | | | | | | | | | | | and NDCa m | |
| | | New Installation scenarios the Nonrecurring charges are listed e categorized accordingly. | u in the | rirst al | nu Additional NRC (| columns for e | acii Port USUC | . For Convers | Sion Scenarios | , me Nonrecur | mig charges a | re ristea in t | ine NKC - C | onversions s | scuon. Additi | Onal NRUS Ma | ay appiy also |
| - | | e categorized accordingly. holesale Local Platform Service (BUS - PBX) With DID and E9 | 11 Call I | ocato: | Canability | 1 | <u> </u> | | | 1 | 1 | l | 1 | 1 | 1 | | |
| — | | pop Rates | Jaii i | Locator | Сиравни | + | | | | 1 | | 1 | | | | | |
| - | 200 E | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRW | UEPLX | 11.55 | | | | - | | <u> </u> | | | | |
| | t e | 2-Wire Voice Grade Loop (SL1) - Zone 2 | l – | 2 | UEPRW | UEPLX | 20.04 | | | 1 | 1 | | | 1 | 1 | | |
| | 1 | 2-Wire Voice Grade Loop (SL1) - Zone 3 | 1 | 3 | UEPRW | UEPLX | 33.65 | | | | 1 | | İ | İ | İ | | |
| | 1 | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | i – | 1 | UEPRW | UECD1 | 14.38 | | | | | İ | | 1 | 1 | | |
| | 1 | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | i – | 2 | UEPRW | UECD1 | 22.85 | | | | | İ | | 1 | 1 | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | | 3 | UEPRW | UECD1 | 36.14 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | - | | | | | | | | | |
| | 1 | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPRW | UEPPC | 11.15 | 57.75 | 10.04 | | | | | | | | |
| | | Line Side Outward PBX Trunk Port - Bus | | | UEPRW | UEPPO | 11.15 | 57.75 | 10.04 | | ļ | | | ļ | | | |
| <u> </u> | 1 | Line Side Incoming PBX Trunk Port - Bus | | _ | UEPRW | UEPP1 | 11.15 | 57.75 | 10.04 | ļ | | | | | | | |
| <u> </u> | 1 | 2-Wire Voice 2-Way Combination PBX Alabama Calling Port | ! | - | UEPRW | UEPA2 | 11.15 | 57.75 | 10.04 | 1 | | ļ | | | | | |
| — | + | 2-Wire Voice 1-Way Outdial AL Calling Plan Port | 1 | - | UEPRW UEPRW | UEPOA UEPLD | 11.15 11.15 | 57.75 57.75 | 10.04 10.04 | 1 | | | | | | | |
| — | 1 | 2-Wire Voice PBX LD Terminal Ports 2-Wire Voice 2-Way Combination PBX Usage Port | + | + | UEPRW | UEPLD | 11.15 | 57.75 57.75 | 10.04 | 1 | | | - | | | | |
| — | 1 | 2-Wire Voice 2-Way Combination PBX Usage Port 2-Wire Voice PBX Toll Terminal Hotel Ports | + | + | UEPRW | UEPXA | 11.15 | 57.75 | 10.04 | 1 | | | - | | | | |
| | | 2-Wire Voice PBX Toll Terminal Hotel Ports 2-Wire Voice PBX LD DDD Terminals Port | | - | UEPRW | UEPXB | 11.15 | 57.75 | 10.04 | | | } | - | | | | |
| — | | 2-Wire Voice PBX LD DDD Terminals Port 2-Wire Voice PBX LD Terminal Switchboard Port | 1 | | UEPRW | UEPXD | 11.15 | 57.75 | 10.04 | 1 | | 1 | | | | | |
| — | | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | t | | UEPRW | UEPXE | 11.15 | 57.75 | 10.04 | 1 | | | | | | | |
| | Port R | ate -DID | † | † | O_1 1\VV | JEI AL | 11.13 | 31.13 | 10.04 | 1 | | 1 | - | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPRW | UEPD1 | 28.02 | 407.31 | 173.74 | | <u> </u> | | | | | | |
| | <u> </u> | Enonango i ono E villo DID i on | <u> </u> | <u> </u> | U 11111 | 02101 | 20.02 | 707.01 | 170.74 | <u> </u> | 1 | L | L | 1 | 1 | | |

Version: 2Q07 MBR - SLC 06/04/07 Page 23 of 237

| SERVICE | ES - | Alabama | | | | | | | | | | | 1 | Att: 1 Exh: A | | | |
|--|-------|--|--|--|-----------|--------|----------|----------|-----------|--|------------|-----------|-----------|---------------|--|--|--|
| | Ī | energy and the second s | | | | | | | | | | Svc Order | | | Incremental | Incremental | Incremental |
| | | | 1 | | 1 | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Inc | | İ | | | | | | | Elec | | Manual Svc | | | Manual Svc |
| CATEGOR | RY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | ·····- | m | | | | | | | | | per LSK | per Lak | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | † | | | | Nonrec | urring | Nonrecurring I | Disconnect | | | oss | Rates(\$) | | - |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| E9 | 11 C/ | ALL LOCATOR CAPABILITY | | | | | | | | 1 | | | | | | | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | 1 | | | | | | | | | | | | | |
| | | Initial Profile Establishment, Per CLEC End-User | | | UEPRW | URE9A | 0.00 | 1,806.00 | | | | | | | | | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | † | | | | ., | | | | | | | | | |
| | | Subsequent Profile Changes, Additions/Deletions | | | UEPRW | URE9B | 0.00 | 175.33 | | | | | | | | | |
| Tel | | one Number/Trunk Group Establisment Charges For DID Num | hers w | ith F91 | | | 0.00 | 170.00 | | | | | | | | | |
| 1.0 | | DID Trunk Termination (One Per Port) | | I | UEPRW | INDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | † | UEPRW | ND4 | 1.328 | 0.00 | 0.00 | | | | | | | | |
| — | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPRW | ND5 | 0.0664 | 0.00 | 0.00 | | | | | | | | |
| — | | Reserve Non-Consecutive DID numbers | | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | \vdash | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FE | ATU | | | | OLI INVV | INDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 100 | | All Features Offered | | \vdash | UEPRW | UEPVF | 1.98 | 0.00 | 0.00 | | | | | | | | |
| NO | | CURRING CHARGES - Conversions | - | - | OLFIXV | OLF VF | 1.98 | 0.00 | 0.00 | | | | | | | - | |
| INC | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | ! | \vdash | UEPRW | USAC2 | | 10.00 | 10.00 | - | | | - | | | | |
| \vdash | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-is 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | - | - | UEPKW | USAC2 | | 10.00 | 10.00 | | | | - | | | | |
| | | | 1 | | LIEDDW | USACC | | 40.00 | 40.00 | | | | | | I | | 1 |
| | | Change | | | UEPRW | USACC | | 10.00 | 10.00 | | | | | | | | |
| AD | וווטכ | ONAL NRCs | | - | | | | | | | | | | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | | Group | | | | | | 14.64 | 14.64 | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPRW | URETL | | 8.33 | 0.83 | | | | | | | | |
| OF | -F/ON | PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 1 | UEPRW | P2JHX | 14.38 | 88.00 | 55.00 | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 2 | UEPRW | P2JHX | 22.85 | 88.00 | 55.00 | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 3 | UEPRW | P2JHX | 36.14 | 88.00 | 55.00 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPRW | SDD2X | 22.41 | 131.60 | 61.92 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPRW | SDD2X | 23.88 | 131.60 | 61.92 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPRW | SDD2X | 33.72 | 131.60 | 61.92 | | | | | | | | |
| IN | TERC | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | | Termination | | | UEPRW | U1TV2 | 21.13 | 40.54 | 27.41 | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | | or Fraction Mile | | | UEPRW | U1TVM | 0.008838 | 0.00 | 0.00 | | | | | | | | |
| | | Local Platform Service With E911 Call Locator Capability | | | | | | | | | | | | | | | |
| 4-V | WIRE | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | | | | | | | | | | | | | | |
| DS | 31 Lo | op Rates | | | | | | | | | | | | | | Î | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPPN | USL4P | 168.00 | | | | | | | | | Î | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | | UEPPN | USL4P | 175.00 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPPN | USL4P | 180.00 | | | | | | | | | ĺ | |
| DS | | rt Rate | | | İ | 1 | | | | i i | | | | | 1 | ĺ | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | 1 | | UEPPN | UEPPN | 415.00 | 1,200.00 | 1,000.00 | | | | | | İ | İ | |
| E9 | | ALL LOCATOR CAPABILITY | 1 | | İ | 1 | | , | , | | | | | | İ | İ | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | i – | | İ | i | | | | i | | | | | 1 | İ | |
| | | Initial Profile Establishment, Per CLEC End-User | l | | UEPPN | URE9A | 0.00 | 1,806.00 | | | | | | | I | | 1 |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | l - | | | | 5.00 | .,000.00 | | | | | | | | | — |
| | | Subsequent Profile Changes, Additions/Deletions | l | | UEPPN | URE9B | 0.00 | 175.33 | | | | | | | I | | 1 |
| NO | | CURRING CHARGES - Existing Platform | l - | | 02.114 | CINEOD | 0.00 | 170.00 | | | | | | | | | — |
| 1.40 | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | 1 | | | | | | | | | t | | — |
| | | Conversion -Switch-As-Is | l | | UEPPN | USACP | 0.00 | 500.00 | 500.00 | | | | | | I | l | 1 |
| ΔD | | ONAL NRCs and E911 Call Locator Capability Telephone Num | her Ro | curring | | COACI | 0.00 | 300.00 | 300.00 | | | | | | | | |
| AD | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | inei ve | Janinit | Julianges | + | | | | | | | | | | | |
| | | Inward/two way Tel Nos. (except NC) | l | | UEPPN | PR7TF | 0.0664 | 0.49 | | | | | | | 1 | | 1 |
| \vdash | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | 1 | | OLFFIN | ENTE | 0.0004 | 0.49 | | | | | | | + | 1 | |
| | | Outward Tel Numbers (All States except NC) | l | | UEPPN | PR7TO | 0.0664 | 11.51 | | | | | | | I | l | 1 |
| \vdash | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | - | - | OLFFIN | FK/IU | 0.0004 | 11.51 | | | | | - | | | | |
| | | | 1 | | LIEDDNI | DD77T | 0.0004 | 00.00 | | | | | | | I | | 1 |
| IAIT | | Subsequent Inward Tel Numbers | - | - | UEPPN | PR7ZT | 0.0664 | 23.02 | | | | | - | | | | |
| IN | | ACE (Provsioning Only) | | | UEPPN | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| \vdash | | Voice/Data | . | ├ | | | | | | | | | | | - | - | |
| 1 l | | Digital Data | l | 1 | UEPPN | PR71D | 0.00 | 0.00 | 0.00 | | | | | | 1 | | |

| SERVICES | - Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|--|--|--|--------|---------|----------|-----------|--|----------|---|-----------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | _ | Nonre | curring | Nonrecurring Dis | sconnect | | l l | oss | Rates(\$) | | <u> </u> |
| | | | <u> </u> | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Inward Data | | | UEPPN | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New o | r Additional "B" Channel | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPN | PR7BV | 0.00 | 40.00 | | | | | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPN | PR7BF | 0.00 | 40.00 | | | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPN | PR7BD | 0.00 | 40.00 | | | | | | | | | |
| CALL | TYPES | | | | | | | | | | | | | | | |
| | Inward | | | UEPPN | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPPN UEPPN | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | —— |
| Intono | Two-way ffice Channel Mileage | | | UEPPN | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Intero | Fixed Each Including First Mile | | - | UEPPN | 1LN1A | 54.41 | 89.27 | 81.81 | | | | | | | | |
| + | Each Airline-Fractional Additional Mile | | † | UEPPN | 1LN1A | 13.39 | 09.27 | 01.01 | | - | | | | | | |
| 4-WIR | E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | OLI I IN | ILIVID | 13.39 | | | | i | | | | | | <u> </u> |
| | oop Rates | | 1 | | 1 | | | | | 1 | | | | | | — |
| 1-5.5 | 4-Wire DS1 Digital Loop - Zone 1 | <u> </u> | 1 | UEPDC | USLDC | 168.00 | 1 | | | | | | | | 1 | |
| | 4-Wire DS1 Digital Loop - Zone 2 | 1 | 2 | UEPDC | USLDC | 175.00 | İ | | | i | | | | l | İ | |
| j | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPDC | USLDC | 180.00 | | | | | | | | | | |
| DS1 F | ort Rates | | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 365.00 | 1,100.00 | 900.00 | | | | | | | | |
| NONR | ECURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | |
| E011 | CALL LOCATOR CAPABILITY | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | - |
| ESII | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | Initial Profile Establishment, Per CLEC End-User Miscellaneous Rate Element, E911 Call Locator Capability - | | | UEPDB | URE9A | 0.00 | 1,806.00 | | | | | | | | | - |
| ADDI | Subsequent Profile Changes, Additions/Deletions TONAL NRCs | | | UEPDB | URE9B | 0.00 | 175.33 | | | | | | | | | |
| ADDI | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | 1 | | | | | | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDB | UDTTA | | 14.48 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDB | UDTTB | | 14.48 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDB | UDTTC | | 14.48 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDB | UDTTD | | 14.48 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | l | | | | | | | | | | | | | |
| DIDO | Activation / Chan - 2-Way DID w User Trans | | <u> </u> | UEPDB | UDTTE | - | 14.48 | | | | | | | | | |
| BIPOL | AR 8 ZERO SUBSTITUTION B8ZS -Superframe Format | | <u> </u> | UEPDC | CCOSF | - | 0.001 | 600.00S | | | | | | | | |
| | | | ├ | | | | 0.001 | | | | | | | - | | |
| Alton | B8ZS - Extended Superframe Format ate Mark Inversion | | | UEPDC | CCOEF | | 0.001 | 600.00S | | + | | | | | | |
| Aitem | AMI -Superframe Format | | † | UEPDC | MCOSF | | 0.00 | 0.00 | | - | | | | | | |
| | AMI - Extended SuperFrame Format | l | | UEPDC | MCOPO | | 0.00 | 0.00 | | 1 | | | | | | — |
| Telep | none Number/Trunk Group Establisment Charges And Charges | For DI | D Num | | | ability | 5.50 | 0.00 | | i | | | | | 1 | |
| 1.2.56 | Telephone Number for 2-Way Trunk Group | l | T | UEPDB | UDTGX | 0.00 | İ | | | | | | | | İ | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDB | UDTGY | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDB | UDTGZ | 0.00 | | | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPDB | ND4 | 1.328 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDB | ND5 | 0.0664 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPDB | ND6 | 0.00 | 0.00 | 0.00 | |] | | | | | | |
| | Reserve DID Numbers | ļ | <u> </u> | UEPDB | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FX/FC | O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | ! | <u> </u> | | 1 | - | - | | | | | | | - | ! | - |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 54.41 | 89.27 | 81.81 | | | | | | | | 1 |

| RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) RATES(\$) Svo Order Submitted Elec Elec per LSR Per LSR Svo Order Submitted Elec Manual Svc Order vs. Electronic- 1st Add'I Disc 1st Incremental Charge - Manual Svc Order vs. Electronic- 1st Add'I Disc 1st Incremental Charge - Manual Svc Order vs. Electronic- 1st OSS Rates(\$) OSS Rates(\$) | SFR\/ | ICES - | Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | 1 |
|--|----------|----------|--|----------|----------|------------------|----------------|----------|--------|-----------|--|------------|--------------|--|---------------|--|-------------|-------------|
| ATTECHNIS Part | SER V | OE3 - | Alabalid | I | | | 1 | l | | | | | Svc Order | | | | Incremental | Incremental |
| RATE RLEMENTS | | | | 1 | | | | | | | | | | | | | | |
| ACTION ALTER LEMENTS IN BOOK SCAPE SHOOL STATES AND STA | | | | | | | | | | | | | | | | | | |
| Part | CATEC | ODV | DATE ELEMENTO | Interi | 7 | DCC | 11000 | | | DATEC(A) | | | | , | | | | |
| Second Column Second Colum | CATEG | ORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | | Order vs. | Order vs. |
| New Control Marger - Plant (1989) New Control Marger - Plant (| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| New Control Marger - Plant (1989) New Control Marger - Plant (| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| Monte Control Mingra - Additional design of rules - Col miles USPC | | | | | | | | | | | | | | | | | 2.00 .00 | 2.007.444. |
| Press | | | | | | | | Dee | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| Intercence Channel Medicys - Food rate 9.5 per fine (Fpotitions Fernitricised) | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Intercence Channel Medicys - Food rate 9.5 per fine (Fpotitions Fernitricised) | | | | | | | | | | | | | | | | 1 | | |
| Intercence Channel Medicys - Food rate 9.5 per fine (Fpotitions Fernitricised) | | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | LIEPDC | 11 NOA | 13 39 | 0.00 | 0.00 | | | | | | | | |
| Terrestacco UEPDC 1,NOS 0.00 | | | | | | OLI DO | TEITON | 10.00 | 0.00 | 0.00 | | | | | | | | |
| Internative Channel Misages - Notificial rate of 25s in resp. (POC) LIVOB 13-39 LOPPOC LIVOB 13-39 LOPPOC LIVOB 13-39 LOPPOC LIVOB LIVOB | | | | | | LIEDDO | 41.000 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| miss | - | | | | | UEPDC | TLINU2 | 0.00 | 0.00 | 0.00 | - | | | | | | | |
| Interestical Character Misage - Additional rate per rate - 25 miles LEFDC 1UNO 0.0 | | | | | | | l | | | | | | | | | | | |
| Territoristory | | | 1111100 | | | UEPDC | 1LNOB | 13.39 | 0.00 | 0.00 | | | | | | | | |
| Intendition Table | | | | | | | | | | | | | | | | | | |
| Additional Rates | | | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Additional Rates | | | | | | | | | | | | | | | | | | |
| Additional Rates | | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 13.39 | 0.00 | 0.00 | | | | | | | | |
| Central Office Terminanting Point | | Additio | | | | | | | | | | | | | | | | |
| A yestern can have various rate combinations based on type and number of ports used A yestern can have various rate combinations based on type and number of ports used A yestern can have various rate combinations based on type and number of ports used A yestern can have various rate combinations based on type and number of ports used A yestern can have various rate combinations based on type and number of ports used A yestern can have various rate combinations based on type and number of ports used A yestern can have various rate combinations based on type and number of ports used A yestern can have various rate combinations based on type and number of ports used A yestern can have various rate combinations based on type and number of ports used A yestern can have various rate combinations based on type and number of ports used A yestern can have various rate combinations based on type and number of ports used A yestern can have various rate | | | | | | LIEPDC | CTG | 0.00 | | | | | | | | | | |
| System is 1 DST Loop, 1 Dx Chammel Bank, and up to 24 Feature Activations | — | 4-WIDE | | LOCAT | OR CA | | 10.0 | 0.00 | | | | | - | | | | | |
| A system can have various rate combinations based on type and number of ports used | - | | | | | I IDIEII I | + | | | | | | - | | | - | | |
| Description | | | | | | | 1 | | | | | | | | | | | |
| 4-Web DS1 Loap - Zone 1 | — | | | mper of | ports (| ısea | | | | | | | | | | | | |
| A-Wire DST Logo - Zone 2 | | DS1 Lo | | L | | | | | | | | | | | | | | |
| Section Sect | | | | | | | | | | | | | | | | | | |
| DSO Channel Capacities (M Channel Bank Configurations) | | | | | | | | | | | | | | | | | | |
| 24 DSO Channel Capacity - 1 per 2 DS1s | | | 4-Wire DS1 Loop - Zone 3 | | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | | |
| 48 DSO Channel Capacity - 1 per 4 DS1s | | DSO C | hannelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | |
| 48 DSO Channel Capacity - 1 per 4 DS1s | | | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 101.40 | 0.00 | 0.00 | | | | | | 1 | | |
| Be DS OC Damed Capacity -1 per 6 DS1s | | | 48 DSO Channel Canacity - 1 per 2 DS1s | | | | | | | | | | | | | | | |
| 144 DSD Channel Capacity - 1 per 8 DS1s | - | | 96 DSO Channel Capacity -1per 4 DS1s | - | | | | | | | | | | | | | | |
| 192 DSC Channel Capacity -1 per 10 DS1s | - | | | | | | | | | | | | | | | | | |
| 240 DSO Channel Capacity - 1 per 10 DS1s UEPMG | | | | - | | | | | | | | | | | | | | |
| 288 DSB Channel Capacity - 1 per 12 DS15 | | | | | | | | | | | | | | | | | | |
| 384 DSG Channel Capacity - 1 per 16 DS16 | | | | | | | | | | | | | | | | | | |
| 480 DSO Channel Capacity - 1 per 20 DS1s | | | | | | | | | | | | | | | | | | |
| S76 DSO Channel Capacity +1 per 24 DS1s | | | | | | UEPMG | | | | | | | | | | | | |
| STZ DSO Channel Capacity -1 per 28 DS1s | | | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 2,028.00 | 0.00 | 0.00 | | | | | | | | |
| STZ DSO Channel Capacity -1 per 28 DS1s | | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2.433.60 | 0.00 | 0.00 | | | | | | 1 | | |
| Non-Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with Channelization with Port - Conversion Charge Based on a System | | | | | | | | | | | | | | | | | | |
| A Minimum System configuration is One (1) DSI, One (1) DAI, One (1) | | Non-Re | ecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | h Chanr | eliztio | | | | | 0.00 | | | | | | 1 | | |
| Multiples of this configuration functioning as one are considered Add' lafter the minimum system configuration is counted. System Additions Where Platform Currently Exists and New Installations 1 DS/TDA Channel Bank - Add NRC for each Port and Assoc Fea Activation - Bipolar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Alternate Mark Inversion (AMI) Superframe Format UEPMG CCOFF 0.00 0.001 600.008 Alternate Mark Inversion (AMI) Extended Superframe Format UEPMG MCOPO 0.00 0.00 0.00 Extended Superframe Format UEPMG MCOPO 0.00 0.00 0.00 Extended Superframe Format UEPMG MCOPO 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 Extended Superframe Format UEPMG MCOPO 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 0.00 UEPMG MCOPO 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0 | - | | | | | | | | Sterri | | | | | | | | | |
| System Additions Where Platform Currently Exists and New Installations 1 DS/I/D4 Channel Bank - Add NRC for each Port and Assoc UEPMG VUMD4 0.00 850.00 485.00 | - | | | | | | | | | | | | | | | | | |
| 1 DSI/DA Channel Bank - Add NRC for each Port and Assoc UEPMG VUMD4 0.00 850.00 485.00 | - | | | | the in | minum system cor | iliguration is | Counted. | | | - | | | | | | | |
| Fea Activation - | <u> </u> | system | | IONS | — | | 1 | - | | | | | ! | | | | | |
| Bipolar 8 Zero Substitution | | | | l | | | | | | |] | | | l | | | | |
| Clear Channel Capability Format, superframe - Subsequent Activity Only | | | | <u> </u> | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | | ļ | | | | |
| Activity Only | | Bipola | | | | | | | | | | | | | | | | |
| Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only UEPMG CCOEF 0.00 0.001 600.00S | | | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | l | | | |
| Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only UEPMG CCOEF 0.00 0.001 600.00S | 1 | l | Activity Only | l | | UEPMG | CCOSF | 0.00 | 0.001 | 600.00S | | | I | 1 | 1 | 1 | | |
| Subsequent Activity Only | | | | Ì | | | | | | | | | | i | l | | | |
| Alternate Mark Inversion (AMI) | | | | l | | UEPMG | CCOFF | 0.00 | 0.001 | 600.00\$ |] | | | l | | | | |
| Superframe Format | | Alterna | | i | | | 1 | 3.30 | | | 1 | | t e | l | l | 1 | | |
| Extended Superframe Format | \vdash | | | - | | LIEPMG | MCOSE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exchange Ports Associated with 4-Wire DS1 Loop with Channelization with Port Exchange Ports Exchange P | — | - | | - | \vdash | | | | | | + | | - | | | | | |
| Exchange Ports | <u> </u> | F | | | Doort | UEPIVIG | IVICOPO | 0.00 | 0.00 | 0.00 | | | ! | | | | | |
| Line Side Combination Channelized PBX Trunk Port - Business | — | | | on with | rort | | | | | | | | | | | | | |
| Line Side Outward Channelized PBX Trunk Port - Business | | ∟xchar | nge Ports | L | \vdash | | 1 | | | | | | | | | - | | |
| Line Side Outward Channelized PBX Trunk Port - Business | | | | l | | | | | | |] | | | l | | | | |
| Line Side Inward Only Channelized PBX Trunk Port without DID UEPRW UEP1X 11.38 0.00 | L | | | Щ | Щ. | | | | | | <u> </u> | | | <u> </u> | <u> </u> | | | |
| 2-Wire Trunk Side Channelized DID Trunk Port | | | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPRW | UEPOX | 11.38 | 0.00 | 0.00 | | | | | | | | |
| 2-Wire Trunk Side Channelized DID Trunk Port | | | | | | | | | | | | | | | | | | |
| 2-Wire Trunk Side Channelized DID Trunk Port | 1 | l | Line Side Inward Only Channelized PBX Trunk Port without DID | l | | UEPRW | UEP1X | 11.38 | 0,00 | 0.00 | | | I | 1 | 1 | 1 | | |
| Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN) Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) LA, MS, & TN 2-Wire Channelized PBX Area Calling Service Combination Port | | | | i – | | | | | | | 1 | | i e | i | | 1 | | |
| MS, & TN) Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN) UEPRW UEPCY 11.38 UEPRW UEPCT 11.38 UEPCT 11.38 UEPRW UEPCT 11.38 | — | - | | - | | OE. 1007 | SEI DIVI | 20.02 | 5.00 | 0.00 | | | | | | | | |
| Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN UEPRW UEPCT 11.38 2-Wire Channelized PBX Area Calling Service Combination Port | 1 | l | | l | | LIEDDW | LIEDOY | 44.00 | | | | | I | 1 | 1 | 1 | | |
| LA, MS, & TN UEPRW UEPCT 11.38 | <u> </u> | | | ├ | — | UEPKW | UEPCY | 11.38 | | | | | ! | | | | | |
| 2-Wire Channelized PBX Area Calling Service Combination Port | | | | l | | | | | | |] | | | l | | | | · · |
| | | | | <u> </u> | | UEPRW | UEPCT | 11.38 | | | | | | ļ | | | | |
| (AL Only) | 1 | l | | l | | | | | | | | | I | 1 | 1 | 1 | | |
| | 1 | l | (AL Only) | l | | UEPRW | UEPA4 | 11.38 | 0.00 | 0.00 | | | 1 | 1 | 1 | 1 | | |

| SERVICE | S - Alabama | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-----------|--|---------|---------|--|---------|-----------|----------|-----------|--------------|------------|--------------|------------------------|---------------|-------------------------|-------------------------|--------------|
| | | | | | | | | | | | | Svc Order Submitted | | Incremental Charge - | Incremental Charge - | Incremental |
| | | 1 | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svo |
| CATEGOR | Y RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 1St | Addi | DISC 1St | DISC Add I |
| | | 1 | 1 | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | • |
| | | 1 | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Channelized PBX Area Calling Service Outgoing Only | | | | | | | | | | ĺ | | | | | |
| | Port (AL Only) | | | UEPRW | UEPA3 | 11.38 | 0.00 | 0.00 | | | | | | | | |
| Fea | ature Activations - Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | Bank | | | UEPRW | 1PQWM | 0.62 | 57.75 | 10.04 | | | | | | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | D4 Bank | | | UEPRW | 1PQWU | 0.62 | 407.31 | 173.74 | | | | | | | | |
| E91 | 11 CALL LOCATOR CAPABILITY | | | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | | | UEPRW | URE9A | 0.00 | 1,806.00 | | <u> </u> | <u> </u> | | | | | <u> </u> | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | ĺ | | | | | |
| | Subsequent Profile Changes, Additions/Deletions | | | UEPRW | URE9B | 0.00 | 175.33 | | <u> </u> | | <u></u> | | | <u> </u> | <u> </u> | <u> </u> |
| Tel | ephone Number/Trunk Group Establisment Charges For DID Nu | mbers w | ith E91 | 1 Call Locator Cap | ability | | | | | | ĺ | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1.328 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPRW | ND5 | 0.0664 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | 1 | 1 | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FE | ATURES - Vertical and Optional | | | | | | | | | | | | | | | |
| | cal Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPRW | UEPVF | 1.98 | 0.00 | 0.00 | | | | | | | | |
| ODUF/ADU | | | | 02 | 02. 1. | 1.00 | 0.00 | 0.00 | | | | | | | | |
| | CESS DAILY USAGE FILE (ADUF) | | | | | | | | | | | | | | | |
| | ADUF: Message Processing, per message | + | + | | + | 0.007037 | - | | | | 1 | 1 | | | | |
| | / 12 Of 1 Microbago 1 Tococcang, por meccago | + | + | | + | 0.007.007 | - | | | | 1 | 1 | | | | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00017 | | | | | | | | | | |
| OP. | TIONAL DAILY USAGE FILE (ODUF) | + | + | | + | 0.00017 | - | | | | 1 | 1 | | | | |
| 0, | ODUF: Recording, per message | | | | | 0.000015 | | | | | | | | | | |
| - | ODUF: Message Processing, per message | | | 1 | | 0.004101 | | | | | | | | 1 | | 1 |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 42.67 | | | | | | | | | | |
| | ODOI: Wessage Flocessing, per Wagnetic Tape provisioned | | | | | 42.07 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00014 | | | | | | | | | | |
| CE | NTRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | + | + | | + | 0.00014 | - | | | | 1 | 1 | | | | |
| 02. | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | CMDC: Message Freedshing, per message | | | | | 0.004 | | | | | | | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |
| SYY ACCE | SS TEN DIGIT SCREENING | | | | | 0.001 | | | | | | | | | | |
| OXX ACCE. | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Dig | i+ | | | | | | | | | | | | | | |
| | Screening service with 800 Number Delivery per query | | | | | 0.00365 | | | | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing | | | | | 0.00000 | | | | | | | | | | |
| | Screening service with 800 Number Delivery for 800 Numbers | | | | | | | | | | | | | | | |
| | with Optional Complex Feature, i.e., Call handling and | | | | | | | | | | | | | | | |
| | Destination Features per query | | 1 | İ | 1 | 0.00431 | 5.94 | 0.81 | 4.57 | 0.54 | 1 | | | l | 1 | l |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Dig | it | + | | + | 0.00-31 | 5.54 | 0.01 | 7.57 | 0.54 | | 1 | | | | |
| | Screening service with POTS Number Delivery per query | | | 1 | | 0.00383 | | | 1 | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Dig | | + | | + | 0.00383 | | | | - | + | - | | - | | - |
| | Screening service with POTS Number delivery for 800 Numbers | | | 1 | | | | | 1 | | | | | | | |
| .] | with Optional Complex Feature, i.e., Call Handling and | ' [| 1 | İ | 1 | | | | I | | | | | | I | |
| | Destination Features | | | 1 | | 0.00431 | | | 1 | | | | | | | |
| | Destination realtites | | 1 | L | | 0.00431 | | | 1 | l | 1 | l . | | l | l | l |

Version: 2Q07 MBR - SLC 06/04/07 Page 27 of 237

| SERV | ICES - | Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|---|--|--|------------------------|--|----------|----------|-----------|--|--------------|-----------|----------|---------------|--|--|--|
| | | | | | | | | | | | | | | Incremental | | Incremental | |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | Interi | l_ | | | | | | | | Elec | Manually | Manual Svc | | | Manual Svc |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| - | 1 | | | | | | | Nonrec | urrina | Monrocurring | g Disconnect | | | 088 | Rates(\$) | | L |
| - | 1 | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | 1 | | | | | | | FIISL | Add I | FIISL | Addi | SOWIEC | SOWAN | SOWAN | SOWAN | SOWAN | SOWAN |
| SERVI | CE DATE | ADVANCEMENT (A.K.A EXPEDITE) CHARGE | | 1 | | | | | | | | | | | | | |
| OLKV. | | The Expedite charge will be maintained commensurate with | BellSou | ith's FO | C No.1 Tariff, Section | n 5 as appli | cable. | | | | | | | | | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF. UDF. UEQ. | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| 1 | 1 | | l | 1 | UC1CC, UC1CL, | I | | | | | | 1 | 1 | | I | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | | | | U1TUB, | | | | | | | | | | | | |
| | | | | | U1TUA,NTCVG,NTC | | | | | | | | | | | | |
| | | Expedite Charge per Circuit or Line Assignable USOC, per Day | | | UD,NTCD1 | SDASP | | 200.00 | | | | | | | | | |
| ORDE | R MODIF | ICATION CHARGE | | | | | | | | | | | | | | | |
| | | Order Modification Charge (OMC) | | | | | | 26.21 | 0.00 | | 0.00 | | | | | | |
| | | Order Modification Additional Dispatch Charge (OMCAD) | | | | | | 150.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| LOCAL | SERVI | CE REQUEST (LSR) ORDERING CHARGE | | | | | | | | | | | | | | | |
| | | Electronic Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| | | (LSR) | | ļ | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | Manual Out to Out of Out on Building | l | 1 | | 0014 | | | | | | | | | I | | |
| 1.1615.11 | IEOS** | Manual Service Order Charge, Per Local Service Request (LSR) | | 1 | | SOMAN | | 11.90 | 0.00 | 1.83 | 0.00 | | | | | | |
| LINE | NFURMA | ATION DATA BASE ACCESS (LIDB) | | 1 | | ļ | 0.0000 | | | ! | ! | | | | | | |
| - | } | LIDB Common Transport Per Query | | 1 | 001/ | DUM 4 | 0.0003 | | | | | - | - | | | - | |
| \vdash | - | LIDB Validation Per Query | | 1 | OQV | BHML1 NRBPX | 0.035378 | 01.00 | EE 40 | EE 40 | 55.13 | | | | | | |
| DDAN | INC D | LIDB Originating Point Code Establishment or Change IRECTORY ASSISTANCE | ! | + | OQV | INKBPX | | 91.00 | 55.13 | 55.13 | 55.13 | - | | - | | | |
| DKAN | | Based CLEC | | + | | | | | | - | - | - | - | | + | | |
| - | racility | Recording and Provisioning of DA Custom Branded | - | 1 | | - | | | | | - | | | | | - | |
| 1 | 1 | Announcement | l | 1 | AMT | CBADA | | 3,000.00 | 3,000.00 | | | 1 | 1 | | I | | |
| - | 1 | | - | 1 | AIVII | CBADA | | 3,000.00 | 3,000.00 | | - | | | | | - | |
| | | Loading of Custom Branded Announcement per Switch per OCN | l | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | 1 | | |
| - | Wholes | cale CLEC | - | | CIVII | CDADC | | 1,170.00 | 1,170.00 | | | | | | | | |
| \vdash | ******* | Recording of DA Custom Branded Announcement | 1 | 1 | | l | | 3,000.00 | 3,000.00 | 1 | 1 | - | - | | + | | \vdash |
| | 1 | Loading of DA Custom Branded Announcement per Switch per | | 1 | | | | 3,000.00 | 5,000.00 | 1 | 1 | | | | t | l | |
| | | OCN | l | | | | | 1,170.00 | 1,170.00 | | | | | | 1 | | |
| \vdash | Unhran | ding via OLNS for Wholesale CLEC | 1 | | | | | 1,170.00 | 1,170.00 | | | | | | | | |
| — | Jiibidi | Loading of DA per OCN (1 OCN per Order) | | 1 | | l | | 420.00 | 420.00 | | | | | | t | | |
| — | | Loading of DA per Switch per OCN | - | t | | | | 16.00 | 16.00 | | | | | | | | |
| | | | | | l | L | 1 | 10.00 | 10.00 | L | 1 | I | I | | | L | |

Page 28 of 237

| SERVICE | S - F | lorida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-----------|-------|--|-------------|--|----------------|----------------|--------------|----------|-----------|--------------|--------------|----------|---|--|--|---|---|
| CATEGOR | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonrec | RATES(\$) | Nonrecurrin | g Disconnect | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | _ | | | 1 | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DIRECTOR | Y ASS | SISTANCE SERVICES | | | | | | 11130 | Addi | 11100 | Addi | COMILO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| | | DRY ASSISTANCE ACCESS SERVICE | | | | | | | | | | † | | | t | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.31 | | | | | | | | | | |
| DIF | | DRY ASSISTANCE CALL COMPLETION ACCESS SERVICE (D | ACC) | | | | | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| | | ERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| Fac | | pased CLEC | | | | | | | | | | | | | | | |
| | | Recording of Custom Branded OA Announcement | | ļ | AMT | CBAOS | | 7,000.00 | 7,000.00 | | | | | | | | |
| | р | oading of Custom Branded OA Announcement per shelf/NAV per OCN | | | AMT | CBAOL | | 500.00 | 500.00 | | | | | | | | |
| Wh | | ile CLEC | | | | | | | | | | | | | | | |
| \vdash | | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | ļ | 1 | | | | ļ | | 1 |
| | р | .oading of Custom Branded OA Announcement per shelf/NAV per OCN | | | | | | 500.00 | 500.00 | | | | | | | | |
| Un | | ling via OLNS for Wholesale CLEC | | | | | | | | | | | | | | | |
| | | oading of OA per OCN (Regional) | | - | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| INWARD O | | ATOR SERVICES | | - | | | 1.00 | | | | | ļ | | | | | |
| | Ir | nward Operator Services - Verification, Per Call nward Operator Services - Verification and Emergency Interrupt | | <u> </u> | | 1 | | | | | | | | | | | |
| ODEDATO | | Per Call | | | | | 1.95 | | | | | | | | | | |
| OPERATO | | .L PROCESSING Der. Call Processing - Oper. Provided, Per Min Using BST | | | | + | | | | 1 | | . | | | - | | - |
| | L | IDB | | | | | 1.20 | | | | | | | | | | |
| | F | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST .IDB | | | | | 0.20 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| CALLING | | (CNAM) SERVICE | | 1 | | + | 0.20 | | | 1 | | | | | | | + |
| OALLING I | | CNAM Service, per line | | 1 | UEPFB | N1ACR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPBX | N1ACR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPSB | N1ACR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPFP | N1ACR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPSP | N1ACR | 2.11 | | | | | | | | | | |
| - | | CNAM Service, per line | | | UEPPX | N1ACR | 2.11 | | | | | | | | | | ļ |
| \vdash | | CNAM Service, per line CNAM Service, per line | | 1 | UEPSR UEPFR | NXMCR NXMCR | 2.11 2.11 | | | - | 1 | ļ | | | 1 | | <u> </u> |
| \vdash | | CNAM Service, per line | | + | UEPRX | NXMCR | 2.11 | | | 1 | + | 1 | | | | | |
| | | CNAM Service, per line | | | UEPTX | NXMCR | 2.11 | | | † | | | | | — | | † |
| | | CNAM Service, per line | | | UEPPR | NXMCR | 2.11 | | | 1 | | | | | | | |
| | C | CNAM Service, per line | | | UEPVR | NXMCR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPFB | NXMCR | 2.11 | | | | | | | | | | |
| | | NAM Service, per line | | | UEPBX | NXMCR | 2.11 | | | | | | | | | | ļ |
| \vdash | | CNAM Service, per line | | 1 | UEPSB | NXMCR | 2.11 | | | 1 | 1 | | | | | | |
| \vdash | | CNAM Service, per line | | - | UEPRG UEPSE | NXMCR NXMCR | 2.11 | | | + | | | | | - | | |
| \vdash | | CNAM Service, per line | | + | UEPFP | NXMCR | 2.11 | | | 1 | + | 1 | | | | | |
| \vdash | | CNAM Service, per line | | | UEPSP | NXMCR | 2.11 | | | † | † | | | | t | | |
| | | CNAM Service, per line | | 1 | UEPPX | NXMCR | 2.11 | | | İ | | | | | 1 | İ | |
| | C | CNAM Service, per line | | | UEPVB | NXMCR | 2.11 | | | | | | | | | | |
| | C | CNAM Service, per line | | | UEPSX | NXMCR | 2.11 | | | | | | | | | | |
| \Box | | CNAM Service, per line | | $ldsymbol{oxed}$ | UEPPB | NXMCR | 2.11 | | | | | | | | | | |
| \vdash | | CNAM Service, per line | | <u> </u> | UEPBG | NXMCR | 2.11 | | | - | | | | | | | |
| \vdash | | CNAM Service, per line | | 1 | UEPSR UEPFR | NXMMN NXMMN | 2.11 2.11 | | | - | 1 | | | | | | |
| \vdash | | CNAM Service, per line | | + | UEPRX | NXMMN | 2.11 | | | 1 | + | 1 | | | | | |
| \vdash | | CNAM Service, per line | - | | UEPFB | NXMMN | 2.11 | | | | + | | | | | | |
| | 10 | 2 | | 1 | 0-110 | · AN ALAHAM A | 4.11 | | | 1 | 1 | 1 | 1 | | 1 | 1 | J |

| SFRV | ICFS - | Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|----------------------------|--|--------|----------|---|---|---|---|--|---------------|----------------|--------------|------------|-----------------|---------------|-------------|-------------|
| OLIV | 1020 | Tioriua | | 1 | | 1 | 1 | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | | | |
| | | | | | | | | | | | | 1 | | | Charge - | Charge - | Charge - |
| CATEG | OPV | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Elec | Manually | | Manual Svc | | Manual Svc |
| CATEG | JOKI | RATE ELEWIENTS | m | Zone | ВСЗ | 0300 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | 1 | | - | 1 | Nonred | | Monroourring | Disconnect | | | 000 | Rates(\$) | | |
| _ | | | | _ | | | Rec | | | | | COMEC | COMAN | | | COMAN | COMAN |
| - | | CNAM Service, per line | | _ | UEPBX | NXMMN | 2.11 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| _ | | CNAM Service, per line CNAM Service, per line | | _ | UEPSB | NXMMN | 2.11 | | | | | - | | | | | |
| - | | CNAM Service, per line CNAM Service, per line | | _ | UEPRG | NXMMN | 2.11 | | | | | - | | | | | |
| - | | | | 1 | | NXMMN | | | | | | - | | | | | |
| - | | CNAM Service, per line | | 1 | UEPSE | | 2.11 | | | | | - | | | | | |
| - | | CNAM Service, per line | | 1 | UEPFP | NXMMN | 2.11 | | | | | - | | | | | |
| | | CNAM Service, per line | | 1 | UEPSP | NXMMN | 2.11 | | | | | - | | | | | |
| - | | CNAM Service, per line | | 1 | UEPPX | NXMMN NXECR | 2.11 2.11 | | | | | - | | | | | |
| | | CNAM Service, per line | | | UEPFB | | | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPBX | NXECR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPVB | NXECR | 2.11 | | | | | ļ | | | | | |
| <u> </u> | | CNAM Service, per line | | 1 | UEPSB | NXECR | 2.11 | | | - | ļ | <u> </u> | | . | | | |
| <u> </u> | | CNAM Service, per line | | 1 | UEPFP | NXECR | 2.11 | | | - | ļ | <u> </u> | | . | | | |
| <u> </u> | \vdash | CNAM Service, per line | | | UEPSP | NXECR | 2.11 | | | | | 1 | | | | | |
| | \vdash | CNAM Service, per line | | | UEPPX | NXECR | 2.11 | | | | | 1 | | | | | |
| | \vdash | CNAM Service, per line | | | UEPFB | NCACR | 2.11 | | | | | 1 | | | | | |
| | \vdash | CNAM Service, per line | | | UEPBX | NCACR | 2.11 | | | | | 1 | | | | | |
| | | CNAM Service, per line | | | UEPSB | NCACR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPFP | NCACR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPSP | NCACR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPPX | NCACR | 2.11 | | | | | | | | | | |
| DS0 WI | | LE LOCAL SWITCHING PORTS New Install scenarios the Nonrecurring charges are listed in the | | | | | | | | | | | | | | | |
| | | Office and Tandem Switching Usage and Wholesale Common | Trans | port Usa | age rates in the Por | t section of t | his rate exhibit | shall apply to | the Wholesale | Access Line S | Service except | for the Coir | Service wh | nich has a flat | rate usage ch | arge (USOC: | URECU). |
| | | HOLESALE LOCAL SWITCHING PORTS - (Res) | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 8.40 | 31.27 | 9.38 | | | | | | | | |
| | | | | | | | | | | | | I | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 8.40 | | | | | | | | | | |
| | | | | | | | 1 | 31.27 | 9.38 | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | | | İ | | | | | | | | | | |
| | | Exchange Ports - 2-Wire VG Florida area calling with Caller ID - | | | UEPSR | UEPRO | 8.40 | 31.27 | 9.38 | | | | | | | | |
| | | | | | | | 8.40 | 31.27 | 9.38 | | | | | | | | |
| | | Res. | | | UEPSR UEPSR | UEPRO UEPAF | İ | | | | | | | | | | |
| | | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling | | | UEPSR | UEPAF | 8.40 8.40 | 31.27 31.27 | 9.38 9.38 | | | | | | | | |
| | | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability | | | | | 8.40 | 31.27 | 9.38 | | | | | | | | |
| | | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for | | | UEPSR UEPSR | UEPAF UEPA9 | 8.40 8.40 8.40 | 31.27 31.27 31.27 | 9.38 9.38 9.38 | | | | | | | | |
| | | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID | | | UEPSR | UEPAF | 8.40 8.40 | 31.27 31.27 | 9.38 9.38 | | | | | | | | |
| L | | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREXT and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for | | | UEPSR UEPSR UEPSR | UEPA9 UEPA1 | 8.40 8.40 8.40 8.40 | 31.27 31.27 31.27 31.27 | 9.38 9.38 9.38 9.38 | | | | | | | | |
| | | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREXT and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREXT, without Caller ID capability | | | UEPSR UEPSR | UEPAF UEPA9 | 8.40 8.40 8.40 | 31.27 31.27 31.27 | 9.38 9.38 9.38 | | | | | | | | |
| | | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller | | | UEPSR UEPSR UEPSR UEPSR | UEPA9 UEPA1 UEPA8 | 8.40 8.40 8.40 8.40 8.40 | 31.27 31.27 31.27 31.27 31.27 | 9.38 9.38 9.38 9.38 9.38 | | | | | | | | |
| | | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) | | | UEPSR UEPSR UEPSR UEPSR UEPSR | UEPA9 UEPA1 UEPA8 UEPAP | 8.40 8.40 8.40 8.40 8.40 | 31.27 31.27 31.27 31.27 31.27 | 9.38 9.38 9.38 9.38 9.38 | | | | | | | | |
| | | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability | | | UEPSR UEPSR UEPSR UEPSR | UEPA9 UEPA1 UEPA8 | 8.40 8.40 8.40 8.40 8.40 | 31.27 31.27 31.27 31.27 31.27 | 9.38 9.38 9.38 9.38 9.38 | | | | | | | | |
| | FEATU | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPA9 UEPA1 UEPA8 UEPAP UEPAP | 8.40 8.40 8.40 8.40 8.40 8.40 | 31.27 31.27 31.27 31.27 31.27 31.27 | 9.38 9.38 9.38 9.38 9.38 9.38 | | | | | | | | |
| | FEATU | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features | | | UEPSR UEPSR UEPSR UEPSR UEPSR | UEPA9 UEPA1 UEPA8 UEPAP | 8.40 8.40 8.40 8.40 8.40 | 31.27 31.27 31.27 31.27 31.27 | 9.38 9.38 9.38 9.38 9.38 | | | | | | | | |
| | FEATU | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPA9 UEPA1 UEPA8 UEPAP UEPAP | 8.40 8.40 8.40 8.40 8.40 8.40 | 31.27 31.27 31.27 31.27 31.27 31.27 | 9.38 9.38 9.38 9.38 9.38 9.38 | | | | | | | | |
| | FEATU | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPRT UEPVF | 8.40 8.40 8.40 8.40 8.40 8.40 8.40 | 31.27 31.27 31.27 31.27 31.27 31.27 0.00 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 | | | | | | | | |
| | FEATU Cross (| Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, Provsioning | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPRT UEPVF | 8.40 8.40 8.40 8.40 8.40 8.40 8.226 | 31.27 31.27 31.27 31.27 31.27 31.27 0.00 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 | | | | | | | | |
| | FEATU | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPRT UEPVF | 8.40 8.40 8.40 8.40 8.40 8.40 8.40 | 31.27 31.27 31.27 31.27 31.27 31.27 0.00 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 | | | | | | | | |
| | FEATU Cross (| Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning curring Charges | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPAF UEPVF PE1R2 VE1R2 | 8.40 8.40 8.40 8.40 8.40 8.40 8.226 | 31.27 31.27 31.27 31.27 31.27 31.27 0.00 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 9.38 9.38 | | | | | | | | |
| | FEATU Cross (| Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning curring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSR UEPSR UEPSR | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPRT UEPVF PE1R2 VE1R2 USAS2 | 8.40 8.40 8.40 8.40 8.40 8.40 8.40 0.0208 | 31.27 31.27 31.27 31.27 31.27 31.27 0.00 7.32 7.32 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 9.38 0.00 5.37 5.37 | | | | | | | | |
| | FEATU Cross (| Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning curring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPAF UEPVF PE1R2 VE1R2 | 8.40 8.40 8.40 8.40 8.40 8.40 8.226 | 31.27 31.27 31.27 31.27 31.27 31.27 0.00 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 9.38 9.38 | | | | | | | | |
| | FEATU Cross (| Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning curring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity IOLESALE LOCAL SWITCHING PORTS - (PBX) | | | UEPSR UEPSR UEPSR | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPRT UEPVF PE1R2 VE1R2 USAS2 USASC | 8.40 8.40 8.40 8.40 8.40 8.40 8.40 0.0201 | 31.27 31.27 31.27 31.27 31.27 31.27 31.27 31.27 0.00 7.32 7.32 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 9.38 0.00 5.37 5.37 0.00 0.00 | | | | | | | | |
| | FEATU Cross (| Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Curring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity HOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG 2-Way PBX Trunk - Res | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPRT UEPVF PE1R2 VE1R2 USAS2 USASC UEPRD | 8.40 8.40 8.40 8.40 8.40 8.40 8.40 8.40 0.0208 0.0201 | 31.27 31.27 31.27 31.27 31.27 31.27 0.00 7.32 7.32 0.00 0.00 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 0.00 5.37 5.37 0.00 0.00 | | | | | | | | |
| | FEATU Cross (| Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Curring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity VOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG 2-Way PBX Trunk - Res 2-Wire VG 2-Way PBX Trunk - Bus | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPRT UEPVF PE1R2 VE1R2 USAS2 USASC UEPRD UEPPC | 8.40 8.40 8.40 8.40 8.40 8.40 8.40 8.40 0.0208 0.0201 0.000 | 31.27 31.27 31.27 31.27 31.27 31.27 0.00 7.32 7.32 0.00 0.00 46.59 46.59 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 0.00 5.37 5.37 0.00 0.00 9.98 9.98 | | | | | | | | |
| | FEATU Cross (| Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning curring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity HOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG 2-Way PBX Trunk - Res 2-Wire VG Line Side 2-Way PBX Trunk - Bus 2-Wire VG Line Side Outward PBX Trunk - Bus | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPRT UEPVF PE1R2 VE1R2 USAS2 USASC UEPRD UEPPC UEPPC | 8.40 8.40 8.40 8.40 8.40 8.40 8.40 0.0201 0.0201 0.000 11.40 11.40 | 31.27 31.27 31.27 31.27 31.27 31.27 31.27 31.27 0.00 0.00 46.59 46.59 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 9.38 0.00 5.37 5.37 0.00 0.00 9.98 9.98 9.98 | | | | | | | | |
| | FEATU Cross (| Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning curring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity FOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG 2-Way PBX Trunk - Res 2-Wire VG Line Side 2-Way PBX Trunk - Bus 2-Wire VG Line Side Outward PBX Trunk - Bus | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPAF UEPVF PE1R2 VE1R2 USAS2 USASC UEPRD UEPPC UEPPO UEPPO UEPP1 | 8.40 8.40 8.40 8.40 8.40 8.40 8.40 0.0208 0.0201 0.00 11.40 11.40 11.40 | 31.27 31.27 31.27 31.27 31.27 31.27 0.00 7.32 7.32 0.00 0.00 46.59 46.59 46.59 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 0.00 5.37 5.37 0.00 0.00 9.98 9.98 9.98 | | | | | | | | |
| | FEATU Cross (| Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Curring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity HOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG 2-Way PBX Trunk - Res 2-Wire VG Line Side 0.tward PBX Trunk - Bus 2-Wire VG Line Side Outward PBX Trunk - Bus 2-Wire VG Line Side Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSR UEPSP UEPSP UEPSP UEPSP | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPRT UEPVF PE1R2 VE1R2 USAS2 USASC UEPRD UEPPC UEPPO UEPPO UEPP1 UEPLD | 8.40 8.40 8.40 8.40 8.40 8.40 8.40 0.0208 0.0201 0.000 11.40 11.40 11.40 11.40 | 31.27 31.27 31.27 31.27 31.27 31.27 0.00 7.32 7.32 0.00 0.00 46.59 46.59 46.59 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 0.00 5.37 5.37 0.00 0.00 9.98 9.98 9.98 9.98 9.98 | | | | | | | | |
| | FEATU Cross (Non-Re | Res. Exchange Ports - 2-Wire VG Florida Residence Area Calling Plan, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7 and Caller ID Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG Florida extended dialing port for use with CREX7, without Caller ID capability Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) 2-Wire voice Low Usage Line Port without Caller ID Capability RES All Available Vertical Features Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning curring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity FOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG 2-Way PBX Trunk - Res 2-Wire VG Line Side 2-Way PBX Trunk - Bus 2-Wire VG Line Side Outward PBX Trunk - Bus | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPAF UEPA9 UEPA1 UEPA8 UEPAP UEPAF UEPVF PE1R2 VE1R2 USAS2 USASC UEPRD UEPPC UEPPO UEPPO UEPP1 | 8.40 8.40 8.40 8.40 8.40 8.40 8.40 0.0208 0.0201 0.00 11.40 11.40 11.40 | 31.27 31.27 31.27 31.27 31.27 31.27 0.00 7.32 7.32 0.00 0.00 46.59 46.59 46.59 | 9.38 9.38 9.38 9.38 9.38 9.38 9.38 0.00 5.37 5.37 0.00 0.00 9.98 9.98 9.98 | | | | | | | | |

| SERVICES | 6 - Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|--|--|----------------|----------------|------------------|--------------|--------------|--------------|------------|--|---|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | 1 | | | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | ' |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice 2-Way PBX Hotel/Hospital Economy | | | | | | 40.50 | | | | | | | | | |
| | Administrative Calling Port | | | UEPSP | UEPXL | 11.40 | 46.59 | 9.98 | | | 1 | - | | | 1 | <u> </u> |
| | 2-Wire Voice 2-Way PBX Hotel/Hospital Economy Room Calling Port | | | UEPSP | UEPXM | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice 1-Way Outgoing PBX Hotel/Hospital Discount | | | | | | 40.50 | | | | | | | | | |
| | Room Calling Port | | | UEPSP | UEPXO | 11.40 | 46.59 | 9.98 | | | 1 | - | | | 1 | <u> </u> |
| EE A | 2-Wire Voice 1-Way Outgoing PBX Measured Port TURES | - | | UEPSP | UEPXS | 11.40 | 46.59 | 9.98 | - | | 1 | | | | | + |
| FEA | All Available Vertical Features | - | | UEPSP UEPSE | UEPVF | 2.26 | 0.00 | 0.00 | | | | | | | + | + |
| Cros | s Connects | - | | ULFOF UEFOE | UEFVF | 2.20 | 0.00 | 0.00 | | | | | | | + | + |
| Cios | Physical Expanded Interconnection Two Wire Cross Connect, | | | | | | | | | | | | | | | |
| | Provsioning | | | UEPSP | PE1R2 | 0.0208 | 7.32 | 5.37 | | | | | | | | |
| | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSP | VE1R2 | 0.0201 | 7.32 | 5.37 | | | | | | | | |
| Non- | Recurring Charges | | | LIEDOD | 110400 | | 0.00 | 0.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSP UEPSP | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| DCO | Subsequent Activity LOCAL WHOLESALE SWITCHING PORTS - (Coin) | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | 1 | - | | | 1 | <u> </u> |
| D20 | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | - | | + | | | | | | 1 | | | | - | |
| | 900, 1+DDD (FL) | | | UEP2C | UEP2F | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (FL) | | | UEP2C | UEPFA | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900, 1+DDD, 011+, and Local (FL) | | | UEP2C | UEPCG | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL) | | | UEP2C | UEPRK | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 900, 1+DDD, 011+ (FL & GA) | | | UEP2C | UEPOF | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | OLI 20 | OLI OI | 11.40 | 40.00 | 0.00 | | | | | | | | |
| | 900, 1+DDD, 011+, and Local (FL, GA) | | | UEP2C | UEPCQ | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEP2C | UEPCK | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEP2C | UEPCR | 11.40 | 46.59 | 9.98 | | | | | | | | |
| Coin | Usage | | | | 1000 | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | | | UEP2C | URECU | 5.50 | | | | | | | | | | |
| Cros | s Connects | ļ | <u> </u> | | 1 | | | | | | <u> </u> | | | | | _ |
| | Physical Expanded Interconnection Two Wire Cross Connect, | 1 | 1 | LIEBOC | DE4D0 | 0.0000 | 7.00 | F 07 | | | | | | | I | |
| | Provsioning Virtual Collocation - Two Wire Cross Connect, Provisioning | - | - | UEP2C UEP2C | PE1R2 VE1R2 | 0.0208 0.0201 | 7.32 7.32 | 5.37 5.37 | - | | | | | | - | |
| Non | Recurring Charges | - | | ULFZU | VEIRZ | 0.0201 | 1.32 | 5.37 | | | | | | | + | + |
| NOIL | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEP2C | USAS2 | 1 | 0.00 | 0.00 | 1 | | | | | | | + |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | <u> </u> | UEP2C | URETL | | 8.33 | 0.83 | | | ļ | | | | | |
| | E LOCAL CIRCUIT SWITCHING, PORT USAGE | | <u> </u> | | | | | | | | | | | | - | |
| End | Office Switching (Port Usage) End Office Switching Function, Per MOU | - | ├ | 1 | + | 0.0007662 | | | 1 | - | | | | - | 1 | |
| | End Office Switching Function, Per MOU End Office Trunk Port - Shared, Per MOU | - | | | + | 0.0007662 | | | | | | | | | + | + |
| Tana | lem Switching (Port Usage) (Local or Access Tandem) | | † | | + | 0.000164 | | | 1 | | | | | | | + |
| ranc | Tandem Switching Function Per MOU | 1 | t | | 1 | 0.0001319 | | | | | | | | | † | t |
| | Tandem Trunk Port - Shared, Per MOU | | † | | 1 | 0.000235 | | | | | | | | | † | |
| Melo | led Factor: 20.61% of the Tandem Rate | i e | | İ | | . , | | | | | 1 | | | İ | 1 | |
| | Tandem Switching Function Per MOU (Melded) | | | <u> </u> | | 0.000027185 | | | | | | | | <u> </u> | | |
| | Tandem Trunk Port - Shared, Per MOU (Melded) | | | | | 0.000048434 | | | | | | | | | | |
| Who | lesale Common Transport | | | | | | | | | | | | | | | |
| | Common Transport - Per Mile, Per MOU | | | | | 0.0000035 | | | | | | | | | | |

| SERVICES | - Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---|--|----------|--|-----------------------|----------------|-----------------|------------------|---------------|----------------|----------------|--------------|-------------|---------------|-----------------|--------------|--------------|
| SERVICES | - Horida | | | | T | I | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | to to at | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | .,, | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | Disc 1st | DISC Add I |
| | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Common Transport - Facilities Termination Per MOU | | | | | 0.0004372 | | | | | | | | | | |
| | SALE LOCAL PLATFORM SERVICE | | l | | | | | | | | | | | | | |
| | New Install scenarios the Nonrecurring charges are listed in th | e First | and Ad | ditional NRC colum | ins for each F | Port USOC. For | Existing Platf | orm scenarios | , the Nonrecui | ring charges a | re listed in | the NRC - C | onversions s | ection. Additi | ional NRCs m | ay apply |
| also | and are categorized accordingly. | | | | | | | | | | | | | | | |
| _ | | _ | | | | | | | | | | | | | | |
| > End | d Office and Tandem Switching Usage and Wholesale Common | Transp | ort Usa | ige rates in the Port | section of the | is rate exhibit | shall apply to I | DS0 Wholesale | Local Platfor | m Service exce | pt for the C | oin Service | which has a | flat rate usage | charge (USC | C: URECU). |
| | WHOLESALE LOCAL PLATFORM SERVICE (Residence) | | | | | | | | | | - | | | | | |
| D301 | Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 13.88 | | | | | - | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 24.63 | | | | | | | - | | - | - |
| 2,18/6 | re Voice Grade Line Port (Res) | | 3 | ULFRA | UEPLA | 24.03 | | | | 1 | | | | 1 | | |
| 2-9911 | 2-Wire voice port - residence | | | UEPRX | UEPRL | 8.17 | 31.27 | 9.38 | | 1 | | | | | | |
| | 2-Wire voice port - residence 2-Wire voice port with Caller ID - res | | | UEPRX | UEPRC | 8.17 | 31.27 | 9.38 | | 1 | | | | | | |
| | 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res | | | UEPRX | UEPRO | 8.17 | 31.27 | 9.38 | | 1 | 1 | | l | 1 | l | |
| | 2-Wire voice Florida Area Calling with Caller ID - res | | | UEPRX | UEPAF | 8.17 | 31.27 | 9.38 | | 1 | | | | | | |
| | 2-Wire voice res, low usage line port with Caller ID | | - | UEPRX | UEPAP | 8.17 | 31.27 | 9.38 | | † | | | | † | | |
| | 2-Wire voice Low Usage Line Port with Caller ID Capability | | | UEPRX | UEPRT | 8.17 | 31.27 | 9.38 | | | 1 | | | | | |
| | 2 The fold Lan Coago Line For Millout Canon is Capasing | | | 02.100 | 02 | 0 | 01.21 | 0.00 | | | İ | | | | | |
| | 2-Wire voice Florida extended dialing port for use with Caller ID | | | UEPRX | UEPA1 | 8.17 | 31.27 | 9.38 | | | | | | | | |
| | 2-Wire voice Florida extended dialing port without Caller ID | | | | | | | | | | İ | | | | | |
| | capability | | | UEPRX | UEPA8 | 8.17 | 31.27 | 9.38 | | | | | | | | |
| | 2-Wire voice Florida Area Calling Port without Caller ID | | | | | | | | | | İ | | | | | |
| | Capability | | | UEPRX | UEPA9 | 8.17 | 31.27 | 9.38 | | | | | | | | |
| FEA1 | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRX | UEPVF | 2.26 | | | | | | | | | | |
| NON | RECURRING CHARGES - Conversions | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is | | | UEPRX | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| | change | | | UEPRX | USACC | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Platform - Installation | | | | | | | | | | | | | | | |
| | Charge at QuickService location - Not Conversion of Existing | | | | | | | | | | | | | | | |
| | Service | | | UEPRX | URECC | | 10.00 | | | | | | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Platform - | | | | | | | | | | | | | | | |
| | Subsequent | | - | UEPRX | USAS2 | | 0.00 | 0.00 | | | 1 | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPRX | URETL | | 8.33 | 0.83 | | | | | | | | |
| Incid | e Wire Maintenance | | - | UEPKX | UKETL | | 8.33 | 0.83 | | | | | | | | |
| IIIsiu | Inside Wire Maintenance Plan | | | UEPRX | SEQ1X | 4.50 | | | | | 1 | | | | | |
| OEE/ | ON PREMISES EXTENSION CHANNELS | | - | ULFRA | SLQIA | 4.50 | | | | | 1 | | | | | |
| JFF/ | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPRX | UEAEN | 10.69 | 49.57 | 22.83 | | 1 | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPRX | UEAEN | 15.20 | 49.57 | 22.83 | | | <u> </u> | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPRX | UEAEN | 26.97 | 49.57 | 22.83 | | | † | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-besign | | 1 | UEPRX | UEAED | 12.24 | 135.75 | 82.47 | | † | | | | † | | |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 2 | UEPRX | UEAED | 17.40 | 135.75 | 82.47 | | | 1 | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPRX | UEAED | 30.87 | 135.75 | 82.47 | | | | | | | | i |
| INTE | ROFFICE TRANSPORT | | Ť | | 1 | | | | | 1 | 1 | | İ | 1 | İ | İ |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | İ | | | | | 1 |
| | Termination | | | UEPRX | U1TV2 | 25.32 | 47.35 | 31.78 | | | | 1 | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | 1 | | UEPRX | U1TVM | 0.0091 | 0.00 | 0.00 | | | | 1 | | | | |
| DS0 | WHOLESALE LOCAL PLATFORM SERVICE (Res-PBX) | | | | | | | | | | | | | | | |
| DS0 | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 13.88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 24.63 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | 2-Wire voice 2-Way PBX Trunk Port - Res (E: 1/1/2005) | | | UEPRG | UEPRD | 11.17 | 46.59 | 9.98 | | | | | | | | |

| IOF! AIOF | S - Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-----------|--|--|----------|---------------|--------|--------|--------|-----------|--|-------|-----------|-----------|---------------|--------------|-------------|-------------|
| | - Fronda | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | ١ | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | Y RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Loix | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| FEA | ATURES | | | | | | | | | | | | | | | |
| <u> </u> | All Features Offered | | | UEPRG | UEPVF | 2.26 | | | | | | | | | | |
| NON | NRECURRING CHARGES - Conversions | | | LIEBBO | 110100 | | 10.00 | 10.00 | | | | | | | | |
| \vdash | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPRG | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | LIEDDO | 110400 | | 40.00 | 40.00 | | | | | | | | |
| ADI | Change DITIONAL NRCs | | - | UEPRG | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADL | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | - | - | | + | | | | + + + + + + + + + + + + + + + + + + + | | | | | | | |
| | Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | | |
| - | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | + | | 0.00 | 0.00 | | | | | | 1 | | |
| | Group | | | | | | 7.09 | 7.09 | | | | 1 | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | 7.00 | 7.00 | | | | | | 1 | | |
| | Premise | | | UEPRG | URETL | | 8.33 | 0.83 | | | | 1 | | | | |
| OFF | F/ON PREMISES EXTENSION CHANNELS | | | - | 1 | | 2.20 | 2.30 | 1 | | | | | İ | | |
| | Local Channel Voice grade, per termination | | 1 | UEPRG | P2JHX | 12.24 | 135.75 | 82.47 | | | İ | | | | | |
| | Local Channel Voice grade, per termination | | 2 | UEPRG | P2JHX | 17.40 | 135.75 | 82.47 | | | | | | | | |
| | Local Channel Voice grade, per termination | | 3 | UEPRG | P2JHX | 30.87 | 135.75 | 82.47 | | | | | | | | |
| | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPRG | SDD2X | 12.92 | 120.38 | 43.56 | | | | | | | | |
| | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPRG | SDD2X | 18.36 | 120.38 | 43.56 | | | | | | | | |
| | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPRG | SDD2X | 32.58 | 120.38 | 43.56 | | | | | | | | |
| INT | TEROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPRG | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| L | or Fraction Mile | | | UEPRG | U1TVM | 0.0091 | 0.00 | 0.00 | | | | | | | | |
| | 0 WHOLESALE LOCAL PLATFORM SERVICE (Bus-PBX) | | | | | | | | | | | | | | | |
| DS0 | 0 Loop Rates | | 1 | UEPPX | UEPLX | 9.77 | | | - | | - | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 13.88 | | | - | | - | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 24.63 | | | | | | | | | | |
| 2.10 | Vire Voice Grade Line Port Rates (BUS - PBX) | - | 3 | UEPPA | UEPLA | 24.03 | | | + + + + + + + + + + + + + + + + + + + | | | | | | | |
| 2-44 | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 11.17 | 46.59 | 9.98 | | | | | | 1 | | |
| | Line Side Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | Line Side Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Ports | | | UEPPX | UEPLD | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 11.17 | 46.59 | 9.98 | 1 | | | | | i | | |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 11.17 | 46.59 | 9.98 | 1 | | | | | İ | | |
| | 2-Wire Voice PBX LD DDD Terminals Port | | İ | UEPPX | UEPXC | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 11.17 | 46.59 | 9.98 | | | | | | 1 | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 11.17 | 46.59 | 9.98 | | | | | | | | |
| FE# | ATURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | | | | | - | | | |
| ION | NRECURRING CHARGES - Conversions | | | | | | | | | | | | | | | |
| \Box | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPPX | USAC2 | | 10.00 | 10.00 | $oxed{\Box}$ | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | l | | | | | | | | 1 | | | | |
| | Change | | | UEPPX | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADI | DITIONAL NRCs | | | HEDDY | 110465 | | | | | | | | | ļ | | |
| \vdash | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | . | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | | | | 0.00 | 0.00 | | | | | | | | |
| \vdash | Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt | - | - | | + | | 0.00 | 0.00 | | | - | - | | | - | - |
| | Group | | | | | | 7.09 | 7.09 | | | | 1 | | | | |
| \vdash | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | + + | | 7.09 | 7.09 | | | | | | | | |
| 1 1 | Premise | | | UEPPX | URETL | | 8.33 | 0.83 | | | | | | | | |
| OFF | F/ON PREMISES EXTENSION CHANNELS | - | | 0=11 <i>A</i> | OILLIE | | 0.00 | 0.03 | | | | - | | | | |
| 1 | Local Channel Voice grade, per termination | | 1 | UEPPX | P2JHX | 12.24 | 135.75 | 82.47 | 1 | | - | | | | | |
| | Local Channel Voice grade, per termination | | 2 | UEPPX | P2JHX | 17.40 | 135.75 | 82.47 | | | | | | 1 | | |
| | | | 3 | UEPPX | P2JHX | 30.87 | 135.75 | 82.47 | 1 | | | | | İ | | |
| | Local Channel Voice grade, per termination | | | | | | | | | | | | | | | |

| SERVICES | - Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|-------------|----------|----------------|----------------|----------------|-----------------|--------------|-------|---------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Name | RATES(\$) | Nama | ng Disconnect | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | _ | Rec | Nonrec First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPPX | SDD2X | 18.36 | 120.38 | 43.56 | FIISL | Add I | SOWIEC | SUMAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPPX | SDD2X | 32.58 | 120.38 | 43.56 | | + | † | | | | | |
| INTER | ROFFICE TRANSPORT | | l u | OLI I X | ODDEA | 02.00 | 120.00 | 40.00 | | | i e | | | | | 1 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | † | | | | t | |
| | Termination | | | UEPPX | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPPX | U1TVM | 0.0091 | 0.00 | 0.00 | | | | | | | | |
| | NHOLESALE LOCAL PLATFORM SERVICE (Coin) | | | | | | | | | | | | | | | |
| DS0 L | oop Rates | | . | | LIEBLY . | | | | | | ļ | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 2 | UEPCO UEPCO | UEPLX | 9.77 13.88 | | | | | 1 | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 24.63 | | | | | - | | | | - | - |
| 2-Wir | e Voice Grade Line Port Rates (Coin) | | 3 | UEPCO | UEPLA | 24.03 | | | | | | | | | | |
| 2 11111 | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | 1 | | | | | | | | 1 | | | | | |
| | 900, 1+DDD (FL) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | UEPCO | UEP2F | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | (FL) 2-Wire Coin 2-Way with Operator Screening and Blocking: 900, | | | UEPCO | UEPFA | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 1+DDD, 011+, and Local (FL) | | | UEPCO | UEPCG | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (AL, FL) | | | UEPCO | UEPRK | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 900, 1+DDD, 011+ (FL) | | | UEPCO | UEPOF | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 900, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 11.17 | 46.59 | 9.98 | | | ļ | | | | | |
| | 2-Wire 2-Way Smartline with 900 (all states except LA) 2-Wire Coin Outward Smartline with 900 (all states except LA) | | | UEPCO UEPCO | UEPCK UEPCR | 11.17 11.17 | 46.59 46.59 | 9.98 9.98 | | | | | | | - | |
| Coin | Usage | | 1 | OLI CO | OLI CIX | 11.17 | +0.55 | 3.30 | | | 1 | | | | | |
| | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | | | UEPCO | URECU | 5.50 | | | | | | | | | | |
| NONE | RECURRING CHARGES - Conversions | | | OLI CO | OKECO | 3.30 | | | | | | | | | <u> </u> | |
| 110111 | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPCO | USAC2 | | 10.00 | 10.00 | | | | | | | t | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| | Change | | | UEPCO | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADDI" | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPCO | URETL | | 8.33 | 0.83 | | | | | | | | |
| | NHOLESALE LOCAL PLATFORM SERVICE (FX/FCO Res) | | | | | | | | | | | | | | | |
| DS0 L | oop Rates | | _ | LIEDED | LIEGEO | 40.04 | | | | | ļ | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR UEPFR | UECF2 UECF2 | 12.24 17.40 | | | | + | . | | | | - | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 30.87 | | | | | 1 | | | | 1 | |
| 2-Wir | e Voice Grade Line Port Rates (Res) | | l – | OLITIK | 02012 | 00.07 | | | | | 1 | | | | | |
| | 2-Wire voice port - residence | | | UEPFR | UEPRL | 8.40 | 220.00 | 145.00 | | | | | | | t | |
| | 2-Wire voice port with Caller ID - res | | | UEPFR | UEPRC | 8.40 | 220.00 | 145.00 | | | | | | <u> </u> | | |
| | 2-Wire voice port outgoing only - res | | | UEPFR | UEPRO | 8.40 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice Florida Area Calling with Caller ID - res | | | UEPFR | UEPAF | 8.40 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice Florida Area Calling Port without Caller ID Capability | | | UEPFR | UEPA9 | 8.40 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice res, low usage line port with Caller ID | | | UEPFR | UEPAP | 8.40 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice res, low usage line port without Caller ID capabilty | | | UEPFR | UEPRT | 8.40 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice Florida extended dialing port for use with Caller ID | | | UEPFR | UEPA1 | 8.40 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice Florida extended dialing port without Caller ID | | | | | | | | | | | | | | | |
| | capability | | <u> </u> | UEPFR | UEPA8 | 8.40 | 220.00 | 145.00 | | | | | | | | |
| INTER | ROFFICE TRANSPORT | | | | | 50 | | | | | | | | | İ | İ |

| SERVICES - Florida | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---------------------------------|--|--|--|----------------|--------|----------------|------------------|------------------|------------|--------------|----------|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonred | RATES(\$) | Nanaanusin | a Disconnect | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add'l |
| | | | - | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| Interoffice | Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | + | | FIISL | Auu i | FIISL | Auu i | SOWIEC | SOWAN | JOWAN | JOWAN | JOWAN | SOWAN |
| Terminatio | | | | UEPFR | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | 02 | 01112 | 20.02 | 11.00 | 00 | | | 1 | | | t | | |
| or Fraction | Mile | | | UEPFR | 1L5XX | 0.0091 | | | | | | | | | | |
| FEATURES | | | | | | | | | | | | | | | | |
| All Feature | | | <u> </u> | UEPFR | UEPVF | 2.26 | | | | | | | | | | |
| | CHARGES (NRCs) - CONVERSIONS | | | | | | | | | | | | | | | |
| | p / Dedicated IO Transport / 2 Wire Line Port Platform on - Switch-as-is | | | UEPFR | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | pp / Dedicated IO Transport / 2 Wire Line Port Platform | | <u> </u> | UEPFR | USACZ | | 10.00 | 10.00 | | | 1 | | | | | - |
| | on - Switch-With-Change | | | UEPFR | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADDITIONAL NRC | | | | 02 | 00/100 | | 10.00 | 10.00 | | | 1 | | | t | | |
| | p / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | | | | | | |
| | ent Activity | | | UEPFR | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | d Miscellaneous Rate Element, Tag Designed Loop at | | | | | | | | | | | | | | | |
| End User I | | | | UEPFR | URETN | | 11.21 | 1.10 | | | | | | | | |
| DS0 WHOLESALE DS0 Loop Rates | E LOCAL PLATFORM SERVICE (FX/FCO Bus) | | | | + | | | | | | | | | - | | |
| | ce Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 12.24 | | | | | + | | | - | | - |
| | ce Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 17.40 | | | | 1 | 1 | | | | | |
| | ce Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 30.87 | | | | | <u> </u> | | | | | |
| | de Line Port (Bus) | | | | | | | | | | | | | | | |
| | ce port without Caller ID - bus | | | UEPFB | UEPBL | 11.40 | 220.00 | 145.00 | | | | | | | | |
| | ce port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 11.40 | 220.00 | 145.00 | | | | | | | | |
| | ce port outgoing only - bus | | | UEPFB | UEPBO | 11.40 | 220.00 | 145.00 | | | | | | | | |
| | ce incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 11.40 | 220.00 | 145.00 | | | | | | | | |
| INTEROFFICE TR | Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | + | | | | | | | | | - | | |
| Terminatio | | | | UEPFB | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | 02.10 | 01112 | 20.02 | 11.00 | 00 | | | 1 | | | | | |
| or Fraction | | | | UEPFB | 1L5XX | 0.0091 | | | | | | | | | | |
| FEATURES | | | | | | | | | | | | | | | | |
| All Feature | | | | UEPFB | UEPVF | 2.26 | | | | | | | | | | |
| | CHARGES (NRCs) - CONVERSIONS | | | | | | | | | | | | | | | |
| | pp / Dedicated IO Transport / 2 Wire Line Port Platform | | | UEPFB | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | on - Switch-as-is op / Dedicated IO Transport / 2 Wire Line Port Platform | | <u> </u> | UEPFB | USACZ | | 10.00 | 10.00 | | | 1 | | | | | |
| | on - Switch-With-Change | | | UEPFB | USACC | | 10.00 | 10.00 | | | | | | | | |
| | Miscellaneous Rate Element, Tag Designed Loop at | | | | | | | | | | | | | t | | |
| End User I | Premise | | | UEPFB | URETN | | 11.21 | 1.10 | | | | | | | | |
| | LOCAL PLATFORM SERVICE (FX/FCO PBX) | | | | | | | | | | | | | | | |
| DS0 Loop Rates | | | | | | | | | | | | | | | | |
| | ce Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 12.24 | | | | | | | | | | |
| | ce Grade Loop (SL2) - Zone 2 ce Grade Loop (SL2) - Zone 3 | - | 3 | UEPFP UEPFP | UECF2 | 17.40 30.87 | | | | | 1 | | | - | | 1 |
| | de Line Port Rates (BUS - PBX) | | 3 | UEPFP | UECF2 | 30.87 | | | 1 | + | + | | | - | | - |
| | Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 11.40 | 285.00 | 175.00 | | † | + | | | | | |
| | Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 11.40 | 285.00 | 175.00 | İ | Ì | | | | 1 | İ | |
| Line Side | Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 11.40 | 285.00 | 175.00 | <u> </u> | | | | | | <u> </u> | |
| 2-Wire Voi | ce PBX LD Terminal Ports | | | UEPFP | UEPLD | 11.40 | 285.00 | 175.00 | | | | | | | | |
| | ce 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 11.40 | 285.00 | 175.00 | | | | | | | | |
| | ce PBX Toll Terminal Hotel Ports | 1 | <u> </u> | UEPFP | UEPXB | 11.40 | 285.00 | 175.00 | | - | 1 | | | | | 1 |
| | ce PBX LD DDD Terminals Port ce PBX LD Terminal Switchboard Port | - | | UEPFP UEPFP | UEPXD | 11.40 11.40 | 285.00 285.00 | 175.00 175.00 | | <u> </u> | + | | | 1 | | - |
| | ce PBX LD Terminal Switchboard IDD Capable Port | - | 1 | UEPFP | UEPXD | 11.40 | 285.00 | 175.00 | | + | + | | | + | | |
| INTEROFFICE TR | | | | OLITI | OLI AL | 11.40 | 205.00 | 173.00 | | † | + | | | | | |
| | Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | İ | İ | † | | | 1 | İ | |
| Terminatio | | | | UEPFP | U1TV2 | 25.32 | 47.35 | 31.78 | | | 1 | | | I | | |

| SERVIO | CES - | Florida | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|---------|---|----------|----------|------------------------|-----------------|--------------------|-----------------|----------------|--|---------------------|--------------|-----------------|-----------------|---------------|--------------|
| OLIV VI | | Tioriad | l | 1 | | 1 | I | | | | Svc Orde | r Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitte | | l l | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | | | | |
| CATEGO | PV | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | | | 1 | | I I |
| CAILGO | /IX I | KATE ELEMENTS | m | Zone | ВСЗ | 0300 | | | KATES(\$) | | per LSF | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | - | <u> </u> | | + | 1 | Nonro | curring | Nonrecurring Disco | anact | 1 | 088 | Rates(\$) | | |
| \vdash | | | - | <u> </u> | | + | Rec | First | Add'l | | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | - | <u> </u> | | + | | FIISL | Auu i | FIISL AU | d SOMEC | SUMAN | SOWAN | SOWAN | SOMAN | SOWAN |
| | | or Fraction Mile | | | UEPFP | 1L5XX | 0.0091 | | | | | | | | | |
| - | EATU | | | 1 | OLFIF | ILJAA | 0.0091 | | | | | + | 1 | | | |
| | LAIO | All Features Offered | | 1 | UEPFP | UEPVF | 2.26 | | | | | + | 1 | | | |
| | IONBE | CURRING CHARGES (NRCs) - CONVERSIONS | | | UEPFP | OLI VI | 2.20 | | | | | + | | | | + |
| l l | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | OLITI | + | | | | | - | 1 | | 1 | 1 | |
| | | - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 10.00 | 10.00 | | | | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | t | | | | | | | | | | | | |
| | | - Conversion - Switch-With-Change | | | UEPFP | USACC | | 10.00 | 10.00 | | | | | | | |
| - | DDITI | ONAL NRCs | | | | | | | | | | | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port (PBX) | | | | | | | | | | | | | | |
| | | Platform - Subsequent Activity | | | UEPFP | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | i – | | | | | | | | ĺ | | | | |
| | | Group | | | | | | 7.86 | 7.86 | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | | | | | | | | | | | |
| | | End User Premise | | | UEPFP | URETN | | 11.21 | 1.10 | | | | | | | |
| DS0 WH | OLESA | ALE LOCAL SWITCHING PORTS | | i – | | | | | | | | 1 | | | | |
| > | For | New Install scenarios the Nonrecurring charges are listed in the | ne First | and Ad | ditional NRC colu | mns for each | Port USOC. Fo | r Existing Plat | form scenarios | s. the Nonrecurring ch | arges are listed i | the NRC - | Conversions s | section. Addi | tional NRCs n | nav apply |
| | | d are categorized accordingly. | | | | | | 3 | | ·, · · · · · · · · · · · · · · · · · · | 3 | | | | | ., ., . |
| | | | | | | | | | | | | | | | | - |
| | Fnd | Office and Tandem Switching Usage and Wholesale Common | Transi | ort Us | age rates in the Po | rt section of t | his rate exhibit | shall apply to | the Wholesale | Access Line Service | except for the Co | n Service w | hich has a flat | t rate usage c | harge (USOC: | URECU). |
| Í | 250 W | HOLESALE LOCAL SWITCHING PORTS - (Bus) | | 1 | ago ratoo iii tiio r o | 1 | | onan appry to | | | | 1 | 1 | l rate acage of | go (0000. | 0.1200). |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | 1 | | | | |
| | | Bus | | | UEPSB | UEPBL | 11.40 | 46.59 | 9.98 | | | | | | | |
| | | Exchange Ports - 2-Wire VG Line Port with port with | | | | | | | | | | 1 | | | | |
| | | Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 11.40 | 46.59 | 9.98 | | | | | | | |
| | | | | | | | 1 | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 11.40 | 46.59 | 9.98 | | | | | | | |
| | | Exhange Ports - 2-Wire VG incoming only port with Caller ID - | | | | | | | | | | | | | | |
| | | Bus | | | UEPSB | UEPB1 | 11.40 | 46.59 | 9.98 | | | | | | | |
| | | 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 11.40 | 46.59 | 9.98 | | | | | | | |
| F | EATU | RES | | i – | | | | | | | | 1 | | | | |
| | | All Available Vertical Features | | | UEPSB | UEPVF | 2.26 | 0.00 | 0.00 | | | | | | | |
| | cross (| Connects | | | | | | | | | | | | | | |
| | | Physical Expanded Interconnection Two Wire Cross Connect, | | | | | | | | | | | | | | |
| | | Provsioning | | | UEPSB | PE1R2 | 0.0208 | 7.32 | 5.37 | | | | | | | |
| | | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSB | VE1R2 | 0.0201 | 7.32 | 5.37 | | | | | | | |
| 1 | lon-Re | curring Charges | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSB | USAS2 | | 0.00 | 0.00 | | | | | | | |
| | | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | LE LOCAL PLATFORM SERVICE | | | | | | | | | | | | | | |
| > | For N | ew Install scenarios the Nonrecurring charges are listed in th | e First | and Ad | ditional NRC colur | nns for each l | Port USOC. For | Existing Platf | orm scenarios | , the Nonrecurring cha | arges are listed in | the NRC - C | onversions s | ection. Addit | ional NRCs m | ay apply |
| a | lso an | d are categorized accordingly. | | | | | | | | | | | | | | |
| | | | | _ | | | | | | | | _ | | | | |
| | | Office and Tandem Switching Usage and Wholesale Common | Transp | ort Usa | ge rates in the Por | t section of th | nis rate exhibit s | shall apply to | DS0 Wholesale | Local Platform Service | ce except for the | Coin Service | which has a | flat rate usage | e charge (USC | C: URECU). |
| | | HOLESALE LOCAL PLATFORM SERVICE (Business) | · | | | | | | | | | | | | | |
| | SO Lo | op Rates | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | UEPBX | UEPLX | 9.77 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPBX | UEPLX | 13.88 | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 24.63 | | | | | | | | | |
| 2 | -Wire | Voice Grade Line Port (Bus) | | | | | | | | | | | | | | |
| | | 2-Wire voice port without Caller ID - bus | | | UEPBX | UEPBL | 11.17 | 46.59 | 9.98 | | | | | | | |
| | | 2-Wire voice port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 11.17 | 46.59 | 9.98 | | | | | | | |
| | | 2-Wire voice port outgoing only - bus | | | UEPBX | UEPBO | 11.17 | 46.59 | 9.98 | | | | | | | |
| | | 2-Wire voice incoming only port with Caller ID - Bus | | | UEPBX | UEPB1 | 11.17 | 46.59 | 9.98 | | | | | | | |
| | | 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPBX | UEPBE | 11.17 | 46.59 | 9.98 | | | | | | | |
| F | EATU | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 2.26 | | | | | 1 | | | | $oxed{\Box}$ |
| 1 | IONRE | CURRING CHARGES - Conversions | | | |] | | | | | | 1 | | 1 | L | |

| | 6 - Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|--|--------------------------------------|--|--|--|--|--------------------------------------|--------------|----------------|----------------|-------------|---------------|----------------|-------------|-------------|
| | | I | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | - | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| <u> </u> | | 1 | - | | + | | Nonrec | urrina | Monrocurrin | g Disconnect | | | 088 | Rates(\$) | | |
| | | | 1 | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | 1 | | UEPBX | USAC2 | | 10.00 | 10.00 | | 7144 | 0020 | 00 | 00 | 00 | 00 | 00 |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | i e | | | | | | | | | | | | | | |
| | Change | | | UEPBX | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADD | ITIONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Platform - | | | LIEDDY | 110400 | | 0.00 | 0.00 | | | | | | | | |
| - | Subsequent Unbundled Miscellaneous Rate Element, Tag Loop at End User | <u> </u> | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | Premise | | | UEPBX | URETL | | 8.33 | 0.83 | | | | | | | | |
| Insid | le Wire Maintenance | | 1 | OLI DX | OKLIL | | 0.55 | 0.03 | | | | | | | | |
| | Inside Wire Maintenance Plan | t | | UEPBX | SEQ1X | 4.50 | | | İ | | | | | | | |
| OFF/ | ON PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPBX | UEAEN | 10.69 | 49.57 | 22.83 | | | | | | | | |
| \vdash | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPBX | UEAEN | 15.20 | 49.57 | 22.83 | | | | | | | | |
| \vdash | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPBX | UEAEN | 26.97 | 49.57 | 22.83 | | ļ | | | | | | |
| \vdash | Wire Analog Voice Grade Extension Loop – Design Wire Analog Voice Grade Extension Loop – Design | 1 | 2 | UEPBX UEPBX | UEAED UEAED | 12.24 17.40 | 135.75 135.75 | 82.47 82.47 | ļ | 1 | - | | | | | |
| — | 2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design | - | 3 | UEPBX | UEAED | 30.87 | 135.75 | 82.47 | | | | | | | | |
| INTE | ROFFICE TRANSPORT | | - | OLFBA | ULALD | 30.67 | 133.73 | 02.47 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | 1 | | | | | | | | | | | | | | |
| | Termination | | | UEPBX | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPBX | U1TVM | 0.0091 | 0.00 | 0.00 | | | | | | | | |
| | SALE LOCAL PLATFORM SERVICE - CENTREX | <u> </u> | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | following DS0 Wholesale Local Platform Service - CENTREX rate | | | | | | | | the Newsess | | un lintad in d | the NDC C | | ation Additi | anal NDCa m | |
| > Fo | r New Install scenarios the Nonrecurring charges are listed in th | | | | | | | | the Nonrecui | ring charges a | re listed in t | the NRC - C | onversions se | ection. Additi | onal NRCs m | ay apply |
| > Fo | r New Install scenarios the Nonrecurring charges are listed in th and are categorized accordingly. | ne First | and Ad | lditional NRC colun | ns for each F | Port USOC. For | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also >> E | r New Install scenarios the Nonrecurring charges are listed in th and are categorized accordingly. nd Office and Tandem Switching Usage and Wholesale Commo | ne First | and Ad | ditional NRC colun | ns for each F | Port USOC. For | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also >> E DS0 | r New Install scenarios the Nonrecurring charges are listed in th and are categorized accordingly. | ne First | and Ad | ditional NRC colun | ns for each F | Port USOC. For | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also >> E DS0 | r New Install scenarios the Nonrecurring charges are listed in th and are categorized accordingly. nd Office and Tandem Switching Usage and Wholesale Commo WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN | ne First | and Ad | ditional NRC colun | ns for each F | Port USOC. For | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also >> E DS0 | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. nd Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | ne First | and Adsport Us | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 | rt section of | Port USOC. For | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also >> E DS0 | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Commow WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN | ne First | and Ad | ditional NRC columnsage rates in the Po SWITCH TYPE UEP91 UEP91 | rt section of the sec | chis rate exhibit | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also >> E DS0 | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENTREX BY CENTRES SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) 10 Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | ne First | port Us DFFICE | ditional NRC colum sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 | rt section of the sec | ent USOC. For this rate exhibit 9.77 13.88 24.63 | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also >> E DS0 | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. nd Office and Tandem Switching Usage and Wholesale Commo WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) to Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | ne First | and Ad sport Us DFFICE 1 2 3 1 | ditional NRC columns age rates in the Possible SwiTCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 | rt section of section | 9.77 13.88 24.63 12.24 | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also >> E DS0 | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) 1 Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | rt section of UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 | 9.77 9.77 13.88 24.63 12.24 17.40 | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Commow WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENTREX BY CENTRES SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) 10 Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | ne First | and Ad sport Us DFFICE 1 2 3 1 | ditional NRC columns age rates in the Possible SwiTCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 | rt section of section | 9.77 13.88 24.63 12.24 | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also >> E DS0 | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) 1 Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | rt section of UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 | 9.77 9.77 13.88 24.63 12.24 17.40 | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENTREX BY CENTRES SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) In Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 Rates - Effective As Specified tates (Except North Carolina and South Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | rt section of UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 | 9.77 9.77 13.88 24.63 12.24 17.40 | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also >> E DS0 | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Commow WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENTREX BY CENTRES SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) In Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 | 9.77 13.88 24.63 12.24 17.40 30.87 | Existing Platfi | orm scenarios the DS0 Who | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) S SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) Parties 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS2 UECS2 UECS2 | 9.77 13.88 24.63 12.24 17.40 | Existing Platf | orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) 1 Review 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 Rates - Effective As Specified tates (Except North Carolina and South Carolina) 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 | 9.77 13.88 24.63 12.24 17.40 30.87 | Existing Platf shall apply to 46.59 | orm scenarios the DS0 Who | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Commow WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENTREX BY CENTRES SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) In States 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 | 9.77 13.88 24.63 12.24 17.40 30.87 | Existing Platfi | orm scenarios the DS0 Who | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSES SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) SRAtes 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYS2 UEPYA UEPYB | 9.77 13.88 24.63 12.24 17.40 30.87 11.17 | Existing Platf shall apply to 46.59 | orm scenarios the DS0 Who | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) Parkets 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Centrey) Basic Local Area | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 | 9.77 13.88 24.63 12.24 17.40 30.87 | Existing Platf shall apply to 46.59 | orm scenarios the DS0 Who | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSES SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) SRAtes 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYS2 UEPYA UEPYB | 9.77 13.88 24.63 12.24 17.40 30.87 11.17 | Existing Platf shall apply to 46.59 | orm scenarios the DS0 Who | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also >> E DS0 | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) S SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) Parties Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port (Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYS2 | 9.77 13.88 24.63 12.24 17.40 30.87 11.17 11.17 11.17 | Existing Platf shall apply to 46.59 46.59 | 9.98 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also >> E DS0 | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Commow WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) 1 Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECPYA UEPYB UEPYH UEPYH UEPYM UEPYZ UECY2 | 9.77 13.88 24.63 12.24 17.40 30.87 11.17 11.17 11.17 11.17 | Existing Platfi shall apply to 46.59 46.59 46.59 | 9.98 9.98 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > F0 also >> E1 DS0 1AE3 Loop Port All S | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Commow WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) Sates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term 2-Wire Voice Grade Port Terminated on 800 Service Term | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYS2 | 9.77 13.88 24.63 12.24 17.40 30.87 11.17 11.17 11.17 | Existing Platf shall apply to 46.59 46.59 | 9.98 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > F0 also >> E DS0 1AES Loop | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) Sates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port (Tentrex from Migrael Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Grade and Florida Only | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYS2 UEPYA UEPYB UEPYH UEPYH UEPYH UEPYH UEPYZ UECYZ | 9.77 13.88 24.63 12.24 17.40 30.87 11.17 11.17 11.17 11.17 11.17 | 46.59 46.59 46.59 | 9.98 9.98 9.98 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > F0 also >> E DS0 1AES Loop | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) 1 Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port terminated on 800 Service Term gia and Florida Only 2-Wire Voice Grade Port (Centrex) | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECPYA UEPYB UEPYH UEPYH UEPYH UEPYH UEPYZ UECYZ | 9.77 13.88 24.63 12.24 17.40 30.87 11.17 11.17 11.17 11.17 11.17 11.17 | 46.59 46.59 46.59 46.59 | 9.98 9.98 9.98 9.98 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Commow WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENTREX BY CENTRES BY CEN | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYA UEPYH UEPYH UEPYH UEPYH UEPYZ UEPY2 UEPY2 UEPY2 UEPY9 UEPY2 | 9.77 13.88 24.63 12.24 17.40 30.87 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 | 46.59 46.59 46.59 46.59 46.59 | 9.98 9.98 9.98 9.98 | | | | | onversions se | action. Additi | onal NRCs m | ay apply |
| > For also | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) 1 Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port terminated on 800 Service Term gia and Florida Only 2-Wire Voice Grade Port (Centrex) | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECPYA UEPYB UEPYH UEPYH UEPYH UEPYH UEPYZ UECYZ | 9.77 13.88 24.63 12.24 17.40 30.87 11.17 11.17 11.17 11.17 11.17 11.17 | 46.59 46.59 46.59 46.59 | 9.98 9.98 9.98 9.98 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENTREX BY CENTRES SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) In Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port (Tentrex from Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port terminated on 800 Service Term Grade Area 2-Wire Voice Grade Port Terminated on 800 Service Term Grade Area 2-Wire Voice Grade Port Centrex Wire Center Service Term Grade Fort (Centrex Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYA UEPYA UEPYA UEPYH UEPYH UEPYH UEPYH UEPYZ UEPY2 UEPY2 UEPY2 UEPY9 UEPY2 | 9.77 13.88 24.63 12.24 17.40 30.87 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 | 46.59 46.59 46.59 46.59 46.59 | 9.98 9.98 9.98 9.98 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| > For also | r New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. Ind Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) Parkets 2-Wire Voice Grade Loop (SL.1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL.1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL.1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL.2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL.2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL.2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL.2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL.2) - Zone 3 UECS2 2-Wire Voice Grade Port (Sentrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port (Tentrex Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port terminated on 800 Service Term - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area 2-Wire Voice Grade Port Centrex Wire Centrex Term - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area 2-Wire Voice Grade Port Centrex Wire Centrex Term - Basic Local Area 2-Wire Voice Grade Port Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 2-Wire Voice Grade Port (Centrex Wire Caller ID)1 | ne First | and Adsport Use DFFICE 1 1 2 3 1 1 2 | ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECY2 UEPYA UEPYB UEPYH UEPYH UEPYH UEPYY UEPYZ UEPY2 UEPY2 UEPHA UEPHB UEPHH | 9.77 13.88 24.63 12.24 17.40 30.87 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 11.17 | 46.59 46.59 46.59 46.59 46.59 46.59 | 9.98 9.98 9.98 9.98 9.98 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |

| SERVICE | S - Florida | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|-----------------|--------|------|----------------|----------------|--------|--------|-----------|--------------|-------|-----------|-----------|---------------|-------------|-------------|--|
| CLIVIOL | - I Torrida | Т | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | ١. | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | Y RATE ELEMENTS | | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | .,, | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | i . |
| | 2-Wire Voice Grade Port terminated in on Megalin | | | | UEP91 | UEPH9 | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Servi | ice Term | | | UEP91 | UEPH2 | 11.17 | 46.59 | 9.98 | | | | | | | | |
| Loc | cal Switching | | | | | | | | | | | | | | | | |
| L | Centrex Intercom Funtionality, per port | | | | UEP91 | URECS | 0.7384 | | | | | | | | | | |
| Fea | atures Office Indiana Control | | | | LIEDO4 | LIED\/E | 0.00 | | | | | 1 | | | | | |
| | All Standard Features Offered, per port | | | | UEP91 | UEPVF | 2.26 | 270.70 | | | | - | | | | | |
| | All Select Features Offered, per port | | | | UEP91 | UEPVS | 0.00 | 370.70 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | | UEP91 | UEPVC | 2.26 | | | | | | | | | | |
| NAF | | | | | LIEDO4 | UARCX | 0.00 | 0.00 | 0.00 | | | - | - | | | | |
| \vdash | Network Access Register - Combination | | | | UEP91 UEP91 | | 0.00 | 0.00 | 0.00 | - | | 1 | <u> </u> | | | | |
| \vdash | Network Access Register - Indial Network Access Register - Outdial | | | | UEP91 UEP91 | UAR1X UAROX | 0.00 | 0.00 | 0.00 | - | | 1 | <u> </u> | | | | |
| B4:o | scellaneous Terminations | | | | OLFSI | UARUX | 0.00 | 0.00 | 0.00 | - | | 1 | <u> </u> | | | | |
| | | | | | | | | | | | | - | | | | | |
| 2-VV | Vire Trunk Side Trunk Side Terminations, each | | | | UEP91 | CENA6 | 8.73 | | | 1 | | | | - | | | |
| Into | eroffice Channel Mileage - 2-Wire | | | | OLFSI | CEINAD | 8.73 | | | 1 | | 1 | - | - | - | | |
| inte | Interoffice Channel Facilities Termination - Voice | Crodo | _ | | UEP91 | M1GBC | 25.32 | | | ļ | | ł | - | | | | |
| | Interoffice Channel mileage, per mile or fraction of | | | | UEP91 | M1GBM | 0.0091 | | | | | - | - | | | | |
| Foo | ature Activations (DS0) Centrex Loops on Channeli | | _ | | UEP91 | IVITGBIVI | 0.0091 | | | | | | - | | | | —— |
| | Channel Bank Feature Activations | zed DST Service | | | | + | | | | ļ | | ł | - | | | | |
| D4 (| Feature Activation on D-4 Channel Bank Centrex | Loop Slot | _ | | UEP91 | 1PQWS | 0.66 | | | 1 | | 1 | 1 | | | | — |
| - | Feature Activation on D-4 Channel Bank Centrex | LOOP SIOI | _ | | UEP91 | IPQVIS | 0.00 | | | 1 | | 1 | 1 | | | | — |
| | Feature Activation on D-4 Channel Bank FX line S | Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | l . |
| | Feature Activation on D-4 Channel Bank FX Trun | | _ | | OLI 31 | 11 Q V V O | 0.00 | | | | | | | | | | — |
| | Slot | k Side Loop | | | UEP91 | 1PQW7 | 0.66 | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank Centrex | Loon Slot - | | | OLI 31 | II QVVI | 0.00 | | | | | † | | | | | † |
| | Different Wire Center | Loop Glot - | | | UEP91 | 1PQWP | 0.66 | | | | | | | | | | l . |
| | Different wife denter | | | | OLI 31 | II QVVI | 0.00 | | | | | <u> </u> | | | | | |
| | Feature Activation on D-4 Channel Bank Private L | ine Loon Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | l . |
| | Feature Activation on D-4 Channel Bank Tivate E | | | | OLI 01 | 11 00000 | 0.00 | | | | | 1 | † | | | | —— |
| | Slot | , ITATIK LOOP | | | UEP91 | 1PQWQ | 0.66 | | | | | | | | | | l . |
| | Feature Activation on D-4 Channel Bank WATS L | oop Slot | | | UEP91 | 1PQWA | 0.66 | | | | | İ | | | | | |
| Non | n-Recurring Charges (NRC) | оор слог | | | 02. 0. | | 0.00 | | | | | 1 | 1 | | | | |
| - | Conversion - Existing Platform Switch-As-Is with a | allowed | | | | | | | | | | İ | | | | | |
| | changes, per port | | | | UEP91 | USAC2 | | 10.00 | 10.00 | | | | | | | | 1 |
| | Conversion of Existing Centrex Common Block | | | | UEP91 | USACN | | 40.00 | 20.00 | | | | | l | İ | | ſ |
| | New Centrex Standard Common Block | | | | UEP91 | M1ACS | 0.00 | 770.00 | | | | | | | | | |
| | New Centrex Customized Common Block | | | | UEP91 | M1ACC | 0.00 | 770.00 | | | | 1 | | | ĺ | | |
| | Secondary Block, per Block | | | | UEP91 | M2CC1 | 0.00 | 80.00 | | | | 1 | | | ĺ | | |
| | NAR Establishment Charge, Per Occasion | | | | UEP91 | URECA | 0.00 | 85.00 | | | | | | | | | |
| Add | ditional Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loc | op at End Use | | | | | | | | | | | | | | | |
| | Premise | | | | UEP91 | URETL | | 8.33 | 0.83 | | | | | | | | 1 |
| | Unbundled Miscellaneous Rate Element, Tag De | sign Loop at | | | | | İ | | | | | | | | | | |
| | End Use Premise | | | | UEP91 | URETN | | 11.21 | 1.10 | | | | | <u></u> | | | |
| | SS SWITCH (Valid in All States) | | | | | | | | | | | | | | | | |
| Loo | op Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UE | | | 1 | UEP95 | UECS1 | 9.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UE | | | 2 | UEP95 | UECS1 | 13.88 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UE | | | 3 | UEP95 | UECS1 | 24.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UE | | | 1 | UEP95 | UECS2 | 12.24 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UE | | | 2 | UEP95 | UECS2 | 17.40 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UE | CS2 | | 3 | UEP95 | UECS2 | 30.87 | | | | | | | | | | |
| | rt Rates | | | | | | | | | | | | | | | | |
| | e following port rates are effective as specified | | | | | 1 | | | | | | | | | ļ | | |
| AII S | States | | | | | <u> </u> | | | | | | | | | ļ | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local A | | | | UEP95 | UEPYA | 11.17 | 46.59 | 9.98 | | | ļ | ļ | | | | —— |
| | 2-Wire Voice Grade Port (Centrex 800 termination | 1) | | | UEP95 | UEPYB | 11.17 | 46.59 | 9.98 | | | | l | | | | |

| SERVIC | ES - Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---|--|--|--------|----------|--------|--------|-----------|--------------|--------------|--------------|--------------|---------------|-------------|-------------|-------------|
| SEIVVIC | LO FIORIDA | | I | | 1 | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | 1 | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | RY RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | 1 | | | | | |
| 0/112001 | | m | | 200 | | | | 101120(4) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| H 1 | | 1 | | | + | | Nonrec | urring | Nonrecurring | n Disconnect | | 1 | OSS | Rates(\$) | | |
| \vdash | | 1 | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| \vdash | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | 1 | | | + | | 11131 | Auu i | 11130 | Addi | JOINEC | JOINAIN | JONAN | JOINAIN | JOINAIN | JOINAIN |
| | Area | | | UEP95 | UEPYH | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | + | | OLF 93 | OLFIII | 11.17 | 40.33 | 3.30 | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 11.17 | 235.64 | 114.90 | | | | | | | | ı |
| \vdash | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | + | - | UEF93 | UEPTIVI | 11.17 | 233.04 | 114.90 | | | - | - | | | | |
| | | | | LIEDOE | LIEDV7 | 44.47 | 225.04 | 444.00 | | | | | | | | 1 |
| \vdash | Term - Basic Local Area | | - | UEP95 | UEPYZ | 11.17 | 235.64 | 114.90 | | | - | - | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | t l | | LIEDOE | LIEDVO | 44.47 | 40.50 | 0.00 | | | | | | | | 1 |
| | - Basic Local Area | | | UEP95 | UEPY9 | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | 1 |
| L | Basic Local Area | | | UEP95 | UEPY2 | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | _, KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| FL | . & GA Only | | | | | | | | | | | | | | | |
| $oxed{oxed}$ | 2-Wire Voice Grade Port (Centrex) | 1 | <u> </u> | UEP95 | UEPHA | 11.17 | 46.59 | 9.98 | | ļ | | | | ļ | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPHB | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPHH | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | l | | | |
| | Center)2 | | | UEP95 | UEPHM | 11.17 | 235.64 | 114.90 | | | | | | | | 1 |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | 1 |
| | Term | | | UEP95 | UEPHZ | 11.17 | 235.64 | 114.90 | | | | | | | | 1 |
| | | | | | | | | | | Î | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | t | | UEP95 | UEPH9 | 11.17 | 46.59 | 9.98 | | | | | | | | 1 |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPH2 | 11.17 | 46.59 | 9.98 | | | | | | | | |
| Lo | ocal Switching | | | | | | | | | | İ | İ | | | | |
| | Centrex Intercom Funtionality, per port | 1 | | UEP95 | URECS | 0.7384 | | | | | | | | | | |
| Fe | eatures | 1 | | | | | | | | | | | | | | i . |
| <u> </u> | All Standard Features Offered, per port | <u>† </u> | | UEP95 | UEPVF | 2.26 | | | | | | | | | | |
| | All Select Features Offered, per port | <u>† </u> | | UEP95 | UEPVS | 0.00 | 370.70 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | <u>† </u> | | UEP95 | UEPVC | 2.26 | 0.00 | | | | | | | | | |
| N/ | ARS | 1 | | OLI 00 | OLI VO | 2.20 | | | | | | | | | | |
| 1.0 | Network Access Register - Combination | 1 | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| — | Network Access Register - Bothbination | 1 | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Network Access Register - Outdial | + | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| D/I | iscellaneous Terminations | + | | OLF 93 | UARUA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Wire Trunk Side | + | - | | + | | | | | | - | - | | | | |
| 2- | | + | - | UEP95 | CEND6 | 8.73 | | | | | - | - | | | | |
| - | Trunk Side Terminations, each | + | - | UEP95 | CENDO | 8.73 | | | | | - | - | | | | |
| 4- | Wire Digital (1.544 Megabits) | + | \vdash | UEP95 | M1HD1 | 54.95 | | | 1 | | | | | | - | |
| \vdash | DS1 Circuit Terminations, each | + | + | | | | 45.00 | | 1 | | - | <u> </u> | | | | |
| L | DS0 Channels Activated, each | + | - | UEP95 | M1HDO | 0.00 | 15.69 | | 1 | - | 1 | 1 | - | . | | |
| In | teroffice Channel Mileage - 2-Wire | 1 | - | LIEDOE | 14050 | | | | 1 | | 1 | 1 | | | | |
| <u> </u> | Interoffice Channel Facilities Termination | 1 | | UEP95 | M1GBC | 25.32 | | | ļ | | ļ | ļ | | | | |
| \vdash | Interoffice Channel mileage, per mile or fraction of mile | 1 | — | UEP95 | M1GBM | 0.0091 | | | ļ | | | | | | | |
| | eature Activations (DS0) Centrex Loops on Channelized DS1 Servi | ce | | | | | | | ļ | | ļ | ļ | | | | |
| D ₄ | Channel Bank Feature Activations | 1 | L | | | | | | | | ļ | ļ | | | | |
| $oxed{oxed}$ | Feature Activation on D-4 Channel Bank Centrex Loop Slot | 1 | <u> </u> | UEP95 | 1PQWS | 0.66 | | | | ļ | | | | ļ | | |
| 1 1 | | 1 | 1 | | | | | | | | | | 1 | l | | ı |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | | | | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | 1 | | 1 7 | | | | | | | | <u> </u> | | | |
| | Slot | | | UEP95 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | . <u></u> |
| | Different Wire Center | <u>L</u> | <u> </u> | UEP95 | 1PQWP | 0.66 | | | | L | | | <u> </u> | L | | ı |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | 1 | 1 | UEP95 | 1PQWV | 0.66 | | | | | | | 1 | l | | ı |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | ı |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | 1 | 1 | UEP95 | 1PQWA | 0.66 | | | 1 | İ | | | | İ | | |
| No | on-Recurring Charges (NRC) | 1 | 1 | | | | | | 1 | İ | | | | İ | | |
| | Conversion - Existing Platform Switch-As-Is with allowed | 1 | 1 | | 1 | | | | 1 | İ | | | | İ | | |
| | changes, per port | 1 | 1 | UEP95 | USAC2 | 0.00 | 10.00 | 10.00 | | | | | 1 | l | | ı |
| \vdash | Conversion of Existing Centrex Common Block, each | 1 | 1 | UEP95 | USACN | 3.50 | 40.00 | 20.00 | | † | 1 | t | | † | | |
| | 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - | | | | 55, 1511 | | 40.00 | 20.00 | · | L | <u> </u> | L | · | L | | |

| SERVI | CES - | Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|--|----------|--|--|-----------|-------|--------|-----------|--|------------|-----------|-----------|---------------|--|-------------|-------------|
| | | | | | | | | | | | | Svc Order | | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | po. 20.1 | po. zo. | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Auu | DISC 1St | DISC Add I |
| | | | | | | | D | Nonrec | urring | Nonrecurring I | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 770.00 | | | | | | | | | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 770.00 | | | | | | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 85.00 | | | | | | | | | |
| | Additio | onal Non-Recurring Charges (NRC) | | | 02. 00 | OTTE OF T | 0.00 | 00.00 | | | | | | | | | |
| | , | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP95 | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Design Loop at End Use | | | OLI SO | OILLIE | | 0.00 | 0.00 | | | | | | | | |
| | | Premise | | | UEP95 | URETN | | 11.21 | 1.10 | | | | | | | | |
| \vdash | DMS10 | 0 SWITCH (Valid in All States) | | | OLI 33 | OKLIN | | 11.21 | 1.10 | | | | | | | | |
| | Loop R | | | 1 | - | + | | - | | + | | | | | | | |
| \vdash | LOOP N | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | - | -1 | UEP9D | UECS1 | 9.77 | | | | | | - | | - | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | - | 2 | UEP9D | UECS1 | 13.88 | | | + | | | | - | | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | - | 3 | UEP9D | UECS1 | 24.63 | | | + | | | | - | | | |
| \vdash | | | - | 1 | UEP9D UEP9D | UECS1 | 12.24 | | | + | | | | - | | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | - | | | | 17.40 | | | + | | | | | 1 | | |
| \vdash | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | - | 2 | UEP9D | UECS2 | | | | + | | | | | 1 | | |
| \vdash | Davi 5 | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | — | 3 | UEP9D | UECS2 | 30.87 | | | | | | | - | | | |
| | Port Ra | | — | - | | + | | | | | | | | - | | | |
| | | llowing port rates are effective as specified | - | - | | | | | | | | | | | | | |
| \vdash | All Stat | | | | LIEDAD | 11551/4 | | 10.50 | | | | | | | | | |
| \vdash | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | - | UEP9D | UEPYA | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYB | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYC | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYD | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYE | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYF | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYG | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYT | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYU | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | | | | | | |
| | | Area | <u></u> | | UEP9D | UEPYV | 11.17 | 46.59 | 9.98 | l | | | | <u> </u> | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | | | | | _ | | | | | | | | _ |
| | | Area | | | UEP9D | UEPY3 | 11.17 | 46.59 | 9.98 | j | | | | | I | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | | | | İ | | | | | | | | | |
| | | Area | | | UEP9D | UEPYH | 11.17 | 46.59 | 9.98 | | | | | | I | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | _ | | | | | | |
| | | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 11.17 | 46.59 | 9.98 | | | | | | 1 | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | 1 | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPYJ | 11.17 | 46.59 | 9.98 | j | | | | | I | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | | 2 Basic Local Area | | | UEP9D | UEPYM | 11.17 | 46.59 | 9.98 | j | | | | | I | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | 1 | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPYO | 11.17 | 46.59 | 9.98 | j | | | | | I | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | | | † † | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPYP | 11.17 | 46.59 | 9.98 | j | | | | | I | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | | 1 | | | 2.30 | † † | | | | | İ | | |
| | | Basic Local Area | | | UEP9D | UEPYQ | 11.17 | 235.64 | 114.90 | j | | | | | I | | |
| \vdash | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | <u> </u> | 1 | | | | | | | | i | i e | | |
| | | Basic Local Area | | | UEP9D | UEPYR | 11.17 | 235.64 | 114.90 | | | | | | 1 | | |
| \vdash | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | 1 | | | 200.04 | | | | | | i | i e | | |
| | | Basic Local Area | | | UEP9D | UEPYS | 11.17 | 235.64 | 114.90 | | | | | | 1 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | i i | | | | | | | | | | | | | |
| | | Basic Local Area | | | UEP9D | UEPY4 | 11.17 | 235.64 | 114.90 | j | | | | | I | | |
| | | to the second se | | • | | | | | | | | | | | | | |

| SERVICES | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|---|--|----------|----------------|----------------|----------------|----------------|--------------|--|-------|-----------|-----------|---------------|-------------|-------------|-------------|
| 1 | - Horiad | | | | 1 1 | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| I | | 1 | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | lustani | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | D130 131 | DISC Add I |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | 1 | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | 1 | | | | | | | | | | | |
| \vdash | Basic Local Area | | | UEP9D | UEPY5 | 11.17 | 235.64 | 114.90 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | | | | | | | | | | | | | |
| \vdash | Basic Local Area | - | | UEP9D | UEPY6 | 11.17 | 235.64 | 114.90 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 11.17 | 235.64 | 114.90 | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | 1 | | UEP9D | UEP 17 | 11.17 | 233.04 | 114.90 | | | 1 | | | | | |
| | Term | | | UEP9D | UEPYZ | 11.17 | 235.64 | 114.90 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | OLI OD | OLI 12 | 11.17 | 200.04 | 114.00 | | | - | | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | 02. 02 | 02 | | 10.00 | 0.00 | | | | | | | | |
| | Local Area | | | UEP9D | UEPY2 | 11.17 | 46.59 | 9.98 | | | | | | | | |
| FL & | GA Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPHA | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPHB | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPHC | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPHD | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPHE | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPHF | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPHG | 11.17 | 46.59 | 9.98 | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPHT | 11.17 | 46.59 | 9.98 | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | - | | UEP9D | UEPHU | 11.17 | 46.59 | 9.98 | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | - | | UEP9D | UEPHV | 11.17 | 46.59 | 9.98 | | | | | | | | |
| — | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D UEP9D | UEPH3 UEPHH | 11.17 11.17 | 46.59 46.59 | 9.98 9.98 | | | - | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | UEP9D | UEPHH | 11.17 | 46.59 | 9.90 | | | 1 | | | | | |
| | Indication)3 | | | UEP9D | UEPHW | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPHJ | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 | | | UEP9D | UEPHM | 11.17 | 235.64 | 114.90 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 11.17 | 235.64 | 114.90 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 11.17 | 235.64 | 114.90 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 11.17 | 235.64 | 114.90 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | ļ | L | UEP9D | UEPHR | 11.17 | 235.64 | 114.90 | | | | | ļ | ļ | | |
| | 0 W/2 - 1/2 - 0 - 1 - D - 1 / 0 - 1 - 1 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / | | | LIEDOD | LIEDUS | | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPHS | 11.17 | 235.64 | 114.90 | | - | | | . | ! | | |
| | 2 Mire Voice Crade Bort (Centray/differ SWC /EBC MECOS)2 2 | 1 | | UEP9D | UEPH4 | 11.17 | 225.04 | 114.00 | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | + | \vdash | UEPSD | UEPH4 | 11.17 | 235.64 | 114.90 | | | - | - | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPH5 | 11.17 | 235.64 | 114.90 | | | | | | | | |
| \vdash | 2 VVIIC VOICE GIAGE I OIL (GEILLENGIIIEI GVVC /LDG-WISZ00)Z, 3 | | | OL1 3D | JLI III | 11.17 | 233.04 | 114.30 | | | - | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | 1 | | UEP9D | UEPH6 | 11.17 | 235.64 | 114.90 | | | | | | | | |
| | = 1 1 5.000 f 5.0 (55.000 50.00 50.00 7.250 1002.10)2; 0 | | | | | | 200.04 | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | 1 | | UEP9D | UEPH7 | 11.17 | 235.64 | 114.90 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | - | 1 | | | | | | | | | | | |
| | Term | <u> </u> | | UEP9D | UEPHZ | 11.17 | 235.64 | 114.90 | <u> </u> | | | <u> </u> | <u> </u> | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPH9 | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPH2 | 11.17 | 46.59 | 9.98 | | | | | | | | |
| Loca | l Switching | | | | LIBEGO | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7384 | | | | | | | | | | |
| Featu | | _ | | LIEDOD | LIED) (E | | | | | | | | | | | |
| \vdash | All Standard Features Offered, per port | | | UEP9D | UEPVF | 2.26 | 070.70 | | | | | | - | | | |
| \vdash | All Select Features Offered, per port | - | | UEP9D | UEPVS | 0.00 | 370.70 | | | | - | | - | - | | |
| | All Centrex Control Features Offered, per port | l | | UEP9D | UEPVC | 2.26 | | | | ļ | ļ | | | | ļ | |
| NARS | | | | | | | | | | | | | | | | |

| SERVICES - | Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|--------|----------|----------------|----------------|----------------|-----------------|-----------------|----------------------|--|-------------------|-----------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc | Incremental Charge - Manual Svc |
| CATEGORY | NATE ELEMENTS | m | Zone | всз | 0300 | | | | | | per LSR | per LSR | Order vs. Electronic- 1st | Order vs. Electronic- Add'l | Order vs. Electronic- Disc 1st | Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurrin First | g Disconnect Add'l | COMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| \vdash | Network Access Register - Indial | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | FIRST | Addi | SOMEC | SUMAN | SOWAN | SOWAN | SUMAN | SUMAN |
| | Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | 1 | | | | | | |
| | laneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| 4 180 | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.73 | | | | - | | | | | | |
| 4-Wire | Digital (1.544 Megabits) DS1 Circuit Terminations, each | | - | UEP9D | M1HD1 | 54.95 | | | | + | | | | | | - |
| | DS0 Channels Activiated per Channel | | 1 | UEP9D | M1HDO | 0.00 | 15.69 | | | + | | | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | 02.05 | | 0.00 | 10.00 | | | 1 | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 25.32 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBM | 0.0091 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | | - | UEP9D | 1PQWS | 0.66 | | | | 1 | | | | | | |
| | Peature Activation on 5-4 Channel Bank Centrex Loop Slot | | | DEF9D | IFQWS | 0.66 | | | | + | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9D | 1PQW6 | 0.66 | | | | | 1 | | | | | |
| | Slot | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.66 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) | | | | | | | | | | | | | | | |
| | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9D | USAC2 | 0.00 | 10.00 | 10.00 | | <u> </u> | | | | | | |
| | Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block | | | UEP9D UEP9D | USACN M1ACS | 0.00 | 40.00 770.00 | 20.00 | | | | | | | | |
| | New Centrex Standard Common Block | | | UEP9D | M1ACC | 0.00 | 770.00 | | | + | | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 85.00 | | | 1 | | | | | | |
| Additi | onal Non-Recurring Charges (NRC) | | | | | 5.55 | | | | | | | | | | |
| | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP9D | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP9D | URETN | | 11.21 | 1.10 | | | | | | | | |
| EWSD | SWITCH (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| Loop | | | | | | | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | 1 | UEP9E | UECS1 | 9.77 | | | | 1 | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP9E UEP9E | UECS1 UECS1 | 13.88 24.63 | | | - | + | - | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | - | 1 | UEP9E UEP9E | UECS1 | 12.24 | | | | + | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 2 | UEP9E | UECS2 | 17.40 | | | | 1 | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP9E | UECS2 | 30.87 | | | | | | | | | | |
| Port R | | | | | | | | - | | | | | | | | |
| | llowing port rates are effective as specified | ļ | <u> </u> | | 1 | | | | | ļ | ļ | | | | | |
| AL, FL | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | - | UEP9E | UEPYA | 11.17 | 46.59 | 9.98 | | + | - | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEP9E | UEPYB | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP9E | UEPYH | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9E | UEPYM | 11.17 | 235.64 | 114.90 | | | | | | | | |
| | Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPYZ | 11.17 | 235.64 | 114.90 | | | - | | | | | |
| | - Basic Local Area | | | UEP9E | UEPY9 | 11.17 | 46.59 | 9.98 | | | | | | | | |

| SERVICES - | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------------------|---|--|------|--------|----------|--------|--------|-----------|--------------|--------------|--------------|-----------|---------------|--|-------------|-------------|
| 1 | | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| ĺ | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| 1 | | Inter' | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| 1 | | m | | | | | | - () | | | per Lor | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| 1 | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| 1 | Basic Local Area | | | UEP9E | UEPY2 | 11.17 | 46.59 | 9.98 | | | | | | | | |
| Florid | la Only | | | 02.02 | 022 | | 10.00 | 0.00 | | | | | | | | |
| 1 10114 | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPHA | 11.17 | 46.59 | 9.98 | | | 1 | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPHB | 11.17 | 46.59 | 9.98 | | | † | 1 | | | | |
| | 2-Wire Voice Grade Port (Centrex ede termination) | | | UEP9E | UEPHH | 11.17 | 46.59 | 9.98 | | | † | 1 | | | | |
| | 2-Wire Voice Grade Port (Centrex with editor is) | | | OLI OL | OLI IIII | 11.17 | 40.00 | 0.00 | | | † | 1 | | | | |
| 1 | Center)2 | | | UEP9E | UEPHM | 11.17 | 235.64 | 114.90 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI 3L | OLITIM | 11.17 | 255.04 | 114.30 | | | | | | | | |
| 1 | Term | | | UEP9E | UEPHZ | 11.17 | 235.64 | 114.90 | | | | | | | | |
| | Tellii | | | OLF9L | ULFTIZ | 11.17 | 233.04 | 114.50 | | | | | | | | |
| () | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPH9 | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated in on Megalink of equivalent | | | UEP9E | UEPH2 | 11.17 | 46.59 | 9.98 | | | | l | | | | |
| Local | Switching | - | | ULFJL | ULF11Z | 11.17 | 40.59 | 9.98 | - | - | - | | | | - | |
| Local | Centrex Intercom Funtionality, per port | - | | UEP9E | URECS | 0.7384 | | | - | - | - | | | | - | - |
| Fasti | res Effective 1/1/2005 Region Wide | | | UEF9E | UKEUS | 0.7384 | | | | | | - | | | | - |
| reatu | All Standard Features Offered, per port | - | | UEP9E | UEPVF | 2.26 | | | - | - | - | | | | - | - |
| \vdash | All Select Features Offered, per port | - | | UEP9E | UEPVS | 0.00 | 370.70 | | | | - | - | | - | | |
| \vdash | | - | | UEP9E | UEPVC | | 370.70 | | | | - | | | | | |
| 11456 | All Centrex Control Features Offered, per port | - | | UEP9E | UEPVC | 2.26 | | | | | | | | | | |
| NARS | | - | | LIEDOE | LIADOV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Network Access Register - Combination | - | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| \vdash | Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ellaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | e Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.73 | | | | | | | | | | |
| 4-Wire | e Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 | 54.95 | | | | | | | | | | |
| | DS0 Channel Activated Per Channel | | | UEP9E | M1HDO | 0.00 | 15.69 | | | | | | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9E | M1GBC | 25.32 | | | | | | | | | | |
| ullet | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | M1GBM | 0.0091 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | | | | | | | | | | | | | | |
| D4 Ch | nannel Bank Feature Activations | | | | | | | | | | | | | | | |
| ullet | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.66 | | | | | | | | | | |
| (l | | 1 | | | 1 | | | | | | | 1 | | I | | 1 |
| \longrightarrow | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| ı l = | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | |] | | 1 7 | | \neg | | | | | | | _ | | I |
| $\sqcup \bot \sqcup$ | Slot | | | UEP9E | 1PQW7 | 0.66 | | | | | 1 | | | | | |
| ı l = | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | |] | | 1 7 | | \neg | | | | | | | _ | | I |
| $\sqcup \bot \sqcup$ | Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | 1 | | | | | |
| ı l = | | |] | | 1 7 | | \neg | | | | | | | _ | | I |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | <u> </u> | | UEP9E | 1PQWV | 0.66 | | | | | | <u> </u> | | | | <u> </u> |
| 1 | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | <u> </u> | | UEP9E | 1PQWQ | 0.66 | | | | | | <u> </u> | | | | <u> </u> |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.66 | | | | | | | | | | |
| Non-F | Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| ı — | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | l |
| | changes, per port | <u></u> | L | UEP9E | USAC2 | 0.00 | 10.00 | 10.00 | <u> </u> | <u> </u> | | <u> </u> | | <u> </u> | | <u> </u> |
| | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 40.00 | 20.00 | | | | | | | | |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 770.00 | | | | | | | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 770.00 | | | | | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 85.00 | | | | | | | | | |
| Additi | ional Non-Recurring Charges (NRC) | | | | 1 1 | | | | ĺ | ĺ | | | | | ĺ | 1 |
| | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP9E | URETL | | 8.33 | 0.83 | ĺ | ĺ | | | | | ĺ | 1 |
| | Miscellaneous Rate Element, Tag Design Loop at End Use | İ | 1 | * | 1 1 | | | | | | | İ | | | | l |
| (l | Premise | 1 | | UEP9E | URETN | | 11.21 | 1.10 | | | | 1 | | I | | 1 |
| | 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | 1 | | - | 1 1 | | | 0 | İ | İ | 1 | i | | 1 | İ | İ |
| I INote 1 | | | 1 | | | | | | | | | | | L | | |

| SERVICES | - Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|---|-------------|--|-----------------------|--|----------------|------------------|----------------|------------------|----------------|--|---|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates(\$) | | T |
| Note (| Denvises Considia Contamos Branciana Franciana | | | | 1 | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 3 - Requires Specific Customer Premises Equipment SALE LOCAL SWITCHING PORTS | | <u> </u> | | 1 | | | | | | | | | | | - |
| | VHOLESALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | - | |
| D30 V | Exchange Ports - 2-Wire DID Port | | | UEPSP | UEPP2 | 28.71 | 414.16 | 198.29 | | | | | | | - | |
| | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports - 2-Wire ISDN Port (See Note1and 2 Below.) | | | UEPTX, UEPSX | U1PMA | 50.00 | 190.00 | 130.00 | | | | | | | t | |
| | All Features Offered | | | UEPTX, UEPSX | UEPVF | 2.26 | 0.00 | 0.00 | | | | | | | | |
| | Wholesale Exchange Ports - 2-Wire ISDN Port Channel | | | | | | | | | | | | | | | |
| | Profiles | | | UEPTX, UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| NOTE | 1: Transmission/usage charges associated with POTS circuit | switche | ed usag | ge will also apply to | circuit switc | hed voice and/ | or circuit switc | hed data trans | mission by B- | Channels asso | ciated with | 2-wire ISDN | ports. | | | |
| | 2: Access to B Channel or D Channel Packet capabilities will | | | | w Business I | Request Proces | s. Rates for th | e packet capa | pilities will be | determined via | the Bona F | ide Reques | t/New Busine | ss Request P | rocess. | ļ |
| | /HOLESALE LOCAL SWITCHING PORTS WITH REMOTE CALL | FORW | ARDIN | G CAPABILITY | | | | | | | | | | | ļ | |
| REMO | TE CALL FORWARDING SERVICE - (Residence) | ! | <u> </u> | LIEDVO | LIEDAO | 0.10 | 04.07 | 0.00 | | | | | | | ļ | ↓ |
| \vdash | Remote Call Forwarding Service, Area Calling, Res | - | <u> </u> | UEPVR UEPVR | UERAC | 8.40 8.40 | 31.27 | 9.38 | | 1 | | | | - | | |
| | Remote Call Forwarding Service, Local Calling - Res | | 1 | UEPVR | UERTE | 8.40 | 31.27 31.27 | 9.38 9.38 | | | | | | - | | |
| | Remote Call Forwarding Service, InterLATA - Res Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 8.40 | 31.27 | 9.38 | | | - | | | | - | |
| Non-R | Recurring (Residence) | | | OLF VIX | OLKIK | 0.40 | 31.27 | 9.30 | | | | | | 1 | | |
| I TOTI-I | Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVR | USAC2 | | 10.00 | 10.00 | | | | | | 1 | | |
| | Remote Call Forwarding Service - Conversion with allowed | | 1 | OLI VIC | CONOL | | 10.00 | 10.00 | | 1 | | | | | | |
| | change (PIC and LPIC) | | | UEPVR | USACC | | 10.00 | 10.00 | | | | | | | | |
| REMO | TE CALL FORWARDING - (Business) | | | | | | | | | | | | | | | |
| | Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | Remote Call Forwarding Service, Local Calling - Bus | | 1 | UEPVB | UERLC | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 11.40 | 46.59 | 9.98 | | | | | | | | |
| | Remote Call Forwarding Service Expanded and Exception Local | | | | | | | | | | | | | | | |
| | Calling | | | UEPVB | UERVJ | 11.40 | 46.59 | 9.98 | | | | | | | | |
| Non-R | ecurring (Business) | | | | | | | | | | | | | | | |
| \vdash | Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVB | USAC2 | | 10.00 | 10.00 | | | | | | | | ļ |
| | Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | | | UEPVB | USACC | | 10.00 | 10.00 | | | | | | | | |
| DS1 WHOLES | SALE LOCAL SWITCHING PORTS | | - | UEPVB | USACC | 1 | 10.00 | 10.00 | | | | | | | - | |
| | ANGE PORT RATES | | - | | 1 | 1 | | | | | | | | | - | |
| EXOIT | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | | | | | | | | | | | | | - | - |
| | Below.) | | | UEPEX | UEPEX | 402.00 | 1.000.00 | 900.00 | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 | | | | | | 1,000.00 | | | | | | | | | |
| | Locator Capability (See Note1and 2 Below.) | | | UEPEX | UEPEX | 402.00 | 1,000.00 | 900.00 | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | ĺ | | | | | | | | | | | | | | |
| | Below.) | | | UEPDX | UEPDX | 402.00 | 1,000.00 | 900.00 | | | | | | | | |
| | Physical Collocation - DS1 Cross-Connects | | | UEPEX UEPDX | PE1P1 | 1.32 | 27.77 | 15.52 | | | | | | | | |
| | Virtual collocation - cross-connect per DS1 | | | UEPEX UEPDX | CNC1X | 7.50 | 155.00 | 14.00 | | | | | | | | ļ |
| Detail | ed E911 with Locator Capability (required with UEPEX port) | | | | | | | | | | | | | | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | 1 | | LIEBEY | | | | | | | | | | | 1 | |
| \vdash | Capability - Initial Profile Establishment per CLEC per State | - | <u> </u> | UEPEX | UEP1A | 0.00 | 1,809.00 | | | 1 | | | | - | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions | 1 | | UEPEX | UEP1B | 0.00 | 175.66 | | | | | | | | I | |
| Nov. o | r Additional PRI Telephone Numbers | - | | UEPEA | UEPIB | 0.00 | 175.00 | | | + | | | | | + | + |
| New C | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | 1 | | | + | + | | | | 1 | | | | 1 | | + |
| | Capability 2-way Telephone Numbers, per number in E911 | | | | | | | | | | | | | | 1 | |
| | profile [New or Additional] | 1 | | UEPEX | UEP1C | 0.0699 | 0.5412 | | | | | | | | 1 | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | i | i i | | 1 | | | | | 1 | | | | İ | 1 | 1 |
| | Capability - Outdial Telephone Numbers, per number in E911 | 1 | | | 1 | | | | | | | | | | I | |
| | profile [New or Additional] | <u></u> | L | UEPEX | UEP1D | 0.0699 | 12.71 | 12.71 | | | <u> </u> | | | <u> </u> | <u> </u> | <u> </u> |
| | Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone | | | | | | | | | | | | | | | |
| | Numbers - Inward Data Only Option [New or Additional] | | <u> </u> | UEPDX | UEP1E | 0.00 | 0.5412 | | | | | | | | | <u> </u> |
| | Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] | 1 | - | Ī | | | | | | | | | | | _ | |
| | Inward Tel Numbers [Customer Testing Purposes] | ļ | <u> </u> | UEPEX | PR7ZT | 0.00 | 25.42 | 25.42 | | ļ | | | | ļ | 1 | |
| INTER | FACE (Provsioning Only) | | | | | | | | | | | | | | 1 | |

Version: 2Q07 MBR - SLC 06/04/07 Page 44 of 237

| SER | /ICES - | Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---------|--|--|--|--------------------|------------|-------------------|-----------------|---------------|------------------|--|----------------|-------------|---------------|--|--|-------------|
| OLIK | /IOLO | Tionaa | I | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | | | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USO | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | Disc 1st | Disc Add I |
| | | | | | | | Rec | Nonre | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Voice/Data | | | UEPEX | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPEX | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPDX | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | New or | Additional Channel | | | | | | | | | | | | | | | |
| | 4 | New or Additional - Voice/Data "B" Channel | | | UEPEX | PR7BV | 0.00 | 15.48 | | | | | | | | | |
| | | New or Additional - Digital Data "B" Channel | | | UEPEX | PR7BF | 0.00 | 15.48 | | | | | | | | | |
| - | + | New or Additional Inward Data "B" Channel | | | UEPDX | PR7BD | 0.00 | 15.48 | | | | | | | | | |
| - | + | New or Additional Useage Sensitive Voice Data "B" Channel | | | UEPEX | PR7BS | 0.00 | | | | | | | | | | |
| - | + | New or Additional Useage Sensitive Digital Data "B" Channel | - | | UEPEX | PR7BU | 0.00 | 45.40 | | | | | | | | | |
| — | CALL | New or Additional PRI "D" Channel | - | \vdash | UEPEX | PR7EX | 0.00 | 15.48 | | | 1 | - | | | + | - | |
| - | CALL | Inward | 1 | | UEPEX UEPDX | PR7C1 | 0.00 | 0.00 | 0.00 | - | 1 | | | | 1 | - | - |
| - | + | | - | | | PR7CO | 0.00 | 0.00 | 0.00 | | + | - | - | | 1 | | |
| - | + | Outward Two-way | 1 | | UEPEX UEPEX | PR7CC | 0.00 | 0.00 | 0.00 | - | 1 | | | | 1 | - | - |
| - | NOTE | | owitch | d ucca | | | | | | missian by B | Channels sees | oiotod with | 2 wire ICDA | l norto | | | |
| - | NOTE | 1: Transmission/usage charges associated with POTS circuit 2: Access to B Channel or D Channel Packet capabilities will | bo avail | ablo or | le will also apply | low Busine | es Poguest Proces | e Patos for th | o packet capa | hilities will be | dotormined vic | the Bone F | ido Poguos | t/Now Busine | nee Dogwoet D | rocoss | |
| DSO | | ALE LOCAL PLATFORM SERVICE | De avaii | able of | ily tillough BERA | lew Busine | SS Request Floces | s. Nates for ti | е раскет сара | lilities will be | Tuetermineu viz | l tile Bolla i | lue Reques | UNEW BUSINE | SS Request F | locess. | |
| D30 1 | | holesale Local Platform Service-Direct Inward Dialing (DID) | | | | | + | | | | + | 1 | | | | 1 | |
| - | | op Rates | | | | | | | | | | 1 | | | | | |
| | DOUL | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | | 1 | UEPPX | UECD1 | 12.24 | | | | 1 | | | | | | |
| | + | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | | 2 | UEPPX | UECD1 | 17.40 | | | | 1 | † | | | 1 | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | | 3 | UEPPX | UECD1 | 30.87 | | | | | 1 | | | 1 | | |
| | DS0 Pc | ort Rates | | Ť | 02.17 | 0205. | 00.07 | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 28.71 | 414.16 | 198.29 | | | | | | | | |
| | NONRE | CURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Existing | | | | | | | | | | | | | | | |
| | | Platform - Switch-As-Is | | | UEPPX | USAC1 | | 10.00 | 10.00 | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | Ī | | | | | ĺ | |
| | | with AT&T Allowable Changes | | | UEPPX | USA1C | | 10.00 | 10.00 | | | | | | | | |
| | ADDIT | ONAL NRCs | | | | | | | | | Ī | | | | | ĺ | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 32.26 | 32.26 | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Designed Loop at End User | | | | | | | | | | | | | | | |
| | | Premise | | | UEPPX | URETN | | 11.21 | 1.10 | | | | | | | | |
| | Teleph | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | | of 20 DID Numbers | | | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| — | + | DID Numbers, Non- consecutive DID Numbers , Per Number | | - | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| \vdash | + | Reserve Non-Consecutive DID numbers | 1 | \vdash | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | - | + | 1 | | | | | - |
| — | DS0 14/ | Reserve DID Numbers holesale Local Platform Service - ISDN/Basic Rate ISDN (ISDN | I/DDI\ | \vdash | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | 1 | - | | - | 1 | | |
| - | | nolesale Local Platform Service - ISDN/Basic Rate ISDN (ISDN holesale Local Voice Service Platform Rates | (IAG | | | + | + | | | 1 | + | | - | | 1 | | |
| - | | oop Rates | | | | + | + | | | 1 | + | | - | | 1 | | |
| \vdash | IODIN L | 2-Wire ISDN Digital Grade Loop - Zone 1 | 1 | 1 | UEPPB UEPP | R USL2X | 15.25 | | | | | H | | | 1 | | |
| \vdash | + | 2 VVIIO IODIN Digital Grade Loop - Zorie I | | - '- | OLITO OLPFI | , JUSILEA | 13.23 | | | | | - | | | | | |
| | | 2-Wire ISDN Digital Grade Loop - Zone 2 | 1 | 2 | UEPPB UEPP | R USL2X | 21.67 | | | | | | | | | | |
| | 1 | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 3 | UEPPB UEPPI | | 38.46 | | | 1 | 1 | | | | 1 | 1 | |
| | ISDN P | ort Rates | | _ | 02/11 | | 33.40 | | | 1 | 1 | | | | 1 | 1 | |
| | 1 | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPR | UEPPR | 50.00 | 425.00 | 285.00 | İ | İ | | | | İ | İ | |
| | 1 | Exchange Port - 2-Wire ISDN Line Side Port | 1 | | UEPPB | UEPPB | 50.00 | 425.00 | 285.00 | İ | İ | | 1 | | 1 | İ | |
| | NONRE | CURRING CHARGES - Existing Platform | İ | | | | .,,,,, | | | | | | | | 1 | | |
| | | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port - | | | | | | | | ĺ | 1 | | | | 1 | ĺ | |
| 1 | 1 | Conversion - | 1 | | UEPPB UEPPF | USACB | 0.00 | 90.00 | 65.00 | | | | 1 | | | | |
| | ADDIT | ONAL NRCs | l | | | | | | | | 1 | | | | | 1 | |
| | | Miscellaneous Rate Element, Tag Designed Loop at End User | | | | | | | | | 1 | | | | | | |
| L | | Premise | <u> </u> | | UEPPB UEPPI | | <u> </u> | 11.21 | 1.10 | <u> </u> | <u> </u> | <u> </u> | | | <u> </u> | <u> </u> | |
| | | Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPPB UEPPI | R URETL | | 8.33 | 0.83 | | | | | | | | |
| | B-CHA | NNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

Version: 2Q07 MBR - SLC 06/04/07 Page 45 of 237

| SERV | /ICES - | Florida | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|--|--|--|------------|----------------|--|--------------------|------------------|-----------------|--|-----------------|--|-------------|--|--|--|-------------|
| JLIV. | | i ionaa | 1 | | 1 | | 1 | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | | Elec | Manually | Manual Svc | | | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | В | cs | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | _ | | | | | | | | per LSK | per LSK | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | B | Nonrec | urring | Nonrecurrin | g Disconnect | | • | oss | Rates(\$) | • | |
| | 1 | | i | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | Ī | | |
| | | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, 8 | k TN) | | | | | | | | | | | | | | |
| | USER | TERMINAL PROFILE | | | | | | | | | | | | | | | | |
| | | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | VERTI | CAL FEATURES | | | | | | | | | | | | | | | | |
| | | All Vertical Features - One per Channel B User Profile- All | | | | | | | | | | | | | | | | |
| | | States | | ļ | UEPPB | UEPPR | UEPVF | 2.26 | 0.00 | 0.00 | | | | | | | | |
| | INTER | OFFICE CHANNEL MILEAGE | <u> </u> | 1 | | | | | | | - | 1 | 1 | | - | _ | ļ | |
| | | Interoffice Channel mileage each, including first mile and | 1 | | LIEDOS | LIEDDO | MONO | 05.000 | 47.0- | 04 =0 | I | | | | I | | | |
| - | + | facilities termination | | 1 | | UEPPR UEPPR | M1GNC | 25.3291 | 47.35 0.00 | 31.78 | | + | | | | + | | - |
| DC4 14 | ILLOI ES | Interoffice Channel mileage each, additional mile | ! | + | OEPPB | UEPPR | M1GNM | 0.0091 | 0.00 | 0.00 | | 1 | | - | 1 | | - | |
| א ויפט | | ALE LOCAL PLATFORM SERVICE llowing Terms and Conditions apply to DS1 Wholesale Local | Dietfo | N 60 | | | | | | | | | - | | | - | | |
| | - For N | lew Install scenarios the Nonrecurring charges are listed in th | Platforn | n Servi | ce : | IDC colum | ne for each I | Port USOC For | Evicting Blatf | orm sconarios | the Menrocus | rring charges a | ro listed in | the NPC - C | onvorsions s | oction Additi | ional NPCs m | ay annly |
| | | nd are categorized accordingly. | ie riisi | anu Au | uitionai N | NKC Colum | iis ioi eacii r | FOIL USUC. FOI | Existing Flati | oriii scenarios | , the Nonrecu | ining charges a | ire iisteu iii | ine NKC - C | onversions s | ection. Additi | IOIIAI NKCS III | ау арріу |
| | | d Office and Tandem Switching Usage and Wholesale Commo | n Trans | sport II | cago rato | c in the De | rt coction of | thic rate exhibi | t chall apply to | all Den Whal | ocalo I ocal Di | afform Sorvice | 6 | 1 | | 1 | 1 | |
| | | holesale Local Platform Service - ISDN/Primary Rate ISDN (ISI | | | Saye rates | s III tile FU | T Section of | lilis rate exilibi | t Shan apply to | all D30 Wiloi | I ESAIE LUCAI FI | T Service | 3. T | | - | 1 | | |
| - | | pop Rates | I IXI) | | | | + | | | | <u> </u> | 1 | | | | + | 1 | |
| | DO: E | | 1 | 1 | | | 1 | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 1 | | 1 | UEPPP | | USL4P | 168.00 | | | | | | | | | | |
| | | 444 BOT Bigital Edop/444 IOBIN BOT Bigital Trank For Zone T | | <u> </u> | OLITI | | OOL-1 | 100.00 | | | | | 1 | | | 1 | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 2 | | 2 | UEPPP | | USL4P | 175.00 | | | | | | | | | | |
| | 1 | 3 10 10 10 10 10 10 10 10 10 10 10 10 10 | | | | | | | | | | | | | | | | |
| | | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 3 | | 3 | UEPPP | | USL4P | 180.00 | | | | | | | | | | |
| | DS1 Po | ort Rate | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 402.00 | 1,200.00 | 1,000.00 | | | | | | Ī | ĺ | |
| | NONRE | CURRING CHARGES - Existing Platform | | | | | | | | | | | | | | Ī | ĺ | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | | Conversion -Switch-As-Is | | | UEPPP | | USACP | 0.00 | 500.00 | 500.00 | | | | | | | | |
| | ADDIT | ONAL NRCs | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | | |
| | | Inward/two way Telephone Numbers (except NC) | | | UEPPP | | PR7TF | | 0.5412 | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | ļ | Outward Tel Numbers (All States except NC) | | ļ | UEPPP | | PR7TO | | 12.71 | 12.71 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | | |
| | INITED | Subsequent Inward Telephone Numbers | | | UEPPP | | PR7ZT | | 25.42 | 25.42 | | | | | | | | |
| | INTER | FACE (Provsioning Only) | 1 | 1 | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | - | | - | - | | + | | |
| <u> </u> | + | Voice/Data Digital Data | 1 | 1 | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | 1 | 1 | - | | 1 | | - |
| - | + | Inward Data | 1 | 1 | UEPPP | | PR71D PR71E | 0.00 | 0.00 | 0.00 | | 1 | | - | | + | | |
| — | New o | · Additional "B" Channel | | 1 | OLFFF | | I N/ IL | 0.00 | 0.00 | 0.00 | | + | 1 | | | | | |
| — | 14644 01 | New or Additional - Voice/Data B Channel | | 1 | UEPPP | | PR7BV | 0.00 | 20.00 | | | + | | | | | | |
| — | + | New or Additional - Digital Data B Channel | | 1 | UEPPP | | PR7BF | 0.00 | 20.00 | | - | 1 | | | + | 1 | | |
| | | New or Additional Inward Data B Channel | 1 | 1 | UEPPP | | PR7BD | 0.00 | 20.00 | | I | 1 | | - | I | 1 | | |
| | CALL | | 1 | | J | | | 0.00 | 20.00 | | <u> </u> | 1 | | | <u> </u> | 1 | 1 | |
| | 1 | Inward | 1 | 1 | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | 1 | İ | 1 | 1 | İ | İ | İ | |
| | 1 | Outward | 1 | 1 | UEPPP | | PR7CO | 0.00 | 0.00 | 0.00 | 1 | İ | 1 | 1 | İ | İ | İ | |
| | | Two-way | | 1 | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | 1 | | | | 1 | ĺ | |
| | Interof | fice Channel Mileage | Ì | | | | | | | | | 1 | | | | 1 | | |
| | | Fixed Each Including First Mile | | | UEPPP | | 1LN1A | 49.71 | 105.54 | 98.47 | | | | | | | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | | 1LN1B | 16.64 | | | | | | | | | | |
| | | holesale Local Platform Service - 4-wire DDITS | | | | | | | | | | | | | | | | |
| | | holesale Local Platform Service Rates | | | | | | | | | | | | | | | | |
| | DS1 Lo | oop Rates | | | | | | | | • | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | | USLDC | 168.00 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPDC | | USLDC | 175.00 | | | | | | | | | | |
| 1 | 1 | 4-Wire DS1 Digital Loop - Zone 3 | 1 | 3 | UEPDC | | USLDC | 180.00 | | | | 1 | 1 | I | | 1 | I | l |

| SERVICES | S - Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|--|----------|----------|-------------|----------|--------|----------|-----------|--------------|---------------------------------------|-----------|-----------|---------------|--------------|-------------|-------------|
| OLI VIOL | J - I TOTIGU | 1 | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | 1 | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| 0711200111 | | m | | 200 | 0000 | | | 101120(4) | | | per LSR | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | i | | | | Rec | Nonre | curring | Nonrecurring | Disconnect | | • | oss | Rates(\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DS1 | Port Rate | | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 352.00 | 1,100.00 | 900.00 | | | | | | | | |
| NON | IRECURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | | | | | | | | | | | | | | | |
| | Switch-As-Is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | | | LIEDDO | USAWA | | 500.00 | 500.00 | | | | | | | | |
| | Conversion with DS1 Changes | 1 | | UEPDC | USAWA | | 500.00 | 500.00 | | | - | - | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Conversion with Change | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | |
| ADD | DITIONAL NRCs | <u> </u> | 1 | UEPDC | USAVVB | | 500.00 | 500.00 | - | | | | | | | |
| ADD | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | + | | | | + | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | 1 | | UEPDC | UDTTA | | 15.69 | 15.69 | 1 | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | t | † | 20 | -2 | | .0.00 | .0.00 | † † | | | | | İ | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 15.69 | 15.69 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | 1 | | | 1 | | | . ,,, | 1 | | 1 | 1 | | İ | | |
| | Activation/Chan Inward Trunk w/out DID | 1 | | UEPDC | UDTTC | | 15.69 | 15.69 | 1 | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | İ | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | <u></u> | | UEPDC | UDTTD | | 15.69 | 15.69 | <u> </u> | | | | | L | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 15.69 | 15.69 | | | | | | | | |
| BIPO | DLAR 8 ZERO SUBSTITUTION | | | _ | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | | 655.00S | | | | | | | | |
| A11 | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.001 | 655.00S | | | | | | | | |
| Alte | rnate Mark Inversion | ļ | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| \vdash | AMI - Superframe Format | 1 | <u> </u> | UEPDC | MCOSF | | 0.00 | 0.00 | - | | | | | | | |
| Tolo | AMI - Extended SuperFrame Format phone Number/Trunk Group Establisment Charges | 1 | | UEPDC | IVICOPO | | 0.00 | 0.00 | 1 | | | | | | | |
| 100 | Telephone Number for 2-Way Trunk Group | 1 | | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | 1 | | UEPDC | UDTGY | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | | | | | | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | • | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Ded | icated DS1 (Interoffice Channel Mileage) - FX/FCO for DDITS | ļ | <u> </u> | | | | | | ļ | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | 1 | | LIEDDO | | | | | | | | | | | | |
| \vdash | Termination) | <u> </u> | ļ | UEPDC | 1LNO1 | 49.71 | 105.54 | 98.47 | 1 | | | | | | | |
| | Intereffice Channel Mileage Additional acts are will a C.C. will be | | | UEPDC | 1LNOA | 40.04 | 0.00 | 0.00 | | | | | | | | |
| \vdash | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | 1 | - | UEPDC | ILNOA | 16.64 | 0.00 | 0.00 | 1 | | | | | | - | |
| | Termination) | 1 | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| \vdash | Interoffice Channel Mileage - Additional rate per mile - 9-25 | 1 | - | OLFDO | ILINUZ | 0.00 | 0.00 | 0.00 | + + | | 1 | 1 | | | | |
| | miles | 1 | | UEPDC | 1LNOB | 16.64 | 0.00 | 0.00 | 1 | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | 1 | † | 021 00 | ,00 | 10.04 | 0.00 | 0.00 | † † | | - | - | | | | |
| | Termination) | 1 | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | 1 | | | | | | | |
| | , | 1 | | - | | 2.20 | 2.30 | 2.30 | 1 | | İ | 1 | | İ | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | 1 | | UEPDC | 1LNOC | 16.64 | 0.00 | 0.00 | | | | | | | | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | Wholesale Local Platform Service - 4-WIRE DS1 LOOP WITH CH | | | N WITH PORT | | | | | | | | | | | | |
| | tem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | | | | | | | | | | | | | |
| | stem can have various rate combinations based on type and nu | mber of | ports | ısed | | | | | | · · · · · · · · · · · · · · · · · · · | | | | | | |
| DS1 | Loop | | | | | | | | | | | | - | | | |
| \vdash | 4-Wire DS1 Loop - Zone 1 | ļ | | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | 1 | | | | | ļ | | |
| | 4-Wire DS1 Loop - Zone 2 | ! | | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | 1 | | | | | | | |
| H | 4-Wire DS1 Loop - Zone 3 | <u> </u> | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | 1 | | | | | | | |
| DSC | Channelization Capacities (D4 Channel Bank Configurations) | <u> </u> | - | UEPMG | VUM24 | 118.06 | 0.00 | 0.00 | 1 | | | | | - | | |
| \Box | 24 DSO Channel Capacity - 1 per DS1 | L | Ц | UEFIVIG | v UIVIZ4 | 118.06 | 0.00 | 0.00 | | | L | L | | L | | <u></u> |

| SERVICES - I | Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------------|--|--|--|-------------------|----------------|-----------------|------------------|----------------|--|-------|---|-----------|---|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | | curring | Nonrecurring D | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 236.12 | 0.00 | 0.00 | | | | | | | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 472.24 | 0.00 | 0.00 | | | | | | | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 708.36 | 0.00 | 0.00 | | | | | | | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 944.48 | 0.00 | 0.00 | | | | | | | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 1,180.60 | 0.00 | 0.00 | | | | | | | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,416.72 | 0.00 | 0.00 | | | | | | | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | - | - | UEPMG | VUM38 | 1,888.96 | 0.00 | 0.00 | | | | | | | | + |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | - | - | UEPMG | VUM4O VUM57 | 2,361.20 | 0.00 | 0.00 | | | | | | | | + |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | - | - | UEPMG UEPMG | | 2,833.44 | 0.00 | 0.00 | | | | | | | | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | - Ch | | | VUM67 | 3,305.68 | 0.00 | 0.00 | | | | | | | | |
| | curring Charges (NRC) Associated with 4-Wire DS1 Loop with num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | stem | | - | | | | | | | |
| | es of this configuration functioning as one are considered Ac | | | | | | | | + | | | | | | | - |
| | NRC - Conversion (Currently Combined) with or without AT&T | au i aite | i iiie ili | ium system con | nguradon IS | counted. | | | + | | | | | | | |
| | Allowed Changes | | | UEPMG | USAC4 | 0.00 | 350.00 | 20.00 | | | | | | | | 1 |
| | Additions Where Platform Currently Exists and New Installat | ione | | OLI WO | 00/104 | 0.00 | 330.00 | 20.00 | | | | | | | | † |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | | | | | | 1 |
| | 8 Zero Substitution | | - | OLI WO | VOIVID-F | 0.00 | 000.00 | 400.00 | | | | | | | | — |
| | Clear Channel Capability Format, superframe - Subsequent | | - | | | | | | | | | | | | | —— |
| | Activity Only | | | UEPMG | CCOSE | 0.00 | 0.001 | 655.00S | | | | | | | | 1 |
| | Clear Channel Capability Format - Extended Superframe - | | | 021 1110 | | 0.00 | 0.00. | 000.000 | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.001 | 655.00S | | | | | | | | l . |
| | e Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exchang | ge Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| Exchang | ge Ports | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 11.40 | 0.00 | 0.00 | | | | | | | | l . |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 11.40 | 0.00 | 0.00 | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | 1 |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 11.40 | 0.00 | 0.00 | | | | | | | | 1 |
| | 2-Wire Trunk Side Channelized DID Trunk Port | | | UEPPX | UEPDM | 28.71 | 0.00 | 0.00 | | | | | | | | l . |
| | Activations - Loop Concentration | | | | | | | | | | | | | | | 1 |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | 1 |
| | Bank | | | UEPPX | 1PQWM | 0.66 | 46.59 | 40.00 | | | | | | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | HEDDY | 40014" | | | |] | | | | | | | 1 |
| | D4 Bank | | ļ | UEPPX | 1PQWU | 0.66 | 9.98 | 198.29 | | | | | | | | |
| | one Number/ Group Establishment Charges for DID Service | - | <u> </u> | HEDDY | NDT | 0.00 | 0.00 | 2.00 | | | | | | | | |
| | DID Trunk Termination (1 per Port) | - | <u> </u> | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Numbers - groups of 20 - Valid all States | | | UEPPX UEPPX | NDZ ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers - groups of 20 - valid all States Non-Consecutive DID Numbers - per number | | | UEPPX | ND4 ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID Numbers - per number | - | <u> </u> | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID Numbers Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | + | | | | | | | |
| | RES - Vertical and Optional | H | | OLFFA | IADA | 0.00 | 0.00 | 0.00 | | | | | | l | l | |
| | witching Features Offered with Line Side Ports Only | - | - | | | | | | + | | | | | | | <u> </u> |
| | All Features Available | - | - | UEPPX | UEPVF | 2.26 | 0.00 | 0.00 | + | | | | | | | <u> </u> |
| | CE SYNC TEST (COST) | † | l — | | | 2.20 | 0.00 | 0.00 | | | | | | | | |
| | OST rates are applicable for Central Office Line Sharing & Li | ne Split | tina in | a maintenance mod | e only. Not a | pplicable for F | Remote Site I in | ne Sharing & I | ine Splitting | | | | | | | |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - | - 5000 | | | | , | | | | | | | | İ | İ | |
| | Basic | | | | | | 25.00 | | | | | | | | | 1 |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - | | | | | | | i | | | | | | i | i | |
| | Overtime | | | | | | 30.00 | | | | | | | | | 1 |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - | 1 | Ì | | | | 22.30 | | | | | | | l | l | ſ |
| | Premium | | | | | | 40.00 | | | | | | | | | 1 |
| | IG FRAME CONNECTION SERVICE | | | | | | 1 | | | | | | | 1 | 1 | |
| | ELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR | s-I CC) | | | | | | | | | | | | i | i | |

| OFD\// | | Florida | | | | | | | | | | | | | | | |
|---|--------|--|------------|----------|-----------------------|-----------------|------------------|-----------------|------------------|----------------|--|----------------|----------------|---------------|--------------------|-------------|--|
| SERVIC | ,E3 - | Florida | | | ı | 1 | 1 | | | | | | | Att: 1 Exh: A | | | |
| | | | | | | | | | | | | | | Incremental | | Incremental | |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| 047506 | -DV | DATE EL EMENTO | Interi | - | BCS | USOC | | | DATEO(6) | | | Elec | , | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGO | KY | RATE ELEMENTS | m | Zone | BCS | USUC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| — | | | | | | | | Manne | | Managarania | - Di | | | 220 | D-4(f) | | |
| \vdash | | | | | | | Rec | Nonred First | | First | g Disconnect | 001450 | SOMAN | | Rates(\$) SOMAN | SOMAN | SOMAN |
| \vdash | | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | FIRST | Add'l | FIRST | Add'l | SOWIEC | SUMAN | SOMAN | SUMAN | SUMAN | SUMAN |
| | | Switch | | | | | | 228.77 | 228.77 | 38.11 | 38.11 | | | | | | |
| DC0 Wh | local | E Local Platform Service With E911 Call Locator Capability | | - | | 1 | | 220.11 | 220.11 | 30.11 | 30.11 | - | | | | | |
| | | lowing contidions apply to DS0 Wholesale Local Platform Se | nvico W | ith EQ1 | 1 Call Locator Canal | hility | | | | | | - | | | | | |
| - ' | End | Office and Tandem Switching Usage and Wholesale Common | Trance | ort He | ago ratos in the Bort | coction of t | hie rato ovhibit | chall apply to | the Wholesale | Local Blatfor | n Sarvica With | E011 Call I | ocator Can | hility | | | |
| - (| Earl | New Installation scenarios the Nonrecurring charges are listed | l in the | Firet a | nd Additional NPC o | columns for | and Port HSOC | Silali apply to | ly Combined c | congrige the l | loprocurring o | harane ara l | listed in the | NDC - Curror | tly Combined | soction Ad | ditional |
| | | nay apply also and are categorized accordingly. | ı III LIIC | riista | ilu Additioliai NKC t | Joiuinins for t | sacii Fuit 0300 | . For Current | ly Collibilied S | cenanos, me i | voinecuiring c | ilai ges ale i | isteu iii tiie | NAC - Currer | itiy Combined | Section. Au | uitionai |
| | | nay apply also and are categorized accordingly. holesale Local Platform Service (BUS - PBX) With DID and E9 | 14 Call | Locato | r Canability | 1 | 1 | 1 | | | 1 | ı | 1 | | 1 | | ı |
| | | pop Rates | i i Cali i | Locato | ГСаравінцу | | | | | | | | | | | | |
| | 30 LC | | | 1 | UEPRW | UEPLX | 9.77 | | | | | | | | | | |
| $\vdash \!$ | | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | - | | UEPRW | UEPLX | 13.88 | | | | | | | | | | - |
| \vdash | | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRW | UEPLX | 24.63 | | | | + | | | | | | |
| $\vdash \!$ | | 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | | 1 | UEPRW | UECD1 | 12.24 | | | | + | | | | | | l |
| $\vdash \vdash$ | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | - | 2 | UEPRW | UECD1 | 17.40 | | | | | | | | | | - |
| \vdash | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | - | 3 | UEPRW | UECD1 | 30.87 | | | | | | | | | | - |
| H- | -Wiro | Voice Grade Line Port Rates (BUS - PBX) | - | - 3 | OLFINA | OLCDI | 30.07 | | | | | | | | | | - |
| | -vviie | Line Side Combination 2-Way PBX Trunk Port - Bus | | <u> </u> | UEPRW | UEPPC | 11.17 | 46.59 | 9.98 | | - | | | | | | |
| \vdash | | Line Side Outward PBX Trunk Port - Bus | | | UEPRW | UEPPO | 11.17 | 46.59 | 9.98 | | | | | | | | |
| \vdash | | Line Side Incoming PBX Trunk Port - Bus | | - | UEPRW | UEPP1 | 11.17 | 46.59 | 9.98 | | | - | | | | | |
| \vdash | | 2-Wire Voice PBX LD Terminal Ports | | <u> </u> | UEPRW | UEPLD | 11.17 | 46.59 | 9.98 | | - | | | | | | |
| \vdash | | 2-Wire Voice 2-Way Combination PBX Usage Port | | <u> </u> | UEPRW | UEPXA | 11.17 | 46.59 | 9.98 | | - | | | | | | |
| \vdash | | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPRW | UEPXB | 11.17 | 46.59 | 9.98 | | | | | | | | |
| \vdash | | 2-Wire Voice PBX Toll Terminal Hotel Ports 2-Wire Voice PBX LD DDD Terminals Port | | | UEPRW | UEPXC | 11.17 | 46.59 | 9.98 | | | | | | | | |
| \vdash | | 2-Wire Voice PBX LD DBB remindis Fort | | | UEPRW | UEPXD | 11.17 | 46.59 | 9.98 | | | | | | | | |
| \vdash | | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPRW | UEPXE | 11.17 | 46.59 | 9.98 | | | | | | | | |
| | ort R: | ate -DID | | | OLI KW | OLI AL | 11.17 | 40.55 | 3.30 | | | | | | | | |
| H | OIL IX | Exchange Ports - 2-Wire DID Port | | | UEPRW | UEPD1 | 28.71 | 414.16 | 198.29 | | | | | | | | |
| F | 911 C | ALL LOCATOR CAPABILITY | | 1 | OLI KW | OLIDI | 20.71 | 414.10 | 130.23 | | | | | | | | |
| H | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | | Initial Profile Establishment, Per CLEC End-User | | | UEPRW | URE9A | 0.00 | 1,812.00 | | | | | | | | | |
| \vdash | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | 02 | O. (EO/ | 0.00 | 1,012.00 | | | | | | | | | |
| | | Subsequent Profile Changes, Additions/Deletions | | | UEPRW | URE9B | 0.00 | 175.98 | | | | | | | | | |
| 7 | eleph | one Number/Trunk Group Establisment Charges For DID Num | bers w | ith F91 | | | 0.00 | | | | | | | | | | |
| | о.ор | DID Trunk Termination (One Per Port) | | T | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group | | | | | 0.00 | | | | | | | | | | |
| | | of 20 DID Numbers | | | UEPRW | NDZ | 1.332 | 0.00 | 0.00 | | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1.332 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | 1 | UEPRW | ND5 | 0.0666 | 0.00 | 0.00 | | İ | | | | | | İ |
| | | Reserve Non-Consecutive DID numbers | | i - | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | t | | | | | | |
| | | Reserve DID Numbers | | 1 | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | İ | | | | | | İ |
| F | EATU | | | 1 | | 1 | | | | | | | | | | | |
| | | All Features Offered | | 1 | UEPRW | UEPVF | 2.26 | 0.00 | 0.00 | | | | | | | | |
| 1 | IONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | 1 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | 1 | UEPRW | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | 1 | | | | | | | | | | | |
| | | Change | 1 | | UEPRW | USACC | | 10.00 | 10.00 | | I | 1 | | | | | 1 |
| | DDITI | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPRW | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | | | | | | | | | | | | | |
| | | Activity- Nonrecurring | | <u>L</u> | | <u></u> | | 0.00 | 0.00 | | <u> </u> | <u></u> | | | | | <u> </u> |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | | Group | | <u></u> | | | | 7.09 | 7.09 | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPRW | URETL | | 8.33 | 0.83 | | | | | | | | |
| C | FF/OI | N PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 1 | UEPRW | P2JHX | 12.24 | 135.75 | 82.47 | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 2 | UEPRW | P2JHX | 17.40 | 135.75 | 82.47 | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 3 | UEPRW | P2JHX | 30.87 | 135.75 | 82.47 | | | | | | | | |
| 1 | | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPRW | SDD2X | 12.92 | 120.38 | 43.56 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | | UEPRW | SDD2X | 18.36 | 120.38 | 43.56 | | | | | | | | |

| SERVICES | - Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|--|--|--|--|----------------|--------|----------|-----------|--|------------|---|-----------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Do- | Nonrec | urring | Nonrecurring D | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPRW | SDD2X | 32.58 | 120.38 | 43.56 | | | | | | | | |
| INTE | ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | + | | | | | | | | | | - | - |
| | Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | UEPRW | U1TV2 | 25.32 | 47.35 | 31.78 | | | | | | | | |
| D04 W/I - I | or Fraction Mile | | | UEPRW | U1TVM | 0.0091 | 0.00 | 0.00 | | | | | | | | |
| | lle Local Platform Service With E911 Call Locator Capability RE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | CPORT | <u> </u> | | - | | | | | | | | | | - | - |
| | Loop Rates | I | | | + | | | | | | | | | | <u> </u> | <u> </u> |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPPN | USL4P | 168.00 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPPN | USL4P | 175.00 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPPN | USL4P | 180.00 | | | | | | | | | | |
| DS1 F | Port Rate | | <u> </u> | LIEDDNI | HEDEV | 400.00 | 4 000 00 | 4 000 00 | | | | | | | | |
| F044 | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPN | UEPPN | 402.00 | 1,200.00 | 1,000.00 | | | | | | | | |
| E911 | CALL LOCATOR CAPABILITY Miscellaneous Rate Element, E911 Call Locator Capability - | - | 1 | | + | | | | + | | | | | | | |
| | Initial Profile Establishment, Per CLEC End-User Miscellaneous Rate Element, E911 Call Locator Capability - | | | UEPPN | URE9A | 0.00 | 1,812.00 | | | | | | | | | |
| | Subsequent Profile Changes, Additions/Deletions | | | UEPPN | URE9B | 0.00 | 175.98 | | | | | | | | | |
| NONE | RECURRING CHARGES - Existing Platform | | | CELLIN | ORESE | 0.00 | 170.00 | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| | Conversion -Switch-As-Is | | | UEPPN | USACP | 0.00 | 500.00 | 500.00 | | | | | | | | |
| ADDI | TIONAL NRCs and E911 Call Locator Capability Telephone Nun | nber Re | curring | Charges | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- Inward/two way Tel Nos. (except NC) | | | UEPPN | PR7TF | 0.0666 | 0.5412 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPN | PR7TO | 0.0666 | 12.71 | 12.71 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers | | | UEPPN | PR7ZT | 0.0666 | 25.42 | 25.42 | | | | | | | | |
| INTER | RFACE (Provsioning Only) | | | | | | | | | | | | | | | |
| | Voice/Data | - | | UEPPN UEPPN | PR71V PR71D | 0.00 | 0.00 | 0.00 | | | | | | | 1 | - |
| | Digital Data Inward Data | | | UEPPN | PR71D PR71E | 0.00 | 0.00 | 0.00 | | | | | | | - | - |
| New o | or Additional "B" Channel | | 1 | OLFFIN | FRIIL | 0.00 | 0.00 | 0.00 | | | | | | | 1 | 1 |
| | New or Additional - Voice/Data B Channel | | | UEPPN | PR7BV | 0.00 | 20.00 | | | | | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPN | PR7BF | 0.00 | 20.00 | | | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPN | PR7BD | 0.00 | 20.00 | | | | | | | | | |
| CALL | TYPES | | | | | | | | | | | | | | | |
| | Inward | | <u> </u> | UEPPN | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | - | | UEPPN UEPPN | PR7CO PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | - | - |
| Intere | Two-way office Channel Mileage | | | UEPPN | PR/CC | 0.00 | 0.00 | 0.00 | + | | | | | | - | - |
| interc | Fixed Each Including First Mile | | | UEPPN | 1LN1A | 49.71 | 105.54 | 98.47 | | | | | | | | |
| | Each Airline-Fractional Additional Mile | | † | UEPPN | 1LN1B | 16.64 | 100.04 | 55.41 | | | | | | | | |
| 4-WIR | RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | 1 | 1 | | | | | | | | | | | |
| | oop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | USLDC | 168.00 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPDC | USLDC | 175.00 | | | | | | | | | ļ | ļ |
| D04 5 | 4-Wire DS1 Digital Loop - Zone 3 | - | 3 | UEPDC | USLDC | 180.00 | | | | | | | | | | |
| DS1 F | Port Rates 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 352.00 | 1,100.00 | 900.00 | + | | | | | | - | - |
| NONE | RECURRING CHARGES - Existing Platform | | t — | 021 00 | 00011 | 332.00 | 1,100.00 | 900.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | |
| F044 | CALL LOCATOR CAPABILITY | - | | 02.1 00 | 00,1110 | | 300.00 | 300.00 | + | | | | | | t | t |

| SFRV | CFS - | Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|----------|---|----------|--|----------------|----------|--|----------|-----------|--|------------|-----------|-----------|--|--|-------------|-------------|
| SLIVI | <u> </u> | Tiona | | | | | 1 | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| 1 | | | | | | | I | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | , | | | | |
| CAILO | OICI | KATE EEEMENTO | m | 20116 | БОО | 0000 | | | KATLO(ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonre | curring | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | FIISt | Addi | FIISL | Auu i | SOWIEC | SOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| | | Initial Profile Establishment, Per CLEC End-User | | | UEPDB | URE9A | 0.00 | 1,812.00 | | | | | | | | | 1 ' |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | OLFDB | UKLSA | 0.00 | 1,012.00 | | | | | | | | | <u> </u> |
| | | Subsequent Profile Changes, Additions/Deletions | | | UEPDB | URE9B | 0.00 | 175.98 | | | | | | | | | 1 |
| - | A DDITI | IONAL NRCs | | - | OLFDB | UKLSB | 0.00 | 175.90 | | | | - | - | | - | | |
| | ADDITI | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | <u> </u> |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDB | UDTTA | | 15.69 | | | | | | | | | 1 |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | OLFDB | ODITA | - | 13.09 | | + | | | | | | | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDB | UDTTB | | 15.69 | | | | | | | | | 1 |
| - | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | - | OLFDB | ODTIB | | 13.09 | | | | - | - | | - | | |
| | | Activation/Chan Inward Trunk w/out DID | | | UEPDB | UDTTC | | 15.69 | | | | | | | | | 1 |
| \vdash | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | OLFDD | סוועט | + | 15.09 | | + | | | | | | | |
| | | Activation Per Chan - Inward Trunk with DID | | | UEPDB | UDTTD | I | 15.69 | | | | 1 | | | I | | 1 |
| — | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | - | - | OLFDD | טווטט | | 15.09 | | + | | | | - | | | |
| | | Activation / Chan - 2-Way DID w User Trans | | | UEPDB | UDTTE | I | 15.69 | | | | 1 | | | I | | 1 |
| | DIDOI / | AR 8 ZERO SUBSTITUTION | | - | UEPUB | ODITE | - | 15.09 | | + | | | | | - | | — |
| - | DIFUL | B8ZS -Superframe Format | | - | UEPDC | CCOSF | | 0.001 | 655.00S | | | - | - | | - | | |
| | | B8ZS - Extended Superframe Format | | - | UEPDC | CCOEF | - | 0.001 | 655.00S | + | | | | | - | | — |
| | Altorna | ate Mark Inversion | | | UEPDC | CCOEF | | 0.001 | 000.000 | - | | | | | | | —— |
| | Aiterna | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | - | | | | | | | —— |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | - | | | | | | | —— |
| - | Talanh | one Number/Trunk Group Establisment Charges And Charges | For DI | D Muses | | | ability. | 0.00 | 0.00 | | | - | | | - | | |
| - | reiepni | Telephone Number for 2-Way Trunk Group | FOLDI | D Nulli | UEPDB | UDTGX | 0.00 | | | | | - | | | - | | |
| - | | Telephone Number for 1-Way Outward Trunk Group | | - | UEPDB | UDTGY | 0.00 | | | | | - | | | - | | |
| - | | Telephone Number for 1-Way Inward Trunk Group Without DID | | - | UEPDB | UDTGZ | 0.00 | | | | | - | | | - | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group | | - | UEPUB | UDIGZ | 0.00 | | | + | | | | | - | | — |
| | | of 20 DID Numbers | | | UEPDB | NDZ | 1.332 | 0.00 | 0.00 | | | | | | | | 1 |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPDB | ND4 | 1.332 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | - | UEPDB | ND5 | 0.0666 | 0.00 | 0.00 | + | | | | | - | | — |
| | | Reserve Non-Consecutive DID numbers | | | UEPDB | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| | | Reserve DID Numbers | | | UEPDB | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| | EX/ECC | O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | - | OLFDB | INDV | 0.00 | 0.00 | 0.00 | + | | | | | | | |
| | 1 //1 00 | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | † | | | | - | | | | | | | — |
| | | Termination) | | | UEPDC | 1LNO1 | 49.71 | 105.54 | 98.47 | | | | | | | | 1 |
| | | Termination) | | - | OLI DO | TENOT | 43.71 | 100.04 | 30.47 | + | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 16.64 | 0.00 | 0.00 | | | 1 | | | I | | 1 |
| \vdash | | Interoffice Channel Mileage - Additional rate per fille - 0-6 filles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | OLI DO | LINOA | 10.04 | 0.00 | 0.00 | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | 1 | | | I | | 1 |
| \vdash | | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | 021 00 | . 1.102 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | miles | | | UEPDC | 1LNOB | 16.64 | 0.00 | 0.00 | | | | | | 1 | | 1 |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | - | | 021 00 | ,00 | 10.04 | 0.00 | 0.00 | | | | | | † | | <u> </u> |
| | | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | 1 | | 1 |
| | | Tommanony | | | 52. <i>5</i> 0 | .2.100 | 0.00 | 0.00 | 0.00 | | | | | | <u> </u> | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 16.64 | 0.00 | 0.00 | | | 1 | | | I | | 1 |
| | Additio | onal Rates | - | | | | 10.04 | 0.00 | 0.00 | | | | | | † | | f |
| | | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | <u> </u> | | |
| | 4-WIRF | E DS1 LOOP WITH CHANNELIZATION WITH PORT WITH CALL | LOCAT | OR CA | | 7.0 | 0.00 | | | | | | | | † | | |
| | | n is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | | İ | † | i | İ | | | | | i | i e | | |
| | | em can have various rate combinations based on type and nul | | | used | 1 | t | | | | | | | | † | | |
| | DS1 Lo | | | | - | 1 | t | | | | | | | | † | | |
| | | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | | | | 1 | | |
| | | 4-Wire DS1 Loop - Zone 2 | | 2 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | | | | 1 | | |
| | | 4-Wire DS1 Loop - Zone 3 | | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | † | | |
| | DSO CI | hannelization Capacities (D4 Channel Bank Configurations) | | Ť | 0 | | .55.00 | 3.00 | 5.00 | | | | | | <u> </u> | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 118.06 | 0.00 | 0.00 | | | | | | † | | |
| | | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 236.12 | 0.00 | 0.00 | | | | | | <u> </u> | | |
| | | 96 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM96 | 472.24 | 0.00 | 0.00 | | | | | | † | | |
| | | 144 DS0 Channel Capacity - 1 per 6 DS1s | | t | UEPMG | VUM14 | 708.36 | 0.00 | 0.00 | | | | | | 1 | | |
| | | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 944.48 | 0.00 | 0.00 | | | l | | | <u> </u> | | |
| | | 1.02 200 Sharmor Sapasity 1 por 0 2016 | | | 0-1 MO | . OIVITO | 377.70 | 0.00 | 0.00 | 1 | | | | | 1 | | |

| SERVIC | ES - | Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---------|----------|---|-------------|----------|--------------------|----------------|-----------|------------|---------------|--|-------|---|------------------------|--|--|--|---|
| CATEGOR | RY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | Managa | | l Nameaumine Di | | | | | | | |
| | | | | | | | Rec | | curring | Nonrecurring Dis | | 001450 | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 1,180.60 | First 0.00 | Add'I 0.00 | FIRST | Add'l | SOWIEC | SOWAN | SUMAN | SUMAN | SUMAN | SUMAN |
| | | 288 DS0 Channel Capacity - 1 per 10 DS1s | | - | UEPMG | VUM28 | 1,160.60 | 0.00 | 0.00 | + + | | | | | | | |
| | | 384 DS0 Channel Capacity - 1 per 12 DS1s | | - | UEPMG | VUM38 | 1,888.96 | 0.00 | 0.00 | | | | | | | | |
| | | 480 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM4O | 2,361.20 | 0.00 | 0.00 | | | | | | | | |
| | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,833.44 | 0.00 | 0.00 | | | | | | | | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,305.68 | 0.00 | 0.00 | | | | | | | | |
| No | | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | n Chanr | neliztio | | rsion Charge | | rstem | | | | | | | | | |
| | | num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| M | lultiple | es of this configuration functioning as one are considered Ac | ld'I afte | r the m | ninimum system con | figuration is | counted. | | | | | | | | | | |
| | | NRC - Conversion (Currently Combined) with or without AT&T | | | | | | | | | | | | | | | |
| | | Allowed Changes | | | UEPMG | USAC4 | 0.00 | 350.00 | 20.00 | | | | | | <u> </u> | | <u></u> |
| Sy | ystem | Additions Where Platform Currently Exists and New Installat | ions | | | | | | | | | | | | | | |
| | 1 | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | I | | | | | | | | | | | |
| | | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | | | | ļ | ļ | |
| Bi | | 8 Zero Substitution | | | | | | | | | | | | | | | |
| | | Clear Channel Capability Format, superframe - Subsequent | | | | | | | _ | | | | | | | | |
| | | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.001 | 655.00S | | | | | | | | |
| | | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.001 | 655.00S | | | | | | | | |
| Al | | te Mark Inversion (AMI) | | - | LIEDMO | 140005 | 0.00 | 0.00 | 0.00 | . | | | | | | | |
| | | Superframe Format | | | UEPMG UEPMG | MCOSF MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| E | vohon | Extended Superframe Format ge Ports Associated with 4-Wire DS1 Loop with Channelization | an with | Dort | UEPIVIG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | ge Ports | JII WILII | FUIL | | + | | | | + + | | | | | | | |
| | ACITALI | gerons | | - | 1 | + | | | | | | | | | | | |
| | | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPRW | UEPCX | 11.40 | 0.00 | 0.00 | | | | | | | | |
| | | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPRW | UEPOX | 11.40 | 0.00 | 0.00 | | | | | | | | |
| | | | | | | | | 0.00 | | | | | | | | | |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPRW | UEP1X | 11.40 | 0.00 | 0.00 | | | | | | | | |
| | | 2-Wire Trunk Side Channelized DID Trunk Port | | | UEPRW | UEPDM | 28.71 | 0.00 | 0.00 | | | | | | | | |
| Fe | eature | Activations - Loop Concentration | | | | | | | | | | | | | | | |
| | | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | | Bank | | | UEPRW | 1PQWM | 0.66 | 46.59 | 40.00 | | | | | | | | |
| | | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | | D4 Bank | | | UEPRW | 1PQWU | 0.66 | 9.98 | 198.29 | | | | | | | | |
| ES | 911 C | ALL LOCATOR CAPABILITY | | | | | | | | | | | | | | | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | l | 1 | | | | | | | | | | | |
| | | Initial Profile Establishment, Per CLEC End-User | | | UEPRW | URE9A | 0.00 | 1,812.00 | | | | | | | | | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | LIEDDW | LIDECE | 0.00 | 175.00 | | | | | | | | | |
| | olo | Subsequent Profile Changes, Additions/Deletions one Number/Trunk Group Establisment Charges For DID Num | hor- ··· | th F04 | UEPRW | URE9B | 0.00 | 175.98 | | | | | | | | - | |
| 16 | | | pers wi | tn E91 | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| -+ | | DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group | | - | UEPKW | וטאו | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| | | of 20 DID Numbers | | | UEPRW | NDZ | 1.332 | 0.00 | 0.00 | | | | | | | | |
| - | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1.332 | 0.00 | 0.00 | 1 | | | | | l | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | - | | UEPRW | ND5 | 0.0666 | 0.00 | 0.00 | + + | | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | İ | İ | |
| FE | | RES - Vertical and Optional | | | İ | 1 | | 2.30 | 2.30 | | | | | | İ | İ | |
| | | witching Features Offered with Line Side Ports Only | | | | 1 | | İ | | | | | | | l | İ | |
| | | All Features Available | | | UEPRW | UEPVF | 2.26 | 0.00 | 0.00 | | | | | | | 1 | |
| ODUF/AD | | | | | | | | | | | | | | | | | |
| A | | S DAILY USAGE FILE (ADUF) | | | | | | | | | | | | | | | |
| | | ADUF: Message Processing, per message | | | | | 0.007037 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | 1 | 0.00017 | | | | | | | | | | <u> </u> |
| OI | | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | | ODUF: Recording, per message | | | | 1 | 0.0000096 | ļ | | | | | | | | | |
| - 1 | | ODUF: Message Processing, per message | | | | | 0.004101 | | | | | | | | | | |

| SERV | ICES - | Florida | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------|--------|---|-------------|------|-----|------|---------|--------|-----------|--------------|------------|-------|-----------|---------------|-----------|----------|---|
| CATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Charge - | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | B | Nonred | urring | Nonrecurring | Disconnect | | • | oss | Rates(\$) | • | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 35.91 | | | | | | | | | | |
| | | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00014 | | | | | | | | | | |
| | CENT | RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |
| 8XX AC | CESS | TEN DIGIT SCREENING | | | | | | | | | | | | | | | |
| | | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit Screening service with 800 Number Delivery per query | | | | | 0.004 | | | | | | | | | | |
| | | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Screening service with 800 Number Delivery for 800 Numbers with Optional Complex Feature, i.e., Call handling and Destination Features per query | | | | | 0.00431 | 8.78 | 1.18 | 5.77 | 0.70 | | | | | | |
| | | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit Screening service with POTS Number Delivery per query | | | | | 0.004 | | | | | | | | | | |
| | | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit Screening service with POTS Number delivery for 800 Numbers with Optional Complex Feature,i.e., Call Handling and Destination Features per query | | | | | 0.0045 | | | | | | | | | | |

| SERV | ICES - | Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|--|---|----------|--|--------------------|--|----------|----------|-----------|----------|--------------|-----------|-----------|---------------|--|--|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | D130 13t | Disc Add I |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| SERVI | | ADVANCEMENT (A.K.A EXPEDITE) CHARGE | | | | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSou | th's FC | | n 5 as appli | cable. | | | | | | | | | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | 1 | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | | | | U1TUB, | | | | | | | | | | | | |
| | | | | | U1TUA,NTCVG,NTC | | | | | | | | | | | | |
| | | Expedite Charge per Circuit or Line Assignable USOC, per Day | | | UD,NTCD1 | SDASP | | 200.00 | | | | | | | | | |
| ORDE | MODIF | ICATION CHARGE | | ļ | | | | | | | | | | | | | |
| | | Order Modification Charge (OMC) | | ļ | | | | 26.21 | 0.00 | 0.00 | 0.00 | | | | | | |
| | 0==># | Order Modification Additional Dispatch Charge (OMCAD) | | | | | | 150.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| LOCAL | SERVIC | CE REQUEST (LSR) ORDERING CHARGE | | | | | | | | | | | | | | | |
| | | Electronic Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| | | (LSR) | | _ | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| 1 | | Manual Canina Order Charas Built and Canin Burn 1 (1971) | 1 | 1 | | COMAN | | | 0.00 | 0.40 | 0.00 | 1 | 1 | | I | | |
| LINE | IEODA'' | Manual Service Order Charge, Per Local Service Request (LSR) TION DATA BASE ACCESS (LIDB) | | 1 | | SOMAN | | 11.71 | 0.00 | 6.13 | 0.00 | | | | | | |
| LINE II | NT OKIVIA | LIDB Common Transport Per Query | | 1 | | - | 0.0003 | | | | | | | | | | |
| — | - | LIDB Validation Per Query | | 1 | 001/ | BHML1 | 0.0003 | | | | | | | | | | |
| - | | LIDB Originating Point Code Establishment or Change | | 1 | OQV OQV | NRBPX | 0.035378 | 91.00 | 33.24 | 39.35 | 39.35 | | | | | - | |
| BDANI | ING - D | IRECTORY ASSISTANCE | | 1 | UQV | INIVDEA | | 91.00 | 33.24 | 38.35 | 39.35 | - | - | | + | | |
| BRANI | | Based CLEC | | | | | | | | | | | | | | | |
| | acinty | Recording and Provisioning of DA Custom Branded | | 1 | | l | | | | | 1 | - | 1 | | + | | \vdash |
| | | Announcement | | | AMT | CBADA | | 3,000.00 | 3,000.00 | | | | | | 1 | | |
| | | Loading of Custom Branded Announcement per Switch per | | 1 | Cuvi I | CDADA | | 3,000.00 | 3,000.00 | | 1 | - | 1 | | | | \vdash |
| 1 | | OCN | 1 | 1 | AMT | CBADC | | 1,170.00 | 1,170.00 | | | 1 | 1 | | I | | |
| - | Wholes | cale CLEC | - | t | / uvil | SDADO | | 1,170.00 | 1,170.00 | | | | | | | | |
| - | · · · · · · · · · · · · · · · · · · · | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| \vdash | | Loading of DA Custom Branded Announcement per Switch per | - | | | | | 5,500.00 | 5,500.00 | <u> </u> | | | | | | | |
| | | OCN | | 1 | | 1 | | 1,170.00 | 1,170.00 | | | | | | I | | |
| - | Unhran | ding via OLNS for Wholesale CLEC | | 1 | | | | 1,170.00 | 1,170.00 | | | | | | + | | |
| - | Juniali | Loading of DA per OCN (1 OCN per Order) | - | 1 | | l | | 420.00 | 420.00 | | | | | | t | | |
| | | Loading of DA per Switch per OCN | - | 1 | | | | 16.00 | 16.00 | | | | + | | 1 | | |
| | | | | | 1 | L | 1 | 10.00 | 10.00 | L | L | L | L | | | L | |

| Directory Assis DIRECTORY ASSISTY Directory ASSISTY Directory ASSISTY Directory Assis Per Call Attern BRANDING - OPERATOR CAI Facility based CLEC Recording of Cu: per OCN Wholesale CLEC Recording of Cl Loading of Cu: per OCN Unbranding via OLNS Loading of OA INWARD OPERATOR SERVIC Inward Operat - Per Minute OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro COPERATOR SERVIC COPERATOR SERVIC COPERATOR COPERATOR CAIL PROCESS OPERATOR CAIL PRO | STANCE ACCESS SERVICE ssistance Access Service Calls, Charge Per Call STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING | Interi m | Zone | BCS | USOC | Rec | Nonrec First | RATES(\$) | Nonrecurring Disc | s | Submitted Elec | Svc Order Submitted | Att: 1 Exh: A Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
|--|---|-------------|--|----------------|-------|--------------|-----------------|-----------|--|-------------------|-------------------|------------------------|---|--|--|---|
| DIRECTORY ASSISTANCE SI DIRECTORY ASSIST DIRECTORY ASSIST Directory Assis DIRECTORY ASSIST Directory Assis Per Call Attem BRANDING - OPERATOR CAA Facility based CLEC Recording of Cu Loading of Cu: per OCN Wholesale CLEC Recording of Cu: per OCN Unbranding via OLNS Loading of Ox Loading of Ox Per OX Unbranding via OLNS Loading of Ox Inward Operat Inward Operat Inward Operat Inward Operat OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Coper. | E SERVICES STANCE ACCESS SERVICE ssistance Access Service Calls, Charge Per Call STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | m | Zone | BCS | USOC | Rec | | | Nonrecurring Dice | s | Submitted Elec | Submitted Manually | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. |
| DIRECTORY ASSISTANCE SI DIRECTORY ASSISTA Directory ASSISTA Directory ASSISTA Directory ASSISTA Directory ASSISTA Directory ASSISTA Directory ASSISTA Directory ASSISTA Directory ASSISTA Per Call Attem BRANDING - OPERATOR CAL Recording of Cultoper OCN Wholesale CLEC Recording of Cultoper OCN Unbranding via OLNS Loading of OxI Loading of OxI Loading of OxI Inward Operat Inward Op | E SERVICES STANCE ACCESS SERVICE ssistance Access Service Calls, Charge Per Call STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | m | Zone | BCS | USOC | Rec | | | Nonrecurring Dice | | Elec | Manually | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svc Order vs. |
| DIRECTORY ASSISTANCE SI DIRECTORY ASSIST DIRECTORY ASSIST Directory Assis DIRECTORY ASSIST Directory Assis Per Call Attem BRANDING - OPERATOR CAA Facility based CLEC Recording of Cu Loading of Cu: per OCN Wholesale CLEC Recording of Cu: per OCN Unbranding via OLNS Loading of Ox Loading of Ox Per OX Unbranding via OLNS Loading of Ox Inward Operat Inward Operat Inward Operat Inward Operat OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Coper. | E SERVICES STANCE ACCESS SERVICE ssistance Access Service Calls, Charge Per Call STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | m | Zone | BCS | USOC | Rec | | | Nonrecurring Disc | | | | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- | Order vs. |
| DIRECTORY ASSISTANCE SI DIRECTORY ASSIST DIRECTORY ASSIST Directory Assis DIRECTORY ASSIST Directory Assis Per Call Attem BRANDING - OPERATOR CAA Facility based CLEC Recording of Cu Loading of Cu: per OCN Wholesale CLEC Recording of Cu: per OCN Unbranding via OLNS Loading of Ox Loading of Ox Per OX Unbranding via OLNS Loading of Ox Inward Operat Inward Operat Inward Operat Inward Operat OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Coper. | E SERVICES STANCE ACCESS SERVICE ssistance Access Service Calls, Charge Per Call STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | | | | | Rec | | | Nonrecurring Disc | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | |
| DIRECTORY ASSIST/ Directory ASSIST/ Directory ASSIST/ Directory ASSIST/ Per Call Attem BRANDING - OPERATOR CAL Facility based CLEC Recording of Cuper OCN Wholesale CLEC Recording of Cuper OCN Unbranding via OLNS Loading of Cuper OCN Unbranding via OLNS Loading of OCN Unbranding via OLNS Loading of OCN PERATOR SERVIC Inward Operat Inward Operat Inward OPERATOR SERVIC OPERATOR CALL PROCESS Oper. Call ProLIDB Oper. Call ProForeign LIDB Oper. Call ProForeign LIDB Oper. Call ProForeign LIDB CALLING NAME (CNAM) SERVICE CNAM Service CNAM Service CNAM Service CNAM Service | STANCE ACCESS SERVICE ssistance Access Service Calls, Charge Per Call STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | DACC) | | | | Rec | | curring | Nonrecurring Disc | | | | | | | Electronic- |
| DIRECTORY ASSIST/ Directory ASSIST/ Directory ASSIST/ Directory ASSIST/ Per Call Attem BRANDING - OPERATOR CAL Facility based CLEC Recording of Cuper OCN Wholesale CLEC Recording of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Inward Operat Inward Operat Inward Operat Inward Operat Invard Operat Per Minute OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SERVICE CNAM Service CNAM Service CNAM Service CNAM Service | STANCE ACCESS SERVICE ssistance Access Service Calls, Charge Per Call STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | DACC) | | | | Rec | | curring | Nonrecurring Dies | | | | | | | 1 |
| DIRECTORY ASSIST/ Directory ASSIST/ Directory ASSIST/ Directory ASSIST/ Per Call Attem BRANDING - OPERATOR CAL Facility based CLEC Recording of Cuper OCN Wholesale CLEC Recording of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Inward Operat Inward Operat Inward Operat Inward Operat Invard Operat Per Minute OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SERVICE CNAM Service CNAM Service CNAM Service CNAM Service | STANCE ACCESS SERVICE ssistance Access Service Calls, Charge Per Call STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | DACC) | | | | Rec | | curring | Nonrecurring Disc | | | | 151 | Add'l | Disc 1st | Disc Add'l |
| DIRECTORY ASSIST/ Directory ASSIST/ Directory ASSIST/ Directory ASSIST/ Per Call Attem BRANDING - OPERATOR CAL Facility based CLEC Recording of Cuper OCN Wholesale CLEC Recording of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Inward Operat Inward Operat Inward Operat Inward Operat Invard Operat Per Minute OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SERVICE CNAM Service CNAM Service CNAM Service CNAM Service | STANCE ACCESS SERVICE ssistance Access Service Calls, Charge Per Call STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | (DACC) | | | | Rec | | Janning | | connect | | I | oss | Rates(\$) | I. | |
| DIRECTORY ASSIST/ Directory ASSIST/ Directory ASSIST/ Directory ASSIST/ Per Call Attem BRANDING - OPERATOR CAL Facility based CLEC Recording of Cuper OCN Wholesale CLEC Recording of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Inward Operat Inward Operat Inward Operat Inward Operat Invard Operat Per Minute OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SERVICE CNAM Service CNAM Service CNAM Service CNAM Service | STANCE ACCESS SERVICE ssistance Access Service Calls, Charge Per Call STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | (DACC) | | | | | | Add'l | | | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DIRECTORY ASSIST/ Directory ASSIST/ Directory ASSIST/ Directory ASSIST/ Per Call Attem BRANDING - OPERATOR CAL Facility based CLEC Recording of Cuper OCN Wholesale CLEC Recording of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Unbranding via OLNS Loading of Oxider of Cuper OCN Inward Operat Inward Operat Inward Operat Inward Operat Invard Operat Per Minute OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SERVICE CNAM Service CNAM Service CNAM Service CNAM Service | STANCE ACCESS SERVICE ssistance Access Service Calls, Charge Per Call STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | (DACC) | | | | | 11130 | Auu i | 11130 7 | Auu i | JOINEO | JOINAN | JONAN | JOINAIN | JOHAN | JOHAN |
| Directory Assis DIRECTORY ASSISTY Directory ASSISTY Directory ASSISTY Directory Assis Per Call Attern BRANDING - OPERATOR CAI Facility based CLEC Recording of Cu: per OCN Wholesale CLEC Recording of Cl Loading of Cu: per OCN Unbranding via OLNS Loading of OA INWARD OPERATOR SERVIC Inward Operat Inward Operat Inward OPERATOR SERVIC OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SETE CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | ssistance Access Service Calls, Charge Per Call STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | DACC) | | | _ | | | | | | | | | | | |
| DIRECTORY ASSIST/ Directory ASSIST/ Directory Assis Per Call Attem BRANDING - OPERATOR CAI Facility based CLEC Recording of Cu- per OCN Wholesale CLEC Recording of Cu- Loading of Cu- per OCN Unbranding via OLNS Loading of OA INWARD OPERATOR SERVI Inward Operat Inward Operat Inward Operat Inward Operat Invard Operat In Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro COPERATOR SERVI COPERATOR SERVI COPERATOR SERVI COPERATOR SERVI COPERATOR CALL PROCESS OPER CALL PROCESS | STANCE CALL COMPLETION ACCESS SERVICE (ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | (DACC) | | | | 0.31 | | | | | | | | | | |
| Directory Assis Per Call Attem BRANDING - OPERATOR CAI Facility based CLEC Recording of C. Loading of Cu. per OCN Wholesale CLEC Recording of C. Per OCN Unbranding via OLNS Loading of OA INWARD OPERATOR SERVIC Inward Operat Inward Operat Inward Operat OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro LIDB Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SET CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | ssistance Call Completion Access Service (DACC), tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | DACC | | | _ | 0.31 | | | | | - | | | | | ├ ── |
| Per Call Attem BRANDING - OPERATOR CALL Facility based CLEC Recording of Cu- per OCN Wholesale CLEC Recording of Cu- per OCN Loading of Cu- per OCN Unbranding via OLNS Loading of OX INWARD OPERATOR SERVIC Inward Operat Inward Operat Per Minute OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SERVIC CNAM Service CNAM Service CNAM Service | tempt CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | | | | + | | | | | | | | | | | ├ |
| BRANDING - OPERATOR CAI Facility based CLEC Recording of Cuper OCN Wholesale CLEC Recording of Cuper OCN Unbranding via OLNS Loading of Cuper OCN Unbranding via OLNS Loading of OA INWARD OPERATOR SERVI Inward Operat Inward Operat Inward Operat Inward OPERATOR SERVI INB OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SER CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | CALL PROCESSING EC of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | | | 1 | | 0.40 | | | | | | | | | | |
| Facility based CLEC Recording of Cu- Loading of Cu- per OCN Wholesale CLEC Recording of Cu- per OCN Recording of Cu- per OCN Unbranding via OLNS Loading of OA INWARD OPERATOR SERVIC Inward Operat Inward Operat Inward Operat Per Minute OPERATOR CALL PROCESS Oper. Call Pro Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SET CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | | 1 | | | 0.10 | | | | | | | | | | ├ |
| Recording of Cuper OCN Wholesale CLEC Recording of Cuper OCN Wholesale CLEC Recording of Cuper OCN Loading of Cuper OCN Unbranding via OLNS Loading of OA INWARD OPERATOR SERVIC Inward Operat Inward Operat Inward Operat Inward Operat Inward Operat Inward Operat Inward Operat Invard Operat | of Custom Branded OA Announcement Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | | | | - | | | | | | | | | | | └ |
| Loading of Cu: per OCN Wholesale CLEC Recording of Cu: per OCN Unbranding via OLNS Loading of OLNS Loading of ONS Inward Operat Inward Operat Inward Operat Inward Operat Invard O | Custom Branded OA Announcement per shelf/NAV of Custom Branded OA Announcement | | + | 44.07 | 00100 | | = 000 00 | | | | | | | | | |
| per OCN Wholesale CLEC Recording of Cu per OCN Unbranding via OLNS Loading of OA INWARD OPERATOR SERVIC Inward Operat Inward Operat Inward Operat OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SET CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | of Custom Branded OA Announcement | | | AMT | CBAOS | | 7,000.00 | 7,000.00 | | | | | | | | |
| Wholesale CLEC Recording of CL Loading of Cut per OCN Unbranding via OLNS Loading of Out Port OCN Unbranding via OLNS Loading of Out INWARD OPERATOR SERVIC Inward Operat Inward Operat Inward OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro LIDB CALLING NAME (CNAM) SERVICE CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | | | | | | | | | | | | | | | | ĺ |
| Recording of C Loading of Cu per OCN Unbranding via OLNS Loading of Ox INWARD OPERATOR SERVIC Inward Operat Inward Operat Inward Operat Inward Operat OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SER CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | | | | AMT | CBAOL | | 500.00 | 500.00 | | | | | | | | |
| Loading of Cu: per OCN Unbranding via OLNS Loading of OA INWARD OPERATOR SERVIC Inward Operat Inward Operat Inward Operat OPERATOR CALL PROCESS Oper. Call Pro Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro CALLING NAME (CNAM) SET CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | | | | | | | | | | | | | | | | <u> </u> |
| per OCN Unbranding via OLNS Loading of OA INWARD OPERATOR SERVIC Inward Operat Inward Operat Inward Operat Inward Operat OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro Eoreign LIDB Oper. Call Pro CALLING NAME (CNAM) SEF CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | Custom Branded OA Announcement per shelf/NAV | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| Unbranding via OLNS Loading of OA ILoading of OA INWARD OPERATOR SERVIC Inward Operat Inward Operat Per Minute OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro CALLING NAME (CNAM) SERVICE CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | | | | | | | | | | | | | | _ | | |
| Loading of OA INWARD OPERATOR SERVIC Inward Operat Inward | • | 1 | | | | | 500.00 | 500.00 | | | | I | | | | 1 |
| Loading of OA INWARD OPERATOR SERVIC Inward Operat Inward | LNS for Wholesale CLEC | 1 | 1 | | 1 | | | | | T T | | i | | | 1 | |
| INWARD OPERATOR SERVICE Inward Operat Inward Operat - Per Minute OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Eoreign LIDB Oper. Call Pro LIDB Oper. Call Pro LIDB Oper. Call Pro LIDB Oper. Call Pro CALLING NAME (CNAM) SERVICE CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | OA per OCN (Regional) | | | | | | 1,200.00 | 1.200.00 | | | | | | | | |
| Inward Operat Inward Operat Inward Operat - Per Minute OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro Enreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SEF CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | | † | † | | | | 1,200.00 | ., | | | | | | | | |
| Inward Operat Per Minute OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro LIDB Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SET CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | erator Svcs - Verification, Per Minute | 1 | 1 | | + | 1.15 | | | | | - | | | | | |
| Per Minute OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro LIDB Oper. Call Pro COPER Coper. Call Pro COPER COPE | erator Services - Verification and Emergency Interrupt | | + | | | 0 | | | | | | | | | | |
| OPERATOR CALL PROCESS Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SEF CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | | ' | | | | 1.15 | | | | | | | | | | |
| Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SET CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | | + | + | † | + | 1.13 | | | | | | | | | | |
| LIDB Oper. Call Pro Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SET CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | Processing - Oper. Provided, Per Min Using BST | + | + | | _ | | | | | | - | | | | | ├ ── |
| Oper. Call Pro Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SEF CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | Processing - Oper. Provided, Per Min Using BS1 | | | | | 4.00 | | | | | | | | | | ĺ |
| Foreign LIDB Oper. Call Pro LIDB Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SET CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | | | - | | - | 1.20 | | | | | | | | | | └ |
| Oper. Call Pro LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SET CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | Processing - Oper. Provided, Per Min Using | | | | | | | | | | | | | | | ĺ |
| LIDB Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SER CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | | | <u> </u> | | | 1.24 | | | | | | | | | | └ |
| Oper. Call Pro Foreign LIDB CALLING NAME (CNAM) SEF CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | Processing - Fully Automated, per Call - Using BST | | | | | | | | | | | | | | | |
| Foreign LIDB CALLING NAMP (CNAM) SEF CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | | 1 | <u> </u> | | | 0.20 | | | | | | | | | | |
| CALLING NAME (CNAM) SER CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | Processing - Fully Automated, per Call - Using | | | | | | | | | | | | | | | |
| CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | | | | | | 0.20 | | | | | | | | | | |
| CNAM Service CNAM Service CNAM Service CNAM Service CNAM Service | | | | | | | | | | | | | | | | <u> </u> |
| CNAM Service CNAM Service CNAM Service | | | | UEPFB | N1ACR | 2.11 | | | | | | | | | | <u> </u> |
| CNAM Service CNAM Service | vice, per line | | | UEPBX | N1ACR | 2.11 | | | | | | | | | | |
| CNAM Service | vice, per line | | | UEPSB | N1ACR | 2.11 | | | | | | | | | | |
| CNAM Service | vice, per line | | | UEPFP | N1ACR | 2.11 | | | | | | | | | | |
| | | | | UEPSP | N1ACR | 2.11 | | | | | i | i | | | | |
| UNAM Service | vice, per line | | | UEPPX | N1ACR | 2.11 | | | | 1 | | i | | | | |
| CNAM Service | | 1 | 1 | UEPSR | NXMCR | 2.11 | | | | T T | | i | | | 1 | |
| CNAM Service | | 1 | 1 | UEPFR | NXMCR | 2.11 | | | | <u> </u> | | i | | | İ | |
| CNAM Service | | 1 | 1 | UEPRX | NXMCR | 2.11 | | | | 1 | | 1 | | | | |
| CNAM Service | vice, per line | 1 | † | UEPFB | NXMCR | 2.11 | | | | + | | 1 | | | | |
| CNAM Service | | 1 | 1 | UEPBX | NXMCR | 2.11 | | | | | - | + | | | | — |
| CNAM Service | | + | + | UEPSB | NXMCR | 2.11 | | | | + | | | | | | |
| CNAM Service | | + | + | UEPRG | NXMCR | 2.11 | | | | + | | + | | | | |
| | | + | + | | NXMCR | | | | | + | | | | | | ₩ |
| CNAM Service | | + | + | UEPSE | NXMCR | 2.11 2.11 | | | | \longrightarrow | | | | | | |
| CNAM Service | | + | + | UEPFP UEPSP | NXMCR | | | | | | | | | | - | |
| CNAM Service | | + | + | | | 2.11 | | | | | | | | | - | |
| | | 1 | ╄ | UEPPX | NXMCR | 2.11 | | | | \longrightarrow | | | | | | ├ |
| | vice, per line | + | ↓ | UEPVB | NXMCR | 2.11 | | | | | | | | | | └ |
| | vice, per line vice, per line | 1 | ↓ | UEPSR | NXMMN | 2.11 | | | | | | | | | | |
| | vice, per line vice, per line vice, per line | 1 | ↓ | UEPFR | NXMMN | 2.11 | | | | | | | | | | |
| CNAM Service | vice, per line vice, per line vice, per line vice, per line | 1 | <u> </u> | UEPRX | NXMMN | 2.11 | | | | | | | | | | |
| CNAM Service | vice, per line | | | UEPFB | NXMMN | 2.11 | | | | | | | | | | |
| CNAM Service | vice, per line | | | UEPBX | NXMMN | 2.11 | | | | | | | | | | |
| CNAM Service | vice, per line | | | UEPSB | NXMMN | 2.11 | | | | | | | | | | |
| CNAM Service | vice, per line | | | UEPRG | NXMMN | 2.11 | | | i i | | | | | | | |
| CNAM Service | vice, per line | | 1 | UEPKG | / | | | | 1 1 | | | | | | | $\overline{}$ |
| CNAM Service | vice, per line | | | UEPRG | NXMMN | 2.11 | | | | | | i | | | | 1 |
| CNAM Service | vice, per line vice, per line vice, per line vice, per line vice, per line | | | | | | | | | | | | | | | |

| CATEGORY RATE ELEMENTS USOC RATES(\$) per LSR per LSR Order vs. Electronic 1st | SERVICE | S - Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---------|--|--|----------|--------------------|--------------------|------------------|------------------|---------------|-----------------|----------------|--|--|--|--|--|--|
| CATEGORY RATE BLEMENTS Initial Zone RCS USC RATE(S) Else Repr LSR Manual by per LSR Per LS | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| CATEGORY RATE ELEMENTS Interest Category Cate | | | | | | | | | | | | | | | Charge - | Charge - | Charge - |
| ATTEMPT OF A STATE ELEMENTS m 2000 BCS USC NATES (5) por LSR por LSR Color value (executed to the control of t | | | Interi | | | | | | | | | | | Manual Svc | Manual Svc | Manual Svc | |
| CANAN Services, per line | CATEGOR | Y RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| CAMA Service, per line | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| CAMA Service, per line | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| CAMAS Service, per line | | | | | | | | | | | | | | | | | |
| CAMA Service, per files | | | | | | _ | Rec | | | | | 001150 | 0011411 | | Rates(\$) | 001441 | 001441 |
| CNMM Service, per line | | CNIANA Coming and line | 1 | | LIEDDY | NIVA AN AN I | 0.44 | FIRSt | Addi | First | Addi | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| CNAM Service, per line | - | | - | | | | | | | | | | - | | | | |
| CNM Service, per line | _ | | | | | | | | | | | 1 | 1 | | - | - | |
| CRMAN Service, per line | _ | | | | | | | | | | | 1 | 1 | | - | - | |
| CRMAN Service, per line | | | 1 | | | | | | | | | † | - | | | | |
| CAMAS Service, per line | | | 1 | | | | | | | | | 1 | 1 | | | | |
| CAMAS Service, per line | | | 1 | | | | | | | | | İ | | | | | |
| CNAMS service, per line | | | | | | | | | | | | | | | | | |
| CHAM Service, per line | | CNAM Service, per line | 1 | | UEPFB | NCACR | 2.11 | | | | | | | | | | |
| CHAM Service, per line | | CNAM Service, per line | | | UEPBX | NCACR | 2.11 | | | | | | | | | | |
| CINAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Servec, per line | | | | | | | | | | | | | | | | | |
| DS0 WHOLESALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | | | |
| For New Install scenarios the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Existing Platform scenarios, the Nonrecurring charges are listed in the NRC - Conversions also and are categorized accordingly. | | | | | UEPPX | NCACR | 2.11 | | | | | | | | | | |
| also and are categorized accordingly. | | | <u> </u> | L | <u> </u> | | | <u></u> | | l | | <u> </u> | | <u> </u> | L | | |
| > End Office and Tandem Switching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to the Wholesale Access Line Service except for the Coin Service which has a file DSWHOLESALE LOCAL SWITCHING PORTS - (Res) Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | ne First | and Ad | ditional NRC col | umns for each F | ort USOC. For | r Existing Platt | orm scenarios | s, the Nonrecur | ring charges a | re listed in | the NRC - C | onversions s | ection. Addit | ional NRCs m | ay apply |
| DS0 WHOLESALE LOCAL SWITCHING PORTS - (Res) | als | o and are categorized accordingly. | | | | | | | | | | | | | | | |
| DSO WHOLESALE LOCAL SWITCHING PORTS - (Res) | | | _ | | | | | | | | | | | | | | |
| Exchange Ports - 2-Wire Analog Line Port - Res. | | | n Transp | ort Us | age rates in the F | ort section of the | his rate exhibit | shall apply to | the Wholesale | Access Line S | Service except | for the Coir | Service wh | nich has a flat | rate usage c | harge (USOC: | URECU). |
| Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 8.12 33.87 13.35 0.00 0.00 | DS | | <u> </u> | - | LIEDOD | LIEDDI | 0.40 | 00.07 | 40.05 | 0.00 | 0.00 | 1 | | | | | |
| Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 8.12 33.87 13.35 0.00 0.00 | | Exchange Ports - 2-wire Analog Line Port- Res. | 1 | <u> </u> | UEPSR | UEPRL | 8.12 | 33.87 | 13.35 | 0.00 | 0.00 | | - | | - | - | |
| Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRO 8.12 33.87 13.35 0.00 0.00 | | Evolungo Porto 2 Wiro Apolog Lino Port with Caller ID Pos | | | LIEDOD | LIEDDC | 0.10 | 22 07 | 12.25 | 0.00 | 0.00 | | | | | | İ |
| Exchange Ports - 2-Wire Voice Georgia basic dialing port UEPSR UEPAP 8.12 33.87 13.35 0.00 | | Exchange Forts - 2-Wile Arialog Line Fort With Caller ID - Nes. | + | | ULFOR | OLFRC | 0.12 | 33.07 | 13.33 | 0.00 | 0.00 | | | | | | |
| Exchange Ports - 2-Wire Voice Georgia basic dialing port UEPSR UEPAP 8.12 33.87 13.35 0.00 | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res | | | LIEPSR | LIEPRO | 8 12 | 33.87 | 13.35 | 0.00 | 0.00 | | | | | | l |
| ID (LUM) | | | 1 | | 02. 0.0 | 020 | 02 | 00.01 | 10.00 | 0.00 | 0.00 | 1 | 1 | | | 1 | |
| Exchange Ports - 2-Wire Voice Georgia basic dialing port UEPSR UEPWC 8.12 33.87 13.35 0.00 0.00 | | | | | UEPSR | UEPAP | 8.12 | 33.87 | 13.35 | 0.00 | 0.00 | | | | | | |
| 2-Wire voice Georgia basic dialing port for use with Caller ID - res UEPSR UEPWO 8.12 33.87 13.35 0.00 0.00 | | | | | | | | | | | | | | | | | |
| Per | | without Caller ID | | | UEPSR | UEPWC | 8.12 | 33.87 | 13.35 | 0.00 | 0.00 | | | | | | l |
| 2-Wire voice Georgia basic dialing port - outgoing only UEPSR UEPWR 8.12 33.87 13.35 0.00 0.00 | | 2-Wire voice Georgia basic dialing port for use with Caller ID - | | | | | | | | | | | | | | | |
| E-Wire voice Low Usage Line Port without Caller ID Capability UEPSR UEPRT 8.12 33.87 13.35 0.00 0.00 | | res | | | UEPSR | UEPWQ | 8.12 | 33.87 | 13.35 | 0.00 | 0.00 | | | | | | |
| FEATURES | | | | | | | | | | | | | | | | | |
| All Available Vertical Features | | | | | UEPSR | UEPRT | 8.12 | 33.87 | 13.35 | 0.00 | 0.00 | | | | | | |
| Cross Connects | FE | | | | | | | | | | | | | | | | |
| Physical Expanded Interconnection Two Wire Cross Connect, Provisioning | | | ļ | | UEPSR | UEPVF | 0.775 | 0.00 | 0.00 | | | | | | | | |
| Provisioning | Cro | | 1 | | | | | | | | | | | | | | |
| Virtual Collocation - Two Wire Cross Connect, Provisioning | | | | | LIEDOD | DE4DO | 0.0000 | 0.00 | 0.00 | | | | | | 1 | 1 | 1 |
| Non-Recurring Charges UEPSR USAS2 0.00 0.00 0.00 0.00 UEPSR USASC UEPSR USASC 0.00 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR USASC UEPSR | | | 1 | + | | | | | | 1 | | | - | | | | |
| 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent UEPSR USAS2 0.00 0. | No | | + | - | OLFOR | VL IRZ | 0.0192 | 0.00 | 0.00 | 1 | 1 | } | | | | | |
| Subsequent Activity | 140 | | | | UFPSR | USAS2 | | 0.00 | 0.00 | 1 | | | - | | t | t | |
| DS0 WHOLESÂLE LOCAL SWITCHING PORTS - (PBX) UEPSE UEPRD 11.12 48.17 24.81 0.00 0.00 | | | t | † | | | 0.00 | | | † | | 1 | | | I | I | — |
| 2-Wire VG 2-Way PBX Trunk - Res | DS | | | † | | 0000 | 3.00 | 5.00 | 5.00 | | İ | | | İ | 1 | 1 | |
| 2-Wire VG Line Side 2-Way PBX Trunk - Bus UEPSP UEPPC 11.12 48.17 24.81 0.00 0.00 | | | 1 | | UEPSE | UEPRD | 11.12 | 48.17 | 24.81 | 0.00 | 0.00 | 1 | | İ | 1 | 1 | |
| 2-Wire VG Line Side Outward PBX Trunk - Bus UEPSP UEPPO 11.12 48.17 24.81 0.00 0.00 | | | 1 | | | | | | | | | 1 | | İ | 1 | 1 | |
| 2-Wire Voice PBX LD Terminal PBX Trunk - Bus UEPSP UEPLD 11.12 48.17 24.81 0.00 0.00 | | | | | UEPSP | UEPPO | 11.12 | 48.17 | 24.81 | 0.00 | 0.00 | | | | | | |
| 2-Wire Voice PBX LD Terminal Ports UEPSP UEPLD 11.12 48.17 24.81 0.00 0.00 | | | | | | | | | | | | | | | | | |
| 2-Wire Voice PBX Usage Port UEPSP UEPXA 11.12 48.17 24.81 0.00 0.00 | | | | | | | | | | | | | | | | | |
| 2-Wire Voice PBX Toll Terminal Hotel Ports UEPSP UEPXB 11.12 48.17 24.81 0.00 0.00 | | | | | | | | | | | | | | | | | |
| 2-Wire Voice PBX LD DDD Terminals Port UEPSP UEPXC 11.12 48.17 24.81 0.00 0.00 | | | | | | | | | | | | | | | | | |
| 2-Wire Voice PBX LD Terminal Switchboard Port UEPSP UEPXD 11.12 48.17 24.81 0.00 0.00 | | | | | | | | | | | | ļ | | ļ | 1 | 1 | 1 |
| 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port UEPSP UEPXE 11.12 48.17 24.81 0.00 0.00 | | | 1 | <u> </u> | | | | | | | | | | | - | - | |
| | | | <u> </u> | - | | | | | | | | | | | | | |
| | | | <u> </u> | - | UEPSP | UEPXE | 11.12 | 48.17 | 24.81 | 0.00 | 0.00 | | | | | | |
| 2-Wire Voice 2-Way Post Hotel/Hospital Economy Administrative Calling Port UEPSP UEPXL 11.12 48.17 24.81 0.00 0.00 | | | | | LIEDOD | LIEDVI | 44.40 | 40 47 | 24.04 | 0.00 | 0.00 | | | | 1 | 1 | 1 |
| Administrative Calling Port DEPSP DEPXL 11.12 48.17 24.81 0.00 | | | + | - | ULFOF | UEPAL | 11.12 | 48.17 | 24.81 | 0.00 | 0.00 | } | | | | | |
| 2-vviie voice 2-vvay FBA Hotel/Hospital Economy Room Calming | | | 1 | | LIEPSP | LIEDAM | 11 12 | <i>1</i> Ω 17 | 2// 9/1 | 0.00 | 0.00 | | | | 1 | 1 | 1 |

| SERVICE | S - 0 | Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|--------|---|-------------|--|----------------|----------------|------------------------|--------|-----------|--------------|------------|---|---|--|-----------|---|---|
| CATEGORY | Y | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | 1 | B | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | 1 |
| | T | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 | 2-Wire Voice 1-Way Outgoing PBX Hotel/Hospital Discount | | | | | | | | | | | | | | | |
| | | Room Calling Port | | | UEPSP | UEPXO | 11.12 | 48.17 | 24.81 | 0.00 | 0.00 | | | | | | |
| | | 2-Wire Voice 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 11.12 | 48.17 | 24.81 | 0.00 | 0.00 | | | | | | |
| | | 2-Wire voice Georgia basic dialing port - 1-Way Oudial Trunk | | | UEPSP | UEPWS | 11.12 | 48.17 | 24.81 | 0.00 | 0.00 | | | | | | |
| | | 2-Wire voice Georgia basic dialing port - 2-Way Trunk | | | UEPSP | UEPWT | 11.12 | 48.17 | 24.81 | 0.00 | 0.00 | | | | | | |
| L | | 2-Wire voice Georgia basic dialing port - 2-way PBX Trunk | | | UEPSP | UEPPQ | 11.12 | 48.17 | 24.81 | 0.00 | 0.00 | | | | | | |
| FE# | ATUR | | | | HEDOD HEDOE | LIED\/E | 0.775 | 0.00 | 0.00 | | | | | | | 1 | 1 |
| Cro | | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 0.775 | 0.00 | 0.00 | | | - | | | - | | |
| Cro | | Physical Expanded Interconnection Two Wire Cross Connect, | | 1 | | + | | | | | | | | | | - | - |
| | | Provsioning | | | UEPSP | PE1R2 | 0.0202 | 0.00 | 0.00 | | | | | | | | |
| | | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSP | VE1R2 | 0.0192 | 0.00 | 0.00 | | | | | | | | |
| Nor | | curring Charges | | | | T | | | 2.30 | | | İ | | | ĺ | 1 | 1 |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSP | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| DSC | | CAL WHOLESALE SWITCHING PORTS - (Coin) | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening (GA) | | | UEP2C | UEPGC | 11.12 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| | | 900, 1+DDD (GA) | | | UEP2C | UEP2G | 11.12 | 48.17 | 24.81 | | | | | | | | |
| | (| 2-Wire Coin 2-Way with Operator Screening and 011 Blocking GA) | | | UEP2C | UEPGA | 11.12 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 900 Blocking GA) | | | UEP2C | UEPGB | 11.12 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900, I+DDD, 011+,and Local (GA) | | | UEP2C | UEPCH | 11.12 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire Coin Outward with Operator Screening and 011Blocking GA, KY, MS) | | | UEP2C | UEPRJ | 11.12 | 48.17 | 24.81 | | | | | | | | |
| | 2 | 2-Wire Coin Outward with Operator Screening and Blocking: 200, 1+DDD, 011+ (FL & GA) | | | UEP2C | UEPOF | 11.12 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | 1 | 021 20 | OLI OI | 11.12 | 40.17 | 24.01 | | | | | | | | |
| | | 900, 1+DDD, 011+, and Local (FL, GA) | | | UEP2C | UEPCQ | 11.12 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEP2C | UEPCK | 11.12 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire Coin Outward Smartline with 900/976 (all states exceptA) | | | UEP2C | UEPCR | 11.12 | 48.17 | 24.81 | | | | | | | | |
| Coi | n Us | age | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | OS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | | | UEP2C | URECU | 5.50 | 0.00 | 0.00 | | | | | | | | |
| Cro | | onnects | | | | | | | | | | | | | | | |
| | | Physical Expanded Interconnection Two Wire Cross Connect, | | | | 55.00 | | | | | | | | | | | |
| | | Provsioning //irtual Collocation - Two Wire Cross Connect, Provisioning | | | UEP2C UEP2C | PE1R2 VE1R2 | 0.0202 0.0192 | 0.00 | 0.00 | | | | | | | - | - |
| Nor | | curring Charges | | <u> </u> | UEP2C | VEIRZ | 0.0192 | 0.00 | 0.00 | | | | | | | 1 | 1 |
| 1401 | | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | 1 | UEP2C | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | | Jnbundled Miscellaneous Rate Element, Tag Loop at End User | | | | 3002 | | 0.00 | 0.00 | 1 | | † | | | | † | † |
| | F | Premise | | | UEP2C | URETL | | 8.33 | 0.83 | | | | | | | 1 | 1 |
| WHOLESAI | | OCAL CIRCUIT SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| | d Offi | ce Switching (Port Usage) | | | | | | | · · · · · | | • | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | 0.0006304 | | | | | | | | | 1 | 1 |
| | | End Office Trunk Port - Shared, Per MOU | | <u> </u> | | _ | 0.0001256 | | | ļ | | | | | | ļ | ļ |
| Tan | | Switching (Port Usage) (Local or Access Tandem) | | - | 1 | + | 0.0000000 | | | | | | | | | 1 | 1 |
| \vdash | | Fandem Switching Function Per MOU Fandem Trunk Port - Shared, Per MOU | | - | 1 | + | 0.0000996 0.0001595 | | | - | | - | | | | | |
| Mal | | Factor: 18.42% of the Tandem Rate | - | | - | + | 0.0001595 | | | + | | | | | | | |
| INIGI | | Factor: 18.42% of the Tandem Rate Tandem Switching Function Per MOU (Melded) | | | | + | 0.000018346 | | | + - | | 1 | | | 1 | | |
| | | Fandem Trunk Port - Shared, Per MOU (Melded) | | † | | + | 0.000010340 | | | 1 | | <u> </u> | | | | - | - |
| Who | | ale Common Transport | | | 1 | 1 | 0.00002000 | | | | | | | | 1 | 1 | 1 |
| 1 | | Common Transport - Per Mile, Per MOU | | | ĺ | 1 | 0.0000028 | | | | | İ | | | ĺ | 1 | 1 |
| | (| Common Transport - Facilities Termination Per MOU | | | | | 0.0001955 | | | | | | | | | | |
| DS0 WHOL | ESA | LE LOCAL PLATFORM SERVICE | | | | | | | | | | | | | | | |

| SERVICES - | - Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|--|--|----------------------|----------------|-------------------|----------------|---------------|--|------------------|--|--|--|--|-------------|-------------|
| <u> </u> | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | Imton: | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | ist | Addi | DISC 1St | DISC Add I |
| | | | | | | B | Nonre | urring | Nonrecurring | Disconnect | | • | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| > For | New Install scenarios the Nonrecurring charges are listed in the | e First | and Ad | ditional NRC colum | ns for each I | ort USOC. For | Existing Platf | orm scenarios | , the Nonrecuri | ring charges a | re listed in | the NRC - C | | | onal NRCs m | ay apply |
| | nd are categorized accordingly. | | | | | | ŭ | | | | | | | | | |
| u.00 u | na aro sategorizoa accoranigiyi | | | | | | | | | | | | | | | |
| > End | Office and Tandem Switching Usage and Wholesale Common | Transn | ort Usa | ne rates in the Port | section of th | nis rate exhibit | shall annly to | OSO Wholesale | l ocal Platforn | n Service exce | ent for the C | oin Service | which has a | lat rate usane | charge (USO | C- URECU) |
| | VHOLESALE LOCAL PLATFORM SERVICE (Residence) | Г | 1 | ge rates in the rort | Jeotholi ol ti | IIS TULE CATILDIC | onan appry to | JOU WHOICSAIC | Locarriation | II OCI VIOC CAOC | De los tile o | I | I I | l | onarge (ooc | o. onecoj. |
| | oop Rates | | | | | | | | | | 1 | | | | | ſ |
| D00 E | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 10.98 | | | | | 1 | | | | | ſ |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 16.30 | | | | | 1 | | | | | ſ |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 34.73 | | | | | † | | | | | ſ |
| 2-Wire | Voice Grade Line Port (Res) | | | OLITON | OLI EX | 04.70 | | | | | † | | | | | |
| 2-1116 | 2-Wire voice port - residence | | | UEPRX | UEPRL | 7.924 | 33.87 | 24.81 | | | | | | | | |
| | 2-Wire voice port with Caller ID - res | | | UEPRX | UEPRC | 7.924 | 33.87 | 24.81 | | | | | | | | |
| | 2-Wire voice port with Carler ID - res 2-Wire voice port outgoing only - res | | | UEPRX | UEPRO | 7.924 | 33.87 | 24.81 | | | | | | | | |
| | 2-Wire voice port outgoing only - res 2-Wire voice res, low usage line port with Caller ID | | | UEPRX | UEPAP | 7.924 | 33.87 | 24.81 | | | † | | | | | |
| \vdash | 2-Wire voice Georgia basic dialing port with Caller ID | | | OLI NA | OLFAF | 1.324 | 33.07 | 24.01 | | | | - | - | - | | |
| | capability - res | 1 | 1 | UEPRX | UEPWC | 7.924 | 33.87 | 24.81 | | | 1 | 1 | | | | 1 |
| | 2-Wire voice Georgia basic dialing port for use with Caller ID - | | | OLI IVA | OLFVVC | 1.324 | 33.07 | 24.01 | | | † | | | | | |
| | res | | | UEPRX | UEPWQ | 7.924 | 33.87 | 24.81 | | | | | | | | ł |
| | 2-Wire voice Georgia basic dialing port - outgoing only | | | UEPRX | UEPWR | 7.924 | 33.87 | 24.81 | | | | | | | | |
| | 2-Wire voice Georgia basic draining port - outgoing only 2-Wire voice Georgia port without Caller ID capability - res | - | - | UEPRX | UEPRV | 7.924 | 33.87 | 24.81 | | | ł | - | | | | |
| | 2-Wire voice Georgia port without Caller ID capability - res | - | - | UEPRX | UEPRU | 7.924 | 33.87 | 24.81 | | | ł | - | | | | |
| | 2-Wire voice Georgia port with Caller ID capability - res 2-Wire voice Low Usage Line Port without Caller ID Capability | - | - | UEPRX | UEPRT | 7.924 | 33.87 | 24.81 | | | ł | - | | | | |
| FEATU | | - | - | UEPKA | UEPKI | 7.924 | 33.01 | 24.01 | | | ł | - | | | | |
| FLAT | All Features Offered | | | UEPRX | UEPVF | 0.775 | | | | | | | | | | |
| NOND | ECURRING CHARGES - Conversions | - | - | OLFIX | OLFVI | 0.773 | | | | | ł | - | | | | |
| NONK | 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is | - | - | UEPRX | USAC2 | | 10.00 | 10.00 | | | ł | - | | | | |
| | 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is | - | - | UEPRA | USACZ | | 10.00 | 10.00 | | | ł | - | | | | |
| | change | | | UEPRX | USACC | | 10.00 | 10.00 | | | | | | | | í |
| | 2-Wire Voice Grade Loop / Line Port Platform - Installation | | | OLFIX | USACC | | 10.00 | 10.00 | | | | | | | | |
| | Charge at QuickService location - Not Conversion of Existing | | | | | | | | | | | | | | | ł |
| | Service | | | UEPRX | URECC | | 10.00 | | | | | | | | | ł |
| ADDIT | TONAL NRCs | 1 | | UEPRA | UKECC | | 10.00 | | | | 1 | | | | | |
| ADDIT | NRC - 2-Wire Voice Grade Loop/Line Port Platform - | | | | 1 | | | | | | | | | | | |
| | Subsequent | | | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | ł |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | - | - | OLFIX | USASZ | 0.00 | 0.00 | 0.00 | | | ł | - | | | | |
| | Premise | | | UEPRX | URETL | | 8.33 | 0.83 | | | | | | | | ł |
| Incido | Wire Maintenance | - | - | UEPRA | UKEIL | | 0.33 | 0.03 | | | ł | - | | | | |
| Iliside | Inside Wire Maintenance Plan | - | - | UEPRX | SEQ1X | 4.50 | | | | | ł | - | | | | |
| OEE/O | DN PREMISES EXTENSION CHANNELS | | | OLFIVA | JLQ IA | 4.50 | | | | | 1 | - | 1 | 1 | | |
| UFF/C | 2 Wire Analog Voice Grade Extension Loop – Non-Design | - | 1 | UEPRX | UEAEN | 12.08 | 39.98 | 9.98 | 5.61 | 1.72 | 1 | | - | - | | |
| \vdash | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPRX | UEAEN | 17.43 | 39.98 | 9.98 | 5.61 | 1.72 | | - | - | - | | |
| \vdash | 2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPRX | UEAEN | 35.09 | 39.98 | 9.98 | 5.61 | 1.72 | 1 | - | 1 | 1 | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Design | | 1 | UEPRX | UEAEN | 13.32 | 79.78 | 24.62 | 18.90 | 7.86 | 1 | - | 1 | 1 | | 1 |
| | 2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design | | 2 | UEPRX | UEAED | 13.32 | 79.78 | 24.62 | 18.90 | 7.86 | 1 | - | 1 | 1 | | 1 |
| \vdash | 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPRX | UEAED | 36.33 | 79.78 | 24.62 | 18.90 | 7.86 | | - | - | - | | |
| INTER | OFFICE TRANSPORT | | - | OLI IVA | JEALD | 30.33 | 13.10 | 24.02 | 10.90 | 1.00 | 1 | - | 1 | 1 | | 1 |
| INTER | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | + | 1 | | | | | 1 | - | 1 | 1 | | |
| | Termination | 1 | 1 | UEPRX | U1TV2 | 13.15 | 48.41 | 19.46 | 16.56 | 4.99 | 1 | 1 | | | | 1 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OLI IVA | UTIVE | 13.15 | 40.41 | 13.40 | 10.30 | 4.99 | † | | | | | |
| | or Fraction Mile | 1 | 1 | UEPRX | U1TVM | 0.0059 | 0.00 | 0.00 | | | 1 | 1 | | | | 1 |
| Dec 14 | /HOLESALE LOCAL PLATFORM SERVICE (Res-PBX) | | | OLI IVA | O I I VIVI | 0.0039 | 0.00 | 0.00 | | | 1 | - | 1 | 1 | | 1 |
| | oop Rates | | | | + | 1 | | | | | 1 | - | 1 | 1 | | |
| D30 L | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 10.98 | | | | | 1 | - | 1 | 1 | | |
| H | 2-Wire Voice Grade Loop (SL 1) - Zone 1 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 16.30 | | | | | 1 | - | 1 | 1 | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | - | 3 | UEPRG | UEPLX | 34.73 | | | | | 1 | | - | - | | |
| 2 18/: | voice Grade Line Port Rates (RES - PBX) | - | 3 | OLFING | JLFLA | 34.13 | | | | | 1 | | - | - | | |
| Z-VVITE | | - | | | + | 1 | | | | | 1 | | - | - | | |
| | 2-Wire voice Georgia basic dialing port - 2-way PBX trunk (E: 1/1/2005) | | | UEPRG | UEPPQ | 10.924 | 48.17 | 24.81 | | | | | | | | 1 |
| FEATU | | - | | ULFRU | UEFFQ | 10.924 | 48.17 | ∠4.81 | | | 1 | | - | - | | |
| FEAIL | JKEO | 1 | | | 1 | 1 | | | | | 1 | 1 | | | | |

| SERVICES | S - Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------------------|---|---------|---------|-------|-------|--------|--------|-----------|--------------|------------|-----------|-----------|---------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Addi | DISC ISL | DISC Add I |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | İ | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | All Features Offered | 1 | 1 | UEPRG | UEPVF | 0.775 | | | | | | | | | | |
| NON | IRECURRING CHARGES - Conversions | | | | | | | | | | | | | Î | | , |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPRG | USAC2 | | 10.00 | 10.00 | | | | | | Î | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | Î | | |
| | Change | | | UEPRG | USACC | | 10.00 | 10.00 | | | | | | | | ĺ |
| ADD | ITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | t | | | | | | | | | | | | | | |
| | Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | Î | | |
| | Group | | | | | | 14.64 | 14.64 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| I | Premise | | | UEPRG | URETL | | 8.33 | 0.83 | <u> </u> | | <u> </u> | <u> </u> | | <u> </u> | <u> </u> | <u> </u> |
| OFF/ | ON PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | Local Channel Voice grade, per termination | | 1 | UEPRG | P2JHX | 13.32 | 79.78 | 24.62 | 18.90 | 7.86 | | | | ĺ | | |
| | Local Channel Voice grade, per termination | | 2 | UEPRG | P2JHX | 18.66 | 79.78 | 24.62 | 18.90 | 7.86 | İ | | | | | |
| | Local Channel Voice grade, per termination | | 3 | UEPRG | P2JHX | 36.33 | 79.78 | 24.62 | 18.90 | 7.86 | | | | ĺ | | |
| | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPRG | SDD2X | 12.74 | 56.92 | 7.70 | | | | | | | | |
| | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPRG | SDD2X | 19.76 | 56.92 | 7.70 | | | | | | | | |
| | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPRG | SDD2X | 37.18 | 56.92 | 7.70 | | | İ | | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | İ | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | İ | | | | | |
| | Termination | | | UEPRG | U1TV2 | 13.15 | 48.41 | 19.46 | 16.56 | 4.99 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | İ | | | | | |
| | or Fraction Mile | | | UEPRG | U1TVM | 0.0059 | 0.00 | 0.00 | | | | | | | | |
| DS0 | WHOLESALE LOCAL PLATFORM SERVICE (Bus-PBX) | | | | | | | | | | İ | | | | | |
| DS0 | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 16.30 | | | | | | | | Î | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 34.73 | | | | | | | | | | |
| 2-Wi | ire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | Line Side Outward PBX Trunk Port - Bus | 1 | 1 | UEPPX | UEPPO | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | Line Side Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 10.924 | 48.17 | 24.81 | | | | | | Î | | |
| | 2-Wire Voice PBX LD Terminal Ports | | | UEPPX | UEPLD | 10.924 | 48.17 | 24.81 | | | İ | | | | | |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire voice Georgia basic dialing port - 2-Way Trunk | | | UEPPX | UEPWT | 10.924 | 48.17 | 24.81 | | | | | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.775 | 0.00 | 0.00 | | | | | | | | |
| NON | IRECURRING CHARGES - Conversions | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPPX | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| $oxedsymbol{oxed}$ | Change | <u></u> | <u></u> | UEPPX | USACC | | 10.00 | 10.00 | | | | | | | <u> </u> | <u> </u> |
| ADD | ITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | t | | | | | | | | | | | | | | 1 |
| | Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | I | 1 |
| | Group | | | | | | 14.64 | 14.64 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | I | 1 |
| | Premise | | <u></u> | UEPPX | URETL | | 8.33 | 0.83 | | | | | | | <u></u> | <u></u> |
| OFF/ | ON PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | Local Channel Voice grade, per termination | | 1 | UEPPX | P2JHX | 13.32 | 79.78 | 24.62 | 18.90 | 7.86 | | | | | | |
| | Local Channel Voice grade, per termination | | 2 | UEPPX | P2JHX | 18.66 | 79.78 | 24.62 | 18.90 | 7.86 | | | | | | |
| | Local Channel Voice grade, per termination | | 3 | UEPPX | P2JHX | 36.33 | 79.78 | 24.62 | 18.90 | 7.86 | | | | | | |
| . — — | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPPX | SDD2X | 12.74 | 56.92 | 7.70 | | | | | | | | 1 |

| SERVIC | CES - | Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---|--------|--|-------------|------|----------------|----------------|--------------|------------------|------------------|--------------|------------|---|---|--|--|--|---|
| CATEGO | DRY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | 1 | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPPX | SDD2X | 19.76 | 56.92 | 7.70 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPPX | SDD2X | 37.18 | 56.92 | 7.70 | | | | | | | | |
| - 11 | NTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | l | | | | | | | | | | | |
| | | Termination | | | UEPPX | U1TV2 | 13.15 | 48.41 | 19.46 | 16.56 | 4.99 | ļ | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPPX | U1TVM | 0.0059 | 0.00 | 0.00 | | | | | | | | |
| Г | nen w | HOLESALE LOCAL PLATFORM SERVICE (Coin) | | | UEPPX | UTTVIVI | 0.0059 | 0.00 | 0.00 | | | - | - | | | - | |
| | | op Rates | | | | + | | | | | | 1 | | | | 1 | |
| | 500 E0 | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 10.98 | | | | | 1 | | | | | † |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 16.30 | | | | | İ | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 34.73 | | | | | İ | | | | | |
| 2 | 2-Wire | Voice Grade Line Port Rates (Coin) | | | | | | İ | | | | İ | | | 1 | | |
| | | 2-Wire Coin 2-Way with Operator Screening (GA) | | | UEPCO | UEPGC | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | - | | | | | | | | |
| | | 900, 1+DDD (GA) | | | UEPCO | UEP2G | 10.924 | 48.17 | 24.81 | | | | | | | | <u> </u> |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | , | | | | | | | | | I | |
| | | (GA) | | | UEPCO | UEPGA | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and 900 Blocking | | | | | | | | | | | | | | | |
| | | (GA) | | | UEPCO | UEPGB | 10.924 | 48.17 | 24.81 | | | ļ | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900, | | | LIEDCO | LIEDOLI | 40.004 | 40.47 | 24.04 | | | | | | | | |
| | | 1+DDD, 011+,and Local (GA) 2-Wire Coin Outward with Operator Screening and 011Blocking | | - | UEPCO | UEPCH | 10.924 | 48.17 | 24.81 | | | | | | | | - |
| | | (GA, KY, MS) | | | UEPCO | UEPRJ | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | | OLI CO | OLI IX | 10.324 | 40.17 | 24.01 | | | † | | | | - | |
| | | 1900. 1+DDD. 011+ | | | UEPCO | UEPOF | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | İ | | | | | |
| | | 900, 1+DDD, 011+, and Local (FL, GA) | | | UEPCO | UEPCQ | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire 2-Way Smartline with 900 (all states except LA) | | | UEPCO | UEPCK | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire Coin Outward Smartline with 900 (all states except LA) | | | UEPCO | UEPCR | 10.924 | 48.17 | 24.81 | | | | | | | | |
| C | Coin U | sage | | | | | | | | | | | | | | | ļ |
| | | | | | | | | | | | | | | | | | |
| | | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | | | UEPCO | URECU | 5.50 | 0.00 | 0.00 | | | | | | | | |
| | NONRE | CURRING CHARGES - Conversions | | | LIEBOO | 110400 | | 40.00 | 10.00 | | | ļ | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPCO | USAC2 | | 10.00 | 10.00 | | | - | | | - | | <u> </u> |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with Change | | | UEPCO | USACC | | 10.00 | 10.00 | | | | | | | I | |
| | ידוחת | ONAL NRCs | - | | 021-00 | USACC | | 10.00 | 10.00 | | | † | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | 1 | | 1 | | | | I | 1 |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | 122 | | 2.00 | 2.00 | | | | | | İ | 1 | |
| | | Premise | | | UEPCO | URETL | | 8.33 | 0.83 | | | | | | | I | |
| | DS0 W | HOLESALE LOCAL PLATFORM SERVICE (FX/FCO Res) | | | | | | | | | | | | | | | |
| | DS0 Lo | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 13.32 | | · · · · · | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 18.66 | | | | | | | | | | ļ |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 36.33 | | | | | | | | | ļ | |
| 2 | 2-Wire | Voice Grade Line Port Rates (Res) | | - | LIEDED | LIEDS | 0.40 | 000.00 | 445.00 | 1 | - | ļ | | | - | | |
| | | 2-Wire voice port - residence 2-Wire voice port with Caller ID - res | | - | UEPFR UEPFR | UEPRL UEPRC | 8.12 8.12 | 220.00 220.00 | 145.00 145.00 | | | - | | | - | | |
| - | | 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res | - | | UEPFR | UEPRO | 8.12 8.12 | 220.00 | 145.00 | - | - | 1 | | | | | + |
| + | | 2-Wire voice port outgoing only - res 2-Wire voice res, low usage line port with Caller ID | | | UEPFR | UEPAP | 8.12 | 220.00 | 145.00 | 1 | | 1 | | | | t | |
| | | 2 TYTIC VOICE TOO, TOW daage file port with Caller 10 | | | OLI I IX | JLI AI | 0.12 | 220.00 | 143.00 | | | | | | | - | † |
| | | 2-Wire voice res, low usage line port without Caller ID capabilty | | | UEPFR | UEPRT | 8.12 | 220.00 | 145.00 | | | | | | | 1 | |
| | | 2-Wire voice Georgia basic dialing port, without Caller ID | | | 1 | | 52 | | 5.56 | | | | | | 1 | 1 | — |
| | | capability - res | | | UEPFR | UEPWC | 8.12 | 220.00 | 145.00 | | | | | | | 1 | |
| | | 2-Wire voice Georgia basic dialing port for use with Caller ID - | | | | | | | | | | | | | | | |
| $oldsymbol{ol}}}}}}}}}}}}}}}}}$ | | res | | | UEPFR | UEPWQ | 8.12 | 220.00 | 145.00 | | | | | | | | <u> </u> |
| | | 2-Wire voice Georgia basic dialing port - outgoing only | | | UEPFR | UEPWR | 8.12 | 220.00 | 145.00 | | | | | | | | ļ |
| | | 2-Wire voice Georgia port without Caller ID capability - res | | | UEPFR | UEPRV | 8.12 | 220.00 | 145.00 | | | | | | | | |

| SERVICES | - Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|-------------|--|----------------|----------------|----------------|------------------|------------------|--------------|------------|---|-----------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | 1 |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice Georgia port with Caller ID capability - res | | | UEPFR | UEPRU | 8.12 | 220.00 | 145.00 | 11101 | | | | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFR | U1TV2 | 13.15 | 48.41 | 19.46 | 16.56 | 4.99 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFR | 1L5XX | 0.0059 | 0.00 | 0.00 | | | | | | | | |
| FEA1 | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFR | UEPVF | 0.775 | | | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CONVERSIONS | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | | | | | | |
| | - Conversion - Switch-as-is | | | UEPFR | USAC2 | 0.00 | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - Conversion - Switch-With-Change | | | UEPFR | USACC | 0.00 | 10.00 | 10.00 | | | | | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - Subsequent Activity | | | UEPFR | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise | | | UEPFR | URETN | | 11.19 | 1.10 | | | | | | | | |
| DS0 | WHOLESALE LOCAL PLATFORM SERVICE (FX/FCO Bus) | | | | | | | | | | | | | | | |
| DS0 | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 13.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 18.66 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 36.33 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | 2-Wire voice port without Caller ID - bus | | | UEPFB | UEPBL | 11.12 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice port with Caller + E484 ID - bus | | - | UEPFB | UEPBC | 11.12 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice port outgoing only - bus | | | UEPFB UEPFB | UEPBO UEPB1 | 11.12 11.12 | 220.00 220.00 | 145.00 145.00 | | | | | | | | |
| | 2-Wire voice incoming only port with Caller ID - Bus 2-Wire voice Georgia basic dialing port, without Caller ID | | 1 | UEPFB | UEPBI | 11.12 | 220.00 | 145.00 | | | - | | | | - | - |
| | capability - bus 2-Wire voice Georgia basic dialing port for use with Caller ID - | | | UEPFB | UEPWD | 11.12 | 220.00 | 145.00 | | | | | | | | |
| | bus | | | UEPFB | UEPWP | 11.12 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice incoming only port without Caller ID capability | | 1 | UEPFB | UEPBE | 11.12 | 220.00 | 145.00 | | | | | | | | |
| INTE | ROFFICE TRANSPORT | | 1 | OLITB | OLI DL | 11.12 | 220.00 | 140.00 | | | † | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFB | U1TV2 | 13.15 | 48.41 | 19.46 | 16.56 | 4.99 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFB | 1L5XX | 0.0059 | 0.00 | 0.00 | | | | | | | | |
| FEA1 | TURES | | | | | | | | | | | | | | 1 | |
| | All Features Offered | | | UEPFB | UEPVF | 0.775 | | | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CONVERSIONS | | | | | | | · · · · · | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - Conversion - Switch-as-is | | | UEPFB | USAC2 | 0.00 | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - Conversion - Switch-With-Change | | | UEPFB | USACC | 0.00 | 10.00 | 10.00 | | | | | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise | | | UEPFB | URETN | | 11.19 | 1.10 | | | | | | | | |
| | WHOLESALE LOCAL PLATFORM SERVICE (FX/FCO PBX) | | | | | | | | | | | | | | | |
| DS0 | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 13.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 18.66 | | | | | | | | | ļ | ļ |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 36.33 | | | | | | | | | ļ | ļ |
| 2-Wir | re Voice Grade Line Port Rates (BUS - PBX) | | <u> </u> | LIEDED | LIEBBO | 44.10 | 005.00 | 175 00 | | | - | | | | - | - |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | ├ | UEPFP UEPFP | UEPPC UEPPO | 11.12 | 285.00 285.00 | 175.00 175.00 | | | - | | | | | |
| | Line Side Outward PBX Trunk Port - Bus Line Side Incoming PBX Trunk Port - Bus | | - | UEPFP | UEPPO UEPP1 | 11.12 11.12 | 285.00 285.00 | 175.00 | - | | | | | - | | |
| | 2-Wire Voice PBX LD Terminal Ports | | | UEPFP | UEPLD | 11.12 | 285.00 | 175.00 | - | | | | | | | |
| | | | 1 | UEPFP | ULFLU | 11.12 | ∠05.00 | 175.00 | 1 | ı | 1 | 1 | | l | 1 | 1 |

| | Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---------------------------------------|--|----------|--------|---|---|--|--|--|------------------------------|------------------------------|----------------|--------------|----------------|----------------|--------------|-------------|
| | 500.g.u | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incrementa |
| | | | | | | I | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | I | | | | | | | _ | | - | • |
| CATEGORY | RATE ELEMENTS | Interi | Zana | BCS | usoc | ı | | DATEC(¢) | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATEGORY | RAIE ELEWENIS | m | Zone | BUS | 0500 | ı | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | ı | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | ı | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | l | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 2 | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 11.12 | 285.00 | 175.00 | | | | | | | | |
| 2 | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 11.12 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | † | | UEPFP | UEPXD | 11.12 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPFP | UEPXE | 11.12 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire voice Georgia basic dialing port - 1-Way Oudial Trunk | | | UEPFP | UEPWS | 11.12 | 285.00 | 175.00 | | | | | | | | |
| | | | | UEPFP | | | | | | | | | | | | |
| | 2-Wire voice Georgia basic dialing port - 2-Way Trunk | | | UEPFP | UEPWT | 11.12 | 285.00 | 175.00 | | | | | | | | |
| | FFICE TRANSPORT | | | | | | | | | | | | | | | |
| | nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | ı | | | | | | | | | | |
| T | Termination | | | UEPFP | U1TV2 | 13.15 | 48.41 | 19.46 | 16.56 | 4.99 | | | | | | |
| Ir | nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| l | or Fraction Mile | | | UEPFP | 1L5XX | 0.0059 | 0.00 | 0.00 | | | | | | | | |
| FEATUR | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFP | UEPVF | 0.775 | | | | | | | | | | |
| | CURRING CHARGES (NRCs) - CONVERSIONS | | | UEPFP | OLI VI | 0.773 | | | | | | | | | | |
| | | <u> </u> | | UEPFP | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | 1 | | | | | | | | | | | | | | |
| | Conversion - Switch-as-is | | | UEPFP | USAC2 | 0.00 | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | n | | | | ı | | | | | | | | | | |
| - | Conversion - Switch-With-Change | | | UEPFP | USACC | 0.00 | 10.00 | 10.00 | | | | | | | | |
| ADDITIO | NAL NRCs | | | | | | | | | | | | | | | |
| 2 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port (PBX) | | | | 1 | | | | | | | | | | | |
| | Platform - Subsequent Activity | | | UEPFP | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | OLITI | OUNUE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Group | | | | | 1 | 14.64 | 14.64 | | | | | | | | |
| | | | | | | | 14.64 | 14.04 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | | 1 | | | | | | | | | | |
| | End User Premise | | | UEPFP | URETN | | 11.19 | 1.10 | | | | | | | | |
| | LE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | |
| > For Ne | w Install scenarios the Nonrecurring charges are listed in the | ne First | and Ad | ditional NRC colur | nns for each P | ort USOC. For | Existing Platfe | orm scenarios | the Nonrecuri | ing charges a | re listed in t | he NRC - C | onversions se | ection. Additi | onal NRCs ma | ay apply |
| also and | I are categorized accordingly. | | | | | | | | | | | | | | | |
| | 3, | | | | | | | | | | | | | | | |
| > End O | Office and Tandem Switching Usage and Wholesale Common | n Tranci | ort He | and rates in the Po | rt section of th | nie rato ovhihit | shall annly to | the Wholessle | Acces Line S | arvice excent | or the Coin | C | | | | IIRECII) |
| | OLESALE LOCAL SWITCHING PORTS - (Bus) | Titalis | 1 030 | age rates in the r o | it section of the | | | | Access Line o | er vice except | | | ich hae a flat | rata usana ch | | OILLOU). |
| | | | | | | $\overline{}$ | | | | | | Service wi | ich has a flat | rate usage ch | arge (USOC: | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | | | | | Service wi | ich has a flat | rate usage ch | arge (USOC: | |
| | Bus | | l 1 | | | | | | | | | Service wi | ich has a flat | rate usage ch | narge (USOC: | |
| | | | | UEPSB | UEPBL | 11.12 | 48.17 | 24.81 | 0.00 | 0.00 | | Service wi | ich has a flat | rate usage ch | arge (USOC: | |
| | Exchange Ports - 2-Wire VG Line Port with port with | | | | | 11.12 | 48.17 | 24.81 | | | | Service with | ich has a flat | rate usage ch | narge (USOC: | |
| | Exchange Ports - 2-Wire VG Line Port with port with Caller+E484 ID - Bus. | | | UEPSB UEPSB | UEPBL UEPBC | | | | 0.00 | 0.00 | | Service with | ich has a flat | rate usage ch | aarge (USOC: | |
| C | | | | | | 11.12 | 48.17 | 24.81 | | | | Service with | ich has a flat | rate usage ch | large (USOC: | |
| C | Caller+E484 ID - Bus. | | | UEPSB | | 11.12 | 48.17 | 24.81 24.81 | | | | Service with | ich has a flat | rate usage ch | large (USOC: | |
| C | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing | | | | UEPBC | 11.12 | 48.17 48.17 | 24.81 | 0.00 | 0.00 | | Service with | ich has a flat | rate usage ch | large (USOC: | |
| C E P | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability | | | UEPSB UEPSB | UEPBC | 11.12 11.12 11.12 | 48.17 48.17 48.17 | 24.81 24.81 24.81 | 0.00 | 0.00 | | Service with | ich has a flat | rate usage ch | large (USOC: | |
| C E | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBC | 11.12 | 48.17 48.17 | 24.81 24.81 | 0.00 | 0.00 | | Service with | ich has a flat | rate usage ch | large (USOC: | |
| C E E | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exhange Ports - 2-Wire VG incoming only port with Caller ID - | | | UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO | 11.12 11.12 11.12 11.12 | 48.17 48.17 48.17 48.17 | 24.81 24.81 24.81 24.81 | 0.00 0.00 0.00 | 0.00 0.00 0.00 | | Service with | ich has a flat | rate usage ch | large (USOC: | |
| E E B | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exhange Ports - 2-Wire VG incoming only port with Caller ID - Bus | | | UEPSB UEPSB | UEPBC | 11.12 11.12 11.12 | 48.17 48.17 48.17 | 24.81 24.81 24.81 | 0.00 | 0.00 | | Service with | ich has a flat | rate usage ch | arge (USOC: | |
| E B | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG incoming only port with Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan | | | UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO UEPB1 | 11.12 11.12 11.12 11.12 11.12 | 48.17 48.17 48.17 48.17 48.17 | 24.81 24.81 24.81 24.81 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service with | ich has a flat | rate usage ch | arge (USOC: | |
| E E E W | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exhange Ports - 2-Wire VG incoming only port with Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID | | | UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO | 11.12 11.12 11.12 11.12 | 48.17 48.17 48.17 48.17 | 24.81 24.81 24.81 24.81 | 0.00 0.00 0.00 | 0.00 0.00 0.00 | | Service with | ich has a flat | rate usage ch | arge (USOC: | |
| E E E W | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG incoming only port with Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan | | | UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO UEPB1 | 11.12 11.12 11.12 11.12 11.12 | 48.17 48.17 48.17 48.17 48.17 | 24.81 24.81 24.81 24.81 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service with | ich has a flat | rate usage ch | arge (USOC: | |
| E E E W | Caller+É484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG incoming only port with Caller ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPSB UEPSB UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO UEPB1 UEPWD | 11.12 11.12 11.12 11.12 11.12 11.12 | 48.17 48.17 48.17 48.17 48.17 | 24.81 24.81 24.81 24.81 24.81 24.81 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service with | ich has a flat | rate usage ch | arge (USOC: | |
| E E E FEATURI | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG incoming only port with Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID E-Wire voice Incoming Only Port without Caller ID Capability ES | | | UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO UEPB1 UEPWD | 11.12 11.12 11.12 11.12 11.12 11.12 11.12 | 48.17 48.17 48.17 48.17 48.17 48.17 | 24.81 24.81 24.81 24.81 24.81 24.81 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service with | ich has a flat | rate usage ch | arge (USOC: | |
| E E E W FEATURING A | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG incoming only port with Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID 2-Wire voice Incoming Only Port without Caller ID Capability ES All Available Vertical Features | | | UEPSB UEPSB UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO UEPB1 UEPWD UEPBE | 11.12 11.12 11.12 11.12 11.12 11.12 | 48.17 48.17 48.17 48.17 48.17 | 24.81 24.81 24.81 24.81 24.81 24.81 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service wil | ich has a flat | rate usage ch | arge (USOC: | |
| E E E E E E E E E E E E E E E E E E E | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG incoming only port with Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID 2-Wire voice Incoming Only Port without Caller ID Capability ES All Available Vertical Features onnects | | | UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO UEPB1 UEPWD UEPBE | 11.12 11.12 11.12 11.12 11.12 11.12 11.12 | 48.17 48.17 48.17 48.17 48.17 48.17 | 24.81 24.81 24.81 24.81 24.81 24.81 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service wil | ich has a flat | rate usage ch | arge (USOC: | |
| E E E E E E E E E E E E E E E E E E E | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG incoming only port with Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Exchange Ports - 2-Wire Voice Georgia Business Dialing Exchange Ports - 2-Wire Voice Georgia Business Dialing Exchange Ports - 2-Wire Voice Georgia Business Dialing Exchange Ports - 2-Wire Voice Georgia Business Dialing Exchange Ports - 2-Wire Voice Georgia Business Dialing Exchange Ports - 2-Wire Voice Georgia Business Dialing Exchange Ports - 2-Wire Voice Georgia Business Dialing Exchange Ports - 2-Wire Voice Georgia Business Dialing Exchange Ports - 2-Wire Voice Georgia Business Dialing Exchange Ports - 2-Wire Voice Georgia Business Dialin | | | UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO UEPB1 UEPWD UEPBE | 11.12 11.12 11.12 11.12 11.12 11.12 11.12 0.775 | 48.17 48.17 48.17 48.17 48.17 48.17 0.00 | 24.81 24.81 24.81 24.81 24.81 24.81 0.00 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service wi | ich has a flat | rate usage ch | arge (USOC: | |
| E E E E E E E E E E E E E E E E E E E | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exhange Ports - 2-Wire VG incoming only port with Caller ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID 2-Wire voice Incoming Only Port without Caller ID Capability IES All Available Vertical Features onnects Physical Expanded Interconnection Two Wire Cross Connect, Provsioning | | | UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO UEPB1 UEPWD UEPBE UEPVF | 11.12 11.12 11.12 11.12 11.12 11.12 11.12 0.775 | 48.17 48.17 48.17 48.17 48.17 48.17 0.00 | 24.81 24.81 24.81 24.81 24.81 24.81 0.00 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service with | ich has a flat | rate usage ch | arge (USOC: | |
| E E E W TEATURE A Cross CC P P V V | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG incoming only port with Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID P-Wire voice Incoming Only Port without Caller ID Capability ES All Available Vertical Features onnects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO UEPB1 UEPWD UEPBE | 11.12 11.12 11.12 11.12 11.12 11.12 11.12 0.775 | 48.17 48.17 48.17 48.17 48.17 48.17 0.00 | 24.81 24.81 24.81 24.81 24.81 24.81 0.00 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service with | ich has a flat | rate usage ch | arge (USOC: | |
| E B B C FEATURI A Cross CC P Non-Rec | Caller+É484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG incoming only port with Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID. EVENTE voice Incoming Only Port without Caller ID Capability ES But Available Vertical Features Onnects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Furring Charges | | | UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO UEPB1 UEPWD UEPBE UEPVF PE1R2 VE1R2 | 11.12 11.12 11.12 11.12 11.12 11.12 11.12 0.775 | 48.17 48.17 48.17 48.17 48.17 48.17 0.00 | 24.81 24.81 24.81 24.81 24.81 24.81 24.81 0.00 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service with | ich has a flat | rate usage ch | arge (USOC: | |
| E B B C FEATURI A Cross CC P Non-Rec | Caller+E484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG incoming only port with Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID P-Wire voice Incoming Only Port without Caller ID Capability ES All Available Vertical Features onnects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO UEPB1 UEPWD UEPBE UEPVF | 11.12 11.12 11.12 11.12 11.12 11.12 11.12 0.775 | 48.17 48.17 48.17 48.17 48.17 48.17 0.00 | 24.81 24.81 24.81 24.81 24.81 24.81 0.00 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service wil | ich has a flat | rate usage ch | arge (USOC: | |
| E E E E E E E E E E E E E E E E E E E | Caller+É484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG incoming only port with Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID. EVENTE voice Incoming Only Port without Caller ID Capability ES But Available Vertical Features Onnects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Furring Charges | | | UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB UEPSB | UEPBC UEPWP UEPBO UEPB1 UEPWD UEPBE UEPVF PE1R2 VE1R2 | 11.12 11.12 11.12 11.12 11.12 11.12 11.12 0.775 | 48.17 48.17 48.17 48.17 48.17 48.17 0.00 | 24.81 24.81 24.81 24.81 24.81 24.81 24.81 0.00 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service with | ich has a flat | rate usage ch | arge (USOC: | |
| E E E E E E E E E E E E E E E E E E E | Caller+É484 ID - Bus. Exchange Ports - 2-Wire Voice Georgia Business Basic Dialing Port, with Caller ID capability Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG incoming only port with Caller ID - Bus Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Exchange Ports - 2-Wire Voice Georgia Business Dialing Plan without Caller ID Capability ES All Available Vertical Features Onnects Physical Expanded Interconnection Two Wire Cross Connect, Provsioning Virtual Collocation - Two Wire Cross Connect, Provisioning Expring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSB >11.12 11.12 0.775 0.0202 0.0192 | 48.17 48.17 48.17 48.17 48.17 48.17 0.00 0.00 0.00 | 24.81 24.81 24.81 24.81 24.81 24.81 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | Service with | ich has a flat | rate usage ch | arge (USOC: | |

Version: 2Q07 MBR - SLC 06/04/07

also and are categorized accordingly.

| SERVICES | s - Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|--|-------------|--|-----------------------|-----------------|------------------|-----------------|----------------|--|-------------|----------------|---|---------------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring D | isconnect | | | | Rates(\$) | • | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DS0 | Loop Rates | | | | | | | | | | | | | | | ' |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.98 | | | | | | | | | | ' |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 16.30 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 34.73 | | | | | | | | | | |
| 2-Wi | re Voice Grade Line Port (Bus) | | - | HEDDY | LIEDDI | 40.004 | 10.17 | 04.04 | | | | | | | | |
| | 2-Wire voice port without Caller ID - bus | | | UEPBX | UEPBL | 10.924 10.924 | 48.17 48.17 | 24.81 24.81 | | | | | | | | |
| | 2-Wire voice port with Caller + E484 ID - bus | | - | UEPBX UEPBX | UEPBC UEPBO | 10.924 | 48.17 | 24.81 | | | | | | | | - |
| - | 2-Wire voice port outgoing only - bus 2-Wire voice incoming only port with Caller ID - Bus | | | UEPBX | UEPB0 | 10.924 | 48.17 | 24.81 | - | | | | | | | |
| — | 2-Wire voice Georgia basic dialing port, without Caller ID | | - | OLFBA | OLFBI | 10.524 | 40.17 | 24.01 | | | | | | | | |
| | capability - bus | | | UEPBX | UEPWD | 10.924 | 48.17 | 24.81 | | | | | | | | 1 |
| | 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPBX | UEPBE | 10.924 | 48.17 | 24.81 | | | | | | | | — |
| | 2-Wire voice Georgia basic dialing port for use with Caller ID - | | | | 52. 52 | 10.024 | 40.17 | 27.01 | | | | | | | 1 | |
| | bus | | | UEPBX | UEPWP | 10.924 | 48.17 | 24.81 | | | | | | | | 1 |
| FEA | TURES | | | | 1 | | | | † | | | | | | İ | |
| | All Features Offered | | | UEPBX | UEPVF | 0.775 | | | | | | | | İ | | |
| NON | RECURRING CHARGES - Conversions | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPBX | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| | Change | | | UEPBX | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADD | TIONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Platform - | | | | | | | | | | | | | | | |
| | Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEPBX | URETL | | 8.33 | 0.83 | | | | | | | | |
| Insid | le Wire Maintenance | | | | | | | | | | | | | | | |
| | Inside Wire Maintenance Plan | | | UEPBX | SEQ1X | 4.50 | | | | | | | | | | |
| OFF | ON PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPBX | UEAEN | 12.08 | 39.98 | 9.98 | 5.61 | 1.72 | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPBX | UEAEN | 17.43 | 39.98 | 9.98 | 5.61 | 1.72 | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPBX | UEAEN | 35.09 | 39.98 | 9.98 | 5.61 | 1.72 | | | | | | |
| — | 2 Wire Analog Voice Grade Extension Loop – Design | | 1 | UEPBX | UEAED | 13.32 | 79.78 | 24.62 | 18.90 | 7.86 | | | | | | — |
| — | 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPBX | UEAED | 18.66 | 79.78 | 24.62 | 18.90 | 7.86 | | | | | | |
| INITE | 2 Wire Analog Voice Grade Extension Loop – Design ROFFICE TRANSPORT | | 3 | UEPBX | UEAED | 36.33 | 79.78 | 24.62 | 18.90 | 7.86 | | | | | | — |
| INTE | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | + | | | | - | | | | | | | |
| | Termination | | | UEPBX | U1TV2 | 13.15 | 48.41 | 19.46 | 16.56 | 4.99 | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OL: DA | 01172 | 13.15 | 40.41 | 15.40 | 10.50 | 4.33 | | | | | | |
| | or Fraction Mile | 1 | | UEPBX | U1TVM | 0.0059 | 0.00 | 0.00 | 1 | | | | | | | 1 |
| DS0 WHO! F | SALE LOCAL PLATFORM SERVICE - CENTREX | | | | 3 | 5.0003 | 0.00 | 0.00 | | | | | | | | — |
| | following DS0 Wholesale Local Platform Service - CENTREX rate | es shall | apply | to the elements indi | cated accord | ance with the f | ollowing criter | ea: | 1 | | | | | | i | |
| | r New Install scenarios the Nonrecurring charges are listed in th | | | | | | | | the Nonrecurring | g charges a | re listed in t | he NRC - Co | onversions se | ection. Addit | ional NRCs m | av apply |
| | and are categorized accordingly. | | | | | | | | , | J J-5 u. | | | | | | - V - CERTY |
| | nd Office and Tandem Switching Usage and Wholesale Commo | n Trans | port Us | sage rates in the Por | rt section of t | his rate exhibit | shall apply to | the DS0 Who | lesale Local Platfo | orm Service | - CENTREX | | | | | |
| | WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN | | | | | | | | T 1 | | | | | İ | | |
| | SS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) | | | | | | | | | | | | | | | |
| | Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | 1 | UEP91 | UECS1 | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | | 2 | UEP91 | UECS1 | 16.30 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP91 | UECS1 | 34.73 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 1 | UEP91 | UECS2 | 13.32 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 2 | UEP91 | UECS2 | 18.66 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP91 | UECS2 | 36.33 | | | | | | | | ļ | ļ | └ |
| | Rates - Effective As Specified | | | ļ | 1 | | | | <u> </u> | | | | | | ļ | |
| All S | tates (Except North Carolina and South Carolina) | | | | | | | | <u> </u> | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 10.924 | 48.17 | 24.81 | ļ | | | | | | | ↓ |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | LIEBOA | LIEDVD | 40.001 | 40.1- | 04.01 | | | | | | | | 1 |
| ldot | Area | | <u> </u> | UEP91 | UEPYB | 10.924 | 48.17 | 24.81 | | | | l | | l | | |

| SFR | /ICES - | Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---------|--|--------|--|----------------|----------------|---------|--------|-----------|--------------|--------------|-----------|-----------|---------------|-------------|-------------|--|
| OLIV. | /ICLO - | | | 1 | | 1 | I | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | | | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | - () | | | per Lor | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Addi | DISC ISL | DISC Add I |
| | | | | | | | Rec | Nonred | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP91 | UEPYH | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 Basic Local Area | | | UEP91 | UEPYM | 10.924 | | | | | | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | 1 | | | | | | | | | | | |
| | | Term - Basic Local Area | | | UEP91 | UEPYZ | 10.924 | | | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | LIEBOA | LIEDVO | 40.004 | 40.47 | 04.04 | | | | | | | | |
| | | - Basic Local Area | | | UEP91 UEP91 | UEPY9 UEPY2 | 10.924 | 48.17 | 24.81 | | | | | | | | |
| - | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | - | UEP91 | UEPY2 | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | Georgi | a and Florida Only | | | UEP91 | UEPHA | 10.924 | 48.17 | 24.81 | | | | | | | | - |
| | + | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPHA | 10.924 | 48.17 | 24.81 | | | - | | | | | |
| | + | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPHB | 10.924 | 48.17 | 24.81 | | | - | | | | | |
| - | + | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | - | UEP91 | UEPHH | 10.924 | 40.17 | 24.01 | | | - | | | | | |
| | | Center)2 | | 1 | UEP91 | UEPHM | 10.924 | 117.94 | 41.53 | | | | 1 | | | | |
| - | + | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEF91 | UEPHIVI | 10.924 | 117.94 | 41.55 | | | 1 | | | | | |
| | | Term | | | UEP91 | UEPHZ | 10.924 | 117.94 | 41.53 | | | | | | | | |
| - | + | Tem | | | OLI 31 | OLITIZ | 10.324 | 117.54 | 41.55 | | | - | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPH9 | 10.924 | 48.17 | 24.81 | | | | | | | | |
| - | + | 2-Wire Voice Grade Port Terminated in 61 Migdalink of equivalent | | | UEP91 | UEPH2 | 10.924 | 48.17 | 24.81 | | | - | | | | | |
| | Local | Switching | | | OLI 01 | OLITIZ | 10.024 | 40.11 | 24.01 | | | 1 | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.4237 | | | | | | | | | | |
| | Featur | | | | 02. 0. | OREGO | 0.1201 | | | | | | | | | | |
| | | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.775 | | | | | | | | | | |
| | 1 | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 0.00 | | | | | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.775 | | | | | | | | | | |
| | NARS | | | | | | | | | | | | | | | | |
| | | Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | laneous Terminations | | | | | | | | | | | | | | | |
| | 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP91 | CENA6 | 5.63 | 122.14 | 18.63 | 54.77 | 3.44 | | | | | | |
| | Interof | fice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | + | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 13.15 | 48.41 | 19.46 | 16.56 | 4.99 | | | | | | |
| | ļ., | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.0059 | | | | | | | | | | |
| | | e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations | е | | | | | | | | | | | | | | |
| | D4 Cha | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.4689 | | | | | | | | | | |
| | + | r eature Activation on D-4 Channel Dank Centrex Loop Stot | | - | OLFSI | IFUVIS | 0.4089 | | | | | | | | | - | - |
| 1 | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.4689 | | | | | | 1 | | | | |
| \vdash | 1 | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | OLI 31 | IF QVVO | 0.4009 | | | | | | | | | | |
| | | ISlot | | | UEP91 | 1PQW7 | 0.4689 | | | | | | | | | | |
| | + | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | 0=101 | 11 5477 | 3.4009 | | | | | - | - | | 1 | | |
| 1 | | Different Wire Center | | | UEP91 | 1PQWP | 0.4689 | | | | | | 1 | | | | |
| | + | Director Time Series | | | 02.01 | | 0.4009 | | | | | | | | | | |
| 1 | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.4689 | | | | | | 1 | | | | |
| | 1 | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | 1 | 31.1500 | | | | | | | | | | İ |
| | | Slot | | | UEP91 | 1PQWQ | 0.4689 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.4689 | | | | | | | | | | |
| | Non-Re | ecurring Charges (NRC) | | | | | | | | | | | | | | | |
| | | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| <u> </u> | | changes, per port | | <u> </u> | UEP91 | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 770.00 | | | | | | | | | |
| | | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 770.00 | | | | | | | | | |
| | | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 80.00 | | | | | | | | | |
| | 1 | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 85.00 | | | | | | | | | |
| 1 | Additio | onal Non-Recurring Charges (NRC) | | | | | | | | | | | l | | | | |

| SERVICES - | - Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|---|-------------|--|----------------|----------------|----------------|--------|-----------|--------------|--------------|--|--|---------------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental | | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | l | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End Use | | | | | | | | | | | | | | | |
| | Premise Unbundled Miscellaneous Rate Element, Tag Design Loop at | | | UEP91 | URETL | | 8.33 | 0.83 | | | 1 | | | - | | ├── |
| | End Use Premise | | | UEP91 | URETN | | 11.19 | 1.10 | | | | | | | | ĺ |
| 5ESS | SWITCH (Valid in All States) | | | 02.0. | O.C. | | | | | | | | | 1 | | |
| Loop | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | 1 | UEP95 | UECS1 | 10.98 | | | | | ļ | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | | 2 | UEP95 | UECS1 | 16.30 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP95 | UECS1 | 34.73 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 2 | UEP95 UEP95 | UECS2 UECS2 | 13.32 18.66 | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP95 UEP95 | UECS2 | 36.33 | | | | | + | - | | - | | |
| Port R | | | 3 | OLF 30 | ULUSZ | 30.33 | | | <u> </u> | | + | | | | | |
| | Illowing port rates are effective as specified | | | | | | | | | | 1 | | | | | |
| All Sta | | | | | 1 | | | | | İ | | | | 1 | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | ĺ |
| | Area | | | UEP95 | UEPYH | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP95 | UEPYM | 40.004 | 117.94 | 44.50 | | | | | | | | l |
| - | Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | <u> </u> | UEP95 | UEPYM | 10.924 | 117.94 | 41.53 | 1 | | | - | | - | | - |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 10.924 | 117.94 | 41.53 | | | | | | | | l |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | OL1 30 | OLI 12 | 10.024 | 117.54 | 41.00 | | | | | | <u> </u> | | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 10.924 | 48.17 | 24.81 | | | | | | | | l |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | Ì | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 10.924 | 48.17 | 24.81 | | | | | | | | |
| FL & 0 | GA Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPHA | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPHB | 10.924 | 48.17 | 24.81 | | | | | | | | - |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP95 | UEPHH | 10.924 | 48.17 | 24.81 | | | | | | - | | |
| | Center)2 | | | UEP95 | UEPHM | 10.924 | 117.94 | 41.53 | | | | | | | | l |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OL1 30 | OLI I IIVI | 10.024 | 117.54 | 41.00 | | | | | | <u> </u> | | |
| | Term | | | UEP95 | UEPHZ | 10.924 | 117.94 | 41.53 | | | | | | | | l |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPH9 | 10.924 | 48.17 | 24.81 | | | <u> </u> | | | | ļ | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | <u> </u> | UEP95 | UEPH2 | 10.924 | 48.17 | 24.81 | | | 1 | | | ļ | | 1 |
| Local | Switching | <u> </u> | - | LIEDOE | LIDECC | 0.4007 | | | 1 | - | 1 | | | | | - |
| Featur | Centrex Intercom Funtionality, per port | | + | UEP95 | URECS | 0.4237 | | | + | | + | | | | | - |
| reatur | All Standard Features Offered, per port | 1 | | UEP95 | UEPVF | 0.775 | | | 1 | | + | | | | 1 | |
| | All Select Features Offered, per port | t | | UEP95 | UEPVS | 0.00 | 0.00 | | † | | † | <u> </u> | | † | 1 | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.775 | 2.00 | | | İ | † | | | 1 | | |
| NARS | | | | | | | | | | <u> </u> | | | | | | |
| | Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| <u> </u> | Network Access Register - Outdial | | <u> </u> | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | 1 | | | ļ | | |
| | Ilaneous Terminations | <u> </u> | 1 | | + | | | | 1 | - | 1 | | | | | - |
| 2-Wire | Trunk Side Trunk Side Terminations, each | | - | UEP95 | CEND6 | 5.63 | 122.14 | 18.63 | 54.77 | 3.44 | - | | | - | - | |
| 4-Wire | e Digital (1.544 Megabits) | 1 | | OFL 20 | CLINDO | 5.03 | 122.14 | 10.03 | 34.77 | 3.44 | + | | | | | |
| 7-11110 | DS1 Circuit Terminations, each | t | | UEP95 | M1HD1 | 42.20 | 200.76 | 92.91 | 65.74 | 2.33 | † | † | | † | 1 | |
| | DS0 Channels Activated, each | l | | UEP95 | M1HDO | 0.00 | 13.95 | 02.01 | 554 | 2.50 | † | 1 | | 1 | | |
| Intero | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 13.15 | 48.41 | 19.46 | 16.56 | 4.99 | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.0059 | | | | | | | | | | $oxed{\Box}$ |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | ļ | | | | | ļ | | |
| D4 Ch | annel Bank Feature Activations | | 1 | | | | | | l | l | 1 | l | | 1 | l | |

| SERVICES | - Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------------|---|-------------|------|----------------|----------------|----------------|-----------------|-----------------|------------------|-------------------|--------|------------------------|---------------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted | Incremental | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | ļ | | | | Rec | Nonrec First | urring Add'l | Nonrecurring Dis | sconnect Add'l | SOMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.4689 | FIISt | Addi | FIISt | Auu i | SOWIEC | SOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.4689 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP95 | 1PQW7 | 0.4689 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP95 | 1PQWP | 0.4689 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| \vdash | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop | | | UEP95 | 1PQWV | 0.4689 | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.4689 | | | | | | | | | | |
| - I | Feature Activation on D-4 Channel Bank WATS Loop Slot | lacksquare | | UEP95 | 1PQWA | 0.4689 | | - | | | | | - | | | |
| Non-F | Recurring Charges (NRC) Conversion - Existing Platform Switch-As-Is with allowed | - | | | | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 770.00 | | | | | | | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 770.00 | | | | | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 85.00 | | | | | | | | | |
| Addit | ional Non-Recurring Charges (NRC) | | | LIEBAE | LUDET | | | | | | | | | | | |
| | Miscellaneous Rate Element, Tag Loop at End Use Premise Miscellaneous Rate Element, Tag Design Loop at End Use | - | | UEP95 | URETL | - | 8.33 | 0.83 | | | | | | | | |
| | Premise | | | UEP95 | URETN | | 11.19 | 1.10 | | | | | | | | |
| DMS ² | 100 SWITCH (Valid in All States) | | | 021 00 | ORETH | | 11.10 | 1.10 | | | | | | | | |
| | Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | 1 | UEP9D | UECS1 | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | | 2 | UEP9D | UECS1 | 16.30 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP9D | UECS1 | 34.73 | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 1 | UEP9D | UECS2 | 13.32 18.66 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 2 | UEP9D UEP9D | UECS2 UECS2 | 36.33 | | | | | | | | | | |
| Port F | | 1 | 3 | OLF 9D | 01032 | 30.33 | | | | | | | | | | |
| | ollowing port rates are effective as specified | | | | | | | | | | | | | | | |
| All St | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | UEPYF | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | UEP9D | | 10.924 | 48.17 | 24.81 | | | | | | | | |
| \vdash | Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | - | | UEP9D | UEPYG | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | Area | | | UEP9D | UEPYT | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 10.924 | 48.17 | 24.81 | | | | | | | | |

| SERVICES - | Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---|--|--|----------------|----------------|------------------|----------------|----------------|--|---------|-------|------------------------|---------------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted | Incremental | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | 1 | | | | Nonred | urring | Nonrecurring Dis | connect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | ļ | UEP9D | UEPYJ | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 10.924 | 117.94 | 41.53 | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 Basic Local Area | | | UEP9D | UEPY7 | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPYZ | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area | | | UEP9D | UEPY2 | 10.924 | 48.17 | 24.81 | | | | | | | | |
| FL & C | GA Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPHA | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | 1 | UEP9D | UEPHB | 10.924 | 48.17 | 24.81 | | | | | | | | - |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | - | | UEP9D | UEPHC | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | 1 | UEP9D UEP9D | UEPHD UEPHE | 10.924 10.924 | 48.17 48.17 | 24.81 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M512)3 | | 1 | UEP9D | UEPHF | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPHG | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | 1 | UEP9D | UEPHT | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPHU | 10.924 | 48.17 | 24.81 | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPHV | 10.924 | 48.17 | 24.81 | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPH3 | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPHH | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | LIEBAB | | | | | | | | | | | | 1 |
| | Indication)3 | | - | UEP9D | UEPHW | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | 1 | UEP9D | UEPHJ | 10.924 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | UEP9D | UEPHM | 10.924 | 117.94 | 41.53 | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPHO | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPHP | 10.924 | 117.94 | 41.53 | | | | | | | | ı |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPHQ | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-0209)2, 3 | | | UEP9D | UEPHR | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | | | | UEP9D | UEPHS | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPH4 | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | <u> </u> | UEP9D | UEPH5 | 10.924 | 117.94 | 41.53 | | | | | | | | |

| SERVIC | ES - | Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--------|---|-------------|--|--|----------------|---------------|-----------------|-----------|--------------|------------|--|---|--|--|--|---|
| CATEGO | RY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPH6 | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPH7 | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term | | | UEP9D | UEPHZ | 10.924 | 117.94 | 41.53 | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPH9 | 10.924 | 48.17 | 24.81 | | | | | | | | |
| - | | 2-Wire Voice Grade Port Terminated in on Niegalink of equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPH2 | 10.924 | 48.17 | 24.81 | | | | | | | | - |
| 1.0 | | witching | | | OLI 3D | OLITIZ | 10.324 | 40.17 | 24.01 | | | † | | | | - | + |
| | | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.4237 | | | | | 1 | | | | 1 | 1 |
| Fe | eature | | | | 1 | | 3201 | | | | | | | | İ | 1 | |
| <u> </u> | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.775 | | | 1 | | 1 | | | İ | 1 | 1 |
| | | All Select Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 0.00 | | 1 | | Ì | | | İ | 1 | 1 |
| | | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.775 | | | | | | | | | | |
| N. | ARS | | | | | | | | | | | | | | | | |
| | | Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Network Access Register - Indial | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| | | Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| | | aneous Terminations | | | | | | | | | | | | | | | ļ |
| 2- | | Trunk Side | | <u> </u> | LIEBAB | 051100 | = 00 | 100.11 | | | | | | | | | <u> </u> |
| | | Trunk Side Terminations, each | | - | UEP9D | CEND6 | 5.63 | 122.14 | 18.63 | 54.77 | 3.44 | 1 | | | | | |
| 4- | | Digital (1.544 Megabits) | | - | LIEDOD | MALIDA | 40.00 | 200.70 | 00.04 | CF 74 | 0.00 | 1 | | | | | |
| | | DS1 Circuit Terminations, each DS0 Channels Activiated per Channel | | | UEP9D UEP9D | M1HD1 M1HDO | 42.20 0.00 | 200.76 13.95 | 92.91 | 65.74 | 2.33 | - | | | - | | |
| In | 100066 | ice Channel Mileage - 2-Wire | | | UEP9D | MIHDO | 0.00 | 13.95 | | | | | | | | | - |
| | iteron | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 13.15 | 48.41 | 19.46 | 16.56 | 4.99 | <u> </u> | | | 1 | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | 1 | UEP9D | M1GBM | 0.0059 | 40.41 | 13.40 | 10.50 | 4.55 | † | | | | | 1 |
| Fe | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | 1 | OLI OD | WITODINI | 0.0000 | | | | | 1 | | | | | |
| | | nnel Bank Feature Activations | | | | | | | | | | İ | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.4689 | | | | | İ | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.4689 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQW7 | 0.4689 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP9D | 1PQWP | 0.4689 | | | | | | | | | | |
| | | 5 | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | - | UEP9D | 1PQWV | 0.4689 | | | | | ļ | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.4689 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | 1 | UEP9D | 1PQWQ | 0.4689 | | | | | | - | | | - | |
| N/ | | curring Charges (NRC) | | | OLF 9D | IFQWA | 0.4009 | | | | | + | | | | - | |
| - 1 | OII-IC | Conversion - Existing Platform Switch-As-Is with allowed | | | | + | | | | | | + | | | | - | |
| | | changes, per port | | | UEP9D | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| - t | | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 770.00 | | | | | | | İ | 1 | 1 |
| | | New Centrex Customized Common Block | | | UEP9D | M1ACC | 0.00 | 770.00 | | | | | | | | | 1 |
| | | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 0.00 | | | | | | | | | |
| A | dditio | nal Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP9D | URETL | | 8.33 | 0.83 | | | | | | | | ļ |
| | | Miscellaneous Rate Element, Tag Design Loop at End Use | | 1 | l | l | | | | | | | | | | I | |
| | | Premise | | <u> </u> | UEP9D | URETN | | 11.19 | 1.10 | 1 | | | | | ļ | - | |
| | ort Ra | | | <u> </u> | | | | | | 1 | | | | | ļ | - | |
| | | owing port rates are effective as specified | | - | | + | | | | | | ļ | - | | - | 1 | - |
| | | Required Port for Centrex Control in 1AESS, 5ESS & EWSD - Regures Interoffice Channel Mileage | | + | + | + | | | | 1 | | | — | - | | | |
| | | - Requires Interoffice Channel Mileage - Requires Specific Customer Premises Equipment | | | | + | | | | 1 | | 1 | | | | t | |
| | | LE LOCAL SWITCHING PORTS | | | | _ | | | | + + | | | | | | + | † |
| | | HOLESALE LOCAL SWITCHING PORTS | | t | † | _ | | | | † | | 1 | | | | | t |

| SERVIC | ES - | Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------|--------|---|-------------|--------|--------------------|--------------|----------------|-----------------|---------------|------------------|---------------|--|---|--|--|---|---|
| CATEGO | RY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | - | 1 | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | L |
| | | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Exchange Ports - 2-Wire DID Port | | | UEPSP | UEPP2 | 25.48 | 374.55 | 113.64 | | | | | | | | |
| | | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports - 2-Wire ISDN Port (See Note1and 2 Below.) | | | UEPTX, UEPSX | U1PMA | 50.00 | 175.00 | 120.00 | | | | | | | | |
| | | All Features Offered | | | UEPTX, UEPSX | UEPVF | 0.775 | 0.00 | 0.00 | | | | | | | | |
| | | Wholesale Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX, UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| N | OTF 1 | : Transmission/usage charges associated with POTS circuit | ewitche | d usa | | | | | | mission by R-(| Channele acco | ciated with | 2-wire ISDN | l norte | | | 1 |
| N(| OTF 2 | 2: Access to B Channel or D Channel Packet capabilities will I | he avail | able o | nly through BFR/Ne | w Business F | Request Proces | s. Rates for th | e nacket cana | hilities will be | determined vi | the Bona F | ide Reques | t/New Busine | ss Request P | rocess | + |
| D: | S0 W | HOLESALE LOCAL SWITCHING PORTS WITH REMOTE CALL | FORW | ARDIN | G CAPABILITY | 1 | 1044001110000 | | o paonor sapa | | | 1 | las risques | | l | 1 | |
| | | TE CALL FORWARDING SERVICE - (Residence) | | | | | | | | | | | | | | | |
| | | Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 8.85 | 33.87 | 13.35 | | | | | | | | |
| | | Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 8.85 | 33.87 | 13.35 | | · | | | | | | |
| | | Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 8.85 | 33.87 | 13.35 | | | | | | | | |
| | | Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 8.85 | 33.87 | 13.35 | | | <u> </u> | | | | | |
| No | on-Re | curring (Residence) | | | LIEDVD | LICACO | | 40.00 | 10.00 | | | | | | | 1 | |
| | | Remote Call Forwarding Service - Conversion - Switch-as-is Remote Call Forwarding Service - Conversion with allowed | - | | UEPVR | USAC2 | - | 10.00 | 10.00 | | | 1 | | - | | | |
| | | change (PIC and LPIC) | | | UEPVR | USACC | | 10.00 | 10.00 | | | | | | | | |
| RI | EMO | E CALL FORWARDING - (Business) | | | OLI VIX | 00/100 | | 10.00 | 10.00 | | | | | | | | |
| | | Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 11.85 | 48.17 | 24.81 | | | | | | | t | |
| | | Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 11.85 | 48.17 | 24.81 | | | | | | | | |
| | | Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 11.85 | 48.17 | 24.81 | | | | | | | | |
| | | Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 11.85 | 48.17 | 24.81 | | | | | | | | |
| | | Remote Call Forwarding Service Expanded and Exception Local | | | | | | | | | | | | | | | |
| NI. | D- | Calling | | | UEPVB | UERVJ | 11.85 | 48.17 | 24.81 | | | | | | | 1 | |
| INC | on-Re | Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVB | USAC2 | | 10.00 | 10.00 | | | 1 | | | | - | |
| - | | Remote Call Forwarding Service - Conversion with allowed | | | OLF VB | USACZ | | 10.00 | 10.00 | | | | | | | | + |
| | | change (PIC and LPIC) | | | UEPVB | USACC | | 10.00 | 10.00 | | | | | | | | |
| S1 WHO | LES/ | ALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | |
| EX | XCHA | NGE PORT RATES | | | | | | | | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | | | | | | | | | | | | | | |
| | | Below.) | | | UEPEX | UEPEX | 373.00 | 1,000.00 | 900.00 | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 | | | HEDEV | UEPEX | 070.00 | 1.000.00 | 000 00 | | | | | | | | |
| | | Locator Capability (See Note1and 2 Below.) Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | | UEPEX | UEPEX | 373.00 | 1,000.00 | 900.00 | | | | | | | - | ļ |
| | | Below.) | | | UEPDX | UEPDX | 373.00 | 1,000.00 | 900.00 | | | | | | | | |
| | | Physical Collocation - DS1 Cross-Connects | | | UEPEX UEPDX | PE1P1 | 0.3807 | 1,000.00 | 000.00 | | | 1 | | | | t | |
| | | Virtual collocation - cross-connect per DS1 | | | UEPEX UEPDX | CNC1X | 0.3807 | | | | | | | | | | |
| De | etaile | d E911 with Locator Capability (required with UEPEX port) | | | | | | | _ | | | | | | | | |
| | _ | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | l | I | | | | | | | | | | _ | |
| | | Capability - Initial Profile Establishment per CLEC per State | | | UEPEX | UEP1A | 0.00 | 1,818.00 | | | | <u> </u> | | ļ | | | |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions | | | UEPEX | UEP1B | 0.00 | 176.57 | | | | | | | | | |
| NI. | ow or | Additional PRI Telephone Numbers | - | | ULPEA | UEF IB | 0.00 | 170.07 | | | | 1 | | - | | | |
| INC | ew or | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | | | | | | | | | | - | |
| | | Capability 2-way Telephone Numbers, per number in E911 | | | 1 | | | | | | | | | | | I | |
| | | profile [New or Additional] | | | UEPEX | UEP1C | 0.0703 | 0.50 | | | | | | | | | |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | | İ | | | | | | | | | |
| | | Capability - Outdial Telephone Numbers, per number in E911 | | | | | | | | | | | | | | I | |
| | | profile [New or Additional] | | | UEPEX | UEP1D | 0.0703 | 10.72 | 10.72 | | | <u> </u> | | | | | |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone | | | LIEDDY | LIED4E | 0.00 | 0.50 | | | | | | | | 1 | |
| | | Numbers - Inward Data Only Option [New or Additional] Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] | | - | UEPDX | UEP1E | 0.00 | 0.50 | | | | | | | | - | - |
| | | Inward Tel Numbers [Customer Testing Purposes] | | | UEPEX | PR7ZT | 0.00 | 21.43 | 21.43 | | | | | | | | |
| IN | ITERF | FACE (Provsioning Only) | | | OLI LA | 111/41 | 0.00 | 21.43 | 21.43 | | | | | | | t | |
| | | Voice/Data | | | UEPEX | PR71V | 0.00 | 0.00 | 0.00 | | | 1 | | | İ | 1 | |
| | | Digital Data | | | UEPEX | PR71D | 0.00 | 0.00 | 0.00 | | | | | | 1 | | |
| | | Inward Data | | | UEPDX | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |

Version: 2Q07 MBR - SLC 06/04/07

| ATTEMENTS AND CARREST STATES AND ADMINISTRATION OF THE PROPERTY OF THE PROPER | SERVICES - | Georgia | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|--|----------|---------|-------------|---------|--------------|----------------|-----------------|---------------|------------------|----------------|--|-----------------------|---|--|--|--|
| March Marc | | | | Zone | ВС | s | USOC | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- |
| March Medical Character Medical Characte | | | | | | | | | | | | | | | | | Disc 1st | Disc Add'l |
| Note of Additional Channel | | | | | | | | Per | | | | | | | | | | |
| New or Additional Volume (Price Country (Price Co | | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New or Additional Pages Date 19 Channel New Order Date | New or | | | | uenev. | | DD=D1/ | | 00 =1 | | | | | | | | | ļ |
| New or Additional Insulance State 19" Channel LEPEX PRYSS 0.00 22.71 | $\overline{}$ | | | - | | | | | | | | | | | | | | |
| Name or Additional Usesses Sensible Vision Date of Channel U.EFEX PR709 0.00 | \vdash | | | - | | | | | | | | | 1 | - | | | 1 | |
| Name or Actionneal Library Conversal Name or Actionneal Library Conversal NEPRY NEPRY NEPRY NEPRY NEW NE | \vdash | | | - | | | | | 20.71 | | | | 1 | | | | - | |
| New or Administral PRIFT Channel CALL YIPES | | | | | | | | | | | | | | | | | - | + |
| CALL TYPES | | | | | | | | | 28.71 | | | | | | | | | |
| Dotswert | CALL | | | | | | | 0.00 | | | | | | | | | | 1 |
| Dotswert | | Inward | | | UEPEX U | IEPDX | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| NOTE 1: Transmission/usage charges associated with POTS circust switched usage will also apply to Circust switched data transmission by B-Channels associated with 2-wire ISDN ports. | | Outward | | | | | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| NOTE 2: Access to B. Channel or J. Channel Packet capabilities will be available only through BFR/New Business Request Process. | | | | | | | | | | | | | | | | | | |
| DSD WHOCESALE LOCAL PLATFORM SERVICE | | | | | | | | | | | | | | | | | | |
| DSS Wholesail Local Platform Service-Direct Inward Dialing (DID) | | | oe avail | able or | nly through | BFR/Nev | V Business R | Request Proces | s. Rates for th | e packet capa | bilities will be | determined via | the Bona F | ide Reques | t/New Busine | ss Request P | rocess. | |
| DSS Loop Rates | | | | | | | | | | | | | | | | | | |
| SAVIN Analog Votes Grade Logs - (SL2) - Zene 1 | | | | - | | | ļ | | | | 1 | - | | | | . | | |
| 2-Wire Analog Voice Grade Loop - (SL2) - Zeros 2 2 UEPPX UECD1 18.66 | DS0 LC | | | 4 | HEDDY | | LIECD4 | 40.00 | | | - | | 1 | | | | | + |
| 2-Wire Analog Vace Grade Loop - (SL2) - Zone 3 3 UEPPX UECO1 36.33 | \vdash | | | | | | | | | | | | | | | | - | |
| DSS Port Rates | | | | | | | | | | | | | | | | | 1 | - |
| Exchange Potes: 2-Wire DID Port Very DID Trunk Port Existing Very Very Core Grade Loop / 2-Wire DID Trunk Port Existing Very Very DID Trunk Port Existing Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Very DID Trunk Port Port Port Very DID Trunk Port Port Port Port Very DID Trunk Port Port Port Port Port Port Port Port | DS0 Pc | | | | OLITA | | OLODI | 00.00 | | | | | | | | | | 1 |
| NONRECURRING CHARGES - Existing Platform Switch-Aesis Very Volce Grade Lop / 2-Wire DID Trunk Port Existing VEPPX USAC1 10.00 10 | | | | | UEPPX | | UEPD1 | 25.48 | 374.55 | 113.64 | | | 1 | | | | t | |
| 2-Wire Votor Grade Loop / 2-Wire DID Trunk Port Existing Pilatform - Switch-As-Bs UEPPX USAC1 10.00 10.00 | | | | | | | | | 01.1.00 | | | | | | | | | |
| 2-Wire Voice Grade Loop / 2-Wire DID Struke Port Conversion UEPPX USA1C 10.00 10.00 | | | | | | | | | | | | | 1 | | | | | |
| With ATRT Allowable Changes | | Platform - Switch-As-Is | | | UEPPX | | USAC1 | | 10.00 | 10.00 | | | | | | | | |
| ADDITIONAL NRGS 2 | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| 2-Wire IDD Subsequent Activity - Add Trunks, Per Trunk UEPPX USAS1 26.31 | | | | | UEPPX | | USA1C | | 10.00 | 10.00 | | | | | | | | |
| Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPPX | ADDIT | | | | | | | | | | | | | | | | | |
| Premise UEPPX URETN 11.10 | | | | | UEPPX | | USAS1 | | 26.31 | | | | | | | | | |
| DID Trunk Termination (One Per Port) | | Premise | | | UEPPX | | URETN | | 11.19 | 1.10 | | | | | | | | |
| DID Numbers Stablish Trunk Group and Provide First Group of 20 DID Numbers UEPPX NDZ 0.00 0.0 | Teleph | | | | | | | | | | | | | | | | | |
| Of 20 DID Numbers UEPPX NDZ 0.00 0 | \vdash | | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Additional DID Numbers for each Group of 20 DID Numbers UEPPX ND4 0.00 0.00 0.00 | | | | | LIEDDY | | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| DID Numbers, Non- consecutive DID Numbers UEPPX ND5 0.00 | | | | - | | | | | | | | | | | | | - | . |
| Reserve Non-Consecutive DID numbers | | | | | | | | | | | | | | | | | 1 | - |
| Reserve DID Numbers | | | | | | | | | | | | | | | | | | |
| D50 Wholesale Local Platform Service - ISDN/Basic Rate ISDN (ISDN/BRI) | | | | | | | | | | | | | | | | | | |
| ISDN Lop Rates | DS0 W | holesale Local Platform Service - ISDN/Basic Rate ISDN (ISDN | /BRI) | | | | | | | | | | | | | | | |
| 2-Wire ISDN Digital Grade Loop - Zone 1 | | | | | | | | | | | | | | | | | | |
| 2-Wire ISDN Digital Grade Loop - Zone 2 2 UEPPB UEPPR USL2X 21.29 2 UEPPB UEPPR USL2X 36.25 2 UEPPB USL2X 36.25 2 UEPPB USL2X 36.25 2 UEPPB USL2X 36.25 2 UEPPB USL2X 36.25 2 UEPPB USL2X 36.25 2 UEPPB USL2X 36.25 2 UEPPB USL2X 36.25 2 UEPPB USL2X 36.25 2 UEPPB USL2X 36.25 2 UEPPB USL2X 36.25 2 UEPPB USL2X 36.25 2 UEPPB USL2X 36.2 | ISDN L | | | | | | | | | | | | | | | | | |
| 2-Wire ISDN Digital Grade Loop - Zone 3 3 UEPPB UEPPR USL2X 36.25 | | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 16.36 | | | | | | | | | | L |
| 2-Wire ISDN Digital Grade Loop - Zone 3 3 UEPPB UEPPR USL2X 36.25 | | O Mine IODN Biritel Octobel Comp. 7 | | _ | LIEDES | LIEBSE | 1101.037 | | | | | | | | | | | |
| SDN Port Rates | \vdash | | | | | | | | | | | | <u> </u> | | | | | _ |
| Exchange Port - 2-Wire ISDN Line Side Port UEPPR UEPPR UEPPR 50.00 425.00 285.00 | 1004: 2 | | | 3 | UEPPB | UEPPR | USL2X | 36.25 | | | 1 | | | | | - | 1 | |
| Exchange Port - 2-Wire ISDN Line Side Port UEPPB UEPPB 50.00 425.00 285.00 | ISDN P | | | | LIEDDD | | LIEDDD | 50.00 | 42E 00 | 205 00 | - | - | 1 | | | | | + |
| NONRECURRING CHARGES - Existing Platform 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port - UEPPB UEPPR USACB | | | | | | | | | | | 1 | | | | | | | + |
| 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port - UEPPB UEPPR USACB | NONRE | | | | OLITO | | OLITO | 30.00 | 720.00 | 200.00 | | | | | | | | + |
| Conversion - | | | | | | | | | | | | | | | | 1 | 1 | |
| ADDITIONAL NRCS 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy Non Feature/Add Trunk UEPPB UEPPR USASB 0.00 Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPPB UEPPR URETN 11.19 1.10 B-CHANNEL USER PROFILE ACCESS: UEPPB UEPPR URETL 8.33 0.83 | | | | | UEPPB (| JEPPR | USACB | 0.00 | 90.00 | 65.00 | | | | | | | 1 | |
| Non Feature/Add Trunk | ADDIT | | | | | | | | | | | | | | | <u> </u> | | |
| Miscellaneous Rate Element, Tag Designed Loop at End User Premise UEPPB UEPR URETN 11.19 1.10 B-CHANNEL USER PROFILE ACCESS: UEPPB UEPPR URETL 8.33 0.83 | | | | | | | | | | | | | | | | | | |
| Premise | | | | | UEPPB | UEPPR | USASB | | 0.00 | | | | | | | | | |
| Miscellaneous Rate Element, Tag Loop at End User Premise UEPPB UEPPR URETL 8.33 0.83 0.83 | _ | | | | l | | l | | | | | | | | | | _ | |
| B-CHANNEL USER PROFILE ACCESS: | \vdash | | | | | | | | | | | | ļ | | | | ļ | |
| | | | | - | UEPPB | UEPPR | URETL | | 8.33 | 0.83 | 1 | - | <u> </u> | | | - | | |
| | | NNEL USER PROFILE ACCESS: CVS/CSD (DMS/5ESS) | | - | LIEDDD | LIEDDD | LIALICA | 0.00 | 0.00 | 0.00 | 1 | - | | | | . | | |

| SEDVICE | S - Georgia | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---|--|--|------------|-------------|----------------|--|------------------|---------------|--|--|--|-------------|---------------|--|-------------|-------------|
| SERVICE | 5 - Georgia | 1 | 1 | 1 | | ı | 1 | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | | 1 | | | | | |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interi | Zone | | BCS | USOC | | | RATES(\$) | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| OAT LOOK! | INTE ELEMENTO | m | | - | | 0000 | | | πατ Εσ(ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ 1 | Nonrec | urrina | Nonrecurring | g Disconnect | | | oss | Rates(\$) | 1 | |
| | | 1 | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-C | HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, 8 | TN) | | | ĺ | | | | | | | | Î | | | |
| USE | ER TERMINAL PROFILE | | | | | | | | | | | | | ĺ | | | |
| | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| VER | RTICAL FEATURES | | | | | | | | | | | | | | | | |
| | All Vertical Features - One per Channel B User Profile- All | | | | | | | | | | | | | | | | |
| | States | | | UEPPB | UEPPR | UEPVF | 0.775 | 0.00 | 0.00 | | | | | | | | |
| INTI | EROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | |
| | facilities termination | | | | UEPPR | M1GNC | 13.15 | 48.41 | 19.46 | 16.56 | 4.99 | | | | | | |
| | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.0059 | 0.00 | 0.00 | | | | | | | | |
| | ESALE LOCAL PLATFORM SERVICE | <u> </u> | L | | | | | | | | | | | | | | |
| | following Terms and Conditions apply to DS1 Wholesale Local | | | | | | | | | | | | | | | | |
| | or New Install scenarios the Nonrecurring charges are listed in the | ne First | and Ad | ditional I | NRC colum | ns for each F | Port USOC. For | Existing Platf | orm scenarios | , the Nonrecur | ring charges a | re listed in | the NRC - C | onversions s | ection. Additi | onal NRCs m | ay apply |
| | and are categorized accordingly. | | | | | | | | | | | | | | | | |
| | End Office and Tandem Switching Usage and Wholesale Comm | | | sage rate | s in the Po | rt section of | this rate exhibi | t shall apply to | all DS0 Whol | esale Local Pla | atform Service | s. | | | | | |
| | Wholesale Local Platform Service - ISDN/Primary Rate ISDN (IS | DN/PRI) | | | | | | | | | | | | | | | |
| DS1 | Loop Rates | - | | | | | | | | | | | | | | | |
| | AW DCA Dinital Land AW ICON DCA Dinital Touris Dark - Zana A | | 1 | UEPPP | | USL4P | 168.00 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 1 | 1 | 1 | UEPPP | | USL4P | 168.00 | | | | | - | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 2 | | 2 | UEPPP | | USL4P | 175.00 | | | | | | | | | | |
| — | 44V DST Digital E00p/44V ISBN DST Digital Truffk Fort - Zoffe 2 | + | | OLFFF | | USL4F | 175.00 | | | - | - | 1 | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 3 | | 3 | UEPPP | | USL4P | 180.00 | | | | | | | | | | |
| DS1 | Port Rate | ' | | OLITI | | OOLTI | 100.00 | | | | | | | 1 | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 373.00 | 1,200.00 | 1,000.00 | | | 1 | | | | | |
| NON | NRECURRING CHARGES - Existing Platform | | | 02 | | 02 | 0,0.00 | 1,200.00 | 1,000.00 | | | | | | | | |
| - | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | Conversion -Switch-As-Is | | | UEPPP | | USACP | 0.00 | 500.00 | 500.00 | | | | | | | | |
| ADD | DITIONAL NRCs | 1 | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | | |
| | Inward/two way Telephone Numbers (except NC) | | | UEPPP | | PR7TF | | 0.50 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPP | | PR7TO | | 10.72 | 22.75 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | ĺ | | | |
| | Subsequent Inward Telephone Numbers | | | UEPPP | | PR7ZT | | 21.43 | 45.49 | | | | | | | | |
| INTI | ERFACE (Provsioning Only) | | | | | | | | | | | | | | | | |
| | Voice/Data | | | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | | | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New | v or Additional "B" Channel | 1 | ļ | | | <u> </u> | ļ! | | | . | . | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 13.59 | | | | | | | | | |
| \vdash | New or Additional - Digital Data B Channel | 1 | <u> </u> | UEPPP | | PR7BF | 0.00 | 13.59 | | | | | | | | | |
| | New or Additional Inward Data B Channel | ļ | | UEPPP | | PR7BD | 0.00 | 13.59 | | | | | | | | | |
| CAL | L TYPES | 1 | <u> </u> | LIEDDE | | DD7C4 | 0.00 | 0.00 | 0.00 | | | - | | - | | | |
| | Inward | | | UEPPP | | PR7C1 PR7CO | 0.00 | 0.00 | 0.00 | | | | ļ | | 1 | | |
| | Outward | | | UEPPP | | PR7CO PR7CC | 0.00 | 0.00 | 0.00 | | | | ļ | | 1 | | |
| Into | Two-way proffice Channel Mileage | 1 | 1 | UEPPP | | PR/UU | 0.00 | 0.00 | 0.00 | | | - | | - | | | |
| inte | Fixed Each Including First Mile | | <u> </u> | UEPPP | | 1LN1A | 70.30 | 111.03 | 80.28 | - | | - | | - | | | |
| \vdash | Each Airline-Fractional Additional Mile | | | UEPPP | | 1LN1A | 14.06 | 111.03 | 00.28 | + | + | | | | | | |
| Dea | Wholesale Local Platform Service - 4-wire DDITS | | | ULPPP | | ILIVID | 14.00 | | | + | + | | | 1 | | | |
| | Wholesale Local Platform Service - 4-wire DD113 | | | - | | 1 | | | | + | + | | | | | | |
| | Loop Rates | | | - | | 1 | | | | | | H | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | | USLDC | 168.00 | | | | | - | - | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | t | 2 | UEPDC | | USLDC | 175.00 | | | - | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | 1 | 3 | UEPDC | | USLDC | 180.00 | | | t | t | | | İ | 1 | | |
| DS1 | Port Rate | 1 | | | | 1 | 1 1 | | | 1 | 1 | | | İ | | | |

| SERVICES | - Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|-------------|-------|----------------|--------------|---------------|----------|-----------|--|------------|---|-----------|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | _ | Nonre | curring | Nonrecurring D | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 323.00 | 1,100.00 | 900.00 | | | | | | | | |
| NONR | ECURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Switch-As-Is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Conversion with Change | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | LIEDDO | 110004 | | 0.00 | 0.00 | | | | | | | | |
| | Service Activity Per Service Order 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | UEPDC | USAS4 | | 0.00 | 0.00 | - | | | | | | | - |
| | 4-Wire DST Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | UEPDC | UDTTA | | 13.95 | 13.95 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | UEPDC | UDTTB | | 13.95 | 13.95 | | | | | | | | |
| | 4-Wire DST Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | UEPDC | UDTTC | | 13.95 | 13.95 | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | UEPDC | UDTTD | | 13.95 | 13.95 | | | | | | | | |
| BIBOI | Activation / Chan - 2-Way DID w User Trans AR 8 ZERO SUBSTITUTION | | | UEPDC | UDTTE | | 13.95 | 13.95 | | | | | | | | <u> </u> |
| Bii 0. | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.001 | 600.00S | | | | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.001 | 600.00S | | | | | | | | |
| Altern | ate Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Telep | hone Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC UEPDC | UDTGY | 0.00 | | | | | | | | | | <u> </u> |
| | Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers, Establish Trunk Group and Provide First Group | | | UEPDC | UDTGZ | 0.00 | | | | | | | | | | . |
| | of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Dedic | ated DS1 (Interoffice Channel Mileage) - FX/FCO for DDITS | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | 1 | =0 | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 70.30 | 111.03 | 80.28 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | UEPDC | 1LNOA | 14.06 | 0.00 | 0.00 | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | UEPDC | 1LNOB | 14.06 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles Central Office Termininating Point | | | UEPDC UEPDC | 1LNOC CTG | 14.06 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| DS1 V | Vholesale Local Platform Service - 4-WIRE DS1 LOOP WITH CH | ANNEL | ZATIO | | 010 | 0.00 | | | + + | | | | | | | 1 |
| | m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | I WITH OKT | + | | | | + | | | | | | | |
| | tem can have various rate combinations based on type and nur | | | used | + | | | | | | | | | | | |
| DS1 L | | | Ĺ | | | | | | <u> </u> | | | | | | | |
| | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 2 | | 2 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 3 | | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | | ļ |
| DSO (| Channelization Capacities (D4 Channel Bank Configurations) | | | İ | 1 | | | | | | | | | | İ | L |

| | | [| | | 1 | | | | | | _ | | | | | |
|-------------------------|--|--|--|--------------------|----------------|-----------------|-----------------|---------------|--|-------|---|-----------|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Charge - Manual Svc Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Incrementa Charge - Manual Svo Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring Di | | | | | Rates(\$) | | |
| | 0.0000 | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| \longrightarrow | 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s | - | 1 | UEPMG UEPMG | VUM24 VUM48 | 43.04 86.06 | 0.00 | 0.00 | | | | | | | | |
| | 96 DSO Channel Capacity - 1 per 2 DS1s | - | | UEPMG | VUM96 | 172.16 | 0.00 | 0.00 | | | | | | | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | - | | UEPMG | VUM14 | 258.24 | 0.00 | 0.00 | | | | | | | | |
| +- | 192 DS0 Channel Capacity -1 per 8 DS1s | | 1 | UEPMG | VUM19 | 344.32 | 0.00 | 0.00 | | | | | | | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | 1 | UEPMG | VUM2O | 430.40 | 0.00 | 0.00 | | | | | | | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 516.48 | 0.00 | 0.00 | | | | | | | | |
| - 1 | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 688.64 | 0.00 | 0.00 | | | | | | | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 860.80 | 0.00 | 0.00 | | | | | | | | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 1,032.96 | 0.00 | 0.00 | | | | | | | | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 1,205.12 | | 0.00 | | | | | | | | |
| | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit | | | | | | /stem | | | | | | | | | |
| | nimum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| Mult | iples of this configuration functioning as one are considered A | dd'l afte | r the m | ninimum system cor | ofiguration is | counted. | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes | | | UEPMG | USAC4 | 0.00 | 350.00 | 20.00 | | | | | | | | |
| Syst | em Additions Where Platform Currently Exists and New Installa | tions | 1 | OLI WO | 00/104 | 0.00 | 330.00 | 20.00 | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | 10110 | | | | | | | | | | | | | | |
| | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | | | | | | |
| Bipc | lar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.001 | 600.00S | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.001 | 600.00S | | | | | | | | |
| Alter | nate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nange Ports Associated with 4-Wire DS1 Loop with Channelizati | on with | Port | | | | | | | | | | | | | |
| Excr | nange Ports | - | - | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 11.85 | 0.00 | 0.00 | | | | | | | | |
| -+ | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 11.85 | 0.00 | 0.00 | | | | | | | 1 | |
| -+ | Line Side Odtward Chammenzed FBX Trunk Fort - Business | | 1 | OLITA | OLI OX | 11.00 | 0.00 | 0.00 | | | | | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 11.85 | 0.00 | 0.00 | | | | | | | | |
| | 2-Wire Trunk Side Channelized DID Trunk Port | | | UEPPX | UEPDM | 25.48 | 0.00 | 0.00 | | | | | | | | |
| Feat | ure Activations - Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | Bank | <u> </u> | <u> </u> | UEPPX | 1PQWM | 0.4689 | 48.17 | 24.81 | | | | | | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| $-\!\!+\!\!\!-$ | D4 Bank | ļ | | UEPPX | 1PQWU | 0.4689 | 374.55 | 113.64 | | | | | | | | |
| Tele | phone Number/ Group Establishment Charges for DID Service | | - | LIEDDY | NDT | | 2.0- | | | | | | | | | |
| -+ | DID Trunk Termination (1 per Port) | | - | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| -+ | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) DID Numbers - groups of 20 - Valid all States | - | ├ | UEPPX UEPPX | NDZ ND4 | 0.00 | 0.00 | 0.00 | | - | | | | | - | |
| -+ | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| -+ | Reserve Non-Consecutive DID Numbers - per number | 1 | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| -+ | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FFA | TURES - Vertical and Optional | | | | | 0.00 | 0.00 | 3.30 | | | | | | | 1 | |
| | Switching Features Offered with Line Side Ports Only | | | İ | | | | | | | | | | | İ | |
| | All Features Available | 1 | | UEPPX | UEPVF | 0.775 | 0.00 | 0.00 | | | | | | | İ | |
| | FFICE SYNC TEST (COST) | | | | | | | | | | | | | | | |
| Note | : COST rates are applicable for Central Office Line Sharing & Li | ine Split | ting in | a maintenance mod | de only. Not a | pplicable for I | Remote Site Lin | e Sharing & L | ine Splitting | | | | | | | |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - | | | | | | 05.00 | | | | - | | | - | | |
| $-\!\!\!\!+\!\!\!\!\!-$ | Basic Central Office Sync Test (COST) - Per 15 Minute Increments - | | | | + | | 25.00 | | | | | | | | | |
| | | 1 | 1 | 1 | | | 30.00 | | | | | | | | | |
| | Overtime | | | | | | | | | | | | | | | |
| | Overtime Central Office Sync Test (COST) - Per 15 Minute Increments - Premium | | | | | | 40.00 | | | | | | | | | |

| SEKVICES | - Georgia | | | | | | | | | | | | Att. 4 Full. A | | | |
|-----------------|---|--|--|----------------------|----------------|------------------|----------------|----------------|----------------|----------------|-------------|-------------|----------------|--------------|--------------|--|
| | - Georgia | | 1 | ı | 1 | ı | | | | | Cur Onden | | Att: 1 Exh: A | | lm anamandal | II |
| | | | | | | | | | | | | | Incremental | | | |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | Interi | 7 | BCS | USOC | | | DATEC(A) | | | Elec | , | Manual Svc | Manual Svc | | l . |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USUC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| <u> </u> | | 1 | | | | | Nonred | urring | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| WHOLESALE | SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR | S-I CC) | | | | | 11130 | Addi | 11130 | Addi | JOINEC | JONAN | JOINAIN | JOINAIN | JONAN | JONAN |
| MIOLLOALL | Selective Routing Per Unique Line Class Code Per Request Per | 1 | | | 1 | | | | | | | | | | | |
| | Switch | | | | | | 275.90 | 165.09 | 34.24 | 17.12 | | | | | | |
| DS0 Wholesa | ale Local Platform Service With E911 Call Locator Capability | | | | İ | | | | | | | | | | | |
| | ollowing contidions apply to DS0 Wholesale Local Platform Se | rvice W | ith E91 | 1 Call Locator Capal | bilitv. | | | | | | | | | | | |
| | d Office and Tandem Switching Usage and Wholesale Commor | | | | | his rate exhibit | shall apply to | the Wholesale | Local Platforn | n Service With | E911 Call L | ocator Capa | ability. | | | |
| | r New Installation scenarios the Nonrecurring charges are listed | | | | | | | | | | | | | tly Combined | section. Ad | ditional |
| | s may apply also and are categorized accordingly. | | | | | | | | , | • | Ü | | | • | | |
| | Wholesale Local Platform Service (BUS - PBX) With DID and E9 | 11 Call | Locato | r Capability | | | | | | | | | | | | |
| DS0 I | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | <u></u> | 1 | UEPRW | UEPLX | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | <u></u> | | UEPRW | UEPLX | 16.30 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRW | UEPLX | 34.73 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | | 1 | UEPRW | UECD1 | 13.32 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | | 2 | UEPRW | UECD1 | 18.66 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | | 3 | UEPRW | UECD1 | 36.33 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPRW | UEPPC | 11.79 | 48.17 | 24.81 | | | | | | | | |
| | Line Side Outward PBX Trunk Port - Bus | | | UEPRW | UEPPO | 11.79 | 48.17 | 24.81 | | | | | | | | |
| | Line Side Incoming PBX Trunk Port - Bus | | | UEPRW | UEPP1 | 11.79 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Ports | | | UEPRW | UEPLD | 11.79 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPRW | UEPXA | 11.79 | 48.17 | 24.81 | | | | | | | | L |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPRW | UEPXB | 11.79 | 48.17 | 24.81 | | | | | | | | L |
| | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPRW | UEPXC | 11.79 | 48.17 | 24.81 | | | | | | | | ļ |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPRW | UEPXD | 11.79 | 48.17 | 24.81 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPRW | UEPXE | 11.79 | 48.17 | 24.81 | | | | | | | | |
| - Post | 2-Wire voice Georgia basic dialing port - 2-Way Trunk | | - | UEPRW | UEPWT | 11.79 | 48.17 | 24.81 | | | | | | | | |
| Port | Rate -DID | | - | HEDDW | LIEDDA | 05.40 | 274.55 | 112.01 | | | | | | | | |
| E011 | Exchange Ports - 2-Wire DID Port CALL LOCATOR CAPABILITY | <u> </u> | | UEPRW | UEPD1 | 25.48 | 374.55 | 113.64 | | | - | | | | | ├── |
| E911 | Miscellaneous Rate Element, E911 Call Locator Capability - | - | | | | | | | | | | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | | | UEPRW | URE9A | 0.00 | 1,828.00 | | | | | | | | | |
| \vdash | Miscellaneous Rate Element, E911 Call Locator Capability - | 1 | | UEPRW | UKESA | 0.00 | 1,020.00 | | | | | | | | | |
| | Subsequent Profile Changes, Additions/Deletions | | | UEPRW | URE9B | 0.00 | 177.51 | | | | | | | | | |
| Teler | phone Number/Trunk Group Establisment Charges For DID Num | nhers w | th F91 | | | 0.00 | 177.01 | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | 1 | | UEPRW | INDT | 0.00 | 0.00 | 0.00 | | | | | | | | — |
| | DID Numbers, Establish Trunk Group and Provide First Group | † | t | | 1 | 5.00 | 3.00 | 3.00 | | i | | | | | | |
| | of 20 DID Numbers | 1 | 1 | UEPRW | NDZ | 1.344 | 0.00 | 0.00 | | | 1 | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | 1 | | UEPRW | ND4 | 1.344 | 0.00 | 0.00 | | İ | 1 | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPRW | ND5 | 0.0672 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | <u></u> | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FEAT | URES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRW | UEPVF | 0.775 | 0.00 | 0.00 | | | | | | | | |
| NONE | RECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPRW | USAC2 | | 10.00 | 10.00 | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | 1 | 1 | l | | | | | | | 1 | | | | | |
| | Change | ļ | | UEPRW | USACC | | 10.00 | 10.00 | | ļ | | | | | | |
| ADDI | TIONAL NRCs | <u> </u> | | LIEDDW | 110466 | | | | | | | | | | | |
| $\vdash \vdash$ | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | ļ | <u> </u> | UEPRW | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | 1 | | | | | 0.00 | 0.00 | | | | | | | | |
| \vdash | Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | - | | + | | 0.00 | 0.00 | | | | | | | | |
| | | | | | | | 14.64 | 14.64 | | | | | | | | |
| \vdash | Group Miscellaneous Rate Element, Tag Loop at End User Premise | | + | UEPRW | URETL | | 8.33 | 0.83 | | | - | | | | - | |
| | ON PREMISES EXTENSION CHANNELS | | | OLFINA | UNLIL | | 0.33 | 0.63 | | - | - | | | | | |
| OEE/ | ON I INCHIDED EXTENDION CHANNELD | 1 | 1 | l | | | 70 70 | 04.00 | 40.00 | | | | | | | |
| OFF/ | | | 1 | II IEPRW | IP2.IHX | 13 32 | /4 /8 | | 18 00 | / 86 | | | | | | l . |
| OFF/ | Local Channel Voice grade, per termination Local Channel Voice grade, per termination | | 1 2 | UEPRW UEPRW | P2JHX P2JHX | 13.32 18.66 | 79.78 79.78 | 24.62 24.62 | 18.90 18.90 | 7.86 7.86 | | | | | | |

Version: 2Q07 MBR - SLC 06/04/07 Page 74 of 237

| SERVICE | S - | Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-----------|----------|---|--------|--|--------------|----------------|--------|----------|-----------|--|------------|--|-----------|--|--|--|--|
| | Ť | <u></u> | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEGOR | Y | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | . | | m | | | | | | | | | per LSK | per LSK | | | | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | t - | | | | Nonrec | urring | Nonrecurring | Disconnect | 1 | | OSS | Rates(\$) | | - |
| | _ | | | † | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPRW | SDD2X | 12.74 | 56.92 | 7.70 | 11130 | Addi | COMILO | COMPAR | COMPAN | COMPAR | COMPAR | COMPAR |
| | | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPRW | SDD2X | 19.76 | 56.92 | 7.70 | | | 1 | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPRW | SDD2X | 37.18 | 56.92 | 7.70 | | | 1 | | | | | |
| INT | | OFFICE TRANSPORT | | <u> </u> | OLI IVV | ODDEX | 07.10 | 00.02 | 1.10 | | | † | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | + | | | | | | † | | | | | |
| | | Termination | | | UEPRW | U1TV2 | 13.15 | 48.41 | 19.46 | 16.56 | 4.99 | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | 1 | OLI IVV | OTTVE | 10.10 | 40.41 | 10.40 | 10.00 | 4.00 | 1 | | | | | |
| | | or Fraction Mile | | | UEPRW | U1TVM | 0.0059 | 0.00 | 0.00 | | | | | | | | |
| DS1 Whole | | Local Platform Service With E911 Call Locator Capability | | - | OLI IXVV | OTTVIVI | 0.0053 | 0.00 | 0.00 | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | DODT | - | | | | | | | | | | | | | |
| | | op Rates | FORT | - | | | | | | | | | | | | | |
| DS | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPPN | USL4P | 168.00 | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPPN | USL4P USL4P | 175.00 | | | _ | | 1 | — | | - | | |
| - | | 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3 | | | UEPPN | USL4P USL4P | 175.00 | | | | | 1 | | | - | | |
| | | | | 3 | ULPFIN | UOL4P | 180.00 | | | | | 1 | | | - | | |
| טפ | | rt Rate | | - | LIEDDAL | LIEDDNI | 070.00 | 4 000 00 | 4 000 00 | | | | | | | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPN | UEPPN | 373.00 | 1,200.00 | 1,000.00 | | | | | | | ļ | |
| E9 | | ALL LOCATOR CAPABILITY | | - | | | | | | | | | | | | | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | 4 000 00 | | | | | | | | | |
| | | Initial Profile Establishment, Per CLEC End-User | | | UEPPN | URE9A | 0.00 | 1,828.00 | | | | | | | | | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | | Subsequent Profile Changes, Additions/Deletions | | | UEPPN | URE9B | 0.00 | 177.51 | | | | | | | | | |
| NO | | CURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| | | Conversion -Switch-As-Is | | | UEPPN | USACP | 0.00 | 500.00 | 500.00 | | | | | | | | |
| AD | | ONAL NRCs and E911 Call Locator Capability Telephone Num | ber Re | curring | Charges | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | ĺ |
| | | Inward/two way Tel Nos. (except NC) | | | UEPPN | PR7TF | 0.0672 | 0.50 | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| | | Outward Tel Numbers (All States except NC) | | | UEPPN | PR7TO | 0.0672 | 10.72 | | | | | | | | | <u> </u> |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | |
| | | Subsequent Inward Tel Numbers | | | UEPPN | PR7ZT | 0.0672 | 21.43 | | | | | | | | | |
| IN | | ACE (Provsioning Only) | | | | | | | | | | | | | | | |
| | | Voice/Data | | | UEPPN | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPN | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPN | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Ne | w or | Additional "B" Channel | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPN | PR7BV | 0.00 | 13.59 | | | | | | | | | |
| | | New or Additional - Digital Data B Channel | | | UEPPN | PR7BF | 0.00 | 13.59 | | | | | | | | | |
| | | New or Additional Inward Data B Channel | | | UEPPN | PR7BD | 0.00 | 13.59 | | | | | | | | | |
| CA | LL T | YPES | | | | | | | | | | Ì | | | İ | | |
| | | Inward | | | UEPPN | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | ĺ | | |
| | | Outward | | | UEPPN | PR7CO | 0.00 | 0.00 | 0.00 | | | Ì | | | İ | | |
| | | Two-way | | | UEPPN | PR7CC | 0.00 | 0.00 | 0.00 | | | 1 | 1 | 1 | ĺ | | |
| Int | | ice Channel Mileage | | | 1 | 1 | 2.20 | 2.20 | 2.30 | | | | | i | i | t e | |
| - 1 | | Fixed Each Including First Mile | | | UEPPN | 1LN1A | 70.30 | 111.03 | 80.28 | | | İ | | | İ | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPN | 1LN1B | 14.06 | | 22.20 | | | İ | | | İ | | |
| 4-V | | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | i | i | t e | |
| | | op Rates | | | 1 | | | | | | | | | i | i | t e | |
| - 120 | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | USLDC | 168.00 | | | | | 1 | <u> </u> | | l | t | t |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPDC | USLDC | 175.00 | | | | | 1 | <u> </u> | | l | t | t |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPDC | USLDC | 180.00 | | | | | 1 | | | i | † | |
| De | | rt Rates | | Ť | 02. 00 | 30250 | 100.00 | | | | | 1 | | | | <u> </u> | — |
| 100 | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 323.00 | 1,100.00 | 900.00 | | | † | | | | t | — |
| NO | | CURRING CHARGES - Existing Platform | | | 02.100 | 00011 | 323.00 | 1,100.00 | 300.00 | | | | | | | | |
| NO | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | + | | | | | | | | | | | |
| . 1 | | - Switch-as-is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | I | 1 |
| - | \dashv | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | OLP DC | U3AU4 | | 500.00 | 500.00 | _ | | 1 | — | | - | | |
| | | | | 1 | LIEDDC | LICANNA | | E00.00 | E00.00 | | | 1 | | | | | 1 |
| | | - Conversion with DS1 Changes | | <u> </u> | UEPDC | USAWA | | 500.00 | 500.00 | | | l | | l | | L | |

| SERVICES | S - Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|--|--|----------------|------------|------------------|----------|--------------------|--|--------------|---|---|--|---|--|---|
| CATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonre | curring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | • | • |
| | | | | | | Kec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | |
| E91 | 11 CALL LOCATOR CAPABILITY | | | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | l | | | | | | | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | | | UEPDB | URE9A | 0.00 | 1,828.00 | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - Subsequent Profile Changes, Additions/Deletions | | | UEPDB | URE9B | 0.00 | 177.51 | | | | | | | | | |
| ADE | DITIONAL NRCs | | - | UEPDB | UKE9B | 0.00 | 177.51 | | | | 1 | | | | | |
| ADL | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | 1 | | | | | | | | 1 | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDB | UDTTA | | 13.95 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | l | t | | 55 | 1 | 10.00 | | | | 1 | | | | 1 | |
| | Channel Activation/Chan - 1-Way Outward Trunk | 1 | | UEPDB | UDTTB | | 13.95 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | ĺ | | | | | | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | <u></u> | L | UEPDB | UDTTC | | 13.95 | | <u> </u> | | <u></u> | | | | | <u> </u> |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | <u> </u> | UEPDB | UDTTD | | 13.95 | | | | | | | | ļ | ļ |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | l | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDB | UDTTE | | 13.95 | | | | | | | | | |
| BIP | POLAR 8 ZERO SUBSTITUTION | | | UEPDC | CCOSF | | 0.001 | 202 222 | | | | | | | | |
| | B8ZS -Superframe Format B8ZS - Extended Superframe Format | | | UEPDC | CCOSF | | 0.001 | 600.00S 600.00S | | | - | | | | | |
| Alto | ernate Mark Inversion | | - | UEPDC | CCOEF | | 0.001 | 600.005 | | | - | | | | | |
| Aite | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | AMI - Extended SuperFrame Format | | 1 | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Tele | ephone Number/Trunk Group Establisment Charges And Charges | For DI | D Num | | | ability | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | I | UEPDB | UDTGX | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDB | UDTGY | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDB | UDTGZ | 0.00 | | | | | | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | of 20 DID Numbers | | | UEPDB | NDZ | 1.344 | 0.00 | 0.00 | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPDB | ND4 | 1.344 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDB | ND5 | 0.0672 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers Reserve DID Numbers | | | UEPDB UEPDB | ND6 NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| EVI | /FCO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | UEPDB | INDV | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| FA/F | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | 1 | | | | | | | | 1 | | | | | |
| | Termination) | l | | UEPDC | 1LNO1 | 70.30 | 111.03 | 80.28 | | | | | | | | |
| | | l | t | | | 7 0.50 | 111.55 | 00.20 | | | 1 | | | | 1 | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | l | | UEPDC | 1LNOA | 14.06 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | Ì | | 1 | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | 1 | | | | | | | | | | | | | | |
| | miles | | <u> </u> | UEPDC | 1LNOB | 14.06 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | l | | | | | | | | | | | | | | |
| | Termination) | | <u> </u> | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | - | - | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | 1 | 1 | UEPDC | 1LNOC | 14.06 | 0.00 | 0.00 |] | | | | | | | |
| Δdd | ditional Rates | | | OLFDO | ILINOC | 14.06 | 0.00 | 0.00 | | | H | | | | | |
| Auu | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| 4-W | VIRE DS1 LOOP WITH CHANNELIZATION WITH PORT WITH CALL | LOCAT | OR C4 | | 15.5 | 5.50 | | | | | <u> </u> | | | | 1 | |
| | stem is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | | İ | | | | | | | | | | | İ |
| | system can have various rate combinations based on type and nur | | | used | 1 | | | | | | | | | | | |
| A sy | 1 Loop | | | | | | | | | | | | | | | |
| | | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 1 | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 2 | | 2 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | | | | | | |
| DS1 | 4-Wire DS1 Loop - Zone 2 4-Wire DS1 Loop - Zone 3 | | 2 | | | 175.00 180.00 | 0.00 | 0.00 | | | | | | | | |
| DS1 | 4-Wire DS1 Loop - Zone 2 | | 2 | UEPMG | USLDC | | | | | | | | | | | |

| 144 DS0 C 192 DS0 OI 240 DS0 OI 240 DS0 OI 288 DS0 OI 384 DS0 OI 384 DS0 OI 576 DS0 OI 672 | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|--|----------|----------|-------------|----------|----------|-----------|--------------|------------|-------------|-----------|---------------|--|-------------|-------------|
| 96 DSO Ch 144 DSO Cl 144 DSO Cl 192 DSO Cl 240 DSO Cl 288 DSO Cl 384 DSO Cl 480 DSO Cl 672 DSO Cl Non-Recurring Ch A Minimum Syster Multiples of this c NRC - Con Allowed Ch System Additions 1 DS1/D4 Cl Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports Line Side C Lin | | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| 96 DSO Ch 144 DSO Cl 144 DSO Cl 192 DSO Cl 240 DSO Cl 288 DSO Cl 384 DSO Cl 480 DSO Cl 672 DSO Cl Non-Recurring Ch A Minimum Syster Multiples of this c NRC - Con Allowed Ch System Additions 1 DS1/D4 Cl Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports Line Side C Line Side C Line Side C Line Side C Line Side C Line Side I 2-Wire Trur Feature (Sc Bank Feature (Sc Bank Feature (Sc C) D4 Bank E911 CALL LOCAT Miscellanec Initial Profil Miscellanec Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| 96 DSO Ch 144 DSO Cl 144 DSO Cl 192 DSO Cl 240 DSO Cl 288 DSO Cl 384 DSO Cl 480 DSO Cl 672 DSO Cl Non-Recurring Ch A Minimum Syster Multiples of this c NRC - Con Allowed Ch System Additions 1 DS1/D4 Cl Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports Line Side C Lin | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| 144 DS0 CI 192 DS0 CI 240 DS0 CI 240 DS0 CI 240 DS0 CI 240 DS0 CI 384 DS0 CI 480 DS0 CI 576 DS0 CI 672 DS0 CI Non-Recurring Ch A Minimum Syster Multiples of this c NRC - Con' Allowed Ch System Additions 1 DS1/D4 CI Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Activity Onl Clear Chan Extended S Exchange Ports A Exchange Ports A Exchange Ports Line Side CI Line | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| 144 DS0 C 192 DS0 OI 240 DS0 OI 240 DS0 OI 288 DS0 OI 384 DS0 OI 384 DS0 OI 576 DS0 OI 672 | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| 144 DS0 C 192 DS0 OI 240 DS0 OI 240 DS0 OI 288 DS0 OI 384 DS0 OI 384 DS0 OI 576 DS0 OI 672 | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| 144 DS0 C 192 DS0 OI 240 DS0 CI 240 DS0 CI 240 DS0 CI 288 DS0 CI 384 DS0 CI 480 DS0 CI 672 DS0 CI 672 DS0 CI Non-Recurring Ch A Minimum Syster Multiples of this c NRC - Com Allowed Ch System Additions 1 DS1/D4 C Fea Activat Bipolar 8 Zero Sult Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports Line Side C Line Side C Line Side C Line Side C Seature Seature Feature (Sc Bank Feature (Sc Bank Feature (Sc D4 Bank Feature (Sc D4 Bank Feature (Sc D5 D4 Bank Feature (Sc D6 D5 D1 Trunk Miscellanee Initial Profil Miscellanee Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID Numbe Reserve Nc Reserv | | | | | | | | | | | | | 151 | Addi | DISC ISL | DISC Add I |
| 144 DS0 C 192 DS0 OI 240 DS0 OI 240 DS0 OI 288 DS0 OI 384 DS0 OI 384 DS0 OI 576 DS0 OI 672 | | | | | | D | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| 144 DS0 C 192 DS0 OI 240 DS0 OI 240 DS0 OI 288 DS0 OI 384 DS0 OI 384 DS0 OI 576 DS0 OI 672 | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 192 DS0 CI 240 DS0 CI 248 DS0 CI 288 DS0 CI 384 DS0 CI 384 DS0 CI 480 DS0 CI 576 DS0 CI 672 DS0 CI 672 DS0 CI Non-Recurring Ch A Minimum Systee Multiples of this c NRC - Com Allowed Ch System Additions 1 DS1/D4 C Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports Line Side C Line Side | SO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 172.16 | 0.00 | 0.00 | | | | | | | | i T |
| 240 DS0 CI | DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 258.24 | 0.00 | 0.00 | | | | | | | | i T |
| 240 DS0 Ci | DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 344.32 | 0.00 | 0.00 | | | | | | | | i T |
| 384 DSO CI 480 DSO CI 480 DSO CI 576 DSO CI 672 DSO CI Non-Recurring Ch A Minimum Systee Multiples of this c NRC - Con Allowed Ch System Additions 1 DS1/D4 (Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports A Exc | DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 430.40 | 0.00 | 0.00 | | | | | | | | |
| 384 DSO CI 480 DSO CI 480 DSO CI 576 DSO CI 672 DSO CI Non-Recurring Ch A Minimum Systee Multiples of this c NRC - Con Allowed Ch System Additions 1 DS1/D4 (Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports A Line Side C Line Side | DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 516.48 | 0.00 | 0.00 | | | | | | | | |
| S76 DS0 Ci 672 DS0 Ci 672 DS0 Ci Non-Recurring Ch A Minimum Syster Multiples of this c NRC - Con- Allowed Ch System Additions 1 DS1/D4 Ci Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended Si | DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 688.64 | 0.00 | 0.00 | | | | | | | | |
| S76 DS0 Ci 672 DS0 Ci 672 DS0 Ci Non-Recurring Ch A Minimum Syster Multiples of this c NRC - Con- Allowed Ch System Additions 1 DS1/D4 Ci Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended Si | DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 860.80 | 0.00 | 0.00 | | | | | | | | |
| G72 DS0 CI | DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 1,032.96 | 0.00 | 0.00 | | | | | | | | |
| Non-Recurring Ch A Minimum Systes Multiples of this c NRC - Con Allowed Ch System Additions 1 DS1/D4 C Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Exchange Ports A Exchange Ports Line Side C Line Side C Line Side I 2-Wire Trur Feature (Sc Bank Feature (Sc Data Bank Data B | DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 1,205.12 | 0.00 | 0.00 | | | | | | | | · |
| A Minimum Syster Multiples of this co NRC - CON NRC - CON Allowed Ch System Additions 1 DS1/D4 C Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Extended S Extended S Extended S Line Side C Line Side C Line Side I 2-Wire Trur Feature (Sc Bank Feature (Sc D4 Bank Feature (Sc D4 Bank Feature (Sc D5 Bank E911 CALL LOCA1 Miscellanec Initial Profil Miscellanec Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID Numbe Reserve Nc | ng Charges (NRC) Associated with 4-Wire DS1 Loop wit | h Chanr | neliztio | | sion Charge | | stem | | | | | | | | | · |
| Multiples of this c NRC - Con- Allowed Ch System Additions 1 DS1/D4 C Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports A Line Side C Line Side C Line Side C Line Side I 2-Wire Trur Feature (Sc Bank Feature (Sc D4 Bank E911 CALL LOCAT Miscellanec Initial Profil Miscellanec Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nc | System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | · |
| NRC - Con Allowed Ch System Additions 1 DS1/D4 C Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended 3 Exchange Ports A Exchange Ports A Exchange Ports A Exchange F | this configuration functioning as one are considered Ad | | | | | | | | | | | | | | | · |
| Allowed Ch System Additions 1 DS1/D4 C Fea Activat Bipolar 8 Zero Sul Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports Line Side C Line Side C Line Side I 2-Wire Trur Feature (St Bank Feature (St Bank Feature (St Bank Feature (St D1 Bank D1 Bank D1 Bank D1 Bank D1 Bank D1 Bank Bank Feature (St D1 Bank D1 Bank D1 Bank D1 Bank D1 Bank D1 Bank Bank Reserve Nt Reserve | - Conversion (Currently Combined) with or without AT&T | | | | Ĭ | | | | | | | | | | | · |
| System Additions 1 DS1/D4 C Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Extended S Exchange Ports A Exchange Ports A Line Side C Line Side I 2-Wire Trur Feature (Sc Bank Feature (Sc D4 Bank Feature (Sc D4 Bank Feature (Sc D5 D4 Bank Feature (Sc D6 D5 D8 D8 D8 D8 D1 D8 D1 D1 Trunk D1D Trunk D1D Numbe of 20 D1D N Additional D1D Numbe Reserve Nc | ved Changes | | | UEPMG | USAC4 | 0.00 | 350.00 | 20.00 | | | | | | | | ł |
| I DS1/D4 C Fea Activate Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports A Exchange Fort | itions Where Platform Currently Exists and New Installa | tions | | | | | | | | | | | | | | |
| Fea Activat Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports A Line Side C Line Side C Line Side I 2-Wire Trur Feature Activation Feature (Sc Bank Feature (Sc DA Bank Feature (Sc DA Bank Feature (Sc DI) Bank Fe | 1/D4 Channel Bank - Add NRC for each Port and Assoc | 1 | | | | | | | | | | | | | | |
| Bipolar 8 Zero Sut Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports A Line Side C Line Side I 2-Wire Trur Feature (St Bank Feature (St D4 Bank Feature (St D4 Bank Feature (St D5 D4 Bank Feature (St D6 D4 Bank Feature St D7 D8 Bank Feature St D8 Bank Feature St D9 Ba | | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | | | | | | ł |
| Clear Chan Activity Onl Clear Chan Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports Line Side C Line Side C Line Side I 2-Wire Trur Feature Activation Feature Activation Feature (Sc Bank | | 1 | | | | | | | | | | | | | | |
| Activity Onl Clear Chan Subsequer Alternate Mark Inv Superframe Exchange Ports A Exchange Ports A Exchange Ports A Line Side C Line Side C Line Side I 2-Wire Trur Feature Activation Feature (Sc Day Bank Feature (Sc DA Bank Feature (Sc DI) Hank E911 CALL LOCAT Miscellanec Initial Profil Miscellanec Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nc | r Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| Clear Chan Subsequer Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports A Exchange Ports In Side C Line Side C Line Side C Line Side C Line Side C Line Side In Side C Line Side In Side C Line Side C L | | | | UEPMG | CCOSF | 0.00 | 0.001 | 600.00S | | | | | | | | ł |
| Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports A Exchange Ports O Line Side C Line Side C Line Side I 2-Wire Trur Feature (Sc Bank Feature (Sc D4 Bank Feature (Sc D4 Bank E911 CALL LOCAT Miscellanec Initial Profil Miscellanec Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nc | r Channel Capability Format - Extended Superframe - | <u> </u> | | OLI WO | 00001 | 0.00 | 0.001 | 000.000 | | | | 1 | | | | ſ |
| Alternate Mark Inv Superframe Extended S Exchange Ports A Exchange Ports A Exchange Ports Line Side C Line Side I 2-Wire Trur Feature Activation Feature Activation Feature (Sc Bank Feature (Sc | sequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.001 | 600.00S | | | | | | | | ł |
| Superframe Extended S Extended S Exchange Ports A Exchange Ports A Exchange Ports A Exchange Ports A Exchange Ports A Exchange Ports A Exchange Ports A Exchange Ports Line Side C Line Side C Line Side C Exchange Ports Bank Feature (St Bank Feature (St Bank Feature (St Bank Feature (St Bank Feature (St Bank Feature (St Bank Feature (St Bank Feature (St DA Bank Feature (St DA Bank E911 CALL LOCA1 Miscellanee Initial Profil Miscellanee Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional L DID Numbe Reserve Nc | | <u> </u> | | OLI WO | COOLI | 0.00 | 0.001 | 000.000 | | | | 1 | | | | ſ |
| Extended S Exchange Ports A Exchange Ports A Exchange Ports A Exchange Ports A Line Side C Line Side C Line Side C Line Side I 2-Wire Trur Feature (Se Bank Feature (Se D4 Bank E911 CALL LOCAT Miscellanee Initial Profil Miscellanee Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nc | | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exchange Ports A Exchange Ports Line Side C Line Side I 2-Wire Trur Feature Activation Feature Activation Feature (Sc Bank Feature (Sc) Miscellanec Initial Profil Miscellanec Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID Numbe DID Numbe Reserve Nc | nded Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exchange Ports Line Side C Line Side IC Line Side IC Line Side IC 2-Wire Trur Feature Activation Feature (Sc Bank Feature (Sc DA Bank E911 CALL LOCAT Miscellanec Initial Profil Miscellanec Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional IC DID Numbe Reserve Nc | orts Associated with 4-Wire DS1 Loop with Channelizati | ion with | Port | OLI IVIO | WCOI C | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Line Side C Line Side C Line Side I Line Side I Line Side I Line Side I Line Side I | | T WILL | loit | | | | | | | | | | | | | |
| Line Side C Line Side Ir 2-Wire Trur Feature Activation Feature (Sc Bank Feature (Sc DA Bank E911 CALL LOCAT Miscellanec Initial Profil Miscellanec Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nc | 710 | | | | | | | | | | | | | | | |
| Line Side C Line Side Ir 2-Wire Trur Feature Activation Feature (Sc Bank Feature (Sc DA Bank E911 CALL LOCAT Miscellanec Initial Profil Miscellanec Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nc | Side Combination Channelized PBX Trunk Port - Business | | | UEPRW | UEPCX | 11.85 | 0.00 | 0.00 | | | | | | | | ł |
| Line Side Ir 2-Wire Trur Feature Activation Feature (St Bank Feature (St D4 Bank Feature (St D4 Bank E911 CALL LOCAT Miscellanee Initial Profil Miscellanee Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nc | Side Outward Channelized PBX Trunk Port - Business | 1 | | UEPRW | UEPOX | 11.85 | 0.00 | 0.00 | | | | | | | | |
| 2-Wire Trur Feature Activation Feature Activation Feature (Se Bank Feature (Se D4 Bank E911 CALL LOCAT Miscellaned Initial Profil Miscellaned Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nd | Side Odtward Oriannenzed i BX Trunk i Oit - Business | | | OLI IXW | OLI OX | 11.00 | 0.00 | 0.00 | | | | | | | | |
| 2-Wire Trur Feature Activation Feature Activation Feature (Se Bank Feature (Se D4 Bank E911 CALL LOCAT Miscellaned Initial Profil Miscellaned Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nd | Side Inward Only Channelized PBX Trunk Port without DID | | | UEPRW | UEP1X | 11.85 | 0.00 | 0.00 | | | | | | | | ł |
| Feature Activation Feature (St Bank Feature (St Dah Bank Feature (St DA Bank E911 CALL LOCA1 Miscellanee Initial Profil Miscellanee Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nc | re Trunk Side Channelized DID Trunk Port | | | UEPRW | UEPDM | 25.48 | 0.00 | 0.00 | | | | | | | | |
| Feature (Se Bank Feature (Se D4 Bank Feature (Se D4 Bank E911 CALL LOCAT Miscellanet Initial Profili Miscellanet Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve No | vations - Loop Concentration | 1 | | OLITAV | OLI DIVI | 20.40 | 0.00 | 0.00 | | | | | | | | |
| Bank Feature (St D4 Bank Fe911 CALL LOCAT Miscellanet Initial Profili Miscellanet Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nc | ure (Service) Activation for each Line Port Terminated in D4 | 1 | | | | | | | | | | | | | | |
| Feature (Sr D4 Bank E911 CALL LOCA1 Miscellanee Initial Profil Miscellanee Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nc | | | | UEPRW | 1PQWM | 0.4689 | 48.17 | 24.81 | | | | | | 1 | | ł . |
| D4 Bank E911 CALL LOCAT Miscellanee Initial Profil Miscellanee Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve No | ure (Service) Activation for each Trunk Port Terminated in | 1 | | OLI IVV | 11 64 4 141 | 0.4009 | 40.17 | 24.01 | | l | | | | | | |
| E911 CALL LOCAT Miscellaner Initial Profili Miscellaner Subsequer Telephone Numbe DID Trunk: DID Numbe of 20 DID N Additional I DID Numbe Reserve Nd | | | | UEPRW | 1PQWU | 0.4689 | 374.55 | 113.64 | | | | | | 1 | | 1 |
| Miscellanec Initial Profil Miscellanec Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nd | | | | OLI IVV | 11 6440 | 0.4009 | 374.33 | 113.04 | | | 1 | | | | | |
| Initial Profil Miscellanee Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve Nc | ellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | 1 | | | | | |
| Miscellaned Subsequer Telephone Numbe DID Trunk DID Numbe of 20 DID N Additional I DID Numbe Reserve No | Profile Establishment, Per CLEC End-User | | | UEPRW | URE9A | 0.00 | 1,828.00 | | | | | | | 1 | | 1 |
| Subsequer Telephone Numbe DID Trunk: DID Numbe of 20 DID N Additional I DID Numbe Reserve Nc | ellaneous Rate Element, E911 Call Locator Capability - | 1 | | OLI IVV | JILJA | 0.00 | 1,020.00 | | | l | | | | | | |
| Telephone Numbe DID Trunk DID Numbe of 20 DID Additional I DID Numbe Reserve No | sequent Profile Changes, Additions/Deletions | | | UEPRW | URE9B | 0.00 | 177.51 | | | | 1 | 1 | | I | | 1 |
| DID Trunk DID Numbe of 20 DID N Additional I DID Numbe | lumber/Trunk Group Establisment Charges For DID Num | nhere wi | th F01 | | | 0.00 | 177.31 | | | | - | | | | | 1 |
| DID Numbe of 20 DID N Additional I DID Numbe Reserve No | Frunk Termination (One Per Port) | IIDCI 3 WI | III LJ1 | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| of 20 DID N Additional I DID Numbe Reserve No | Numbers, Establish Trunk Group and Provide First Group | | | OLFIXV | 1401 | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| Additional I DID Numbe Reserve No | | | | UEPRW | NDZ | 1.344 | 0.00 | 0.00 | | | | | | 1 | | 1 |
| DID Numbe Reserve No | ional DID Numbers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1.344 | 0.00 | 0.00 | | | - | | | | | |
| Reserve No | Numbers, Non- consecutive DID Numbers , Per Number | + | | UEPRW | ND5 | 0.0672 | 0.00 | 0.00 | | - | | - | | | | |
| | erve Non-Consecutive DID numbers | | | UEPRW | ND6 | 0.0672 | 0.00 | 0.00 | | - | | - | | | | |
| | rve DID Numbers | + | | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | - | | - | | | | |
| | - Vertical and Optional | | | OLFIXV | 1404 | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| | ning Features Offered with Line Side Ports Only | + | | | | | | | | - | | - | | | | |
| | eatures Available | | - | UEPRW | UEPVF | 0.775 | 0.00 | 0.00 | | | | | | | | |
| | atures Avaliable | | - | OLPKW | UEFVF | 0.775 | 0.00 | 0.00 | | | | | | | | |
| ODUF/ADUF/CMDS | II V USAGE FILE (ADUE) | 1 | - | | | | | | | | - | | | 1 | | |
| | ILY USAGE FILE (ADUF) | ₩ | | | | 0.007007 | - | | | - | - | ļ | | | | |
| ADUF: Me: | F: Message Processing, per message | 1 | - | | | 0.007037 | | | | | - | | | 1 | | |
| ADUE 5 | F: Data Transmission (CONNECT:DIRECT), per message | 1 | | | | 0.00018 | | | | | I | 1 | | 1 | | 1 |

| SERVICES - | Georgia | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|---|-------------|------|-----|------|----------|--------|-----------|--------------|------------|-------|-----------------------|---------------|-----------|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Charge - | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | 1 | 1 | oss | Rates(\$) | l | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| OPTIO | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | i i | | | 0.000012 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | ĺ | 0.004101 | | | | | ĺ | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 36.06 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00015 | | | | | | | | | | |
| CENTE | RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |
| 8XX ACCESS | TEN DIGIT SCREENING | | | | | | | | | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit Screening service with 800 Number Delivery per query | | | | | 0.00421 | | | | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Screening service with 800 Number Delivery for 800 Numbers with Optional Complex Feature, i.e., Call handling and Destination Features per query | | | | | 0.004296 | 5.65 | 0.76 | 4.24 | 0.51 | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit Screening service with POTS Number Delivery per query | | | | | 0.00383 | | | | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit Screening service with POTS Number delivery for 800 Numbers with Optional Complex Feature,i.e., Call Handling and Destination Features per query | | | | | 0.00431 | | | | | | | | | | |

| SERV | ICES - | Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|---|--|--|-----------------------|---------------|----------|-------------|-----------|--------------|-------------|--|--|---------------|--------------|-------------|-------------|
| OLIV V | .5_0 - | nonuony | | 1 | | | I | Incremental | | Incremental | Incremental | | | | | | |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | _ | | l . | | |
| 071121 | | | m | | 200 | 5555 | | | = = (+) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | I | | | | | | 1 | Nonrec | curring | Nonrecurring | Disconnect | | 1 | OSS | Rates(\$) | l | L |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | 11100 | Addi | 11130 | Addi | COME | COMPAR | COMPAR | COMPAR | COMPAN | COMPAR |
| SERVI | CE DATE | ADVANCEMENT (A.K.A EXPEDITE) CHARGE | | | | | | | | | | | | | | | |
| OLIKV. | | The Expedite charge will be maintained commensurate with | BallSou | th's FC | C No 1 Tariff Section | n 5 as annli | cable | | | | | | | | 1 | | |
| - | NOTE. | The Expedite charge will be maintained commensurate with | Deliood | 111310 | o No.1 Tallii, decilo | ii o as appii | cable. | | | | | | | | 1 | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| 1 | | | | | UC1BC, UC1BL, | | | | | | | | 1 | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | | | | U1TUB, U1TUA, | | | | | | | | | | | | |
| | | | | | NTCVG,NTCUD,NT | | | | | | | | | | | | |
| 1 | 1 | Evondita Chargo per Circuit er Line Assignable LISOC Dev | 1 | 1 | CD1 | SDASP | | 200.00 | | | | I | I | | | | |
| OPDE | MODIC | Expedite Charge per Circuit or Line Assignable USOC, per Day ICATION CHARGE | | | ועט | SUASE | | 200.00 | | | | - | | | | | |
| OKDE | NIODIF | Order Modification Charge (OMC) | | + | | | - | 33.37 | 0.00 | 0.00 | 0.00 | - | - | | 1 | | |
| \vdash | | Order Modification Charge (OMC) Order Modification Additional Dispatch Charge (OMCAD) | | + | | | | | | | | - | - | | 1 | | — |
| 1.004 | CEDV | | - | - | | | | 150.00 | 0.00 | 0.00 | 0.00 | | - | | + | | |
| LUCAL | . SEKVI | CE REQUEST (LSR) ORDERING CHARGE | - | - | | | | | | | | . | . | | 1 | - | \vdash |
| 1 | 1 | Electronic Service Order Charge, Per Local Service Request | 1 | 1 | | 001450 |] | 0 = 0 | 0.00 | 0.50 | 0.00 | I | I | | | | |
| <u> </u> | | (LSR) | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | ļ | | |
| 1 | 1 | | 1 | 1 | | |] | _ | _ | | | l | I | | | | |
| | | Manual Service Order Charge, Per Local Service Request (LSR) | | | | SOMAN | | 7.86 | 0.00 | 0.99 | 0.00 | ļ | | | | | |
| LINE II | VFORM. | ATION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | |
| | | LIDB Common Transport Per Query | | | | | 0.0003 | | | | | | | | | | |
| | | LIDB Validation Per Query | | | | BHML1 | 0.035378 | | | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | | OQV | NRBPX | | 91.00 | | 67.59 | | | | | | | |
| BRANI | | IRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| | Facility | Based CLEC | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded | | 1 | | | į į | | | i i | | ĺ | ĺ | | 1 | 1 | |
| 1 | 1 | Announcement | 1 | 1 | AMT | CBADA |] | 3,000.00 | 3,000.00 | | | l | I | | | | |
| | 1 | Loading of Custom Branded Announcement per Switch per | 1 | 1 | | | i | ., | ., | i | | İ | i | | İ | İ | |
| 1 | 1 | OCN | 1 | 1 | AMT | CBADC | | 1,170.00 | 1,170.00 | | | l | I | | | | |
| — | Wholes | sale CLEC | t | | ! | -20 | | .,170.00 | .,170.00 | | | | t e | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | + | | | | |
| \vdash | 1 | Loading of DA Custom Branded Announcement per Switch per | | | | | | 3,000.00 | 3,000.00 | | | | | | t | | |
| 1 | 1 | OCN | 1 | 1 | | |] | 1,170.00 | 1,170.00 | | | l | I | | | | |
| - | Unbron | Iding via OLNS for Wholesale CLEC | | | | | | 1,170.00 | 1,170.00 | | | - | | | | | |
| \vdash | onoran | Loading of DA per OCN (1 OCN per Order) | - | + | | | | 420.00 | 420.00 | | | | | | - | | |
| | | Loading of DA per Oori (1 Oori per Order) | | | | | ı | 420.00 | 420.00 | L | | l | l | | 1 | l | |

| SERVI | CES - | Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|----------|--|-------------|------|--|----------------|--------------|----------|-----------|--|-------|---|------------------------|---|---|----------|---|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring Di | | | | | Rates(\$) | | |
| — | | Les Para (DA and Q Value of QQN) | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DIDECT | OBV A | Loading of DA per Switch per OCN SSISTANCE SERVICES | | | | + | | 16.00 | 16.00 | | | | | | | | |
| | | FORY ASSISTANCE ACCESS SERVICE | | | | + | | | | | + | | | | | | |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.31 | | | | | | | | | | |
| | | TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (| DACC) | | | | | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| | | PERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| | Facility | based CLEC | | | | | | | | | | | | | | | |
| | | Recording of Custom Branded OA Announcement | | | AMT | CBAOS | | 7,000.00 | 7,000.00 | | | | | | | | |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | ANAT | CDAOL | | 500.00 | 500.00 | | | | | | | | 1 |
| | Whole | per OCN | | | AMT | CBAOL | | 500.00 | 500.00 | | | | | | | | |
| \vdash | **11016 | Recording of Custom Branded OA Announcement | | 1 | | + | | 7,000.00 | 7,000.00 | + + | | | | | | | |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | 7,000.00 | 7,000.00 | | | | | | | | |
| | | per OCN | L | | <u> </u> | <u> </u> | | 500.00 | 500.00 | <u>1 </u> | | | | | <u> </u> | | <u> </u> |
| | Unbrar | ding via OLNS for Wholesale CLEC | | | | | | | | | | | | | | | |
| | | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| INWARI | D OPER | ATOR SERVICES | | | | | | | | | | | | | | | |
| - | | Inward Operator Services - Verification, Per Call Inward Operator Services - Verification and Emergency Interrupt | | | | 1 | 1.00 | | | | | | | | | | |
| | | - Per Call | | | | | 1.95 | | | | | | | | | | ĺ |
| OPERA | TOR C | ALL PROCESSING | | | | + | 1.95 | | | | - | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | | | | | | | | | |
| | | LIDB | | | | | 1.20 | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST LIDB | | | | | 0.20 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| CALLIN | G NAM | E (CNAM) SERVICE | | | | | 0.20 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPFB | N1ACR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPBX | N1ACR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPSB | N1ACR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPFP | N1ACR | 2.11 | | | | | | | | | | |
| \vdash | | CNAM Service, per line CNAM Service, per line | | - | UEPSP UEPPX | N1ACR N1ACR | 2.11 2.11 | | | + + | | | | | | | |
| \vdash | | CNAM Service, per line CNAM Service, per line | | - | UEPPX | NXMCR | 2.11 | | | + + | - | | | | | | |
| | | CNAM Service, per line | | | UEPFR | NXMCR | 2.11 | | | + + | | | | | | | |
| | | CNAM Service, per line | | | UEPRX | NXMCR | 2.11 | | | † † | | | | | | | |
| | | CNAM Service, per line | | | UEPFB | NXMCR | 2.11 | | | | | _ | | | | | |
| | | CNAM Service, per line | | | UEPBX | NXMCR | 2.11 | | | | | | | | | | |
| igsquare | | CNAM Service, per line | | | UEPSB | NXMCR | 2.11 | | | ├ | | | | | | | |
| \vdash | | CNAM Service, per line | | | UEPRG UEPSE | NXMCR NXMCR | 2.11 2.11 | | | + + | | | | | | | <u> </u> |
| \vdash | | CNAM Service, per line CNAM Service, per line | | - | UEPSE | NXMCR NXMCR | 2.11 | | | + + | - | | | | | | |
| | | CNAM Service, per line | | | UEPSP | NXMCR | 2.11 | | | + + | | | | | | | |
| | | CNAM Service, per line | | | UEPPX | NXMCR | 2.11 | | | † † | | | | | | | |
| | | CNAM Service, per line | | | UEPVB | NXMCR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPSR | NXMMN | 2.11 | | <u> </u> | | | | | | | | |
| \vdash | | CNAM Service, per line | | | UEPFR | NXMMN | 2.11 | | | | | | | | | | |
| \vdash | | CNAM Service, per line | | | UEPRX | NXMMN | 2.11 | | | + + | | | | | | | |
| \vdash | | CNAM Service, per line CNAM Service, per line | - | - | UEPFB UEPBX | NXMMN NXMMN | 2.11 2.11 | | | + | | | | | | | |
| \vdash | | CNAM Service, per line CNAM Service, per line | | 1 | UEPSB | NXMMN | 2.11 | | | + + | | | | | | | |
| | | CNAM Service, per line | | | UEPRG | NXMMN | 2.11 | | | | | | | | | 1 | |
| | | CNAM Service, per line | | | UEPSE | NXMMN | 2.11 | | | | | | | | l | ĺ | |
| | | CNAM Service, per line | | | UEPFP | NXMMN | 2.11 | | | | | | | | | | |

| SERVIC | ES - | Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---|--------|---|--|--|----------------------|----------------|-------------------|-----------------|-----------------|-----------------------|----------------|--|-------------|-----------------|--|--|--|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGO | RY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | 1 | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Manage | | I 81 | . B' | | | | D = (= = (A) | | |
| - | | | | | | - | Rec | Nonred First | arring Add'l | Nonrecurring First | Add'l | COMEC | SOMAN | | Rates(\$) | SOMAN | SOMAN |
| - | | CNAM Service, per line | | | UEPSP | NXMMN | 2.11 | FIISL | Add I | FIISL | Add I | SOWIEC | SUMAN | SOWAN | SOWAN | SOWAN | SOWAN |
| | | CNAM Service, per line | | | UEPPX | NXMMN | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPFB | NXECR | 2.11 | | | | | 1 | | | | | |
| | | CNAM Service, per line | | | UEPBX | NXECR | 2.11 | | | | | 1 | | | | | |
| | | CNAM Service, per line | | | UEPVB | NXECR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPSB | NXECR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPFP | NXECR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPSP | NXECR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPPX | NXECR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPFB | NCACR | 2.11 | | | | | | | | | | |
| \vdash | | CNAM Service, per line | | ļ | UEPBX | NCACR | 2.11 | | | | - | 1 | ļ | ļ | ļ | ļ | |
| $\vdash \vdash$ | | CNAM Service, per line | - | - | UEPSB UEPFP | NCACR | 2.11 | | | | - | <u> </u> | - | | - | | |
| \vdash | | CNAM Service, per line CNAM Service, per line | - | - | UEPSP | NCACR NCACR | 2.11 | | | | - | | | | | | |
| - | | CNAM Service, per line | | 1 | UEPPX | NCACR | 2.11 | | | | | 1 | | | | | |
| DS0 WHO | OLES/ | ALE LOCAL SWITCHING PORTS | | | OLFFA | NOACK | 2.11 | | | | | | | 1 | 1 | 1 | |
| | | ew Install scenarios the Nonrecurring charges are listed in th | e First : | and Ad | ditional NRC colum | ns for each | Port USOC For | Fyisting Platf | orm scenarios | the Nonrecur | ring charges a | re listed in | the NRC - C | onversions s | ection Addit | ional NRCs m | av anniv |
| | | d are categorized accordingly. | | una Aa | antional title colum | | 1 011 0000. 1 0 | Existing Flati | orm socnarios | , the Homeoun | inig onalges c | iic iistea iii | | 01110110110110 | Jonon: Addit | ionai reitos in | uy uppiy |
| | | a are early and accordingly. | | | | | | | | | | | | | | | |
| > | End | Office and Tandem Switching Usage and Wholesale Common | Transi | ort Us | age rates in the Por | t section of | this rate exhibit | shall apply to | the Wholesale | Access Line S | Service except | for the Coir | Service wh | nich has a flat | rate usage c | narge (USOC: | URECU). |
| | | HOLESALE LOCAL SWITCHING PORTS - (Res) | | 1 | | | | | | | | 1 | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 8.49 | 34.95 | 12.48 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 8.49 | 34.95 | 12.48 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 8.49 | 34.95 | 12.48 | | | | | | | | |
| | | Exchange Ports - 2-Wire VG KY extended local dialing parity | | | | 1 | | | | | | | | | | | İ |
| | | Port with Caller ID - Res. | | | UEPSR | UEPRM | 8.49 | 34.95 | 12.48 | | | | | | | | |
| | | Exchange Ports - 2-Wire VG res, low usage line port with Caller ID (LUM) | | | UEPSR | UEPAP | 8.49 | 34.95 | 12.48 | | | | | | | | İ |
| | | Exchange Ports - 2-Wire Voice Kentucky Residence Dialing Plan | | <u> </u> | UEPSR | UEPAP | 8.49 | 34.95 | 12.48 | | | - | | | | | |
| | | without Caller ID | | | UEPSR | UEPWE | 8.49 | 34.95 | 12.48 | | | | | | | | |
| - | | 2-Wire voice Low Usage Line Port without Caller ID Capability | | 1 | UEPSR | UEPRT | 8.49 | 34.95 | 12.48 | | | | | | | | |
| F | EATU | | | | oz. o.t | 02 | 0.10 | 0 1.00 | 12.10 | | | | | | | | |
| | | All Available Vertical Features | | | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| С | ross (| Connects | | | | | | | | | | | | | | | |
| | | Physical Expanded Interconnection Two Wire Cross Connect, | | | | | | | | | | | | | | | |
| | | Provsioning | | | UEPSR | PE1R2 | 0.0333 | 24.68 | 23.68 | | | | | | | | 1 |
| | | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSR | VE1R2 | 0.0309 | 24.68 | 23.68 | | | | | | | | |
| N | lon-Re | curring Charges | | | | | 1 | | | | | ļ | | | ļ | ļ | |
| $\vdash \vdash$ | | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | ļ | UEPSR | USAS2 | 0.00 | 0.00 | 0.00 | | - | 1 | ļ | ļ | ļ | ļ | |
| - | 100 M | Subsequent Activity HOLESALE LOCAL SWITCHING PORTS - (PBX) | - | - | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | - | | | | | | |
| H-1 | JOU WI | 2-Wire VG 2-Way PBX Trunk - Res | - | + | UEPSE | UEPRD | 11.49 | 66.16 | 18.58 | | | 1 | - | | | | |
| $\vdash \!$ | | 2-Wire VG Line Side 2-Way PBX Trunk - Bus | - | - | UEPSE | UEPPC | 11.49 | 66.16 | 18.58 | | | | - | | | | |
| \vdash | | 2-Wire VG Line Side Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 11.49 | 66.16 | 18.58 | | | | | | | | |
| \vdash | | 2-Wire VG Line Side Cutward FBX Trunk - Bus | | | UEPSP | UEPP1 | 11.49 | 66.16 | 18.58 | | | | | | | | |
| \vdash | | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 11.49 | 66.16 | 18.58 | | | | İ | | | | |
| | | 2-Wire Voice PBX LD Terminal Ports | | | UEPSP | UEPLD | 11.49 | 66.16 | 18.58 | | | | | | | | |
| | | 2-Wire Vice 2-Way PBX Usage Port | | | UEPSP | UEPXA | 11.49 | 66.16 | 18.58 | | | | | | | | |
| | | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 11.49 | 66.16 | 18.58 | | | | | | | | |
| | | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 11.49 | 66.16 | 18.58 | | | | | | | | |
| igsquare | | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 11.49 | 66.16 | 18.58 | | | ļ | | ļ | ļ | ļ | 1 |
| $\vdash \!$ | | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | <u> </u> | UEPSP | UEPXE | 11.49 | 66.16 | 18.58 | | | ļ | | | | | |
| | | 2-Wire Voice 2-Way PBX Kentucky Room Area Calling Port | | | LIEDOD | LIEDVE | 44.40 | 00.10 | 40.50 | | | | 1 | | | | 1 |
| \vdash | | Without LUD 2-Wire Voice PBX Kentucky LUD Area Calling Port | | - | UEPSP UEPSP | UEPXF | 11.49 11.49 | 66.16 66.16 | 18.58 18.58 | | | | | | | | |
| \vdash | | 2-Wire Voice PBX Kentucky LUD Area Calling Port 2-Wire Voice PBX Kentucky Premium Callling Port | | | UEPSP | UEPXG | 11.49 | 66.16 | 18.58 | | | | - | | | | |
| \vdash | | 2-14116 40106 1 DV VEHTORY LIGHTINIH CAHING LOIL | L | Ь | OLI OF | OLFAII | 11.49 | 00.10 | 10.30 | | l | 1 | L | | | | <u> </u> |

| SERVICES | S - Kentucky | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|--|--|--|---------------|----------|-------------|--------|-----------|-------|--------------|---|---|---|--|--|---|
| CATEGORY | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | ļ | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | PBX Kentucky Area Callling Port Without | | | | | | | | | | | | | | | |
| | LUD | PBX Hotel/Hospital Economy | ļ | 1 | UEPSP | UEPXJ | 11.49 | 66.16 | 18.58 | | | 1 | | | | 1 | |
| | Administrative Calling | | | | UEPSP | UEPXL | 11.49 | 66.16 | 18.58 | | | | | | | | |
| | | PBX Hotel/Hospital Economy Room Calling | 1 | 1 | OLI OI | OLI AL | 11.40 | 00.10 | 10.00 | | | 1 | | | | | 1 |
| | Port | 27 Totol Toopha 200 Total Talling | | | UEPSP | UEPXM | 11.49 | 66.16 | 18.58 | | | | | | | | |
| | 2-Wire Voice 1-Way C | Outgoing PBX Hotel/Hospital Discount | | | | | | | | | | | | | | | |
| | Room Calling Port | | | | UEPSP | UEPXO | 11.49 | 66.16 | 18.58 | | | | | | | | |
| | | Outgoing PBX Measured Port | | | UEPSP | UEPXS | 11.49 | 66.16 | 18.58 | | | | | | | | |
| FEA | TURES | | ļ | - | LIEDOD LIEDOE | LIED) (E | 0.00 | 0.00 | 0.00 | | | ļ | | | | | |
| Cra | All Available Vertical F ss Connects | eatures | 1 | - | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | 1 | | 1 | | | | | + |
| CIOS | | terconnection Two Wire Cross Connect, | | | | + | | | | + | | | | | | | |
| | Provsioning | | 1 | | UEPSP | PE1R2 | 0.0333 | 24.68 | 23.68 | | | | | | | I | |
| | | wo Wire Cross Connect, Provisioning | 1 | | UEPSP | VE1R2 | 0.0309 | 24.68 | 23.68 | | | | | | | | 1 |
| Non | -Recurring Charges | - | | | | | | | | | | | | | | | |
| | | oop/ Line Port Platform - Subsequent | | $ldsymbol{oxed}$ | UEPSP | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | Subsequent Activity | | ļ | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| DS0 | | WITCHING PORTS - (Coin) | ļ | | | | | | | | | | | | | | |
| | Blocking (AL, KY, LA, | thout Operator Screening and without | | | UEP2C | UEPRF | 11.49 | 61.66 | 18.58 | | | | | | | | |
| - | | th Operator Screening (AL, KY) | 1 | | UEP2C | UEPRE | 11.49 | 61.66 | 18.58 | | | | | | | | |
| | | th Operator Screening and Blocking: 011, | 1 | | OLI 20 | OLITIC | 11.43 | 01.00 | 10.50 | | | | | | | <u> </u> | |
| | 900, 1+DDD (AL, KY, | | | | UEP2C | UEPRA | 11.49 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Coin 2-Way wit | th Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (KY) | | | | UEP2C | UEPKA | 11.49 | 61.66 | 18.58 | | | | | | | | |
| | | th Operator Screening & Blocking: 900, | | | | | | | | | | | | | | | |
| | 1+DDD, 011+, & Local | I (AL, KY, LA, MS) without Blocking and without Operator | ļ | | UEP2C | UEPCD | 11.49 | 61.66 | 18.58 | | | | | | | | |
| | Screening (KY, LA, M | | | | UEP2C | UEPRN | 11.49 | 61.66 | 18.58 | | | | | | | | |
| | | with Operator Screening and 011Blocking | 1 | | UEF2C | UEPKIN | 11.49 | 01.00 | 10.00 | | | | | | | | |
| | (GA, KY, MS) | with operator corecining and of iblocking | | | UEP2C | UEPRJ | 11.49 | 61.66 | 18.58 | | | | | | | | |
| | | with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 011, 900, 1+DDD (AL, | | | | UEP2C | UEPRH | 11.49 | 61.66 | 18.58 | | | | | | | | |
| | | Operator Screening & Blocking: 900, | | | | | | | | | | | | | | | |
| | 1+DDD, 011+, & Loca | | ļ | | UEP2C | UEPCN | 11.49 | 61.66 | 18.58 | | | | | | | | <u> </u> |
| | | ne with 900/976 (all states except LA) Smartline with 900/976 (all states except | 1 | | UEP2C | UEPCK | 11.49 | 61.66 | 18.58 | | | | | | | 1 | |
| | LA) | Smartline with 900/976 (all states except | | | UEP2C | UEPCR | 11.49 | 61.66 | 18.58 | | | | | | | | |
| Coir | n Usage | | | 1 | OLI 20 | OLI OIX | 11.43 | 01.00 | 10.50 | | | | | | | | + |
| | · coago | | 1 | | | | | | | | | | | | | t | |
| 1 | DS0 Wholesale Local | Platform Service (Coin) Usage (Flat Rate) | | | UEP2C | URECU | 5.50 | | | | | | | | | | |
| Cros | ss Connects | | | | | | | | | | | | | | | | |
| | | terconnection Two Wire Cross Connect, | | | | | | | | | | | | | | | |
| | Provsioning | | ļ | - | UEP2C | PE1R2 | 0.0333 | 24.68 | 23.68 | | | | | | | | _ |
| Nan | | wo Wire Cross Connect, Provisioning | 1 | | UEP2C | VE1R2 | 0.0309 | 24.68 | 23.68 | | | | | | | 1 | |
| Non | -Recurring Charges | oop/ Line Port Platform - Subsequent | 1 | - | UEP2C | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | | eous Rate Element, Tag Loop at End User | | 1 | OLI 20 | UUAUZ | | 0.00 | 0.00 | | | | | | | | + |
| | Premise | | 1 | | UEP2C | URETL | | 8.33 | 0.83 | | | | | | | | |
| | E LOCAL CIRCUIT SWIT | | | | | | | | | | | | | | | | |
| End | Office Switching (Port L | | | | L | | | | <u> </u> | 1 | | | | | | | |
| | End Office Switching | | | | <u> </u> | 1 | 0.0011971 | | | 1 | | | | | | | ļ |
| | End Office Trunk Port | | <u> </u> | <u> </u> | | | 0.0002112 | | | 1 | | | | | | | _ |
| Tan | Tandem Switching (Port Usa | age) (Local or Access Tandem) | | 1 | + | + | 0.000194 | | | + | | 1 | | | | - | |
| | Tandem Switching Fu | | 1 | + | | + | 0.000194 | | | + | | | | | | + | + |
| Melo | ded Factor: 48.65% of th | | | | | + | 0.0002410 | | | + | | † | | | | t | |
| | | Inction Per MOU (Melded) | l | | | + | 0.000094381 | | | | | | | | | <u> </u> | † |

| CATEGORY RATE ELEMENTS Interi m Zone BCS USOC RATES(\$) Svc Order Submitted Submitted Elec per LSR pe | SFR | /ICFS - | Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---|----------|----------|--|----------|---------|-----------------------|---------------|-------------------|----------------|---------------|----------------|----------------|--|-------------|---------------|-----------------|--------------|--|
| ATE ELEMENTS Bellet Zone BCD BOD BOD BATE SELEMENTS Bellet Zone Bod BOD BOD BATE SELEMENTS Bod | J-I | - 10_0 - | Homaony | | | 1 | | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| APPECONY RATE ELEMENTS Interior Zave RCS | | | | | | | | | | | | | 1 | | | | | |
| ## APPER CAPERONY ## APPER CAPE | | | | | | | | | | | | | 1 | | | | _ | |
| The contract of the contract | CATE | GORY | RATE FLEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | 1 | | | | | |
| Second Process Second Review Second Revi | | | | m | | | | | | 101120(4) | | | per LSR | per LSR | | | | |
| Part | | | | | | | | | | | | | | | | | | l l |
| Part | | | | | | | | | | | | | | | 1St | Addi | DISC 1St | DISC Add I |
| December Treatsport Standard Rev MCJ Melanded | | | | | | | | В | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| Trodoct Trans Park Stands for MOD (Mothato) | | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Common Transport Part Report Part Service Femalish Fema | | | Tandem Trunk Port - Shared, Per MOU (Melded) | | | | | 0.000117538 | | | | | | | Î | | Î | |
| Common Transport - Facilities Fernination Previous Common Transport Co | | Wholes | sale Common Transport | | | | | | | | | | | | | | | |
| See Wind Life Code, PLATFORM SERVICE | | | Common Transport - Per Mile, Per MOU | | | | | 0.000003 | | | | | | | | | | |
| s For New Install sociations the Nonrecurring charges are listed in the NNC - Conversions section. Additional NNCs may appliate and are sequenced, exception of the NNC - Conversions section. Additional NNCs may appliate and a sequence of the Conversions section. Additional NNCs may appliate and on the NNC - Conversions section. Additional NNCs may appliate and on the NNC - Conversions section. Additional NNCs may appliate and not office and number of the NNC - Conversions section. Additional NNCs may appliate and number of the NNC - Conversions section. Additional NNCs may appliate and number of the NNC - Conversions section. Additional NNCs may appliate and number of the NNC - Conversion section. Additional NNCs may appliate and number of the NNC - Conversion section. Additional NNCs may applied the NNC - Conversion section. Additional NNCs may applied the NNC - Conversion section. Additional NNCs may applied the NNC - Conversion section. Additional NNCs may applied the NNC - Conversion section. Additional NNCs may applied the NNC - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may applied the NNCs - Conversion section. Additional NNCs may apply to NNC | | | Common Transport - Facilities Termination Per MOU | | | | | 0.0007466 | | | | | | | | | | |
| Sept. Of the Content of Training Policy Logic and Wholesable Common Transport Usage rates in the Port section of this rate within that apply to DS Wholesable Local Platform Service which has a flat rate usage charge (USOC). URE DS WHOLESABLE LOCAL PLATFORM SERVICE (Residence) | DS0 W | | | | | | | | | | | | | | | | | |
| Send Office and Tendem Seriching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to D50 Wholesale Local Platform Service which has a fish rate usage charge (USOC: URE D50 Loop Rate. | | > For N | New Install scenarios the Nonrecurring charges are listed in the | e First | and Ad | Iditional NRC colum | ns for each F | ort USOC. For | Existing Platf | orm scenarios | , the Nonrecur | ring charges a | re listed in t | the NRC - C | onversions s | ection. Additi | ional NRCs m | ay apply |
| DSS UND LEGAL ELVETORM SERVICE (Residence) | | also ar | nd are categorized accordingly. | | | | | | | | | | | | | | | |
| DSS UND LEGAL ELVETORM SERVICE (Residence) | | | | | | | | | | | | | | | | | | |
| District | | > End | Office and Tandem Switching Usage and Wholesale Common | Transp | ort Usa | age rates in the Port | section of th | is rate exhibit s | shall apply to | DS0 Wholesale | Local Platforr | n Service exce | pt for the C | oin Service | which has a | flat rate usage | charge (USC | C: URECU). |
| 2-Wire Vools Grade Loog (ELT) - Zone 1 | | DSO W | /HOLESALE LOCAL PLATFORM SERVICE (Residence) | | | | | | | | | | | | | | | |
| 2-Wire Voto Grade Loog (E.1) - Zone 1 | | DS0 Lo | pop Rates | | | | | | | | | | | | | | | |
| 2-Wire Vaca Grade Loss (St.) - Zono 3 | | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | | | | | | | | | | | | | |
| 2-Wive Votes Grade Line Port (Res) | | | | | | | UEPLX | | | | | | | | | | | |
| 2-Wire voice part will called Dr. res UEPRX UEPRK 0.15 3.436 12.48 | | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 30.59 | | | | | | | | | ĺ | |
| 2-Wire voice port will Caller ID - res | | 2-Wire | | | | | | | | | | | | | | | | |
| 2-Wirk scote port outgoing cirtly - res UUFPRX UUFPRO 8.15 34.95 12.48 | | | | | | | | 8.15 | | | | | | | | | | |
| 2-Vivir scale in Amulacy extended to call duling party port with Callet ID - res UEPRX UEPRM 8.15 34.95 12.48 | | | 2-Wire voice port with Caller ID - res | | | | | | | | | | | | | | | |
| Caller ID - res | | | 2-Wire voice port outgoing only - res | | | UEPRX | UEPRO | 8.15 | 34.95 | 12.48 | | | | | | | | |
| 2-Wire votor rest, low usage line port with Caller ID UEPRX UEPAP 8.15 34.95 12.48 | | | 2-Wire voice Kentucky extended local dialing parity port with | | | | | | | | | | | | | | | |
| 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID UEPRX UEPWE 8.15 34.95 12.48 | | | | | | | | 8.15 | 34.95 | 12.48 | | | | | | | | |
| All Features Offered UEPRX | | | 2-Wire voice res, low usage line port with Caller ID | | | UEPRX | UEPAP | 8.15 | 34.95 | 12.48 | | | | | | | | |
| All Features Offered UEPRX UEPF 0.00 | | | | | | | | | | | | | | | | | | |
| NONRECURRING CHARGES - Conversions UEPRX USAC2 10.00 10.00 | | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is UEPRX USAC2 10.00 10.00 | | | | | | UEPRX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 2-Wire Voice Grade Loop / Line Port Platform - Switch with change UEPRX USACC 10.00 10.00 | | NONRE | | | | | | | | | | | | | | | | |
| Change UEPRX USACC 10.00 10. | | | 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is | | | UEPRX | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| 2-Wire Voice Grade Loop / Line Port Platforn - Installation Charge at QuickService Iocation - Not Conversion of Existing Service | | | | | | | | | | | | | | | | | | |
| Charge at QuickService location - Not Conversion of Existing UEPRX URECC 10.00 Service | | | | | | UEPRX | USACC | | 10.00 | 10.00 | | | | | | | | |
| Service UEPRX URECC 10.00 | | | | | | | | | | | | | | | | | | |
| ADDITIONAL NRCs | | | | | | | | | | | | | | | | | | |
| NRC - 2-Wire Voice Grade Loop/Line Port Platform - Subsequent UEPRX USAS2 0.00 | | | | | | UEPRX | URECC | | 10.00 | | | | | | | | | |
| Subsequent | | ADDIT | | | | | | | | | | | | | | | | |
| Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise UEPRX URETL 8.33 0.83 | | | | | | | | | | | | | | | | | | |
| Premise UEPRX URETL 8.33 0.83 | | | | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| Inside Wire Maintenance | | | | | | | | | | | | | | | | | | |
| Inside Wire Maintenance Plan | - | | | | - | UEPRX | UREIL | | 8.33 | 0.83 | | | | | | | | ļ |
| OFFION PREMISES EXTENSION CHANNELS | - | inside | | | | LIEDDY | CEO4V | 4.50 | | | | | | - | - | | | |
| 2 Wire Analog Voice Grade Extension Loop – Non-Design 1 UEPRX UEAEN 10.56 46.66 22.57 | - | OFF/O | | | | UEPRX | SEQIX | 4.50 | | | | | - | | | | | |
| 2 Wire Analog Voice Grade Extension Loop - Non-Design 2 UEPRX UEAEN 15.34 46.66 22.57 | \vdash | 077/0 | | - | 1 | LIEDDY | LIEVEN | 10.56 | 16.66 | 22 57 | | | | | - | - | - | |
| 2 Wire Analog Voice Grade Extension Loop - Non-Design 3 UEPRX UEAEN 31.11 46.66 22.57 | - | - | | | | | | | | | | | | | | | | - |
| 2 Wire Analog Voice Grade Extension Loop - Design 1 UEPRX UEAED 12.67 134.89 81.87 | — | + | | - | | | | | | | | | 1 | - | | 1 | | |
| 2 Wire Analog Voice Grade Extension Loop - Design 2 UEPX UEAED 17.45 134.89 81.87 | - | | | | | | | | | | | | 1 | | 1 | | 1 | - |
| 2 Wire Analog Voice Grade Extension Loop - Design 3 UEPRX UEAED 33.22 134.89 81.87 | - | | | | | | | | | | | | 1 | | 1 | | 1 | - |
| Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPRX U1TV2 23.95 98.09 53.67 | \vdash | + | | H | | | | | | | | | | | | 1 | | |
| Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | INTER | | - | | 02.100 | 02/120 | 00.22 | 104.09 | 01.07 | | | | | | † | | |
| Termination | | 1.41.210 | | | | | 1 | | | | | | | | | | | |
| Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | 1 | 1 | | | 1 | UEPRX | U1TV2 | 23.95 | 98.09 | 53 67 | | | | 1 | | | | |
| Or Fraction Mile UEPRX | | 1 | | | | | 32 | 20.00 | 33.33 | 55.57 | | | | | 1 | | 1 | 1 |
| DS0 WHOLESALE LOCAL PLATFORM SERVICE (Res-PBX) DS0 Loop Rates D2-Wire Voice Grade Loop (SL 1) - Zone 1 1 UEPRG UEPLX 9.64 D2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPRG UEPLX 14.37 D2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPRG UEPLX 30.59 D2-Wire Voice Grade Line Port Rates (RES - PBX) D2-Wire Voice Grade Line Port Rates (RES - PBX) D2-Wire Voice 2-Way PBX Trunk Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 61.66 18.58 D2-Wire Voice Grade Line Port Rates (RES - PBX) D2-Wire Voice 3-Way PBX Trunk Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 61.66 18.58 D2-Wire Voice Grade Line Port Rates (RES - PBX) D2-Wire Voice Grade Line Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 61.66 18.58 D2-Wire Voice Grade Line Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 61.66 18.58 D2-Wire Voice Grade Line Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 61.66 18.58 D2-Wire Voice Grade Line Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 61.66 18.58 D2-Wire Voice Grade Line Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 61.66 18.58 D2-Wire Voice Grade Line Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 61.66 18.58 D2-Wire Voice Grade Line Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 04.66 18.58 D2-Wire Voice Grade Line Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 04.66 18.58 D2-Wire Voice Grade Line Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 04.66 18.58 D2-Wire Voice Grade Line Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 04.66 18.58 D2-Wire Voice Grade Line Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 04.66 18.58 D2-Wire Voice Grade Line Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 04.66 UEPRD UE | 1 | 1 | | | 1 | UEPRX | U1TVM | 0.0095 | 0.00 | 0.00 | | | | 1 | | | | |
| DS0 Loop Rates | | DS0 W | | | | | | 5.5555 | 3.30 | 0.30 | | | | | 1 | | 1 | 1 |
| 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | | | | İ | i | | | | İ | İ | 1 | | İ | | İ | 1 |
| 2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPRG UEPLX 14.37 | | 1 | | | 1 | UEPRG | UEPLX | 9.64 | | | | | | | İ | | İ | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPRG UEPLX 30.59 | | 1 | | | | | | | | | | | | 1 | İ | 1 | İ | 1 |
| 2-Wire Voice Grade Line Port Rates (RES - PBX) | | 1 | | | | | | | | | | | | | İ | | İ | 1 |
| 2-Wire voice 2-Way PBX Trunk Port - Res (E: 1/1/2005) UEPRG UEPRD 11.15 61.66 18.58 | | 2-Wire | | | | İ | İ | | | | | | | 1 | İ | 1 | İ | 1 |
| FEATURES | | 1 | | | | UEPRG | UEPRD | 11.15 | 61.66 | 18.58 | | | | | ĺ | | ĺ | |
| All Features Offered UEPVF 0.00 | | FEATU | | | | | | | | | | | | | | | | |
| | | | All Features Offered | | | UEPRG | UEPVF | 0.00 | | | | | | | | | | |

| SERVICES | - Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|-------------|------|----------------|----------------|----------------|----------------|----------------|--|------------|---|-----------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| NON | RECURRING CHARGES - Conversions | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPRG | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | 40.00 | | | | | | | | | ĺ |
| | Change | | | UEPRG | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADDI | TIONAL NRCs | | - | UEPRG | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | - | UEPRG | USAS2 | | 0.00 | 0.00 | — | | - | | | | | |
| | Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | | |
| + | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | 0.00 | 0.00 | + + | | | | | | | |
| | Group | | | | | | 14.64 | 14.64 | | | | | | | | ĺ |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | 1 | | | | | | | | | | İ | |
| 1 | Premise | | | UEPRG | URETL | | 8.33 | 0.83 | | | | | | | | 1 |
| OFF/ | ON PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | Local Channel Voice grade, per termination | | 1 | UEPRG | P2JHX | 12.67 | 134.89 | 81.87 | | _ | | | | | | |
| | Local Channel Voice grade, per termination | | 2 | UEPRG | P2JHX | 17.45 | 134.89 | 81.87 | | | | | | | | |
| | Local Channel Voice grade, per termination | | 3 | UEPRG | P2JHX | 33.22 | 134.89 | 81.87 | | | | | | | | |
| | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPRG | SDD2X | 12.68 | 170.06 | 78.10 | L | | | | | | | |
| | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPRG | SDD2X | 18.12 | 170.06 | 78.10 | | | | | | | | |
| | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPRG | SDD2X | 29.64 | 170.06 | 78.10 | | | | | | | | |
| INIE | ROFFICE TRANSPORT | | - | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPRG | U1TV2 | 23.95 | 98.09 | 53.67 | | | | | | | | ĺ |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | - | UEPRG | UTIVZ | 23.95 | 98.09 | 53.67 | — | | - | | | | | |
| | or Fraction Mile | | | UEPRG | U1TVM | 0.0095 | 0.00 | 0.00 | | | | | | | | |
| DSO | WHOLESALE LOCAL PLATFORM SERVICE (Bus-PBX) | | | OLI ILO | 01111111 | 0.0000 | 0.00 | 0.00 | | | | | | | | |
| | Loop Rates | | | | | | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 9.64 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 14.37 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 30.59 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | Line Side Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | Line Side Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Ports | | | UEPPX | UEPLD | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 11.15 | 61.66 | 18.58 | | | | | | | | —— |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports 2-Wire Voice PBX LD DDD Terminals Port | | - | UEPPX UEPPX | UEPXB UEPXC | 11.15 11.15 | 61.66 61.66 | 18.58 18.58 | | | - | | | | | |
| | 2-Wire Voice PBX LD DDD Terminals Port 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 11.15 | 61.66 | 18.58 | + + + + + + + + + + + + + + + + + + + | | 1 | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 11.15 | 61.66 | 18.58 | | | H | | | | | |
| | 2-Wire Voice 2-Way PBX Kentucky Room Area Calling Port | | | 02.1 A | JEI AL | 11.13 | 01.00 | 10.00 | | | | | | | | — |
| | without LUD | | | UEPPX | UEPXF | 11.15 | 61.66 | 18.58 | | | | | | | | 1 |
| | 2-Wire Voice PBX Kentucky LUD Area Calling Port | | | UEPPX | UEPXG | 11.15 | 61.66 | 18.58 | | | | | | | İ | |
| | 2-Wire Voice PBX Kentucky Premium Calling Port | | | UEPPX | UEPXH | 11.15 | 61.66 | 18.58 | 1 | | | | | | 1 | |
| | 2-Wire Voice 2-Way Kentucky Area Calling Port without LUD | | | UEPPX | UEPXJ | 11.15 | 61.66 | 18.58 | 1 | | | | | | 1 | |
| | 2-Wire Voice OutDial Kentucky NAR Area Calling Port | | | UEPPX | UEPOK | 11.15 | 61.66 | 18.58 | | | | | | | | |
| FEAT | URES | | | | | | | · · · · · | | | | | | | | |
| | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | ļ | | | | | | | |
| NON | RECURRING CHARGES - Conversions | | | LIEDDY | 110466 | | 10.0- | | ļ | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPPX | USAC2 | | 10.00 | 10.00 | | | - | | | | ļ | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | LIEDDY | LIEACO | | 40.00 | 40.00 | | | | | | | | 1 |
| ADDI | Change TIONAL NRCs | - | | UEPPX | USACC | | 10.00 | 10.00 | + | | - | | | | - | - |
| ADDI | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | OLI I A | UUAUZ | | 0.00 | 0.00 | | | H | | | | | |
| 1 | Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | | 1 |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | 1 | | 0.00 | 0.00 | | | 1 | | | | 1 | <u> </u> |
| | Group | | | | | | 7.86 | 7.86 | | | | | | | | 1 |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | 1 | | | | | | 1 | |
| | Premise | 1 | | UEPPX | URETL | | 8.33 | 0.83 | | | | | | | | 1 |

| SFR | ICES - | Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------------|--|--|--|--|----------------|---------|--------|--------|-----------|--|------------|--|-------------|---------------|-----------|-------------|-------------|
| OL. | .020 | Romacky | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | ١ | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per LSK | per LSK | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | 1 | 1 | OSS | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | OFF/O | N PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 1 | UEPPX | P2JHX | 12.67 | 134.89 | 81.87 | | | | | | | | |
| | t | Local Channel Voice grade, per termination | | 2 | UEPPX | P2JHX | 17.45 | 134.89 | 81.87 | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 3 | UEPPX | P2JHX | 33.22 | 134.89 | 81.87 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPPX | SDD2X | 12.68 | 170.06 | 78.10 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPPX | SDD2X | 18.12 | 170.06 | 78.10 | | | | | | | | |
| | t | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPPX | SDD2X | 29.64 | 170.06 | 78.10 | | | | | | | | |
| | INTER | OFFICE TRANSPORT | | | | 1 | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | | Termination | | | UEPPX | U1TV2 | 23.95 | 98.09 | 53.67 | | | | | | | | I |
| | 1 | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | 1 | 20.00 | 55.55 | 00.01 | | | 1 | i e | | İ | | |
| | 1 | or Fraction Mile | | 1 | UEPPX | U1TVM | 0.0095 | 0.00 | 0.00 | | 1 | 1 | I | | | | ı |
| | DS0 W | HOLESALE LOCAL PLATFORM SERVICE (Coin) | | | :- | | 0.0000 | 3.00 | 0.00 | | | 1 | 1 | | | | |
| — | | op Rates | — | | | 1 | | | | | | <u> </u> | | | † | | |
| — | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | — | 1 | UEPCO | UEPLX | 9.64 | | | | | <u> </u> | | | † | | |
| - | - | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 2 | UEPCO | UEPLX | 14.37 | | | | | | | | | | |
| - | - | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 3 | UEPCO | UEPLX | 30.59 | | | | | | | | | | |
| - | 2-Wire | Voice Grade Line Port Rates (Coin) | | - | OLI CO | OLI LX | 30.53 | | | | | | | | | | |
| - | Z-VVIIC | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | 1 | | | 1 | | |
| | | Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 11.15 | 61.66 | 18.58 | | | | | | | | I |
| - | 1 | 2-Wire Coin 2-Way with Operator Screening (AL, KY) | | | UEPCO | UEPRE | 11.15 | 61.66 | 18.58 | | | 1 | | | 1 | | |
| - | 1 | 2-Wire Coin 2-Way with Operator Screening (AL, RT) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | OLFCO | OLFKL | 11.13 | 01.00 | 10.50 | | | 1 | | | 1 | | |
| | | 900, 1+DDD (AL, KY, LA, MS, SC) | | | UEPCO | UEPRA | 11.15 | 61.66 | 18.58 | | | | | | | | I |
| - | <u> </u> | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | - | - | OLFCO | ULFRA | 11.13 | 01.00 | 10.50 | | | - | - | | | | |
| | | (KY) | | | UEPCO | UEPKA | 11.15 | 61.66 | 18.58 | | | | | | | | I |
| - | 1 | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900, | | | ULFCO | OLFRA | 11.13 | 01.00 | 10.50 | | | 1 | | | 1 | | |
| | | 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 11.15 | 61.66 | 18.58 | | | | | | | | I |
| - | 1 | 2-Wire Coin Outward without Blocking and without Operator | | | ULFCO | OLFCD | 11.13 | 01.00 | 10.50 | | | 1 | | | 1 | | |
| | | Screening (KY, LA, MS) | | | UEPCO | UEPRN | 11.15 | 61.66 | 18.58 | | | | | | | | I |
| - | <u> </u> | 2-Wire Coin Outward with Operator Screening and 011Blocking | - | - | ULFCO | OLFKIN | 11.13 | 01.00 | 10.50 | | | - | - | | | | |
| | | (GA, KY, MS) | | | UEPCO | UEPRJ | 11.15 | 61.66 | 18.58 | | | | | | | | I |
| - | <u> </u> | 2-Wire Coin Outward with Operator Screening and Blocking: | - | - | UEPCO | UEPKJ | 11.15 | 01.00 | 10.30 | | | - | - | | | | |
| | | 011, 900, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 11 15 | 61.66 | 18.58 | | | | | | | | I |
| - | 1 | 2-Wire Coin Outward Operator Screening & Blocking: 900, | | | UEPCU | UEPKH | 11.15 | 01.00 | 10.30 | | | - | | | | | |
| | | 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 11.15 | 61.66 | 18.58 | | | | | | | | I |
| - | <u> </u> | 2-Wire 2-Way Smartline with 900 (all states except LA) | - | - | UEPCO | UEPCK | 11.15 | 61.66 | 18.58 | | | - | - | | | | |
| | <u> </u> | 2-Wire Coin Outward Smartline with 900 (all states except LA) | - | - | UEPCO | UEPCR | 11.15 | 61.66 | 18.58 | | | - | - | | | | |
| | Coin II | | - | - | UEPCO | UEPCK | 11.15 | 01.00 | 10.30 | | | - | - | | | | |
| <u> </u> | Coin U | saye I | | - | | + | | | | | | - | | | | | |
| | 1 | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | | 1 | UEPCO | URECU | 5.50 | | | | | | 1 | | | | ı |
| — | NONE | CURRING CHARGES - Conversions | - | - | ULPCU | UKECU | 5.50 | | | | | - | | | 1 | | |
| - | NONKE | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | - | 1 | UEPCO | USAC2 | | 10.00 | 10.00 | | | | - | | 1 | | |
| — | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | - | - | ULPCU | USAC2 | | 10.00 | 10.00 | | | - | | | 1 | | |
| | | Change | | | UEPCO | USACC | | 10.00 | 10.00 | | | | | | | | ı |
| - | ADDIT | ONAL NRCs | - | - | OLFOO | JOACC | | 10.00 | 10.00 | | | - | | | 1 | | |
| — | ADDITI | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | - | - | UEPCO | USAS2 | | 0.00 | 0.00 | | | - | | | 1 | | |
| - | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | 1 | OLFOO | UUAUZ | | 0.00 | 0.00 | | | | 1 | | 1 | | |
| | | Premise | | | UEPCO | URETL | | 8.33 | 0.83 | | | | | | | | ı |
| — | DS0 W | HOLESALE LOCAL PLATFORM SERVICE (FX/FCO Res) | - | - | OLFOO | UNLIL | | 0.33 | 0.63 | | | - | | | 1 | | |
| — | | op Rates | - | - | | + | | | | | | - | | | 1 | | |
| - | DOU LO | 2-Wire Voice Grade Loop (SL2) - Zone 1 | - | 1 | UEPFR | UECF2 | 12.67 | | | | - | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL2) - Zone 1 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 17.45 | | | | | | - | | 1 | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 | - | 3 | UEPFR | UECF2 | 33.22 | | | | - | | | | | | |
| <u> </u> | 2-141: | | - | 3 | OLPER | UEUFZ | 33.22 | | | | | - | | | - | | |
| <u> </u> | z-wire | Voice Grade Line Port Rates (Res) | | | UEPFR | UEPRL | 8.23 | 220.00 | 145.00 | | | | - | | - | - | |
| <u> </u> | | 2-Wire voice port - residence | - | - | UEPFR UEPFR | | | 220.00 | | | | - | | | - | | |
| <u> </u> | 1 | 2-Wire voice port with Caller ID - res | | | | UEPRC | 8.23 | | 145.00 | | | | - | | - | - | |
| <u> </u> | | 2-Wire voice port outgoing only - res | - | - | UEPFR | UEPRO | 8.23 | 220.00 | 145.00 | | | - | | | - | | |
| | | 2-Wire voice Kentucky extended local dialing parity port with Caller ID - res | | | UEPFR | UEPRM | 8.23 | 220.00 | 145.00 | | | | | | | | ı |
| | <u> </u> | Odliei ID - 162 | | | ULFFR | DEFKIVI | 8.23 | 220.00 | 145.00 | | L | 1 | L | | L | | · |

| SERV | ICES - | Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--------|---|----------|----------|-------|--|--------|--------|-----------|--------------|------------|-----------|-----------|---------------|-------------|-------------|--|
| 32 | | | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | 1 | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Inter. | | | 1 | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | .,, | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | _ 1 | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire voice res, low usage line port with Caller ID | | | UEPFR | UEPAP | 8.23 | 220.00 | 145.00 | | | | | | | | |
| | | <u> </u> | | | | | | | | | | | | | | | |
| | | 2-Wire voice res, low usage line port without Caller ID capabilty | | | UEPFR | UEPRT | 8.23 | 220.00 | 145.00 | | | | | | | | 1 |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Kentucky Residence Dialing Plan without Caller ID | | | UEPFR | UEPWE | 8.23 | 220.00 | 145.00 | | | | | | | | , ! |
| | INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | | Termination | | | UEPFR | U1TV2 | 23.95 | 98.09 | 53.67 | | | | | | | | , ! |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | · |
| | | or Fraction Mile | | | UEPFR | 1L5XX | 0.0095 | | | | | | | | | | ł |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | Ì | | UEPFR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | NONR | ECURRING CHARGES (NRCs) - CONVERSIONS | | | | | | | | | | | | | | | 1 |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | 1 | | | | | | | | | ĺ | | 1 |
| | | - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 10.00 | 10.00 | | | | | | | | i I |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | 1 | | | | | | | | | ĺ | | 1 |
| | | - Conversion - Switch-With-Change | l | | UEPFR | USACC | | 10.00 | 10.00 | | | | | | | | 1 |
| | ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | | | | | | |
| | | - Subsequent Activity | | | UEPFR | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | | | | | | | | | | | | |
| | | End User Premise | | | UEPFR | URETN | | 11.21 | 1.10 | | | | | | | | 1 |
| | DS0 W | HOLESALE LOCAL PLATFORM SERVICE (FX/FCO Bus) | | | | | | | | | | | | | | | |
| | DS0 Lo | pop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 12.67 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 17.45 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 33.22 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | | 2-Wire voice port without Caller ID - bus | | | UEPFB | UEPBL | 11.23 | 220.00 | 145.00 | | | | | | | | |
| | | 2-Wire voice port with Caller + E484 ID - bus | | | UEPFB | UEPBC | 11.23 | 220.00 | 145.00 | | | | | | | | |
| | | 2-Wire voice port outgoing only - bus | | | UEPFB | UEPBO | 11.23 | 220.00 | 145.00 | | | | | | | | |
| | | 2-Wire voice Grade Kentucky extended local dialing parity port | | | | | | | | | | | | | | | |
| | | with Caller ID - bus | | | UEPFB | UEPBM | 11.23 | 220.00 | 145.00 | | | | | | | | ł |
| | | 2-Wire voice incoming only port with Caller ID - Bus | | | UEPFB | UEPB1 | 11.23 | 220.00 | 145.00 | | | | | | | | i T |
| | | | | | | | | | | | | | | | | | i |
| | | 2-Wire Voice Kentucky Business Dialing Plan without Caller ID | | | UEPFB | UEPWF | 11.23 | 220.00 | 145.00 | | | | | | | | i |
| | | 2-Wire voice incoming only port without Caller ID capability | | | UEPFB | UEPBE | 11.23 | 220.00 | 145.00 | | | | | | | | |
| | INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | 1 |
| | | Termination | | <u> </u> | UEPFB | U1TV2 | 23.95 | 98.09 | 53.67 | | | | | | | | . |
| | 1 | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | 1 | | 1 | | | | | | | | | | | 1 |
| | | or Fraction Mile | ļ | <u> </u> | UEPFB | 1L5XX | 0.0095 | | | | | | | | ļ | | ļ |
| | FEATU | | | L | | ļ | | | | | | | | | | | |
| | | All Features Offered | | | UEPFB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | NONRI | CURRING CHARGES (NRCs) - CONVERSIONS | | L | | 1 | | | | | | | | | | | |
| | 1 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | 1 | 1 | | 1 | | | | | | | | | | | 1 |
| | | - Conversion - Switch-as-is | ļ | <u> </u> | UEPFB | USAC2 | | 10.00 | 10.00 | | | | | | ļ | | ļ |
| | 1 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | 1 | 1 | l | 1 | | | | | | | | | | | 1 |
| | | - Conversion - Switch-With-Change | ļ | L | UEPFB | USACC | | 10.00 | 10.00 | | | | | | | | ļ |
| | ADDIT | ONAL NRCs | ļ | | | | | | | | | | | | | | - |
| | 1 | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | 1 | 1 | l | l | | | | | | | | | | | 1 |
| | | End User Premise | ļ | | UEPFB | URETN | | 11.21 | 1.10 | | | | | | | | |
| | | HOLESALE LOCAL PLATFORM SERVICE (FX/FCO PBX) | ļ | | | | | | | | | | | | | | - |
| | DS0 Lo | pop Rates | ļ | <u> </u> | | | | | | | | | | | | | - |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | ļ | | UEPFP | UECF2 | 12.67 | | | | | | | | | | - |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | . | | UEPFP | UECF2 | 17.45 | | | | | | | | | | . |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | . | 3 | UEPFP | UECF2 | 33.22 | | | | | | | | | | |
| <u> </u> | 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | . | — | UEDED | LIEDES | 44.0- | 00= 0- | .== :- | | | | | | | | <u> </u> |
| | | Line Side Combination 2-Way PBX Trunk Port - Bus | L | | UEPFP | UEPPC | 11.23 | 285.00 | 175.00 | | | | | | l | | لــــــــــا |

| SERVICES - | Kentucky | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|---|--|--|----------------|----------------|----------------|------------------|------------------|-----------------------|-------|-----------------------|--|-----------|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Dee | Nonrec | urring | Nonrecurring Disconne | ct | 1 | OSS | Rates(\$) | l | |
| | | | | | | Rec | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Line Side Outward PBX Trunk Port - Bus | | <u> </u> | UEPFP UEPFP | UEPPO UEPP1 | 11.23 | 285.00 | 175.00 | | | | | | | ļ |
| | Line Side Incoming PBX Trunk Port - Bus 2-Wire Voice PBX LD Terminal Ports | | 1 | UEPFP | UEPP1 UEPLD | 11.23 11.23 | 285.00 285.00 | 175.00 175.00 | | _ | | | - | | |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | 1 | UEPFP | UEPXA | 11.23 | 285.00 | 175.00 | | | + | | | | 1 |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | 1 | UEPFP | UEPXB | 11.23 | 285.00 | 175.00 | | | + | | <u> </u> | | 1 |
| | 2-Wire Voice PBX LD DDD Terminals Port | | 1 | UEPFP | UEPXC | 11.23 | 285.00 | 175.00 | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 11.23 | 285.00 | 175.00 | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPFP | UEPXE | 11.23 | 285.00 | 175.00 | | | | | | | |
| | 2-Wire Voice 2-Way PBX Kentucky Room Area Calling Port without LUD | | | UEPFP | UEPXF | 11.23 | 285.00 | 175.00 | | | | | | | |
| | 2-Wire Voice PBX Kentucky LUD Area Calling Port | | ļ | UEPFP | UEPXG | 11.23 | 285.00 | 175.00 | | | | | | | |
| \vdash | 2-Wire Voice PBX Kentucky Premium Calling Port 2-Wire Voice 2-Way Kentucky Area Calling Port without LUD | - | 1 | UEPFP UEPFP | UEPXH | 11.23 11.23 | 285.00 285.00 | 175.00 175.00 | | + | 1 | | - | | - |
| \vdash | 2-Wire Voice 2-Way Kentucky Area Calling Port without LUD 2-Wire Voice OutDial Kentucky NAR Area Calling Port | - | | UEPFP | UEPXJ | 11.23 | 285.00 | 175.00 | | + | + | | - | | |
| | 2-Wire Voice 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPFP | UEPXO | 11.20 | 200.00 | 170.00 | | | | | | | |
| | DEFICE TRANSPORT | | † | OLFIF | ULFAU | | | | | - | + | | | | + |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFP | U1TV2 | 23.95 | 98.09 | 53.67 | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFP | 1L5XX | 0.0095 | | | | | | | | | |
| FEATU | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFP | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | |
| NONRE | CURRING CHARGES (NRCs) - CONVERSIONS | | | UEPFP | | | | | | | 1 | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 10.00 | 10.00 | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - Conversion - Switch-With-Change | | | UEPFP | USACC | | 10.00 | 10.00 | | | | | | | |
| | ONAL NRCs 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port (PBX) | | | | | | | | | | 1 | | 1 | | ļ |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | UEPFP | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Group Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | | | 7.86 | 7.86 | | | | | | | |
| | End User Premise | | | UEPFP | URETN | | 11.21 | 1.10 | | | | | | | |
| DS0 WHOLES | ALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | |
| also an | lew Install scenarios the Nonrecurring charges are listed in th d are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common | | | | | | | | | | | | | | |
| | HOLESALE LOCAL SWITCHING PORTS - (Bus) | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | | | | <u> </u> | | | | | | | |
| | Bus Exchange Ports - 2-Wire VG Line Port with port with | | | UEPSB | UEPBL | 11.49 | 66.16 | 18.58 | | | | | | | |
| | Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 11.49 | 66.16 | 18.58 | + | + | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. Exchange Ports - 2-Wire VG KY extended local dialing parity | | | UEPSB | UEPBO | 11.49 | 66.16 | 18.58 | | | | | | | |
| | Port with Caller ID - Bus. Exhange Ports - 2-Wire VG incoming only port with Caller ID - | | | UEPSB | UEPBM | 11.49 | 66.16 | 18.58 | | | | | | | - |
| | Bus Exchange Ports - 2-Wire Voice Kentucky Business Dialing Plan | | | UEPSB | UEPB1 | 11.49 | 66.16 | 18.58 | | - | | | | | - |
| | without Caller ID 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPSB UEPSB | UEPWF UEPBE | 11.49 11.49 | 66.16 66.16 | 18.58 18.58 | | | | | | | |
| FEATU | | | <u> </u> | 021 00 | OLI DL | 11.49 | 00.10 | 10.36 | | | + | | † | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | 1 | 1 | | | | <u> </u> |
| Cross (| Connects | | | | | | | | | | | | | | |
| | Physical Expanded Interconnection Two Wire Cross Connect, Provsioning | | | UEPSB | PE1R2 | 0.0333 | 24.68 | 23.68 | | | | | | | <u> </u> |

| SERV | ICES - | Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|----------|---|-----------|---------|-----------------------|-----------------|--------------------|------------------|---------------|------------------|----------------|---|---|---------------|-----------------|--------------|--|
| | | · ····· • | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | | | Manual Svc | |
| CATE | GORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | p = = = = = = = = = = = = = = = = = = = | p = = = = = = = = = = = = = = = = = = = | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | 2.00 .01 | 2.007.444 |
| | | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSB | VE1R2 | 0.0309 | 24.68 | 23.68 | | | | | | | | |
| | Non-R | ecurring Charges | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSB | USAS2 | | 0.00 | 0.00 | | | | | | | | ļ |
| | | Subsequent Activity | | | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| DS0 W | | ALE LOCAL PLATFORM SERVICE | L | L | | <u> </u> | | | | <u> </u> | | L | | | L | | |
| | | New Install scenarios the Nonrecurring charges are listed in th | e First a | and Ac | Iditional NRC colum | ins for each F | Port USOC. For | Existing Platf | orm scenarios | s, the Nonrecurr | ring charges a | re listed in t | the NRC - C | onversions s | ection. Additi | ional NRCs m | ay apply |
| | also ar | nd are categorized accordingly. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Office and Tandem Switching Usage and Wholesale Common | Transp | ort Usa | age rates in the Port | section of th | nis rate exhibit s | shall apply to I | DS0 Wholesale | Local Platform | n Service exce | pt for the C | oin Service | which has a | flat rate usage | charge (USC | C: URECU). |
| | | HOLESALE LOCAL PLATFORM SERVICE (Business) | | | | | | | | | | | | | | | |
| | DS0 Lo | pop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 9.64 | | | | · | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 14.37 | | | | | | | | | | ļ |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 30.59 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| | | 2-Wire voice port without Caller ID - bus | | | UEPBX | UEPBL | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | | 2-Wire voice port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | | 2-Wire voice port outgoing only - bus | | | UEPBX | UEPBO | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | | 2-Wire voice Kentucky extended local dialing parity port with | | | | | | | | | | | | | | | |
| | | Caller ID - bus | | | UEPBX | UEPBM | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | | 2-Wire voice incoming only port with Caller ID - Bus | | | UEPBX | UEPB1 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | | 2-Wire voice Kentucky Business Dialing Plan without Caller ID | | | UEPBX | UEPWF | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | NONR | ECURRING CHARGES - Conversions | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPBX | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| | | Change | | | UEPBX | USACC | | 10.00 | 10.00 | | | | | | | | |
| | ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Platform - | | | | | | | | | | | | | | | |
| | | Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | | Premise | | | UEPBX | URETL | | 8.33 | 0.83 | | | | | | | | ļ |
| | Inside | Wire Maintenance | | | | | | | | | | | | | | | |
| | | Inside Wire Maintenance Plan | | | UEPBX | SEQ1X | 4.50 | | | | | | | | | | |
| | OFF/O | N PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPBX | UEAEN | 10.56 | 46.66 | 22.57 | | | | | | | | ļ |
| | 1 | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPBX | UEAEN | 15.34 | 46.66 | 22.57 | | | | | - | | | |
| <u> </u> | 1 | 2 Wire Analog Voice Grade Extension Loop – Non-Design | <u> </u> | _ | UEPBX | UEAEN | 31.11 | 46.66 | 22.57 | | | | | | ļ | | _ |
| <u> </u> | 1 | 2 Wire Analog Voice Grade Extension Loop – Design | <u> </u> | 1 | UEPBX | UEAED | 12.67 | 134.89 | 81.87 | | | | | | ļ | | _ |
| <u> </u> | 1 | 2 Wire Analog Voice Grade Extension Loop – Design | | 2 | UEPBX | UEAED | 17.45 | 134.89 | 81.87 | | | | | - | | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPBX | UEAED | 33.22 | 134.89 | 81.87 | | | | | | | | ļ |
| <u> </u> | INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | ļ |
| 1 | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | 1 | 1 | LIEDDY | 11477 10 | | | == - | | | 1 | 1 | I | | | |
| | | Termination | | | UEPBX | U1TV2 | 23.95 | 98.09 | 53.67 | | | | | | | | ļ |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | | LIEDDY | | | | | | | | | 1 | | | |
| D00 | 1101 = 6 | or Fraction Mile | ļ | | UEPBX | U1TVM | 0.0095 | 0.00 | 0.00 | | | | | - | ļ | | ├ |
| DS0 W | | ALE LOCAL PLATFORM SERVICE - CENTREX | | | [| 1 | | . 11 | | | | | | - | ļ | | ├ |
| | | llowing DS0 Wholesale Local Platform Service - CENTREX rate | | | | | | | | d. N. | | | L. NES - | 1 | 1 | | <u> </u> |
| 1 | | New Install scenarios the Nonrecurring charges are listed in the | e First a | and Ad | Iditional NRC colum | ins for each F | ort USOC. For | Existing Platf | orm scenarios | , the Nonrecurr | ing charges a | re listed in 1 | tne NRC - C | onversions s | ection. Additi | ional NRCs m | ay apply |
| | | nd are categorized accordingly. | | | | | | | | | | | | | | 1 | |
| | | I Office and Tandem Switching Usage and Wholesale Commo | | | | rt section of t | this rate exhibit | shall apply to | the DS0 Who | lesale Local Pla | atform Service | - CENTREX | | ļ | | ļ | ļ |
| | | HOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN | TRAL O | FFICE | SWITCH TYPE | 1 | | | | | | | | ļ | | | ļ |
| | | SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) | | | ļ | 1 | | | | | | | | L | ļ. | | ļ |
| | Loop F | | | L | L | 1 | | | | | | | | L | | | <u> </u> |
| <u> </u> | 1 | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | ļ | 1 | UEP91 | UECS1 | 9.64 | | | | | | | ļ | | | Ļ |
| | ļ | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | ļ | | UEP91 | UECS1 | 14.37 | | | | | | | 1 | | | |
| <u> </u> | 1 | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | ! | | UEP91 | UECS1 | 30.59 | | | | | | | ļ | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 1 | UEP91 | UECS2 | 12.67 | | | | | l | l | | | | |

| SERVICES | - Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|----------|----------|--------|---------|--------|--------|-----------|--------------|------------|-----------|-----------|---------------|--|-------------|--|
| CERTICES | l | I | 1 | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | + | | Nonred | curring | Nonrecurring | Disconnect | † | | OSS | Rates(\$) | | |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 2 | UEP91 | UECS2 | 17.45 | | 71441 | | 7.44 | 0020 | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP91 | UECS2 | 33.22 | | | | | † | | | | | |
| Port R | ates - Effective As Specified | | Ť | 02. 0. | 02002 | 00.22 | | | | | | | | | | |
| | ates (Except North Carolina and South Carolina) | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP91 | UEPYA | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP91 | UEPYB | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP91 | UEPYH | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | İ | | | | | |
| | Center)2 Basic Local Area | | | UEP91 | UEPYM | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | İ | | | | | |
| | Term - Basic Local Area | | | UEP91 | UEPYZ | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | 1 | 1 | UEP91 | UEPY9 | 11.15 | 61.66 | 18.58 | | | | | | I | | 1 |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPY2 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| AL. K | Y, LA, MS, & TN Only | | | | | | | | | | İ | | | | | |
| <i>'</i> | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | | UEP91 | UEPQM | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP91 | UEPQZ | 11.15 | 108.97 | 50.36 | | | | | | | | ĺ |
| | | | | | | | | | | | İ | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.8873 | | | | | | | | | | |
| Featu | es | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 0.00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 405.66 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 0.00 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | llaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | <u> </u> | <u> </u> | UEP91 | CENA6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | | | ļ | | |
| Intero | ffice Channel Mileage - 2-Wire | | L | | 1 | | | | | | | | | | | |
| \vdash | Interoffice Channel Facilities Termination - Voice Grade | ļ | | UEP91 | M1GBC | 29.11 | | | | | | | | | | |
| \vdash | Interoffice Channel mileage, per mile or fraction of mile | <u> </u> | <u> </u> | UEP91 | M1GBM | 0.01 | | | | | | | | ļ | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | L | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | ļ | <u> </u> | LIEBO. | 480000 | | | | | | | | | ļ | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | <u> </u> | — | UEP91 | 1PQWS | 0.62 | | | | | | | | _ | | |
| | Fortuna Autoritor de B. A. Ohana I. B. A. E. William St. Co. | | | LIEDOA | 4001110 | | | | | | | | | 1 | | 1 |
| \vdash | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | _ | _ | UEP91 | 1PQW6 | 0.62 | | | | | | | | - | | ├ |
|] [| Feature Activation on D-4 Channel Bank FX Trunk Side Loop | 1 | 1 | LIEDOA | 400147 | 0.00 | | | | | | | | I | | 1 |
| \vdash | Slot | | - | UEP91 | 1PQW7 | 0.62 | | | - | - | | | | | | |
|] [| Feature Activation on D-4 Channel Bank Centrex Loop Slot - | 1 | 1 | LIEDOA | 4001110 | | | | | | | | | I | | 1 |
| \vdash | Different Wire Center | ! | ! | UEP91 | 1PQWP | 0.62 | | | | | - | | | - | | ├ |
| | Footing Astination on D. A. Chancel Devil Delevis 1997 | | | LIEDO4 | 4001407 | 2.00 | | | | | | | | 1 | | 1 |
| \vdash | Feature Activation on D-4 Channel Bank Private Line Loop Slot | _ | _ | UEP91 | 1PQWV | 0.62 | | | | | | | | - | | ⊢— |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | 1 | | LIEDO4 | 400000 | 0.00 | | | | | | | | I | | 1 |
| \vdash | Slot | ├ | - | UEP91 | 1PQWQ | 0.62 | | | | | - | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | - | - | UEP91 | 1PQWA | 0.62 | | | | | 1 | | | 1 | | |
| Non-R | ecurring Charges (NRC) | L | <u> </u> | | | | | | l | l | l | | | l | | |

| SERVICES | - Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|---|-------------|------|--------|----------|--------|--------|-----------|--------------|------------|---|---|--|-----------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | 1 |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Conversion - Existing Platform Switch-As-Is with allowed | | | | + | | 11100 | Auui | 11100 | Addi | COME | COMPAN | COMPAR | COMPAR | COMPAR | COMPAN |
| | changes, per port | | | UEP91 | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| _ | Conversion of Existing Centrex Common Block | | | UEP91 | USACN | | 40.00 | 20.00 | | | | | | | | + |
| + | New Centrex Standard Common Block | | | UEP91 | M1ACS | | 770.00 | 20.00 | | | 1 | | | 1 | | |
| - | New Centrex Customized Common Block | | 1 | UEP91 | M1ACC | | 770.00 | | | | | | | | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | | 80.00 | | | | 1 | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | | 85.00 | | | | 1 | | | | 1 | |
| Addi | tional Non-Recurring Charges (NRC) | | | 02. 0. | OTTE OFT | | 00.00 | | | | | | | | | |
| , , , , | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP91 | URETL | | 8.33 | 0.83 | | | 1 | | | | | |
| | Miscellaneous Rate Element, Tag Design Loop at End Use | | | 02. 0. | UNLIE | | 0.00 | 0.00 | | | 1 | | | | | |
| | Premise | | | UEP91 | URETN | | 11.21 | 1.10 | | | | | | | | |
| 5ESS | S SWITCH (Valid in All States) | | | OLI OI | ORETIV | | 11.21 | 1.10 | | | 1 | | | | | |
| | Rates | | | | 1 | | | | | | | | | i | t | |
| 2000 | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | - | 1 | UEP95 | UECS1 | 9.64 | | | <u> </u> | | | | | | t | 1 |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | 14.37 | | | | | | | | i | t | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 30.59 | | | | | | | | i | t | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP95 | UECS2 | 12.67 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP95 | UECS2 | 17.45 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | UEP95 | UECS2 | 33.22 | | | | | 1 | | | | | |
| Port | Rates | | ľ | 02.00 | 02002 | 00.22 | | | | | 1 | | | | 1 | |
| | following port rates are effective as specified | | | | | | | | | | | | | | | |
| All S | | | | | | | | | | | | | | | | |
| 7 0 | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP95 | UEPYH | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | 02. 00 | 02 | | 01.00 | 10.00 | | | | | | | | İ |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | İ |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | 02.00 | 022 | | 100.01 | 00.00 | | | | | | | | İ |
| | - Basic Local Area | | | UEP95 | UEPY9 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | 0 10 | | | | | | | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| AI. K | (Y, LA, MS, SC, & TN Only | | | | | | 61.66 | 18.58 | | | | | | | | |
| , , , , | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 11.15 | 61.66 | 18.58 | | | | | | | | İ |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | 1 | | | | | | | | | İ | t | 1 |
| | Center)2 | 1 | | UEP95 | UEPQM | 11.15 | 108.97 | 50.36 | | | | | | | I | |
| <u> </u> | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | 0 | | 22.00 | | | | | | İ | t | 1 |
| | Term | 1 | | UEP95 | UEPQZ | 11.15 | 108.97 | 50.36 | | | | | | | I | |
| | | | | | - ~- | 5 | | 22.30 | | | | | | İ | İ | 1 |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 11.15 | 61.66 | 18.58 | | | | | | | 1 | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 11.15 | 61.66 | 18.58 | | İ | | | | i | 1 | Ì |
| Loca | I Switching | | | | | 0 | 200 | | | | | | | İ | t | 1 |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.8873 | | | | | | | | | | |
| Featu | | | | 1 | | | | | | | | | | ĺ | | 1 |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | | | İ | İ | 1 |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 405.66 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | | | | ĺ | | 1 |
| NARS | | | | 1 | | | | | | | | | | ĺ | | 1 |
| | Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | ĺ | | 1 |
| | Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | İ | İ | 1 |
| | Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Misc | ellaneous Terminations | | | | 1 | 2.20 | 2.20 | 2.30 | 5.50 | 2.30 | | | | İ | İ | 1 |
| | re Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | | | ĺ | | 1 |
| | re Digital (1.544 Megabits) | | | | | | | | | | 1 | | | | - | |

| SERVICES | - Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-----------------|---|--|--|----------------|----------------|-------|-----------------|-----------|--------------|------------|--|-----------|---------------|--|-------------|--|
| SERVICES | - Remucky | 1 | Γ | I | T | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 1st | Addi | DISC 1St | DISC Add I |
| | | | | | | D | Nonred | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | i | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | | Î | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 15.09 | | | | | | | | | |
| Intere | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 29.11 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.01 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | ce | | | | | | | | | | | | | | |
| D4 C | hannel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.62 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| $\sqcup \sqcup$ | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | ļ | | UEP95 | 1PQW6 | 0.62 | | | | | | ļ | ļ | ļ | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | l | | | | | | | | | | 1 | | |
| \vdash | Slot | ļ | <u> </u> | UEP95 | 1PQW7 | 0.62 | | | | | | | ļ | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | 1 | | | | | | | | | | 1 | | I | | |
| \vdash | Different Wire Center | ļ | ļ | UEP95 | 1PQWP | 0.62 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP95 | 1PQWQ | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.62 | | | | | | | | | | |
| Non- | Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | 40.00 | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 USACN | | 10.00 | 10.00 | | | | | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP95 UEP95 | M1ACS | | 40.00 770.00 | 20.00 | | | | | | | | |
| — | New Centrex Standard Common Block New Centrex Customized Common Block | 1 | 1 | UEP95 UEP95 | M1ACC | | 770.00 | | | | | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 UEP95 | URECA | | 85.00 | | | | - | | | | | |
| Addi | tional Non-Recurring Charges (NRC) | 1 | - | UEF95 | URECA | | 65.00 | | | | 1 | | | - | | |
| Addi | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP95 | URETL | | 8.33 | 0.83 | | | | | 1 | | | |
| | Miscellaneous Rate Element, Tag Design Loop at End Use | | | OLI SO | ORLIL | | 0.00 | 0.00 | | | | | | | | |
| | Premise | | | UEP95 | URETN | | 11.21 | 1.10 | | | | | | | | |
| DMS | 100 SWITCH (Valid in All States) | | | OL1 00 | ORLIN | | 11.21 | 1.10 | | | 1 | | | | | |
| | Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 9.64 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 14.37 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 30.59 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | i | 1 | UEP9D | UECS2 | 12.67 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 17.45 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 33.22 | | | | | | | | | | |
| | Rates | | | | | | | | | | | | | | | |
| | ollowing port rates are effective as specified | | | | | | | | | | | | | | | |
| All S | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | 1 | | | | | | | | | | 1 | | I | | |
| | Area | ļ | | UEP9D | UEPYB | 11.15 | 61.66 | 18.58 | | | | | | L | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | | | l | | | | | | | | | | 1 | | |
| \vdash | Area | ! | <u> </u> | UEP9D | UEPYC | 11.15 | 61.66 | 18.58 | | | | | | ļ | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | LIEDOD | LIEDY'S | | | | | | | | | 1 | | |
| \vdash | Area | <u> </u> | <u> </u> | UEP9D | UEPYD | 11.15 | 61.66 | 18.58 | | | - | | ļ | - | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | LIEDOD | LIEDVE | 44.45 | 04.00 | 40.50 | | | | | | 1 | | |
| \vdash | Area | | 1 | UEP9D | UEPYE | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | 1 | | LIEDOD | UEPYF | 44.45 | 04.00 | 40.50 | | | | 1 | | I | | |
| \vdash | Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | 1 | | UEP9D | UEPTF | 11.15 | 61.66 | 18.58 | | | - | - | | | | - |
| | Area | | | UEP9D | UEPYG | 11.15 | 61.66 | 18.58 | | | | | | 1 | | |
| \vdash | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | 1 | | OFLAD | OLF 1G | 11.15 | 00.10 | 10.08 | | | | | | + | | |
| | Area | | | UEP9D | UEPYT | 11.15 | 61.66 | 18.58 | | | | | | 1 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | 1 | | 021 00 | 02.11 | 11.13 | 01.00 | 10.36 | | | | | | I | | |
| | Area | 1 | | UEP9D | UEPYU | 11.15 | 61.66 | 18.58 | | | | | | 1 | | |
| \Box | J. 1104 | 1 | 1 | 021 00 | 101.10 | 11.13 | 01.00 | 10.30 | | | <u> </u> | | 1 | 1 | | L |

| SERVICES | - Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|--|--|--|----------------|----------------|----------------|----------------|----------------|--------------|--------------|-----------|-----------|---------------|--------------|-------------|-------------|
| OLIVIOLO | Rentucky | 1 | | | 1 1 | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | lustani | | | | | | | | | Elec | Manually | _ | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | D130 131 | DISC Add I |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| \vdash | | | - | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | ļ | - | UEP9D | UEPYV | 11.15 | 61.66 | 18.58 | | | 1 | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | 1 | + | OLF3D | OLF 13 | 11.13 | 01.00 | 10.50 | | | 1 | | | | | |
| | Area | | | UEP9D | UEPYH | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | 1 | 02.02 | 02 | | 01.00 | 10.00 | | | İ | | | | | |
| | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYJ | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | 2 Basic Local Area | | | UEP9D | UEPYM | 11.15 | 61.66 | 18.58 | | | | | | | | |
| 1 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | 1 | 1 | LIEDOD | LIEDVO | 44 | 400.00 | E0.00 | | | | | | | | |
| \vdash | Basic Local Area | 1 | + | UEP9D | UEPYO | 11.15 | 108.97 | 50.36 | - | 1 | ļ | - | - | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 11.15 | 61.66 | 18.58 | | | | | | | | |
| - | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | 1 | + | UEP9D | UEFTF | 11.15 | 01.00 | 10.30 | | | 1 | | | | | |
| | Basic Local Area | | | UEP9D | UEPYQ | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | 1 | 1 | OLI OD | OLI I Q | 11.10 | 100.07 | 00.00 | | | 1 | | | | | |
| | Basic Local Area | | | UEP9D | UEPYR | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | 1 | | | | | | İ | | | | | |
| | Basic Local Area | | | UEP9D | UEPYS | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 11.15 | 108.97 | 50.36 | | | ļ | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPY6 | 11.15 | 108.97 | 50.36 | | | | | | | | |
| \vdash | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | <u> </u> | + | UEP9D | UEPY6 | 11.15 | 108.97 | 50.36 | | | + | | | | | |
| | Basic Local Area | | | UEP9D | UEPY7 | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | 1 | 1 | OLI 3D | OLI 17 | 11.13 | 100.31 | 30.30 | | | 1 | | | | | |
| | Term | | | UEP9D | UEPYZ | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | | | | | | | | | | |
| | Local Area | | | UEP9D | UEPY2 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| AL, K | Y, LA, MS, SC, & TN Only | | | | LIEBOA | | 04.00 | 10.50 | | | ļ | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | ! | + | UEP9D UEP9D | UEPQA UEPQB | 11.15 11.15 | 61.66 61.66 | 18.58 18.58 | | 1 | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | 1 | + | UEP9D UEP9D | UEPQB | 11.15 | 61.66 | 18.58 | | | 1 | | 1 | - | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSE1)3 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | + | UEP9D | UEPQD | 11.15 | 61.66 | 18.58 | | 1 | 1 | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | 1 | 1 | UEP9D | UEPQE | 11.15 | 61.66 | 18.58 | | | 1 | † | 1 | 1 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | t | 1 | UEP9D | UEPQF | 11.15 | 61.66 | 18.58 | İ | | | | | İ | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | 1 | 1 | UEP9D | UEPQG | 11.15 | 61.66 | 18.58 | ĺ | | Ì | İ | 1 | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | ļ | | UEP9D | UEPQV | 11.15 | 61.66 | 18.58 | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | <u> </u> | | UEP9D | UEPQ3 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| \vdash | 2-Wire Voice Grade Port (Centrex with Caller ID) | 1 | + | UEP9D | UEPQH | 11.15 | 61.66 | 18.58 | - | 1 | ļ | - | - | | | |
| 1 1 | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication)3 | 1 | 1 | UEP9D | UEPQW | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | + | UEP9D | UEPQV | 11.15 | 61.66 | 18.58 | | 1 | 1 | | | | | |
| | 2-Wire Voice Grade Port (Centrexinsg Wig Early Indication)3 | 1 | 1 | 021 00 | JE1 90 | 11.13 | 01.00 | 10.30 | | | 1 | † | 1 | 1 | | |
| 1 1 | 2 | 1 | 1 | UEP9D | UEPQM | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | i – | | UEP9D | UEPQO | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 1 1 | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | <u> </u> | 1 | UEP9D | UEPQP UEPQQ | 11.15 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | | | 108.97 | 50.36 | | | | | | | | |

| 52.(110 | ES - Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---------------------|---|--|----------|----------------|----------------|--------|--------|-----------|--|----------|--|-----------|---------------|--|-------------|--|
| | | | | | T 1 | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| 1 | | Land and | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | RY RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | ., | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | DISC 1St | Disc Add I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | l . |
| \vdash | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 0 W W W O D D W O D W W O W O W O W O W O | | | | | | 400.00 | = | | | | | | | | l . |
| \vdash | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 11.15 | 108.97 | 50.36 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 11.15 | 108.97 | 50.36 | | | | | | | | l . |
| \vdash | 2-vviie voice Grade Fort (Certitex/direct SVVC / Eb3-W5000)2, 3 | | | OLF3D | ULFQ4 | 11.13 | 100.91 | 30.30 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 11.15 | 108.97 | 50.36 | | | | | | | | l . |
| \vdash | 2 Wile Voice Grade Fort (Control diller GWO / EBO WO250)2, 0 | | | OLI OD | OLI GO | 11.10 | 100.01 | 00.00 | | | - | | | | | — |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 11.15 | 108.97 | 50.36 | | | | | | | | l . |
| | | | | | 1 | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | <u> </u> | L_ ∣ | UEP9D | UEPQ7 | 11.15 | 108.97 | 50.36 | <u> </u> | <u></u> | <u> </u> | <u></u> | | <u></u> | | 1 |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | İ | | | | | | | | | | |
| | Term | | | UEP9D | UEPQZ | 11.15 | 108.97 | 50.36 | | | | | <u> </u> | | <u> </u> | |
| | | | | | | | | | | | | | | | | ĺ |
| $\perp \perp \perp$ | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 11.15 | 108.97 | 50.36 | | | | | | ļ | | |
| \vdash | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 11.15 | 108.97 | 50.36 | 1 | | | | | ļ | | |
| Lo | ocal Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.8873 | | | | | | | | | | |
| Fe | eatures | | | LIEDOD | LIED\ /E | 0.00 | | | | | | | | | | |
| \vdash | All Standard Features Offered, per port | | | UEP9D UEP9D | UEPVF UEPVS | 0.00 | 405.00 | | - | | | - | | | | |
| \vdash | All Select Features Offered, per port All Centrex Control Features Offered, per port | | | UEP9D | UEPVS | 0.00 | 405.66 | | | | - | | | | | |
| N | ARS | | | OLF3D | OLFVC | 0.00 | | | - | | 1 | | | | | |
| 147 | Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| — | Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | — |
| | Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| M | iscellaneous Terminations | | | | | | | | | | | | | | | |
| | Wire Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | | | | | |
| 4-1 | Wire Digital (1.544 Megabits) | | | | | | | | | | | | | | | <u> </u> |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | | | | | | |
| \sqcup | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 15.09 | | | | | | | | | |
| In | teroffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| \vdash | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 29.11 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBM | 0.01 | | | 1 | | | | | | | |
| | eature Activations (DS0) Centrex Loops on Channelized DS1 Services Channel Bank Feature Activations | e | | | + + | | | | - | | - | | | | | —— |
| 104 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | \vdash | UEP9D | 1PQWS | 0.62 | | | | | | 1 | | | | |
| + | - Salaro Notivation on D 4 Shaimer Bank Sentrex E00p Slot | - | | 02.00 | .1 0,110 | 0.02 | | | t | | - | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.62 | | | 1 | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | 1 | 0.02 | | | 1 | | | | | İ | | |
| | Slot | | | UEP9D | 1PQW7 | 0.62 | | | I | | | | | | | 1 |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP9D | 1PQWP | 0.62 | | | | | | | | | | <u> </u> |
| | | | | | | | | | | | | | _ | | _ | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.62 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | 1 | | | | | | | 1 |
| $\vdash \vdash$ | Slot | | | UEP9D | 1PQWQ | 0.62 | | | 1 | | | | | ļ | | |
| <u> </u> | Feature Activation on D-4 Channel Bank WATS Loop Slot | | \sqcup | UEP9D | 1PQWA | 0.62 | | | - | - | - | | | ļ | | |
| No | on-Recurring Charges (NRC) | | \vdash | | + | | | | | | - | | | - | | |
| | Conversion - Existing Platform Switch-As-Is with allowed | | | UEP9D | USAC2 | | 10.00 | 10.00 | 1 | | | | | | | 1 |
| +-+ | changes, per port Conversion of Existing Centrex Common Block, each | | \vdash | UEP9D UEP9D | USAC2 USACN | | 40.00 | 20.00 | - | | | | | | | — |
| \vdash | New Centrex Standard Common Block | | \vdash | UEP9D UEP9D | M1ACS | | 770.00 | 20.00 | | | | - | | 1 | | |
| +-+ | New Centrex Standard Common Block New Centrex Customized Common Block | — | \vdash | UEP9D | M1ACC | | 770.00 | | t | | H | | | | | |
| \vdash | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | | 85.00 | | I | | | - | | | | |
| Δι | dditional Non-Recurring Charges (NRC) | | | 00 | 3.1.20/1 | | 55.56 | | <u> </u> | | | | | 1 | | |
| ⊢ | Miscellaneous Rate Element, Tag Loop at End Use Premise | | \vdash | UEP9D | URETL | | 8.33 | 0.83 | <u> </u> | | | | | | | |

| SERVICES | - Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------------|--|--|--|--------|------------|--------|--------|-----------|--------------|------------|--|-----------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | В | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Miscellaneous Rate Element, Tag Design Loop at End Use | | | | | | | | | | | | | | | |
| | Premise | | | UEP9D | URETN | | 11.21 | 1.10 | | | | | | | | |
| EWSI | SWITCH (Valid in AL, FL, KY, LA, MS & TN) | | 1 | | | | | | | | | | | | | |
| Loop | Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 9.64 | | | | | | | | Î | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 14.37 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 30.59 | | | | | | | | Î | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 12.67 | | | | | | | | Î | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 17.45 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9E | UECS2 | 33.22 | | | | | | | | | | |
| Port I | | | | | | | | | | | | | | | | |
| The f | ollowing port rates are effective as specified | | | | | | | | | | | | | | | |
| | L, KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | 1 | UEP9E | UEPYA | 11.15 | 61.66 | 18.58 | | | 1 | | | ĺ | | 1 |
| 1 | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| 1 | Area | 1 | | UEP9E | UEPYB | 11.15 | 61.66 | 18.58 | | | | | | | I | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYH | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | i e | | | | | |
| | - Basic Local Area | | | UEP9E | UEPY9 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | i e | | | | | |
| | Basic Local Area | | | UEP9E | UEPY2 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| AL. K | Y, LA, MS, & TN Only | | | | | | | | | | i e | | | | | |
| , , , , | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 11.15 | 61.66 | 18.58 | | | i e | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 11.15 | 61.66 | 18.58 | | | İ | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | 1 | UEP9E | UEPQH | 11.15 | 61.66 | 18.58 | | | 1 | | | | 1 | |
| | 2-Wire Voice Grade Port (Centrex with editor 15)1 | | 1 | OLI OL | OLI QII | 11.10 | 01.00 | 10.00 | | | 1 | 1 | | | | |
| | Center)2 | | | UEP9E | UEPQM | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | 02. 02 | 02. Q | 11110 | 01.00 | 10.00 | | | İ | | | | | |
| | Term | | | UEP9E | UEPQZ | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | Tom | | | OLI OL | OLI QL | 11.10 | 01.00 | 10.00 | | | † | | | | | + |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated in on Niegalink of equivalent | | \vdash | UEP9E | UEPQ2 | 11.15 | 61.66 | 18.58 | 1 | | † | | | | t | † |
| l ocal | Switching | l - | <u> </u> | 02.02 | JE1 &2 | 11.13 | 01.00 | 10.00 | | | | | | | <u> </u> | |
| Local | Centrex Intercom Funtionality, per port | | \vdash | UEP9E | URECS | 0.8873 | | | | | † | | | | t | † |
| Featu | | | \vdash | | 0.1200 | 3.0073 | | | 1 | | † | | | | t | † |
| - Catt | All Standard Features Offered, per port | l - | <u> </u> | UEP9E | UEPVF | 0.00 | | | | | | | | | <u> </u> | |
| | All Select Features Offered, per port | | \vdash | UEP9E | UEPVS | 0.00 | 405.66 | | 1 | | † | | | | t | 1 |
| -+ | All Centrex Control Features Offered, per port | l - | <u> </u> | UEP9E | UEPVC | 0.00 | 400.00 | | | | | | | | <u> </u> | |
| NARS | | | | J_1 J_ | OLI VO | 0.00 | | | 1 | | | | | | | 1 |
| TO THE | Network Access Register - Combination | | \vdash | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | + | † |
| | Network Access Register - Indial | | \vdash | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | † | | | | t | † |
| - | Network Access Register - Outdial | 1 | t | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | i | t | |
| Misce | Illaneous Terminations | 1 | t | | 0, 1, 0, 1 | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | 1 | | | i | t | |
| | e Trunk Side | | \vdash | | + | | | | | | † | | | | t | † |
| 2 1711 | Trunk Side Terminations, each | | \vdash | UEP9E | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | † | | | | t | † |
| 4-Wir | e Digital (1.544 Megabits) | 1 | t | | 0220 | 10.01 | 02.10 | 10.02 | 32.10 | 5.50 | 1 | | | i | t | |
| 7 1711 | DS1 Circuit Terminations, each | 1 | t | UEP9E | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | 1 | | | i | t | |
| | DS0 Channel Activated Per Channel | 1 | t | UEP9E | M1HDO | 0.00 | 15.09 | 77.77 | 55.55 | 0.00 | 1 | | | i | t | 1 |
| Interd | office Channel Mileage - 2-Wire | 1 | t | | | 0.00 | .0.00 | | | | 1 | | | i | t | 1 |
| | Interoffice Channel Facilities Termination | 1 | t | UEP9E | M1GBC | 29.11 | | | | | 1 | | | i | t | 1 |
| - | Interoffice Channel mileage, per mile or fraction of mile | l - | <u> </u> | UEP9E | M1GBM | 0.01 | | | | | | | | | <u> </u> | † |
| Featu | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | t | | 0 0 1 11 | 0.01 | | | 1 | | 1 | | | i | t | |
| | nannel Bank Feature Activations | Ī | i - | | | | | | | | 1 | | | 1 | 1 | |
| | | | | i . | | | | | | | | | ì | | i | 1 |

| SERV | ICES - | Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|----------|--|-------------|----------|--------|---------|--------|--------|-----------|--------------|-------|-----------|-----------|---------------|--|-------------|-------------|
| Sv | . 5_0 - | | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Intor: | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | ın | | | | | | - 7 | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| - | | | | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.62 | | | | | | | | | | |
| - | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9E | TPQVV6 | 0.62 | | | | | - | | | | | |
| | | Slot | | | UEP9E | 1PQW7 | 0.62 | | | | | | | | | | |
| - | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | OLI 3L | 11 QVV7 | 0.02 | | | | | | | | | | |
| | | Different Wire Center | | | UEP9E | 1PQWP | 0.62 | | | | | | | | | | |
| | | Different Wife Contes | | | 02.02 | | 0.02 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP9E | 1PQWQ | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.62 | | | | | | | | | | |
| | Non-Re | ecurring Charges (NRC) | | | | | | | · | | | | | _ | | | _ |
| | | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP9E | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| <u> </u> | | Conversion of Existing Centrex Common Block, each | | | UEP9E | USACN | | 40.00 | 20.00 | | | | | | ļ | | |
| | | New Centrex Standard Common Block | | | UEP9E | M1ACS | ļļ | 770.00 | | | | | | | | | |
| <u> </u> | | New Centrex Customized Common Block | | <u> </u> | UEP9E | M1ACC | | 770.00 | | | | | | | | | |
| | | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | | 85.00 | | | | | | | | | |
| - | Additio | onal Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| - | | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP9E | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP9E | URETN | | 11.21 | 1.10 | | | | | | | | |
| | DCO C | WITCH (Valid in AL, KY, LA, MS, & TN) | | | UEP9E | UKETN | | 11.21 | 1.10 | | | - | | | | | |
| - | Loop F | | | | | + | | | | 1 | | 1 | | | | | |
| | Loop | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP93 | UECS1 | 9.64 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP93 | UECS1 | 14.37 | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP93 | UECS1 | 30.59 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 12.67 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP93 | UECS2 | 17.45 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP93 | UECS2 | 33.22 | | | | | | | | | | |
| | Port Ra | | | | | | | | | | | | | | | | |
| | The fol | lowing port rates are effective as specified | | | | | | | | | | | | | | | |
| | AL, FL | , KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | l | | | | | | | | | | | | |
| | | Area | | <u> </u> | UEP93 | UEPYB | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | LIEDOS | LIED. | | | | | | | 1 | | | | |
| | | Area | | <u> </u> | UEP93 | UEPYH | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | LIEDOS | LIEDVA | 44.45 | 04.00 | 40.50 | | | | 1 | | | | |
| — | - | Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | - | + | UEP93 | UEPYM | 11.15 | 61.66 | 18.58 | 1 | | - | - | | | - | |
| | | Term - Basic Local Area | | | UEP93 | UEPYZ | 11.15 | 61.66 | 18.58 | | | | 1 | | | | |
| — | H | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | OLF 33 | ULFIZ | 11.15 | 00.10 | 10.38 | 1 | 1 | H | | | | | |
| | | - Basic Local Area | | | UEP93 | UEPY9 | 11.15 | 61.66 | 18.58 | | | | 1 | | | | |
| - | - | 2-Wire Voice Grade Port Terminated on 800 Service Term - | - | | 021 00 | OL: 13 | 11.13 | 01.00 | 10.30 | | | - | - | | | | |
| | | Basic Local Area | | | UEP93 | UEPY2 | 11.15 | 61.66 | 18.58 | | | | 1 | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 11.15 | 61.66 | 18.58 | | 1 | | | | 1 | | |
| | 1 | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 11.15 | 61.66 | 18.58 | | İ | | | | İ | | |
| | 1 | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 | UEPQH | 11.15 | 61.66 | 18.58 | | İ | | | | İ | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 | | Ш. | UEP93 | UEPQM | 11.15 | 61.66 | 18.58 | | | | | <u> </u> | | | <u> </u> |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | <u></u> | Term | | | UEP93 | UEPQZ | 11.15 | 61.66 | 18.58 | | | | | | L | | |
| | | | | | | | | | <u> </u> | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | Local S | Switching | | | LIEBAA | LIBERT | | | | | | | | | | | |
| L | | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.8873 | | | | | | | | | | |
| | Feature | es | | | | | | | | | | l | | | | | |

| SERVICE | ES - I | Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|----------|--|-------------|--|----------------|----------------|---------------|-----------------|----------------|--|----------------|---|---|--|--|---|---|
| CATEGOR | tΥ | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | + | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | All Standard Features Offered, per port | | | UEP93 | UEPVF | 0.00 | 11131 | Auu | 1 11 30 | Addi | COMILO | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| | | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 0.00 | | | | | | | | | | |
| NA | RS | | | | | | | | | | | | | | | | |
| | | Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | neous Terminations | | | | | | | | | | | | | | | |
| 2-V | | runk Side | | | | | | | | | | | | | | | |
| | | Trunk Side Terminations, each | | | UEP93 | CEND6 | 10.51 | 92.18 | 15.82 | 52.16 | 5.30 | | | | | | |
| 4-V | | Digital (1.544 Megabits) | | | | | | 10100 | | | | | | | | | |
| | | DS1 Circuit Terminations, each | | - | UEP93 | M1HD1 | 74.77 | 164.86 | 77.74 | 60.69 | 3.86 | - | | | | | 1 |
| lp. 4 | | DS0 Channels Activated, Per Channel ce Channel Mileage - 2-Wire | | - | UEP93 | M1HDO | 0.00 | 15.09 | | | | | | | | | 1 |
| inte | | Interoffice Channel Facilities Termination | | - | UEP93 | M1GBC | 29.11 | | | | | | | | | | 1 |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | M1GBM | 0.01 | | | | | - | | | - | - | |
| For | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | 01133 | IVITGBIVI | 0.01 | | | 1 | | | | | | | + |
| | | nnel Bank Feature Activations | | | | 1 | | | | 1 | | | | | | - | 1 |
| | Ona | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.62 | | | | | 1 | | | | | |
| | | | | | | | | | | | | | | | | | İ |
| | | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP93 | 1PQW7 | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP93 | 1PQWP | 0.62 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP93 | 1PQWQ | 0.62 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.62 | | | | | | | | | | |
| No | | curring Charges (NRC) | | | | | | | | | | | | | | | |
| | | Conversion - Existing Platform Switch-As-Is with allowed | | | UEP93 | 110400 | | 40.00 | 40.00 | | | | | | | | |
| | | changes, per port | | | UEP93 UEP93 | USAC2 USACN | | 10.00 40.00 | 10.00 20.00 | | | | | | | | |
| | | Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block | | | UEP93 | M1ACS | | 770.00 | 20.00 | - | | - | | | - | - | |
| | | New Centrex Standard Common Block | | | UEP93 | M1ACC | | 770.00 | | | | - | | | - | - | |
| | | NAR Establishment Charge, Per Occasion | | - | UEP93 | URECA | | 85.00 | | | | | | | | | |
| Δd | | nal Non-Recurring Charges (NRC) | | | OLI 33 | UNLUA | | 05.00 | | 1 | | | | | | | |
| Au | | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP93 | URETL | | 8.33 | 0.83 | | | 1 | | | 1 | 1 | |
| | | Miscellaneous Rate Element, Tag Design Loop at End Use | | | | 1 | | 0.00 | 0.00 | | | | | | t | <u> </u> | |
| | | Premise | | | UEP93 | URETN | | 11.21 | 1.10 | | | | | | I | I | |
| No | | Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | | - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | | Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| | | LE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | |
| DS | | OLESALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPSP | UEPP2 | 28.63 | 536.11 | 127.75 | | | | | | L | L | |
| | | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | ļ | | | | | ļ | ļ | |
| | | Exchange Ports - 2-Wire ISDN Port (See Note1and 2 Below.) | | | UEPTX, UEPSX | U1PMA | 50.00 | 200.00 | 130.00 | 1 | | - | | | - | - | ļ |
| \vdash | | All Features Offered | | - | UEPTX, UEPSX | UEPVF | 0.00 | 0.00 | 0.00 | 1 | | | | | | | 1 |
| | | Wholesale Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | HEDTY LIEDOV | 11411044 | 0.00 | 0.00 | 0.00 | | | | | | I | I | |
| NIO. | | Profiles : Transmission/usage charges associated with POTS circuit | cwitch - | d uses | UEPTX, UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | mission by P C | hannola aa | ciated with | 2-wire ICDM | norte | | | 1 |
| | | : Transmission/usage charges associated with POTS circuit : Access to B Channel or D Channel Packet capabilities will I | | | | | | | | | | | | | es Paguast B | rocess | 1 |
| | | CLESALE LOCAL SWITCHING PORTS WITH REMOTE CALL | | | | w Dubilless K | equest FIUCES | o. Nates 101 th | е раскет сара | Pilities Will De C | aetermineu Via | uie Dolld F | ide neques | WINEW DUSING | ioo nequest f | | 1 |
| | | E CALL FORWARDING SERVICE - (Residence) | · UKW/ | אווטאי | O ONI ADILITI | 1 | | | | 1 | | H | | | t | t | 1 |
| KE | I O IVI. | Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 8.49 | 34.95 | 12.48 | 1 | | H | | | t | t | |
| | | Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERLC | 8.49 | 34.95 | 12.48 | 1 | | - | | | | t | |
| | | | | | UEPVR | UERTE | 8.49 | 34.95 | 12.48 | 1 | | 1 | | | 1 | | † |
| | - 1 | Remote Call Forwarding Service, InterLATA - Res | | | | | | | | | | | | | | | |

| SERVICES - | Kentucky | | | | | | | | | · · · · · · · · · · · · · · · · · · · | | | Att: 1 Exh: A | | | |
|------------|--|-------------|----------|---------------------|--------------|----------------|--------------------------------|----------------|---|---------------------------------------|------------|---|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'I |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Non-Re | ecurring (Residence) | | | | | | | | | | | | | | | |
| | Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVR | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | Remote Call Forwarding Service - Conversion with allowed | | | | | | | | | | | | | | | |
| | change (PIC and LPIC) | | | UEPVR | USACC | | 10.00 | 10.00 | | | | | | | | |
| REMO | TE CALL FORWARDING - (Business) | | | | | | | | | | | | | | | |
| | Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 11.49 | 61.66 | 18.58 | | | | | | | | |
| | Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 11.49 | 61.66 | 18.58 | | | | | | | | |
| | Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 11.49 | 61.66 | 18.58 | | | | | | | | |
| | Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 11.49 | 61.66 | 18.58 | | | | | | | | |
| | Remote Call Forwarding Service Expanded and Exception Local | | | | | | | | | | | | | | | |
| | Calling | | | UEPVB | UERVJ | 11.49 | 61.66 | 18.58 | | | | | | | | |
| Non-Re | ecurring (Business) | | | | | | | | | | | | | | | |
| | Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVB | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | Remote Call Forwarding Service - Conversion with allowed | | | | | | | | | | | | | | | |
| | change (PIC and LPIC) | | | UEPVB | USACC | | 10.00 | 10.00 | | | | | | | | |
| | ALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | |
| EXCHA | ANGE PORT RATES | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | | | | | | | | | | | | | | |
| | Below.) | | | UEPEX | UEPEX | 419.00 | 1,000.00 | 900.00 | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 | | | | | | | | | | | | | | | |
| | Locator Capability (See Note1and 2 Below.) | | | UEPEX | UEPEX | 419.00 | 1,000.00 | 900.00 | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | | | | | | | | | | | | | | |
| | Below.) | | | UEPDX | UEPDX | 419.00 | 1,000.00 | 900.00 | | | | | | | | |
| | Physical Collocation - DS1 Cross-Connects | | | UEPEX UEPDX | PE1P1 | 1.48 | 44.23 | 31.98 | | | | | | | Î | |
| | Virtual collocation - cross-connect per DS1 | | | UEPEX UEPDX | CNC1X | 1.48 | 44.23 | 31.98 | | | | | | | | |
| Detaile | d E911 with Locator Capability (required with UEPEX port) | | | | | | | | | | | | | | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | | | | | | | | | | | |
| | Capability - Initial Profile Establishment per CLEC per State | | | UEPEX | UEP1A | 0.00 | 1,811.00 | | | | | | | | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | Î | | | | | | | | | | Î | |
| | Capability - Subsequent Profile Changes, Additions, Deletions | | | UEPEX | UEP1B | 0.00 | 175.82 | | | | | | | | | |
| New or | Additional PRI Telephone Numbers | | | | Î | | | | | | | | | | Î | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | Î | | | | | | | | | | Î | |
| | Capability 2-way Telephone Numbers, per number in E911 | | | | | | | | | | | | | | | |
| | profile [New or Additional] | | | UEPEX | UEP1C | 0.07 | 0.54 | | | | | | | | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | Î | | | | | | | | | | Î | |
| | Capability - Outdial Telephone Numbers, per number in E911 | | | | | | | | | | | | | | | |
| | profile [New or Additional] | | | UEPEX | UEP1D | 0.07 | 12.71 | 12.71 | | | | | | | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone | | | | ĺ | | | | | | | | | | ĺ | |
| | Numbers - Inward Data Only Option [New or Additional] | | 1 | UEPDX | UEP1E | 0.00 | 0.54 | | | | 1 | | | I | | I |
| İ | Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] | | | | | | | | j | | | | | | | |
| | Inward Tel Numbers [Customer Testing Purposes] | <u></u> | | UEPEX | PR7ZT | 0.00 | 25.41 | 25.41 | <u> </u> | | <u></u> | | | <u> </u> | <u> </u> | <u> </u> |
| INTERI | FACE (Provsioning Only) | | | | Î | | | | | | | | | | Î | |
| | Voice/Data | | | UEPEX | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | 1 | UEPEX | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| l l | Inward Data | | | UEPDX | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Additional Channel | | | | ĺ | | | | | | | | | | | |
| | New or Additional - Voice/Data "B" Channel | | | UEPEX | PR7BV | 0.00 | 15.48 | | | | | | | | | |
| | New or Additional - Digital Data "B" Channel | | | UEPEX | PR7BF | 0.00 | 15.48 | | | | | | | | | |
| | New or Additional Inward Data "B" Channel | | | UEPDX | PR7BD | 0.00 | 15.48 | | | | | | | | | |
| | New or Additional Useage Sensitive Voice Data "B" Channel | | | UEPEX | PR7BS | 0.00 | 15.48 | | | | | | | | | |
| | New or Additional Useage Sensitive Digital Data "B" Channel | | | UEPEX | PR7BU | 0.00 | 15.48 | | | | | | | | | |
| | New or Additional PRI "D" Channel | | | UEPEX | PR7EX | 0.00 | 15.48 | | | | | | | | | |
| CALL | TYPES | | | | | | | | | | | | | | | |
| | Inward | | | UEPEX UEPDX | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPEX | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPEX | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| NOTE (| 1: Transmission/usage charges associated with POTS circuit | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| NOTE 2 | 2: Access to B Channel or D Channel Packet capabilities will I ALE LOCAL PLATFORM SERVICE | be avail | lable or | nly through BFR/Nev | v Business F | Request Proces | Rates for th | ne packet capa | bilities will be o | determined via | the Bona F | ide Reques | t/New Busine | ess Request P | rocess. | |

| ERVICES - | Kentucky | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-----------|---|--|----------|--|-------|----------|-------|-----------------|-----------------|-------|--------------|--|------------------------|--|---|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | Е | cs | USOC | | | RATES(\$) | | | | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increments Charge - Manual Sv Order vs. Electronic Disc Add |
| - | | | - | ļ | | | Rec | Nonrec First | urring Add'l | | g Disconnect | COMEC | COMAN | | Rates(\$) | COMAN | COMAN |
| Deu W | holesale Local Platform Service-Direct Inward Dialing (DID) | | | | | | | FIRST | Addi | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | pop Rates | | | | | | | | | | | | | | | | |
| D30 E0 | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | | 1 | UEPPX | | UECD1 | 12.67 | | | | | 1 | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | | 2 | UEPPX | | UECD1 | 17.45 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | | 3 | UEPPX | | UECD1 | 33.22 | | | | | 1 | | | | | |
| DS0 Pc | ort Rates | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 28.63 | 536.11 | 127.75 | | | 1 | | | | | |
| NONRE | ECURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Existing | | | | | | | | | | | | | | | | |
| | Platform - Switch-As-Is | | | UEPPX | | USAC1 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| | with AT&T Allowable Changes | | | UEPPX | | USA1C | | 10.00 | 10.00 | | | ļ | | | ļ | ļ | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 32.25 | 32.25 | | | | | | | | |
| | Miscellaneous Rate Element, Tag Designed Loop at End User | 1 | | LIEDD\(| | LIDETNI | | 44.01 | 4 | | | | | | | | 1 |
| T.1 | Premise | | - | UEPPX | | URETN | | 11.21 | 1.10 | | | | | | | | |
| i elepn | one Number/Trunk Group Establisment Charges DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | - | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| _ | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| DS0 W | holesale Local Platform Service - ISDN/Basic Rate ISDN (ISDN | /BRI) | | OLITA | | IND V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | holesale Local Voice Service Platform Rates | i, | | | | | | | | | | | | | | | |
| | .oop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 16.10 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UEPPB | UEPPR | USL2X | 22.33 | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 40.63 | | | | | | | | | | |
| ISDN P | ort Rates | | | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | | UEPPR | | UEPPR | 50.00 | 425.00 | 285.00 | | | | | | | | |
| NONE | Exchange Port - 2-Wire ISDN Line Side Port | | - | UEPPB | | UEPPB | 50.00 | 425.00 | 285.00 | | | | | | | | |
| NONKE | ECURRING CHARGES - Existing Platform 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port - | | - | ļ | | | | | | | | 1 | | | | | |
| | Conversion - | | | LIEDDD | UEPPR | USACB | | 90.00 | 65.00 | | | | | | | | |
| ADDIT | IONAL NRCs | | | UEPPB | UEPPR | USACB | | 90.00 | 65.00 | | | | | | | | |
| ADDITI | Miscellaneous Rate Element, Tag Designed Loop at End User | | | | | | | | | | | | | | | | |
| | Premise | | | UEPPB | UEPPR | URETN | | 11.21 | 1.10 | | | | | | | | |
| | Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPPB | UEPPR | URETL | | 8.33 | 0.83 | | | | | | | | |
| B-CHA | NNEL USER PROFILE ACCESS: | i e | | ti i i i i i i i i i i i i i i i i i i | | † - | | 2.23 | 2.20 | | İ | 1 | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | Ī |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-CHA | NNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO | C,MS, & | TN) | | | | | | • | | | | | • | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | | | | | | | | | | |
| | CVS (EWSD) | ļ | | UEPPB | UEPPR | U1UCE | 0.00 | | | | ļ | ļ | | | | | |
| 110== | CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | | | | | | | | | | |
| USER | TERMINAL PROFILE | | - | HEDDD | HEDDE | LIALINAA | 0.00 | | | - | | | | | | | - |
| VEDTI | User Terminal Profile (EWSD only) CAL FEATURES | | - | UEPPB | UEPPR | U1UMA | 0.00 | | | - | - | | | | - | - | |
| VERII | All Vertical Features - One per Channel B User Profile- All | | - | 1 | | 1 | | | | | 1 | | | | | | - |
| | States | 1 | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| INTER | OFFICE CHANNEL MILEAGE | | | OLI FD | OLFFI | JEI VI | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| IIII | Interoffice Channel mileage each, including first mile and | | | | | <u> </u> | | | | | | | | | | | |
| | facilities termination | 1 | | UEPPB | UEPPR | M1GNC | 29.12 | 47.34 | 31.78 | | | | | | | | |
| | Interoffice Channel mileage each, additional mile | l | | | | M1GNM | 0.01 | 0.00 | 0.00 | | 1 | | | | | | |
| | ALE LOCAL PLATFORM SERVICE | — | t | 1 | | 1 | Ü.Ü 1 | 0.00 | 0.00 | | i e | 1 | | | 1 | | † |
| 1 WHOLES | ALE LOCAL PLATFORIN SERVICE | | | | | | | | | | | | | | | | |

| SERVICES | - Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|--|--|----------------------|----------------|------------------|------------------|---------------|--|-----------------|---|-------------|--|--|--|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | "" | | | | | | | | | p = = = = = = = = = = = = = = = = = = = | P | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | 2.00 .00 | 2.007.007 |
| | | | | | | Rec | Nonre | | | Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | | | SOMAN | SOMAN | SOMAN | SOMAN |
| | New Install scenarios the Nonrecurring charges are listed in the | ne First | and Ad | lditional NRC colum | ins for each l | Port USOC. For | Existing Platf | orm scenarios | , the Nonrecur | ring charges a | re listed in t | the NRC - C | onversions se | ection. Addit | ional NRCs m | ay apply |
| | and are categorized accordingly. | | | | | | | | | | | | | | | |
| | nd Office and Tandem Switching Usage and Wholesale Commo | | | sage rates in the Po | ort section of | this rate exhibi | t shall apply to | all DS0 Whol | esale Local Pla | atform Services | s. | | | | | |
| | Wholesale Local Platform Service - ISDN/Primary Rate ISDN (ISD | DN/PRI) | | | | | | | | | | | | | | |
| DS1 L | oop Rates | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 1 | | 1 | UEPPP | USL4P | 168.00 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 2 | | 2 | UEPPP | USL4P | 175.00 | | | | | | | | | | |
| | | | | l | 1 | | | | | | | | | | | 1 |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 3 | ļ | 3 | UEPPP | USL4P | 180.00 | | | | | | | | | ļ | |
| DS1 F | Port Rate | ļ | | L | <u> </u> | | | | | | | | | | ļ | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | ļ | | UEPPP | UEPPP | 419.00 | 1,200.00 | 1,000.00 | | | | | | | | |
| NONE | RECURRING CHARGES - Existing Platform | ļ | | | <u> </u> | | | | | | | | | | ļ | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | 1 | 1 | l | | | | | | | 1 | 1 | | 1 | | I |
| | Conversion -Switch-As-Is | ļ | | UEPPP | USACP | ļ | 500.00 | 500.00 | | | | | | | ļ | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | l | | | | | | | | | | | | |
| | Inward/two way Telephone Numbers (except NC) | | | UEPPP | PR7TF | | 0.54 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | l | | | | | | | | | | | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 12.71 | 12.71 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | |
| | Subsequent Inward Telephone Numbers | | | UEPPP | PR7ZT | | 25.41 | 25.41 | | | | | | | | |
| INTE | RFACE (Provsioning Only) | | | LIEDOD | 00=01 | | | | | | | | | | | |
| | Voice/Data | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | - | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | | - | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New o | or Additional "B" Channel | | | LIEDDD | DDZD) / | 0.00 | 45.40 | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | - | - | UEPPP UEPPP | PR7BV PR7BF | 0.00 | 15.48 | | | | | | | | | |
| | New or Additional - Digital Data B Channel | - | - | | | 0.00 | 15.48 | | | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 15.48 | | | | - | | | | | |
| | New or Additional Useage Sensitive Voice Data B Channel New or Additional Useage Sensitive Digital Data B Channel | - | - | UEPPP UEPPP | PR7BS PR7BU | 0.00 | | | | | | | | | | |
| CALL | . TYPES | | | UEPPP | PR/BU | 0.00 | | | | | - | | | | | |
| CALL | Inward | - | - | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | - | - | UEPPP | PR7CO | 0.00 | 0.00 | 0.00 | | | - | - | | | | - |
| | Two-way | - | - | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | - | - | | | | - |
| Intere | frice Channel Mileage | 1 | | OLFFF | 1-K/00 | 0.00 | 0.00 | 0.00 | 1 | | - | | 1 | l | 1 | + |
| interc | Fixed Each Including First Mile | 1 | 1 | UEPPP | 1LN1A | 54.90 | 105.52 | 98.46 | | | - | | | | | + |
| + | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 13.51 | 100.02 | 30.40 | | | | | | | | |
| DS1 V | Wholesale Local Platform Service - 4-wire DDITS | | | U-111 | 12.11.0 | 10.01 | | | | l | | | | | | t |
| | Wholesale Local Platform Service Rates | | | | 1 | | | | | | | | | 1 | | t |
| | Loop Rates | | | | 1 | | | | | | | | | | | <u> </u> |
| 2011 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | USLDC | 168.00 | | | | | | | | 1 | | t |
| | 4-Wire DS1 Digital Loop - Zone 2 | † | 2 | | USLDC | 175.00 | | | 1 | | | | i | | i | t |
| 1 | 4-Wire DS1 Digital Loop - Zone 3 | t | | UEPDC | USLDC | 180.00 | | | i | i | | | i | i | i | 1 |
| DS1 F | Port Rate | | | | 1 | | | | İ | | | | İ | | İ | t |
| | 4-Wire DDITS Digital Trunk Port | 1 | 1 | UEPDC | UDD1T | 368.00 | 1,100.00 | 900.00 | İ | | 1 | | İ | İ | İ | İ |
| NONE | RECURRING CHARGES - Existing Platform | 1 | 1 | İ | 1 | | | | İ | | 1 | | İ | İ | İ | i . |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | İ | | | 1 | | | | | | | | | | | |
| | Switch-As-Is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | | 1 |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | | | | | | | | | | | | | | | |
| | Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | | | | | | | 1 |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | | | | | | | | | | | | | | | |
| | Conversion with Change | 1 | 1 | UEPDC | USAWB | | 500.00 | 500.00 | | | 1 | 1 | | 1 | | I |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | TAMES DOALS STANKE DOITO TO STANKE NOO | | 1 | | 1 | 1 | | | 1 | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | 1 |

| SERVI | CES - | Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---------|--|--|--|-------------------|----------------|----------|--------|--------------------|-------|--|--|-----------|---------------|--|-------------|-------------|
| 32 | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | p = = = = = = = = = = = = = = = = = = = | p | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | D130 131 | DISC Add I |
| | | | | | | | Rec | Nonre | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 15.09 | 15.09 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 15.09 | 15.09 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | LIEDDO | LIDTTD | | 45.00 | 45.00 | | | | | | | | |
| - | | Activation Per Chan - Inward Trunk with DID | - | - | UEPDC | UDTTD | | 15.09 | 15.09 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 15.09 | 15.09 | | | | | | | | |
| \vdash | DIDOL / | AR 8 ZERO SUBSTITUTION | | | UEPDC | UDITE | | 15.09 | 15.09 | | - | | | | | | |
| - | BIFUL | B8ZS -Superframe Format | | - | UEPDC | CCOSF | | 0.001 | 730.00S | | | - | | | | | |
| \vdash | | B8ZS - Extended Superframe Format | | | UEPDC | CCOSF | | 0.001 | 730.00S 730.00S | | | - | | | | | |
| | Altorna | te Mark Inversion | - | | UEPDC | CCOEF | | 0.001 | 730.003 | | - | 1 | | | - | | |
| | Aiterna | AMI -Superframe Format | - | | UEPDC | MCOSF | | 0.00 | 0.00 | | - | 1 | | | - | | |
| | | AMI - Extended SuperFrame Format | - | | UEPDC | MCOPO | | 0.00 | 0.00 | | - | 1 | | | - | | |
| \vdash | Tolonh | one Number/Trunk Group Establisment Charges | | | OLI DO | IVICOI O | | 0.00 | 0.00 | | | 1 | | | | | |
| \vdash | reiepii | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDC | UDTGZ | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | | DID Numbers for each Group of 20 DID Numbers | | | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | † | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Dedica | ted DS1 (Interoffice Channel Mileage) - FX/FCO for DDITS | | | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO1 | 54.90 | 105.52 | 98.46 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 13.51 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| | | miles | | | UEPDC | 1LNOB | 13.51 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 13.51 | 0.00 | 0.00 | | | | | | | | |
| \vdash | | Central Office Termininating Point | | <u> </u> | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | | holesale Local Platform Service - 4-WIRE DS1 LOOP WITH CH | | | N WITH PORT | + | | | | | | | | | | | |
| | | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | lood | + | | | | | - | | | | | | |
| | DS1 Lo | em can have various rate combinations based on type and nu | mber or | ports | usea | + | | | | | - | | | | | | |
| \vdash | DST LO | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | - | | | | | |
| | | 4-Wire DS1 Loop - Zone 2 | - | 2 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | - | 1 | | | - | | |
| \vdash | | 4-Wire DS1 Loop - Zone 2 4-Wire DS1 Loop - Zone 3 | H | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | H | | | t | | |
| \vdash | nso ci | nannelization Capacities (D4 Channel Bank Configurations) | | - | OLI IVIO | JOLDO | 100.00 | 0.00 | 0.00 | | + | | | | | | |
| \vdash | 550 0 | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 111.16 | 0.00 | 0.00 | | | | | | | | |
| \vdash | | 48 DSO Channel Capacity - 1 per 2 DS1s | - | | UEPMG | VUM48 | 222.32 | 0.00 | 0.00 | | + | | | | + | | |
| \vdash | | 96 DSO Channel Capacity - 1 per 2 DS1s | † | † | UEPMG | VUM96 | 444.64 | 0.00 | 0.00 | | | | | | I | | |
| | | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 666.96 | 0.00 | 0.00 | | t | | | | † | | |
| | | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 889.28 | 0.00 | 0.00 | | <u> </u> | | | | <u> </u> | | |
| \vdash | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | t | UEPMG | VUM2O | 1,111.60 | 0.00 | 0.00 | | 1 | | | | i e | | |
| | | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,333.92 | 0.00 | 0.00 | | t | | | | t | | |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,778.56 | 0.00 | 0.00 | | | | | | | | |
| | | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 2,223.20 | 0.00 | 0.00 | | | | | | | | |
| | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,667.84 | 0.00 | 0.00 | | | | | | | | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,112.48 | 0.00 | 0.00 | | | | | | | | |
| | | curring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | stem | | | | | | | | | |
| | | num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| | Multipl | es of this configuration functioning as one are considered Ad | dd'I afte | r the m | inimum system cor | nfiguration is | counted. | | | | | | | | | | |

| SERVICES | - Kentucky | | | | - | | | | | | | | Att: 1 Exh: A | | | |
|------------|--|-------------|----------|----------------------|------------------|------------------|-------------------|---------------------|--|----------------|--|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | Nonro | RATES(\$) | I Monroouvrin | a Disconnect | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | 1 | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NRC - Conversion (Currently Combined) with or without AT&T | | 1 | | + | | 11130 | Addi | 11130 | Auu i | JOINEC | JOWAN | JONIAN | JOINAIN | JOHAN | JOMAN |
| | Allowed Changes | | | UEPMG | USAC4 | 0.00 | 350.00 | 20.00 | | | | | | | | |
| Syste | m Additions Where Platform Currently Exists and New Installat | ions | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | 1 | | | | | |
| | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | | | | | | |
| Bipol | ar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.001 | 730.00S | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.001 | 730.00S | | | | | | | | |
| Alterr | nate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ange Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| Excha | ange Ports | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | <u> </u> | UEPPX | UEPCX | 11.49 | 0.00 | 0.00 | | | | | | | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 11.49 | 0.00 | 0.00 | | | | | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 11.49 | 0.00 | 0.00 | | | | | | | | |
| | 2-Wire Trunk Side Channelized DID Trunk Port | | | UEPPX | UEPDM | 28.63 | 0.00 | 0.00 | | | - | | | | | - |
| | Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, | | <u> </u> | UEPPA | UEPDIVI | 20.03 | 0.00 | 0.00 | 1 | | | | | 1 | 1 | 1 |
| | MS, & TN) | | | UEPPX | UEPCY | 11.49 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN | | | UEPPX | UEPCT | 11.49 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports, 2-Wire Channelized – Outdial – Kentucky Only | | | | | | | | | | | | | | | |
| | Calling Plan Exchange Ports, 2-Wire Channelized – Two Way - Kentucky | | | UEPPX | UEPCV | 11.49 | 0.00 | 0.00 | | | | | | - | - | <u> </u> |
| | Only – Calling Plan | | | UEPPX | UEPCW | 11.49 | 0.00 | 0.00 | | | | | | | | |
| Featu | re Activations - Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 Bank | | | UEPPX | 1PQWM | 0.64 | 61.66 | 18.58 | | | | | | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.64 | 536.11 | 127.75 | | | | | | | | |
| Telep | hone Number/ Group Establishment Charges for DID Service | | | 02 | | 0.01 | 000.11 | 127.110 | | | | | | | | 1 |
| 10.00 | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | ļ | | ļ | | | 1 | 1 | |
| | URES - Vertical and Optional | ! | <u> </u> | | | | | | | | ļ | | | ļ | ļ | |
| Local | Switching Features Offered with Line Side Ports Only | | 1 | LIEDDY | LUEDVE | 0.00 | 0.00 | 0.00 | | - | <u> </u> | | | | | |
| CENTRAL | All Features Available | | - | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | - | | | | | | |
| | COST rates are applicable for Central Office Line Sharing & Li | no Cni: | ting in | a maintenance me | de only Not a | nnlicable for F | Pamata Sita I :- | l na Sharina 9 ! | ine Splitting | - | 1 | | | | | |
| INOTE: | Central Office Sync Test (COST) - Per 15 Minute Increments - | ne opii | ung in | a mannenance mo | l not a | ppiicable iof f | Verilore Sire Fil | ie Sharing & L | me spilling | | | | | | | |
| | Basic | | | | | | 25.00 | | | | | | | | | |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - Overtime | | | | | | 30.00 | | | | | | | | | |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - Premium | | | | | | 40.00 | | | | | | | | | |
| LOOP SPLIT | TING FRAME CONNECTION SERVICE | 1 | | i e | 1 | | 40.00 | 1 | <u> </u> | | | | | t | <u> </u> | |
| | SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR | -LCC) | | | 1 | | | | | | | | | 1 | 1 | |
| | Selective Routing Per Unique Line Class Code Per Request Per | | | | 1 | | | | | | | | | | | |
| | Switch | <u> </u> | | <u> </u> | <u> </u> | | 228.75 | 228.75 | 38.11 | 38.11 | L | | | <u> </u> | <u> </u> | <u> </u> |
| | le Local Platform Service With E911 Call Locator Capability | | | | | | | | | | | | | | | |
| | ollowing contidions apply to DS0 Wholesale Local Platform Ser | | | | | | | | | | | | | | | |
| > En | d Office and Tandem Switching Usage and Wholesale Common | Trans | ort Us | age rates in the Por | rt section of th | nis rate exhibit | shall apply to | the Wholesale | Local Platforn | n Service With | E911 Call L | ocator Capa | ability. | l | l | L |

| SERVIC | ES - | Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------------|--------|--|--|--|--------------------|----------------|------------------|---------------|--------------|--|---------------|--|----------------|---------------|--|---------------|--|
| | | - · · · · · · · · · · · · · · · · · · · | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| 1 | | | 1 | 1 | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | last | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | RY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonrec | urring | Nonrecurring | Disconnect | 1 | · | OSS | Rates(\$) | · | - |
| - | | | | - | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | | SOMAN | SOMAN |
| | For N | New Installation scenarios the Nonrecurring charges are listed | d in the | Firet a | nd Additional NRC | columns for a | asch Port USOC | | | | | | | | | | |
| | | | u III tile | insta | na Additional Nico | columnia for e | sacii i dit dode | . Tor ourrein | y Combined a | cenanos, the N | ioniecuming c | ilai ges are i | isted iii tiie | NICO - Guirei | itiy Combined | a section. Au | aitionai |
| | | nay apply also and are categorized accordingly. | 44.0-11.1 | | . O 1. 1114 | | | | | | | | | | | | |
| | | nolesale Local Platform Service (BUS - PBX) With DID and E9 | TT Call | ocato | Саравінту | | | | | - | | | | | ļ | | |
| D: | | op Rates | | | LIEDDW | LIEDLY | 0.04 | | | - | | | | | ļ | | |
| | _ | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRW | UEPLX | 9.64 | | | | | | | | | | |
| | _ | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRW | UEPLX | 14.37 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRW | UEPLX | 30.59 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | | 1 | UEPRW | UECD1 | 12.67 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | | 2 | UEPRW | UECD1 | 17.45 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | | 3 | UEPRW | UECD1 | 33.22 | | | | | | | | | | |
| 2- | Wire ' | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPRW | UEPPC | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | | Line Side Outward PBX Trunk Port - Bus | | | UEPRW | UEPPO | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | | Line Side Incoming PBX Trunk Port - Bus | | | UEPRW | UEPP1 | 11.15 | 61.66 | 18.58 | | | İ | l | | | | |
| | | 2-Wire Voice PBX LD Terminal Ports | | | UEPRW | UEPLD | 11.15 | 61.66 | 18.58 | | | 1 | 1 | 1 | | 1 | |
| | | 2-Wire Voice 2-Way Combination PBX Usage Port | 1 | i | UEPRW | UEPXA | 11.15 | 61.66 | 18.58 | 1 | | İ | i | İ | 1 | İ | |
| | | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPRW | UEPXB | 11.15 | 61.66 | 18.58 | 1 | | İ . | | | | | |
| | | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPRW | UEPXC | 11.15 | 61.66 | 18.58 | | | 1 | | | 1 | | |
| | - | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPRW | UEPXD | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | - | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPRW | UEPXE | 11.15 | 61.66 | 18.58 | | | | | | | | |
| - | _ | 2-Wire Voice 2-Way PBX Kentucky Room Area Calling Port | 1 | - | OLI KW | OLI AL | 11.13 | 01.00 | 10.50 | | | + | | | | | |
| | | without LUD | | | UEPRW | UEPXF | 11.15 | C4 CC | 18.58 | | | | | | | | |
| | _ | | | | | | | 61.66 | | - | | 1 | | | | | |
| | | 2-Wire Voice PBX Kentucky LUD Area Calling Port | | | UEPRW | UEPXG | 11.15 | 61.66 | 18.58 | - | | | | | ļ | | |
| | _ | 2-Wire Voice PBX Kentucky Premium Calling Port | | | UEPRW | UEPXH | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | _ | 2-Wire Voice 2-Way Kentucky Area Calling Port without LUD | | | UEPRW | UEPXJ | 11.15 | 61.66 | 18.58 | | | | | | | | |
| | | 2-Wire Voice OutDial Kentucky NAR Area Calling Port | | | UEPRW | UEPOK | 11.15 | 61.66 | 18.58 | | | | | | | | |
| Po | ort Ra | te -DID | | | | | | | | | | | | | | | 1 |
| | | Exchange Ports - 2-Wire DID Port | | | UEPRW | UEPD1 | 28.63 | 536.11 | 127.75 | | | 1 | | | | | |
| ES | 911 C | ALL LOCATOR CAPABILITY | | | | | | | | | | | | | | | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | ĺ |
| | | Initial Profile Establishment, Per CLEC End-User | | | UEPRW | URE9A | 0.00 | 1,807.00 | | | | | | | | | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | ĺ |
| | | Subsequent Profile Changes, Additions/Deletions | | | UEPRW | URE9B | 0.00 | 175.49 | | | | | | | | | |
| Te | elepho | one Number/Trunk Group Establisment Charges For DID Num | nbers w | th E91 | | bility | | | | | | | | | | | |
| | | DID Trunk Termination (One Per Port) | | | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1.328 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPRW | ND5 | 0.0664 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID numbers | | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | İ | i | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | İ | İ | | | | |
| FE | EATU | | 1 | i – | | 1 | | | | † † | | | | | İ | | |
| | | All Features Offered | | | UEPRW | UEPVF | 0.00 | 0.00 | 0.00 | | | | | i | 1 | i | |
| No | ONRF | CURRING CHARGES - CURRENTLY COMBINED | | i – | | 1 | 5.55 | 3.50 | 0.50 | 1 | | 1 | i | | 1 | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | <u> </u> | l | UEPRW | USAC2 | | 10.00 | 10.00 | | | 1 | | | 1 | | |
| \vdash | - | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | - | O=. 1(1) | 20/102 | | 10.00 | 10.00 | | | | | | 1 | | |
| | | Change | | | UEPRW | USACC | | 10.00 | 10.00 | | | | | | | | 1 |
| Α.Γ | ידוחח | ONAL NRCs | | | OLI IVV | COACC | | 10.00 | 10.00 | | | + | | | | | |
| Al | וווטע | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | \vdash | UEPRW | USAS2 | | 0.00 | 0.00 | | | + | | | | | |
| | - | | | | OLPRW | USASZ | 1 | 0.00 | 0.00 | | | 1 | - | | | | |
| | | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | 1 | l | | | | 0.00 | 0.00 | | | 1 | 1 | 1 | 1 | | 1 |
| | - | Activity- Nonrecurring | - | - | | + | | 0.00 | 0.00 | | | | | | 1 | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | 1 |
| | | Group | | <u> </u> | | LIBET | | 7.86 | 7.86 | - | | | ļ | | | | |
| $oxed{oxed}$ | | Miscellaneous Rate Element, Tag Loop at End User Premise | ļ | ├ | UEPRW | URETL | | 8.33 | 0.83 | | | | | | | | |
| OI | FF/ON | PREMISES EXTENSION CHANNELS | | | | | | | | | | ļ | <u> </u> | | | | |
| | | Local Channel Voice grade, per termination | | 1 | UEPRW | P2JHX | 12.67 | 134.89 | 81.87 | | | ļ | <u> </u> | | | | |
| | | Local Channel Voice grade, per termination | | 2 | UEPRW | P2JHX | 17.45 | 134.89 | 81.87 | | | | | | | | |
| $\Box\Box$ | | Local Channel Voice grade, per termination | | 3 | UEPRW | P2JHX | 33.22 | 134.89 | 81.87 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPRW | SDD2X | 12.68 | 170.06 | 78.10 | | | | | | | | |
| | | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPRW | SDD2X | 18.12 | 170.06 | 78.10 | | | | | | | | 1 |
| | | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPRW | SDD2X | 29.64 | 170.06 | 78.10 | | | | | | | | |

| SERVICES - | - Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------------|--|--|--|----------------|----------------|--------|----------|-----------|--|--------------|-----------|-----------|---------------|--------------|-------------|-------------|
| SERVICES. | Tomacky | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | to to a | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | .,, | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPRW | U1TV2 | 23.95 | 98.09 | 53.67 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| DC4 Whalesal | or Fraction Mile | | | UEPRW | U1TVM | 0.0095 | 0.00 | 0.00 | - | | - | | | | | |
| | e Local Platform Service With E911 Call Locator Capability E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | (DODT | | | | | | | | | | - | | | | |
| | oop Rates | I | - | | + | | | | | | | | | | | |
| DO1 E | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPPN | USL4P | 168.00 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPPN | USL4P | 175.00 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPPN | USL4P | 180.00 | | | | | | | | | | |
| DS1 P | ort Rate | 1 | Ť | | 1 | | | | 1 | İ | İ | | l | İ | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPN | UEPPN | 419.00 | 1,200.00 | 1,000.00 | | | | | | | | |
| E911 (| CALL LOCATOR CAPABILITY | | | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | | | UEPPN | URE9A | 0.00 | 1,807.00 | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | I | | | |
| | Subsequent Profile Changes, Additions/Deletions | | | UEPPN | URE9B | 0.00 | 175.49 | | | | | | | | | |
| NONR | ECURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| | Conversion -Switch-As-Is | <u>. </u> | L | UEPPN | USACP | | 500.00 | 500.00 | | | | | | | | |
| ADDIT | TONAL NRCs and E911 Call Locator Capability Telephone Num | nber Re | curring | Charges | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | LIEDDN | DDZTE | 0.0004 | 0.54 | | | | | | | | | |
| | Inward/two way Tel Nos. (except NC) 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | UEPPN | PR7TF | 0.0664 | 0.54 | | - | | - | | | | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPN | PR7TO | 0.0664 | 12.71 | 12.71 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | OLFFIN | FR/10 | 0.0004 | 12.71 | 12.71 | | | | | | | | |
| | Subsequent Inward Tel Numbers | | | UEPPN | PR7ZT | 0.0664 | 25.41 | 25.41 | | | | | | | | |
| INTER | FACE (Provsioning Only) | | | 02 | | 0.0001 | 20.11 | 20 | | | | 1 | | | | |
| | Voice/Data | | | UEPPN | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | | | UEPPN | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | | | UEPPN | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New o | r Additional "B" Channel | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPN | PR7BV | 0.00 | 15.48 | | | | | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPN | PR7BF | 0.00 | 15.48 | | | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPN | PR7BD | 0.00 | 15.48 | | | | | | | | | |
| | New or Additional Useage Sensitive Voice Data B Channel | | | UEPPN | PR7BS | 0.00 | | | | | | | | | | |
| — | New or Additional Useage Sensitive Digital Data B Channel | ļ | | UEPPN | PR7BU | 0.00 | | | | | | | | | | |
| CALL | TYPES | | | LIEDDA | DD7C1 | | | | - | | | | | ļ | | |
| \vdash | Inward | | | UEPPN | PR7C1 PR7CO | 0.00 | 0.00 | 0.00 | | | | - | | - | | |
| \vdash | Outward | | - | UEPPN UEPPN | PR7CC | 0.00 | 0.00 | 0.00 | - | | | | | | | |
| Interes | Two-way ffice Channel Mileage | - | - | UEPPN | FR/CC | 0.00 | 0.00 | 0.00 | + | | - | | | | | |
| intero | Fixed Each Including First Mile | | - | UEPPN | 1LN1A | 54.90 | 105.52 | 98.46 | | - | - | | | 1 | | |
| | Each Airline-Fractional Additional Mile | | | UEPPN | 1LN1B | 13.51 | 103.32 | 30.40 | | | | | | | | |
| 4-WIR | E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | - | - | OLI I IN | TENTO | 13.31 | | | + | | | | | | | |
| | oop Rates | | | | | | | | <u> </u> | 1 | | | | 1 | | |
| 120,2 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | USLDC | 168.00 | | | 1 | İ | | | İ | İ | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPDC | USLDC | 175.00 | | | 1 | İ | | | İ | İ | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPDC | USLDC | 180.00 | | | | | | | | 1 | | |
| DS1 P | ort Rates | | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 368.00 | 1,100.00 | 900.00 | | | | | | | | |
| NONR | ECURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Switch-as-is | | | UEPDC | USAC4 | | 500.00 | 500.00 | L | | | | | ļ | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | I | | | | | | | |
| \vdash | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | - | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | LIEDDO | LICANAID | | 500.00 | F00 00 | I | | 1 | | | | | |
| | - Conversion with Change - Trunk | 1 | L | UEPDC | USAWB | | 500.00 | 500.00 | I . | l . | i . | 1 | l . | i . | | |

| CATEGORY | S - Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---|--|---------|----------------|----------------|------------------|----------|-----------|--------------|------------|--|-----------|---------------|-------------|-------------|--|
| CATEGORY | | 1 | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| CATEGORY | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| CATEGORY | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | (4) | | | per LSR | per LSR | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| E911 | CALL LOCATOR CAPABILITY | | | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | 1 |
| | Initial Profile Establishment, Per CLEC End-User | | | UEPDB | URE9A | 0.00 | 1,807.00 | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | l . |
| <u> </u> | Subsequent Profile Changes, Additions/Deletions | | | UEPDB | URE9B | 0.00 | 175.49 | | | | | | | | | |
| ADDI | ITIONAL NRCs 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDB | UDTTA | | 15.09 | | | | | | | | | 1 |
| \vdash | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | UEPDB | ODITA | | 15.09 | | | | - | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDB | UDTTB | | 15.09 | | | | | | | | | l . |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | 021 00 | טווטט | | 13.09 | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDB | UDTTC | | 15.09 | | | | | | | | | 1 |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | ſ |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDB | UDTTD | | 15.09 | | | | | | | | | 1 |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDB | UDTTE | | 15.09 | | | | | | <u> </u> | | <u> </u> | L |
| BIPO | DLAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | | 730.00S | | | | | | | | <u> </u> |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.001 | 730.00S | | | | | | | | |
| Alter | nate Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| 7.1. | AMI - Extended SuperFrame Format | . F DI | D M | UEPDC | MCOPO | 1. 1114 | 0.00 | 0.00 | | | | | | | | |
| Telep | phone Number/Trunk Group Establisment Charges And Charges | S FOR DI | Numi | UEPDB | UDTGX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| <u> </u> | Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group | | | UEPDB | UDTGX | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDB | UDTGZ | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPDB | ND4 | 1.328 | 0.00 | 0.00 | | | | | | | | — |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDB | ND5 | 0.0664 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPDB | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDB | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FX/F | CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | 1 |
| | Termination) | | | UEPDC | 1LNO1 | 54.90 | 105.52 | 98.46 | | | | | | | | |
| | | 1 | | | | | | | | | | | | | | 1 |
| \vdash | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 13.51 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | LIEBBO | 41.1100 | | | | | | | | | | | 1 |
| \vdash | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | - | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 13.51 | 0.00 | 0.00 | | | | | | | | 1 |
| \vdash | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | - | | ULFUC | ILINOB | 13.51 | 0.00 | 0.00 | | - | - | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | Tomination) | - | | 021 00 | 121400 | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 13.51 | 0.00 | 0.00 | | | | | | | | 1 |
| Addi | tional Rates | l | | | | .5.51 | 3.30 | 5.50 | | | † | | | | | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | ſ |
| 4-WI | RE DS1 LOOP WITH CHANNELIZATION WITH PORT WITH CALL | LOCAT | OR CA | | | | | | | | | | | | | ſ |
| | em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | | | | | | | | | | | | | |
| | stem can have various rate combinations based on type and nu | mber of | ports (| ısed | | | | | | | | | | | | |
| DS1 | Loop | | | | | | | | | | | | | | | |
| \vdash | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | | | | | | |
| \vdash | 4-Wire DS1 Loop - Zone 2 | | 2 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | | | | | | ⊢ |
| | 4-Wire DS1 Loop - Zone 3 | | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | | |
| DSO | Channelization Capacities (D4 Channel Bank Configurations) | | | UEPMG | VUM24 | 111.16 | 0.00 | 0.00 | | - | | | | | | |
| \vdash | 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s | - | | UEPMG UEPMG | VUM24 VUM48 | 111.16 222.32 | 0.00 | 0.00 | | | 1 | | | | | |
| \vdash | 96 DSO Channel Capacity - 1 per 2 DS1s | - | | UEPMG UEPMG | VUM48 VUM96 | 222.32 444.64 | 0.00 | 0.00 | | | - | | | | | |
| \vdash | 144 DS0 Channel Capacity -1 per 6 DS1s | | | UEPMG UEPMG | VUM14 | 666.96 | 0.00 | 0.00 | | | | | | | | |
| | 192 DS0 Channel Capacity - 1 per 8 DS1s | - | | UEPMG | VUM19 | 889.28 | 0.00 | 0.00 | | | - | | | | | |
| \vdash | 240 DS0 Channel Capacity - 1 per 10 DS1s | - | | UEPMG | VUM2O | 1,111.60 | 0.00 | 0.00 | | | - | | | | | |

| SERVICES | - Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|--|-----------|----------------|---------------------|----------------|--|----------|-----------|----------------|------------|---|---|--|--|--|--|
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. |
| | | m | | | | | | -(() | | | per Lok | per Lon | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | Rec | Nonre | curring | Nonrecurring I | Disconnect | | | | Rates(\$) | • | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,333.92 | 0.00 | 0.00 | | | | | | | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | - | UEPMG UEPMG | VUM38 VUM4O | 1,778.56 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s | | - | UEPMG | VUM57 | 2,223.20 2,667.84 | 0.00 | 0.00 | | | | | | | | |
| | 672 DS0 Channel Capacity - 1 per 24 DS1s | | - | UEPMG | VUM67 | 3.112.48 | 0.00 | 0.00 | | | | | | | | |
| Non- | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with | Chanr | eliztio | | | | | 0.00 | | | | | | | | |
| | nimum System configuration is One (1) DS1, One (1) D4 Channel | | | | | | otenii - | | | | | | | | | |
| | ples of this configuration functioning as one are considered Ad | | | | | | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes | | | UEPMG | USAC4 | 0.00 | 350.00 | 20.00 | | | | | | | | |
| Syste | m Additions Where Platform Currently Exists and New Installat | ions | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | | | | | | |
| Bipol | ar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | | | UEPMG | CCOSF | 0.00 | 0.001 | 730.00S | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.001 | 730.00S | | | | | | | | |
| Alterr | nate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Evalu | Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization | an with | Dort | UEPMG | МСОРО | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | ange Ports | JII WILII | FOIL | | 1 | 1 | | | | | | | | | | 1 |
| LACITO | ange i orts | | | | + | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPRW | UEPCX | 11.49 | 0.00 | 0.00 | | | | | | | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPRW | UEPOX | 11.49 | 0.00 | 0.00 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPRW | UEP1X | 11.49 | 0.00 | 0.00 | | | | | | | | |
| | 2-Wire Trunk Side Channelized DID Trunk Port | | | UEPRW | UEPDM | 28.63 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, MS, & TN) | | | UEPRW | UEPCY | 11.49 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports, 2-Wire Channelized – Combination (AL, KY, LA, MS, & TN Exchange Ports, 2-Wire Channelized – Outdial – Kentucky Only | | | UEPRW | UEPCT | 11.49 | 0.00 | 0.00 | | | | | | | | |
| | - Calling Plan | | | UEPRW | UEPCV | 11.49 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports, 2-Wire Channelized – Two Way - Kentucky Only – Calling Plan | | | UEPRW | UEPCW | 11.49 | 0.00 | 0.00 | | | | | | | | |
| Featu | re Activations - Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 | | | | + | - | | | | | | | | | | |
| | Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Feature (Service) Activation for each Trunk Port Terminated in | | | UEPRW | 1PQWM | 0.64 | 61.66 | 18.58 | | | | | | | | |
| | D4 Bank | | | UEPRW | 1PQWU | 0.64 | 536.11 | 127.75 | | | | | | | | |
| E911 | CALL LOCATOR CAPABILITY | | | ļ | | | | | ļ Ţ | | | | | | | <u> </u> |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | LIEDDIA | LIDEC: | | 4.00= 0- | | | | | | | | | |
| | Initial Profile Establishment, Per CLEC End-User Miscellaneous Rate Element, E911 Call Locator Capability - | | | UEPRW | URE9A | 0.00 | 1,807.00 | | | | | | | | | |
| T_1 | Subsequent Profile Changes, Additions/Deletions | hore | 4b F04 | UEPRW | URE9B | 0.00 | 175.49 | | + + | | | | | | - | |
| i eiep | hone Number/Trunk Group Establisment Charges For DID Num DID Trunk Termination (One Per Port) | ners Mi | ເກ ⊏ 91 | 1 Call Locator Capa | NDT | 0.00 | 0.00 | 0.00 | + | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1.328 | 0.00 | 0.00 | + + | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPRW | ND5 | 0.0664 | 0.00 | 0.00 | 1 | | | | | | ĺ | |
| | Reserve Non-Consecutive DID numbers | | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | URES - Vertical and Optional | | | | 1 | | | | ↓ | | | | | | | |
| Local | Switching Features Offered with Line Side Ports Only | | - | LIEDDW | UEPVF | 0.00 | 0.00 | 0.00 | + + | | | | | | . | ├ |
| ODUF/ADUF/ | All Features Available | | - | UEPRW | UEPVF | 0.00 | 0.00 | 0.00 | + | | | | | | | |
| | ESS DAILY USAGE FILE (ADUF) | | | 1 | | | | | + + | | | | | | | + |
| ACCE | ADUF: Message Processing, per message | | | | + | 0.007037 | | | + + | | | | | | | |

| SERVICES | - Kentucky | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-----------|---|-------------|------|-----|------|-----------|--------|-----------|--------------|------------|-------|-----------|--|-----------|----------|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Charge - | Charge - |
| | | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | 1 | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00017 | | | | | | | | | | |
| OPT | ONAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | | | | 0.0000190 | | | | | İ | | | | | |
| | ODUF: Message Processing, per message | | | | | 0.004101 | | | | | 1 | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 35.90 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00014 | | | | | | | | | | |
| CEN | FRALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | | | | | | | | | | | | |
| | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |
| 8XX ACCES | S TEN DIGIT SCREENING | | | | | | | | | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit Screening service with 800 Number Delivery per query | | | | | 0.00421 | | | | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Screening service with 800 Number Delivery for 800 Numbers with Optional Complex Feature, i.e., Call handling and Destination Features per query | | | | | 0.004296 | 8.78 | 1.18 | 7.08 | 0.86 | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit Screening service with POTS Number Delivery per query | | | | | 0.00383 | | | | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit Screening service with POTS Number delivery for 800 Numbers with Optional Complex Feature,i.e., Call Handling and Destination Features per query | | | | | 0.00431 | | | | | | | | | | |

| SERV | ICES - | Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---------|----------|---|---------|----------|------------------------|--------------|----------|-----------------|-----------|-------------------|---------------------|-----------|----------|---------------|-------------|-------------|-------------|
| | | | | | | | | | | | | | | Incremental | | Incremental | |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | _ | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| - | | | | - | | | | Managa | | Name and a second | - Dianamant | | | 222 | Rates(\$) | | |
| - | | | | 1 | | | Rec | Nonrec First | Add'l | First | Disconnect Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | | | | - | | | | FIRST | Addi | FIRST | Addi | SOWIEC | SOWAN | SOWAN | SOWAN | SOWAN | SUMAN |
| SERVI | E DATE | ADVANCEMENT (A.K.A EXPEDITE) CHARGE | | 1 | | | | | | | | | | | 1 | | |
| OLIVI | | The Expedite charge will be maintained commensurate with | BellSou | ith's FO | C No.1 Tariff, Section | n 5 as annli | cable. | | | | | | | | | | |
| | | The Exposite officings that so manifest out the second of | | 1 | UAL, UEANL, UCL, | Г с по прри | 1 | | | | | | | | | | |
| | | | | | UEF. UDF. UEQ. | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | 1 | 1 | UC1CC, UC1CL, | I | | | | | | 1 | 1 | | I | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | 1 | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | | | | U1TUB, | | | | | | | | | | | | |
| | | | | | U1TUA,NTCVG, | | | | | | | | | | | | |
| | | Expedite Charge per Circuit or Line Assignable USOC, per Day | | | NTCUD, NTCD1 | SDASP | | 200.00 | | | | | | | | | |
| ORDE | MODIF | ICATION CHARGE | | 1 | , | | | | | | | | | | | | |
| | | Order Modification Charge (OMC) | | | | | | 26.21 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Order Modification Additional Dispatch Charge (OMCAD) | | | | | | 150.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| LOCAL | SERVIO | CE REQUEST (LSR) ORDERING CHARGE | | | | | | | | | | | | | | | |
| | | Electronic Service Order Charge, Per Local Service Request | | | | | | | | | | | | | | | |
| | | (LSR) | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Manual Service Order Charge, Per Local Service Request (LSR) | | 1 | | SOMAN | | 15.20 | 0.00 | 15.20 | 0.00 | | | | | | |
| LINE II | NFORMA | TION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | |
| | | LIDB Common Transport Per Query | | | | | 0.0003 | | | | | | | | | | |
| | | LIDB Validation Per Query | | | OQV | BHML1 | 0.035378 | | | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | 1 | OQV | NRBPX | | 91.00 | | | | | | | ļ | | |
| BRANI | | IRECTORY ASSISTANCE | | 1 | | ļ | | | | | | | | | . | | |
| | Facility | Based CLEC | | | | | | | | | | | | | 1 | | |
| | | Recording and Provisioning of DA Custom Branded | | | l | | | | _ | | | | | | 1 | | |
| | | Announcement | | 1 | AMT | CBADA | | 3,000.00 | 3,000.00 | | | | | | . | | |
| | | Loading of Custom Branded Announcement per Switch per | | 1 | | 00.00 | | | | | | | | | I | | |
| | | OCN | | 1 | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | | |
| | Wholes | sale CLEC | | 1 | | ļ | | 0.000 | | | | | | | . | | |
| | | Recording of DA Custom Branded Announcement | | 1 | | | | 3,000.00 | 3,000.00 | | | | | | ļ | | |
| | | Loading of DA Custom Branded Announcement per Switch per | 1 | 1 | | I | | | | | | 1 | 1 | | I | | |
| | | OCN | | 1 | | | | 1,170.00 | 1,170.00 | | | | | | ļ | | |
| | Unbran | ding via OLNS for Wholesale CLEC | | 1 | | | | | | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | 1 | | ļ | | 420.00 | 420.00 | | | | | | . | | |
| | | Loading of DA per Switch per OCN | | | | <u> </u> | | 16.00 | 16.00 | l | <u> </u> | l | l | | 1 | <u> </u> | |

| SEDVICE | S - Louisiana | | | | | | | | | | | | Att. 1 Evb. A | | | |
|--|---|--|--|----------------|----------------|--------------|----------|-----------|--------------|--|-----------|-----------|------------------------------|--|--|--|
| SER VICES | .o - Louisidiid | 1 | 1 | I | | | | | | | Svc Order | Svc Order | Att: 1 Exh: A Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | Y RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | | | Order vs. | Order vs. |
| OATEGORI | NATE ELEMENTO | m | 20.10 | 200 | 0000 | | | π. Ευ(ψ) | | | per LSR | per LSR | Order vs. | Order vs. Electronic- | | Electronic- |
| | | | | | | | | | | | | | Electronic- | | Electronic- | Disc Add'l |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | DISC Add I |
| | | | | | | р | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | 1 | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Y ASSISTANCE SERVICES | | | | | | | | | | | | | | | |
| DIRE | RECTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.31 | | | | | | | | | | |
| DIRE | RECTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (| DACC) | | | | | | | | | | | | | | |
| 1 1 | Directory Assistance Call Completion Access Service (DACC), | | | | | | | | | | | | | | | |
| | Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| | G - OPERATOR CALL PROCESSING | - | | | | | | | | | | | | | | |
| Faci | Recording of Custom Branded OA Announcement | - | | AMT | CBAOS | | 7,000.00 | 7,000.00 | | | | | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | 1 | | AIVII | CDAUS | | 7,000.00 | 7,000.00 | | | | | | | | |
| | per OCN | | | AMT | CBAOL | | 500.00 | 500.00 | | 1 | | | | | 1 | |
| Who | nolesale CLEC | | | /AVI I | OBAUL | | 300.00 | 300.00 | | | | | | | | |
| *************************************** | Recording of Custom Branded OA Announcement | t | | † | 1 | | 7,000.00 | 7,000.00 | | I | | | | | I | 1 |
| | Loading of Custom Branded OA Announcement per shelf/NAV | t | | † | 1 | | .,500.00 | .,500.00 | | I | | | | | I | 1 |
| 1 1 | per OCN | | | 1 | | | 500.00 | 500.00 | | I | | | | | I | |
| Unb | branding via OLNS for Wholesale CLEC | 1 | | | 1 | | | | | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| INWARD OF | PERATOR SERVICES | | | | | | , | , | | | | | | | | |
| | Inward Operator Services - Verification, Per Minute | | | | | 1.15 | | | | | | | | | | |
| | Inward Operator Services - Verification and Emergency Interrupt | | | | | | | | | | | | | | | |
| | - Per Minute | | | | | 1.15 | | | | | | | | | | |
| OPERATOR | R CALL PROCESSING | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | | | | | | | | | |
| | LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using | | | | | | | | | | | | | | | |
| | Foreign LIDB | ļ | | | | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | | | | | | | | | | | |
| \vdash | LIDB | | | | 1 | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | | 0.20 | | | | | | | | | | |
| CALLINGN | Foreign LIDB NAME (CNAM) SERVICE | 1 | | | + | 0.20 | | | | | | | | | | |
| CALLING IN | CNAM Service, per line | 1 | - | UEPFB | N1ACR | 2.11 | | | | - | | | | | - | 1 |
| | CNAM Service, per line | | | UEPBX | N1ACR | 2.11 | | | | | | | | 1 | | |
| | CNAM Service, per line | 1 | 1 | UEPSB | N1ACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPFP | N1ACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSP | N1ACR | 2.11 | | | | t | | | | | t | |
| | CNAM Service, per line | 1 | i – | UEPPX | N1ACR | 2.11 | | | İ | 1 | | | | İ | 1 | İ |
| | CNAM Service, per line | 1 | i – | UEPRX | NXMCR | 2.11 | | | | | | | | 1 | | 1 |
| | CNAM Service, per line | 1 | i – | UEPFB | NXMCR | 2.11 | | | | | | | | 1 | | 1 |
| | CNAM Service, per line | | | UEPBX | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSB | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPRG | NXMCR | 2.11 | | • | | | | | | | | |
| | CNAM Service, per line | | | UEPSE | NXMCR | 2.11 | | - | | | | | | | | |
| | CNAM Service, per line | | | UEPFP | NXMCR | 2.11 | | | | | | | | | | |
| \vdash | CNAM Service, per line | 1 | | UEPSP | NXMCR | 2.11 | | | | | | | | | | |
| \vdash | CNAM Service, per line | 1 | <u> </u> | UEPPX | NXMCR | 2.11 | | | | | | | | | ļ | ļ |
| $\vdash \vdash$ | CNAM Service, per line | 1 | | UEPVB | NXMCR | 2.11 | | | | . | | | | - | | 1 |
| \vdash | CNAM Service, per line | 1 | | UEPSR | NXMMN | 2.11 | | | | . | | | | - | | 1 |
| \vdash | CNAM Service, per line CNAM Service, per line | + | ├ | UEPFR UEPRX | NXMMN NXMMN | 2.11 2.11 | | | - | | | | | | | |
| \vdash | CNAM Service, per line CNAM Service, per line | 1 | | UEPFB | NXMMN | 2.11 | | | | | — | | | | | 1 |
| \vdash | CNAM Service, per line | | | UEPBX | NXMMN | 2.11 | | | 1 | | | | | | t | |
| \vdash | CNAM Service, per line CNAM Service, per line | | t | UEPSB | NXMMN | 2.11 | | | | | | | | | t | |
| \vdash | CNAM Service, per line | | t | UEPRG | NXMMN | 2.11 | | | | | | | | | t | |
| \vdash | CNAM Service, per line | t | | UEPSE | NXMMN | 2.11 | | | | I | | | | | I | 1 |
| | CNAM Service, per line | 1 | t | UEPFP | NXMMN | 2.11 | | | 1 | <u> </u> | | | | 1 | <u> </u> | 1 |
| - | CNAM Service, per line | | t — | UEPSP | NXMMN | 2.11 | | | İ | i | | | | İ | 1 | İ |
| 1 1 | | | | | | | | | | | | | | | | |
| | CNAM Service, per line | | | UEPPX | NXMMN | 2.11 | | | | | | | | | | |

| SERVICES - | - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---|--|--|-----------------------|-----------------|--------------------|------------------|----------------|----------------|-----------------|--|----------------|-------------------|--|---------------|-------------|
| SERVICES . | Louisiana | I | | | 1 | 1 | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (17 | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Add I | DISC ISL | DISC Add I |
| | | | | | | Rec | Nonre | curring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CNAM Service, per line | | | UEPBX | NXECR | 2.11 | | | | | | | | | | 1 |
| | CNAM Service, per line | | | UEPVB | NXECR | 2.11 | | | | | | | | | | 1 |
| | CNAM Service, per line | | | UEPSB | NXECR | 2.11 | | | | | | | | | | 1 |
| | CNAM Service, per line | | | UEPFP | NXECR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSP | NXECR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPPX | NXECR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPFB | NCACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPBX | NCACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSB | NCACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | - | - | UEPFP UEPSP | NCACR NCACR | 2.11 2.11 | | | 1 | - | | | | | | |
| | CNAM Service, per line CNAM Service, per line | 1 | - | UEPSP | NCACR | 2.11 | - | | 1 | | | | | | | |
| DSU WHOI ES | ALE LOCAL SWITCHING PORTS | 1 | 1 | ULFFA | INCACK | 2.11 | | | 1 | | 1 | | | + | | |
| | New Install scenarios the Nonrecurring charges are listed in the | o Firet | and Ad | ditional NPC colum | ne for each E | Port USOC For | r Evicting Platf | orm scenarios | the Nonrecur | ring charges a | re listed in | he NPC - C | onversions s | action Additi | onal NPCs m | av annly |
| | nd are categorized accordingly. | 10 1 1131 | ana Au | unional Nico column | iis ioi eacii i | 011 00000. 1 01 | LAISTING I IATI | Omi scenarios | s, the Homecui | illig charges a | ile ilstea ili | ille Millo - O | 011461310113 3 | collon. Additi | Onai Micos in | τη αρρίη |
| aiso a | nd are categorized accordingly. | | | | | | | | | | | | | | | |
| ► End | I Office and Tandem Switching Usage and Wholesale Commor | Tranci | ort He | ane rates in the Port | section of t | hie rata avhihit | shall annly to | the Wholesale | Acces I ine S | Sarvice excent | for the Coir | Service wh | ich has a flat | rate usane ch | arge (IISOC: | LIBECII) |
| | /HOLESALE LOCAL SWITCHING PORTS - (Res) | i iiaiisį | 1011 05 | age rates in the Fort | Section or ti | IIIS TALE EXIIIDIL | Silali apply to | the wildlesale | Access Line o | I | Tor the Con | Service wi | iicii iias a iiai | Tale usage Ci | large (030C. | DRECOJ. |
| D30 11 | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 8.52 | 32.50 | 11.10 | | | | | | | | |
| | Exchange Forts - 2-Wire Arialog Line Fort- Nes. | | | OLI OIX | OLITE | 0.52 | 32.30 | 11.10 | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 8.52 | 32.50 | 11.10 | | | | | | | | 1 |
| | Exchange Forts - 2-wire Analog Line Fort with Caller ID - Nes. | | | OLI OIX | OLI IXO | 0.52 | 32.30 | 11.10 | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 8.52 | 32.50 | 11.10 | | | | | | | | 1 |
| | Exchange Ports - 2-Wire VG LA extended local dialing parity | | | 02. 0.0 | 02.110 | 0.02 | 02.00 | | | | | | | | | |
| | Port with Caller ID - Res. | | | UEPSR | UEPAS | 8.52 | 32.50 | 11.10 | | | | | | | | 1 |
| | Exchange Ports - 2-Wire VG Louisiana Area Plus with Caller ID | | | | | | | | | | | | | | | |
| | Res (RUL) | | | UEPSR | UEPAG | 8.52 | 32.50 | 11.10 | | | | | | | | 1 |
| | Exchange Ports - 2-Wire VG res, low usage line port with Caller | | | | | | | | | | 1 | | | | | |
| | ID (LUM) | | | UEPSR | UEPAP | 8.52 | 32.50 | 11.10 | | | | | | | | 1 |
| | Exchange Ports - 2-Wire VG Louisiana Residence Dialing Plan | | | | | | | | | | | | | | | |
| | without Caller ID | | | UEPSR | UEPWG | 8.52 | 32.50 | 11.10 | | | | | | | | 1 |
| | Exchange Ports - 2-Wire VG Louisiana Residence Area Plus | | | | | | | | | | | | | | | i |
| | without Caller ID | | | UEPSR | UEPRQ | 8.52 | 32.50 | 11.10 | | | | | | | | ı |
| | 2-Wire voice Low Usage Line Port without Caller ID Capability | | | UEPSR | UEPRT | 8.52 | 32.50 | 11.10 | | | | | | | | 1 |
| FEAT | | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Cross | Connects | | <u> </u> | | ļ | | | | | | | | | L | | |
| | Physical Expanded Interconnection Two Wire Cross Connect, | 1 | | | | | | | | | | 1 | | I | | ı |
| | Provsioning | | L | UEPSR | PE1R2 | 0.0318 | 11.94 | 11.46 | | | ļ | | | | | |
| L | Virtual Collocation - Two Wire Cross Connect, Provisioning | ļ | <u> </u> | UEPSR | VE1R2 | 0.0296 | 11.94 | 11.46 | | | ļ | | | ļ | | 1 |
| Non-R | ecurring Charges | - | ļ | LIEDOD | 110463 | <u> </u> | | | ļ | | 1 | | | - | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | ! | - | UEPSR | USAS2 | 0.00 | 0.00 | 0.00 | 1 | | | | | | | |
| D00 14 | Subsequent Activity | - | - | UEPSR | USASC | 0.00 | 0.00 | 11.10 | 1 | - | | | | | | |
| D20 M | /HOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG 2-Way PBX Trunk - Res | - | - | UEPSE | UEPRD | 11.52 | 67.39 | 25.37 | - | | <u> </u> | | | | | |
| | 2-Wire VG 2-Way PBX Trunk - Res 2-Wire VG Line Side 2-Way PBX Trunk - Bus | - | | UEPSP | UEPPC | 11.52 | 67.39 | 25.37 | 1 | | | | | | | |
| | 2-Wire VG Line Side 2-Way PBX Trunk - Bus 2-Wire VG Line Side Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 11.52 | 67.39 | 25.37 | 1 | | | | | t | | |
| | 2-Wire VG Line Side Odtward PBX Trunk - Bus 2-Wire VG Line Side Incoming PBX Trunk - Bus | t | | UEPSP | UEPP1 | 11.52 | 67.39 | 25.37 | 1 | | | - | | | | i |
| | 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | † | † | UEPSP | UEPLD | 11.52 | 67.39 | 25.37 | 1 | | | | | I | | |
| | 2-Wire Voice 2-Way PBX Louisiana Calling Port | | | UEPSP | UEPL2 | 11.52 | 67.39 | 25.37 | | | | | | + | | · |
| | 2-Wire Voice PBX LD Terminal Ports | † | † | UEPSP | UEPLD | 11.52 | 67.39 | 25.37 | 1 | | | | | I | | |
| | 2-Wire Vice 2-Way PBX Usage Port | † | | UEPSP | UEPXA | 11.52 | 67.39 | 25.37 | | 1 | | | | † | | |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | t | t | UEPSP | UEPXB | 11.52 | 67.39 | 25.37 | | i | 1 | | | 1 | | |
| | 2-Wire Voice PBX LD DDD Terminals Port | l – | | UEPSP | UEPXC | 11.52 | 67.39 | 25.37 | | İ | 1 | | | 1 | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | t | t | UEPSP | UEPXD | 11.52 | 67.39 | 25.37 | | i | 1 | | | 1 | | i |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | l – | | UEPSP | UEPXE | 11.52 | 67.39 | 25.37 | | İ | 1 | | | 1 | | |
| | | İ | | - | 1 | | | | | | | | | | | i |
| | 2-Wire Voice 2-Way PBX Louisiana Local Optional Callling Port | 1 | 1 | UEPSP | UEPXK | 11.52 | 67.39 | 25.37 | | | 1 | 1 | | 1 | | 1 |

| SERVICES | S - Louis | iana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------------|----------------|---|-------------|----------|----------------|----------|--|----------------|----------------|--------------|-------|--|------------------------|--|--|----------|---|
| CATEGORY | , | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | • | • |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Voice 2-Way PBX Hotel/Hospital Economy | | | | 1 | | | | | | | | | | | |
| | | strative Calling Port Voice 2-Way PBX Hotel/Hospital Economy Room Calling | | | UEPSP | UEPXL | 11.52 | 67.39 | 25.37 | | | - | | | | | |
| | Port | | | | UEPSP | UEPXM | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | Room (| Voice 1-Way Outgoing PBX Hotel/Hospital Discount Calling Port | | | UEPSP | UEPXO | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | | Voice 1-Way Outgoing PBX Louisiana Local Discount | | | LIEDOD | UEPXP | 44.50 | 07.00 | 05.07 | | | | | | | | |
| \vdash | Calling | Voice 1-Way Outgoing PBX Measured Port | | | UEPSP UEPSP | UEPXP | 11.52 11.52 | 67.39 67.39 | 25.37 25.37 | - | | | | | | | |
| FΕΔ | TURES | voice 1-way Outgoing FBA Measured Fort | | | OLFSF | OLFAG | 11.52 | 07.59 | 25.51 | | | | | | | | |
| 1.27 | | lable Vertical Features | | | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Cros | ss Connec | | | | | | | | | | | | | | | | |
| | Physica | al Expanded Interconnection Two Wire Cross Connect, | | | | | | | | | | | | | | | |
| | Provsio | | | | UEPSP | PE1R2 | 0.0318 | 11.94 | 11.46 | ļ | | | | | | | <u> </u> |
| <u> </u> | | Collocation - Two Wire Cross Connect, Provisioning | | | UEPSP | VE1R2 | 0.0296 | 11.94 | 11.46 | ļ | | 1 | | | | | |
| Non | -Recurring | Charges Voice Grade Loop/ Line Port Platform - Subsequent | | - | UEPSP | USAS2 | | 0.00 | 0.00 | <u> </u> | | - | | | | | |
| | | quent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| DS0 | LOCAL W | HOLESALE SWITCHING PORTS - (Coin) | | | OLI OI | OOAGC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | 2-Wire | Coin 2-Way without Operator Screening and without g (AL, KY, LA, MS) | | | UEP2C | UEPRF | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire | Coin 2-Way with Operator Screening and Blocking: 011, DDD (AL, KY, LA, & MS) | | | UEP2C | UEPRA | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | | Coin 2-Way with Operator Screening and 011 Blocking | | | UEP2C | UEPRB | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire | Coin 2-Way with Operator Screening & Blocking: 900, | | | UEP2C | UEPCD | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire | Coin Outward without Blocking and without Operator ing (KY, LA, MS) | | | UEP2C | UEPRN | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire | Coin Outward with Operator Screening and 011 Blocking | | | | UEPLA | 11.52 | | | | | | | | | | |
| | (LA) 2-Wire | Coin Outward with Operator Screening and Blocking: | | | UEP2C | UEPLA | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | 011, 90 | (0, 1+DDD (AL, KY, LA, MS) Coin Outward Operator Screening & Blocking: 900, | | | UEP2C | UEPRH | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | | , 011+, & Local (AL, KY, LA, MS) | | | UEP2C | UEPCN | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | | Coin 2-Way Smartline with 900/976 (Louisiana only) | | | UEP2C | UEPNA | 11.02 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire | Coin Outward Smartline with 900/976 (Louisiana only) | | | UEP2C | UEPCB | | 67.39 | 25.37 | | | | | | | | |
| Coir | n Usage | | | | | | | | | | | | | | | | |
| | DS0 W | holesale Local Platform Service (Coin) Usage (Flat Rate) | | | UEP2C | URECU | 5.50 | | | | | | | | | | |
| Cros | ss Connec | | | | | 1 | 5.50 | | | | | | | | | | |
| | Physica | al Expanded Interconnection Two Wire Cross Connect, | | | | | | | | | | | | | | | |
| | Provsio | ning | | | UEP2C | PE1R2 | 0.0318 | 11.94 | 11.46 | | | | | | | | |
| | | Collocation - Two Wire Cross Connect, Provisioning | | | UEP2C | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| Non | -Recurring | | | | LIEDOC | LICACO | | 0.00 | 0.00 | | | | | | | | |
| | | Voice Grade Loop/ Line Port Platform - Subsequent dled Miscellaneous Rate Element, Tag Loop at End User | | | UEP2C | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | Premise | | | | UEP2C | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | CIRCUIT SWITCHING, PORT USAGE | | | | 1 | | | | ļ | | | | | | | <u> </u> |
| End | | itching (Port Usage) fice Switching Function, Per MOU | | <u> </u> | | + | 0.001868 | | | | | 1 | | | | - | 1 |
| | | fice Trunk Port - Shared, Per MOU | | | | + | 0.001868 | | | | | | | | | | |
| Tan | | hing (Port Usage) (Local or Access Tandem) | | | | + | 0.00018 | | | | | | | | | | |
| - I all | | n Switching Function Per MOU | | | | † | 0.0001067 | | | | | | | | | | |
| | Tanden | n Trunk Port - Shared, Per MOU | | | | | 0.000222 | | | | | | | | | | |
| Mele | ded Factor | : 33.08% of the Tandem Rate | | | | | | | | | | | | | | | |
| | | n Switching Function Per MOU (Melded) | | | | | 0.000035296 | | | | | | | | | | lacksquare |
| | | n Trunk Port - Shared, Per MOU (Melded) | | | | | 0.000073438 | | | <u> </u> | | | | | | | _ |
| Who | nesale Cor | mmon Transport | | | | 1 | L | | | L | l | | | | | l | |

| SERVIC | CES - | Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|---------|--|--|--|-----------------------|--|-------------------|----------------|---------------|----------------|------------------|---------------|-------------|---------------|-----------------|-------------|--------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | |
| CATEGO | DRY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | , | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | | Disc Add'l |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | DISC Add I |
| | | | | | | | | Nonre | curring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | Common Transport - Per Mile, Per MOU | | | | | 0.0000032 | | | | | | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.0003748 | | | | | | | | | | |
| DS0 WH | OLES/ | ALE LOCAL PLATFORM SERVICE | | | | | | | | | | | | | | | |
| > | > For N | New Install scenarios the Nonrecurring charges are listed in the | e First a | and Ad | ditional NRC colum | ns for each F | ort USOC. For | Existing Platf | orm scenarios | . the Nonrecur | ring charges a | re listed in | the NRC - C | onversions s | ection. Addit | onal NRCs m | av apply |
| | | nd are categorized accordingly. | | | | | | | | | | | | | | | |
| | | 3, | | | | | | | | | | | | | | | |
| l l | Fnd | Office and Tandem Switching Usage and Wholesale Common | Transn | ort Usa | ne rates in the Port | section of th | is rate exhibit | shall annly to | DS0 Wholesale | I ocal Platfor | m Service exce | nt for the C | oin Service | which has a | flat rate usane | charge (USC | C: URECU) |
| | | /HOLESALE LOCAL PLATFORM SERVICE (Residence) | Transp | 1 | lge rates in the rort | Jeotion or ti | III TALO CATILDIC | опан арргу со | l vinoiesaic | Local Flation | li oci vioc exec | perior tire o | I CONTROL | l l | liat rate asage | l I | l childoj. |
| | | pop Rates | | | | | | | | | | | | | | | |
| | 500 E | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 11.77 | | | | | | | | | | |
| \vdash | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | — | | UEPRX | UEPLX | 22.39 | | | | t | - | | | † | | |
| \vdash | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | — | | UEPRX | UEPLX | 48.26 | | | | t | - | | | † | | |
| 2 | 2-Wire | Voice Grade Line Port (Res) | — | | 021100 | JEI EX | 70.20 | | | | t | - | | | † | | |
| <u> </u> | | 2-Wire voice port - residence | — | \vdash | UEPRX | UEPRL | 8.36 | 32.50 | 11.10 | | t | - | | | † | | |
| \vdash | | 2-Wire voice port with Caller ID - res | | | UEPRX | UEPRC | 8.36 | 32.50 | 11.10 | | + | - | - | 1 | 1 | 1 | |
| \vdash | | 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res | | | UEPRX | UEPRO | 8.36 | 32.50 | 11.10 | | + | - | - | 1 | 1 | 1 | |
| | | 2-Wire voice port outgoing only - res 2-Wire voice Louisiana extended local dialing parity port with | | | ULFIX | OLFRO | 0.30 | 32.30 | 11.10 | | | | | | 1 | | |
| | | Caller ID - res | | | UEPRX | UEPAS | 8.36 | 32.50 | 11.10 | | | | | | | | |
| | | 2-Wire voice Louisiana Area Plus with Caller ID - res | | | UEPRX | UEPAG | 8.36 | 32.50 | 11.10 | | | | | | 1 | | |
| | | 2-Wire voice Louisiana Area Fitus with Caller ID | - | - | UEPRX | UEPAP | 8.36 | 32.50 | 11.10 | | - | - | - | | | | - |
| | | 2-Wire voice les, low usage line port with Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability | - | - | UEPRX | UEPRT | 8.36 | 32.50 | 11.10 | | - | - | - | | | | - |
| | | 2-Wife voice Low Osage Line Port without Caller ID Capability | - | - | UEFRA | UEPKI | 0.30 | 32.30 | 11.10 | | - | - | - | | | | - |
| | | 2-Wire Voice Louisiana Residence Dialing Plan without Caller ID | | | UEPRX | UEPWG | 8.36 | 32.50 | 11.10 | | | | | | | | |
| | | | - | - | UEFRA | UEPWG | 0.30 | 32.30 | 11.10 | | - | - | - | | | | - |
| | | 2-Wire voice Louisiana Area Plus Port without Caller ID | | | UEPRX | UEPRQ | 8.36 | 32.50 | 11.10 | | | | | | | | |
| - | FEATU | Capability | - | - | UEPRX | UEPRQ | 8.36 | 32.50 | 11.10 | | | | | | | | |
| | FEATU | All Features Offered | | | UEPRX | UEPVF | 0.00 | | | | | | | | | | |
| — | IONE | | - | - | UEPRX | UEPVF | 0.00 | | | | | | | | | | |
| r | NONRE | ECURRING CHARGES - Conversions | | | LIEDDY | USAC2 | | 40.00 | 40.00 | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is | - | - | UEPRX | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Platform - Switch with | | | LIEDDY | | | 40.00 | 40.00 | | | | | | | | |
| | | change | - | - | UEPRX | USACC | | 10.00 | 10.00 | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Platform - Installation | | | | | | | | | | | | | | | |
| | | Charge at QuickService location - Not Conversion of Existing | | | LIEDDY | LIDEOO | | 40.00 | | | | | | | | | |
| ├ | A DOIT | Service | | | UEPRX | URECC | | 10.00 | | | | | | | | | |
| , | ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Platform - | | | LIEDDY | | | 0.00 | 0.00 | | | | | | | | |
| | | Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | 1 | LIEDDY | LIDET! | I | 0.00 | 0.00 | | I | 1 | 1 | | | | 1 |
| L . | maid: | Premise Windows and a second s | — | | UEPRX | URETL | - | 8.33 | 0.83 | | - | | | . | ļ | . | _ |
| | nside | Wire Maintenance | — | | LIEDDY | 050414 | | | - | | - | | | . | ļ | . | . |
| | DEE'5 | Inside Wire Maintenance Plan | | | UEPRX | SEQ1X | 4.50 | | | | - | | | | | | |
| | JFF/O | N PREMISES EXTENSION CHANNELS | — | L . | LIEDDY | LIEAES: | | | | | - | | | . | ļ | . | . |
| \vdash | | 2 Wire Analog Voice Grade Extension Loop – Non-Design | — | | UEPRX | UEAEN | 12.90 | 36.54 | 16.87 | | - | | | . | ļ | . | . |
| \vdash | | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | | UEPRX | UEAEN | 23.33 | 36.54 | 16.87 | | | | | | ļ | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | | UEPRX | UEAEN | 48.43 | 36.54 | 16.87 | | | | | | ļ | | |
| \vdash | | 2 Wire Analog Voice Grade Extension Loop – Design | | | UEPRX | UEAED | 14.93 | 102.10 | 65.72 | | | | | | ļ | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Design | | | UEPRX | UEAED | 25.35 | 102.10 | 65.72 | | | | | | ļ | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPRX | UEAED | 50.46 | 102.10 | 65.72 | | | | | | ļ | | |
| | NTER | OFFICE TRANSPORT | | | | | | | | | . | | | ļ | | ļ | ļ |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | 1 | | | | 1 | | | | | | |
| \sqcup | | Termination | | | UEPRX | U1TV2 | 22.60 | 39.36 | 26.62 | | . | | | ļ | | ļ | ļ |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | 1 | | | | 1 | | | | | | |
| \vdash | | or Fraction Mile | | | UEPRX | U1TVM | 0.013 | 0.00 | 0.00 | | . | | | ļ | | ļ | ļ |
| | | HOLESALE LOCAL PLATFORM SERVICE (Res-PBX) | | | | 1 | | | | | | | | | | | |
| | DS0 Lo | pop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEPRG | UEPLX | 11.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEPRG | UEPLX | 22.39 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 48.26 | | | | | | | | | | |
| 1 2 | 2-Wire | Voice Grade Line Port Rates (RES - PBX) | 1 | I - | | 1 | | | l | | L | <u> </u> | <u> </u> | <u> </u> | | | |

| SERVICES - | - Louisiana | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|--|-------------|--|----------------|----------------|----------------|----------------|----------------|-----------------------|---|--|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | Svc Order Submitted Elec per LSR | Submitted Manually | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | + | _ 1 | Nonrec | urrina | Nonrecurring Disconne | ct | 1 | OSS | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First Add'l | | SOMAN | | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice 2-Way PBX Trunk Port - Res (E: 1/1/2005) | | | UEPRG | UEPRD | 11.36 | 67.39 | 25.37 | | | | | | | |
| FEAT | | | | | | | | | | | | | | | |
| NONE | All Features Offered | | | UEPRG | UEPVF | 0.00 | | | | | | | | | |
| NONK | ECURRING CHARGES - Conversions | | | UEPRG | USAC2 | | 10.00 | 10.00 | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | UEPRG | USACZ | | 10.00 | 10.00 | | _ | 1 | | | | |
| | Change | | | UEPRG | USACC | | 10.00 | 10.00 | | | | | | | ĺ |
| ADDIT | TIONAL NRCs | | | 02. 110 | 00/100 | | 10.00 | 10.00 | | 1 | 1 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPRG | USAS2 | | 0.00 | 0.00 | | | | | | | |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | | | | | | | | | | | | |
| | Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | 4401 | 44.61 | | 1 | | | | | 1 |
| | Group Unbundled Miscellaneous Rate Element, Tag Loop at End User | | - | | + | | 14.64 | 14.64 | | - | 1 | | | | |
| | Premise | | | UEPRG | URETL | | 8.33 | 0.83 | | | | | | | ĺ |
| OFF/C | DN PREMISES EXTENSION CHANNELS | | | OLING | UNLIL | | 0.33 | 0.63 | | - | 1 | | | | |
| 0.170 | Local Channel Voice grade, per termination | | 1 | UEPRG | P2JHX | 14.93 | 102.10 | 65.72 | | | | | | | |
| | Local Channel Voice grade, per termination | | 2 | UEPRG | P2JHX | 25.35 | 102.10 | 65.72 | | | | | | | |
| | Local Channel Voice grade, per termination | | 3 | UEPRG | P2JHX | 50.46 | 102.10 | 65.72 | | | | | | | |
| INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | ĺ |
| | Termination | | | UEPRG | U1TV2 | 22.60 | 39.36 | 26.62 | | _ | | | | | —— |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPRG | U1TVM | 0.013 | 0.00 | 0.00 | | | | | | | İ |
| DS0 V | VHOLESALE LOCAL PLATFORM SERVICE (Bus-PBX) | | | OLI NO | OTTVIVI | 0.013 | 0.00 | 0.00 | | - | | | | | |
| | oop Rates | | | | | | | | | | 1 | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 11.77 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 22.39 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 48.26 | | | | | | | | | |
| 2-Wire | e Voice Grade Line Port Rates (BUS - PBX) | | | UEDDV | | 44.00 | 07.00 | | | | | | | | |
| | Line Side Combination 2-Way PBX Trunk Port - Bus Line Side Outward PBX Trunk Port - Bus | | | UEPPX UEPPX | UEPPC UEPPO | 11.36 11.36 | 67.39 67.39 | 25.37 25.37 | | | | | | | |
| | Line Side Outward PBX Trunk Port - Bus Line Side Incoming PBX Trunk Port - Bus | | | UEPPX | UEPPO UEPP1 | 11.36 | 67.39 | 25.37 | | _ | 1 | | | | |
| | 2-Wire Voice 2-Way Combination PBX Louisiana Calling Port | | | UEPPX | UEPL2 | 11.36 | 67.39 | 25.37 | | - | + | | | | |
| | 2-Wire Voice PBX LD Terminal Ports | | | UEPPX | UEPLD | 11.36 | 67.39 | 25.37 | | | | | | | |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 11.36 | 67.39 | 25.37 | | | | | | | |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 11.36 | 67.39 | 25.37 | | | | | | | |
| | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPPX | UEPXC | 11.36 | 67.39 | 25.37 | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 11.36 | 67.39 | 25.37 | | _ | | | | | —— |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 11.36 | 67.39 | 25.37 | | _ | - | | | | - |
| | 2-Wire Voice 2-Way PBX Louisiana Local Optional Calling Port | | | UEPPX | UEPXK | 11.36 | 67.39 | 25.37 | | | | | | | ĺ |
| | 2-Wire Voice 2-Way PBX Hotel/Hospital Economy Administrative | | | OLI I X | OLI AIR | 11.00 | 07.00 | 20.01 | | | 1 | | | | |
| | Calling Port | | | UEPPX | UEPXL | 11.36 | 67.39 | 25.37 | | 1 | | | | | 1 |
| | 2-Wire Voice 2-Way PBX Hotel/Hospital Economy Room Calling | | | | | | | | | | 1 | | 1 | 1 | |
| | Port | | | UEPPX | UEPXM | 11.36 | 67.39 | 25.37 | | | | | | | |
| | 2-Wire Voice 1-Way Outgoing PBX Hotel/Hospital Discount | | | | | | | | | | | | | | 1 |
| | Room Calling Port | | . | UEPPX | UEPXO | 11.36 | 67.39 | 25.37 | | | 1 | ļ | | | |
| | 2-Wire Voice 1-Way Outgoing PBX Louisiana Local Discount Calling Port | | | UEPPX | UEPXP | 11.36 | 67.39 | 25.37 | | 1 | | | | | 1 |
| FEATU | | | | OLFFA | UEFAP | 11.36 | 67.39 | 25.37 | | + | + | | | | |
| I LAI | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | 1 | | 1 | — |
| NONR | ECURRING CHARGES - Conversions | | | | 1 | 5.50 | 3.55 | 0.00 | | 1 | | | İ | İ | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPPX | USAC2 | | 10.00 | 10.00 | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | |
| | Change | | 1 | UEPPX | USACC | | 10.00 | 10.00 | | | 1 | | | | <u> </u> |
| ADDIT | TIONAL NRCs | | - | LIEDDY | LICACO | | 0.00 | 0.00 | | \rightarrow | 1 | | - | . | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | L | UEPPX | USAS2 | | 0.00 | 0.00 | | | 1 | | l | l | |

| SERVICE | S - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|-------------|--|---------|---------|-------|--------|-----------|--------------|------------|--|---|---|---|---|---|
| CATEGORY | Y RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | | | | | | | | | | | | | |
| | Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | 4404 | 44.04 | | | | | | | | |
| | Group Unbundled Miscellaneous Rate Element, Tag Loop at End User | - | | | | | 14.64 | 14.64 | | | | | | | - | . |
| | Premise | | | UEPPX | URETL | | 8.33 | 0.83 | | | | | | | | |
| OFF | F/ON PREMISES EXTENSION CHANNELS | | | OLI I X | OKETE | | 0.00 | 0.00 | | | | | | | | |
| - | Local Channel Voice grade, per termination | | 1 | UEPPX | P2JHX | 14.93 | 102.10 | 65.72 | | | | | | | | |
| | Local Channel Voice grade, per termination | | 2 | UEPPX | P2JHX | 25.35 | 102.10 | 65.72 | | | | | | | | |
| | Local Channel Voice grade, per termination | 1 | 3 | UEPPX | P2JHX | 50.46 | 102.10 | 65.72 | | | | | | | | |
| INT | EROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | l | I | | | | | | | | | | _ | |
| | Termination | 1 | <u> </u> | UEPPX | U1TV2 | 22.60 | 39.36 | 26.62 | | | ļ | | | | ļ | ↓ |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | 1 | LIEDDY | LIATION | 0.040 | 0.00 | 0.00 | | | | | | | I | |
| D04 | or Fraction Mile WHOLESALE LOCAL PLATFORM SERVICE (Coin) | + | ├ | UEPPX | U1TVM | 0.013 | 0.00 | 0.00 | | | <u> </u> | | | | | |
| | 0 WHOLESALE LOCAL PLATFORM SERVICE (Coin) 0 Loop Rates | + | | | + | | | | - | | 1 | | | | | + |
| D30 | 2-Wire Voice Grade Loop (SL1) - Zone 1 | + | 1 | UEPCO | UEPLX | 11.77 | | | | | | | | | - | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | + | | UEPCO | UEPLX | 22.39 | | | | | | | | | - | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 48.26 | | | | | | | | | | |
| 2-W | Vire Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | 1 | | | | | |
| | Blocking (AL, KY, LA, MS) | | | UEPCO | UEPRF | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| | 900, 1+DDD (AL, KY, LA, MS, SC) | | | UEPCO | UEPRA | 11.36 | 67.39 | 25.37 | | | | | | | | ļ |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (AL, LA, MS) 2-Wire Coin 2-Way with Operator Screening & Blocking: 900, | 1 | 1 | UEPCO | UEPRB | 11.36 | 67.39 | 25.37 | | | 1 | - | | | 1 | |
| | 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Coin Outward without Blocking and without Operator | 1 | 1 | UEPCO | UEPCD | 11.30 | 67.39 | 25.57 | | | 1 | | | | - | |
| | Screening (KY, LA, MS) | | | UEPCO | UEPRN | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | 1 | | 02. 00 | 02.7 | 11.00 | 07.00 | 20.01 | | | 1 | | | | t | |
| | (LA) | | | UEPCO | UEPLA | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | 1 | | | | | |
| | 011, 900, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Coin Outward Operator Screening & Blocking: 900, | | | | | | | | | | | | | | | |
| | 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Coin 2-Way Smartline with 900 (Louisiana only) | | | UEPCO | UEPNA | 11.36 | 67.39 | 25.37 | | | | | | | | |
| Cai | 2-Wire Coin Outward Smartline with 900 (Louisiana only) in Usage | + | - | UEPCO | UEPCB | 11.36 | 67.39 | 25.37 | 1 | | | | | | | |
| COI | III Usaye | + | | | + | | | | 1 | | <u> </u> | | | | | |
| | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | | | UEPCO | URECU | 5.50 | | | | | | | | | I | |
| NOI | NRECURRING CHARGES - Conversions | 1 | | - : | 1 | 0.00 | | | | | 1 | | | | 1 | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | 1 | | UEPCO | USAC2 | | 10.00 | 10.00 | 1 | | | | | | 1 | 1 |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | İ | | | | | | | | | |
| | Change | 1 | | UEPCO | USACC | | 10.00 | 10.00 | | | ļ | | | | | 1 |
| ADI | DITIONAL NRCs | ļ | | | 1 | | | | | | ļ | | | | 1 | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | 1 | <u> </u> | UEPCO | USAS2 | | 0.00 | 0.00 | | | <u> </u> | | | | | _ |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | LIEBCO | LIDETI | | 0.00 | 0.83 | | | | | | | I | |
| Dec | 0 WHOLESALE LOCAL PLATFORM SERVICE (FX/FCO Res) | 1 | | UEPCO | URETL | | 8.33 | 0.83 | | | | | | | + | + |
| | 0 Loop Rates | 1 | | | + | | | | + | | 1 | | | | t | † |
| 500 | 2-Wire Voice Grade Loop (SL2) - Zone 1 | 1 | 1 | UEPFR | UECF2 | 14.93 | | | | | | | | | <u> </u> | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | 1 | 2 | UEPFR | UECF2 | 25.35 | | | | | 1 | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | 1 | | UEPFR | UECF2 | 50.46 | | | | | | | | | | 1 |
| 2-W | Vire Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice port - residence | | | UEPFR | UEPRL | 8.52 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice port with Caller ID - res | 1 | | UEPFR | UEPRC | 8.52 | 220.00 | 145.00 | | | ļ | | | | L | ļ |
| | 2-Wire voice port outgoing only - res | 1 | 1 | UEPFR | UEPRO | 8.52 | 220.00 | 145.00 | | | 1 | | | | 1 | |

| SERVICES | S - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------------------|--|-------------|--|--------|----------------|-------|--------|-----------|--------------|------------|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | <u> </u> | | | | Nonrec | urrina | Nonrecurring | Disconnect | | | 088 | Rates(\$) | 1 | |
| \vdash | | | - | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice Louisiana extended local dialing parity port with | | 1 | | + | | 11130 | Addi | 11130 | Auu i | JOINEC | JONIAN | JONIAN | JONAN | JOHIAN | JOHIAN |
| 1 | Caller ID - res | | | UEPFR | UEPAS | 8.52 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice Louisiana Area Plus with Caller ID - res | | | UEPFR | UEPAG | 8.52 | 220.00 | 145.00 | | | | | | | t | |
| | 2-Wire voice res, low usage line port with Caller ID | | | UEPFR | UEPAP | 8.52 | 220.00 | 145.00 | | | | | | | t | |
| (| | | | | | | | | | | | | | | | |
| | 2-Wire voice res, low usage line port without Caller ID capabilty | | | UEPFR | UEPRT | 8.52 | 220.00 | 145.00 | | | | | | | | |
| i I | 2-Wire Voice Louisiana Residence Dialing Plan without Caller | | | | | | | | | | | | | | | |
| | ID | | | UEPFR | UEPWG | 8.52 | 220.00 | 145.00 | | | | | | | | |
| 1 | 2-Wire voice Louisiana Area Plus Port without Caller ID | | | | | | | | | | | | | | | |
| | Capability | | | UEPFR | UEPRQ | 8.52 | 220.00 | 145.00 | | | | | | | | |
| INTE | ROFFICE TRANSPORT | | <u> </u> | | | | | | | | | | | | ļ | ļ |
| (l | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | LIEDED | 11477.00 | | | | | | | | | | 1 | |
| $\vdash \vdash$ | Termination | | <u> </u> | UEPFR | U1TV2 | 22.60 | 39.36 | 26.62 | | | - | | | ļ | - | ļ |
| 1 1 | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | LIEDED | 41.572 | 0.040 | | | | | | | | | I | |
| | or Fraction Mile TURES | | ļ | UEPFR | 1L5XX | 0.013 | | | | | | | | | 1 | |
| FEA | All Features Offered | | | UEPFR | UEPVF | 0.00 | | | | | - | | | | - | |
| NON | RECURRING CHARGES (NRCs) - CONVERSIONS | | | UEPFR | UEPVF | 0.00 | | | | | - | | | | | 1 |
| NON | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | _ | | | | | | - | | | | | 1 |
| 1 | - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | OLFIK | USAGZ | | 10.00 | 10.00 | | | | | | 1 | | |
| 1 | - Conversion - Switch-With-Change | | | UEPFR | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADD | ITIONAL NRCs | | 1 | OLITIK | 00/100 | | 10.00 | 10.00 | | | 1 | | | | 1 | |
| 1.55 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | 1 | | | | | |
| 1 | - Subsequent Activity | | | UEPFR | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | 1 | | 000.00 | | | | | | | | | | | |
| 1 | End User Premise | | | UEPFR | URETN | | 11.20 | 1.10 | | | | | | | | |
| | | | 1 | | | | | | | | | | | | | |
| | | | 1 | | | | | | | | | | | | | |
| | WHOLESALE LOCAL PLATFORM SERVICE (FX/FCO Bus) | | | | | | | | | | | | | | | |
| DS0 | Loop Rates | | | | | | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 14.93 | | | | | | | | | | |
| igwdow | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 25.35 | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 50.46 | | | | | | | | | | |
| 2-Wi | re Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | |
| $\vdash \vdash \vdash$ | 2-Wire voice port without Caller ID - bus | | <u> </u> | UEPFB | UEPBL | 11.52 | 220.00 | 145.00 | | | - | | | ļ | - | ļ |
| | 2-Wire voice port with Caller + E484 ID - bus | - | <u> </u> | UEPFB | UEPBC | 11.52 | 220.00 | 145.00 | | | | | | . | | 1 |
| | 2-Wire voice port outgoing only - bus | - | <u> </u> | UEPFB | UEPBO | 11.52 | 220.00 | 145.00 | | | | | | . | | 1 |
| (l | 2-Wire voice Grade Louisiana extended local dialing parity port with Caller ID - bus | | | UEPFB | UEPAX | 11.52 | 220.00 | 145.00 | | | | | | | 1 | |
| | 2-Wire voice incoming only port with Caller ID - Bus | - | | UEPFB | UEPAX UEPB1 | 11.52 | 220.00 | 145.00 | | | | | | | + | |
| +- | 2-Wire voice Incoming only port with Caller ID - Bus 2-Wire voice Louisiana Bus Area Calling Port with Caller ID | 1 | † | UEPFB | UEPAA | 11.52 | 220.00 | 145.00 | | | | | | | | |
| | 12 TVITO VOICE LOUISIANA DUS AIGA CANING FOIL WILLI CANEI ID | | | OLITO | OLI AA | 11.02 | 220.00 | 145.00 | | | - | | | | t | |
| i I | 2-Wire Voice Louisiana Business Dialing Plan without Caller ID | | | UEPFB | UEPWH | 11.52 | 220.00 | 145.00 | | | | | | | I | |
| | Eduloura Buomood Branny Fran William Odnor ID | | <u> </u> | | | 02 | 223.00 | 0.00 | | | | | | | <u> </u> | |
| i l | 2-Wire voice Louisiana Bus Area Calling Port without Caller ID | | | UEPFB | UEPBA | 11.52 | 220.00 | 145.00 | | | | | | | 1 | |
| - | 2-Wire voice incoming only port without Caller ID capability | 1 | i – | UEPFB | UEPBE | 11.52 | 220.00 | 145.00 | 1 | | | | | İ | 1 | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | <u></u> | <u></u> | UEPFB | U1TV2 | 22.60 | 39.36 | 26.62 | | | | | | | | |
| i | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | 1 | | | | | | | | | | | | |
| | or Fraction Mile | | <u> </u> | UEPFB | 1L5XX | 0.013 | | | | | | | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 0.00 | | | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CONVERSIONS | | <u> </u> | | | | | | | | | | | ļ | 1 | 1 |
| 1 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | LIEDED | 110465 | | | | | | | | | | 1 | |
| | - Conversion - Switch-as-is | ı | 1 | UEPFB | USAC2 | | 10.00 | 10.00 | | |] | | | 1 | 1 | l |
| <u> </u> | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | 1 | 1 | | | | | 1 | | | | | | 1 | I . |

| ERVICES - | Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------------|---|-------------|----------|----------------------|------------------|------------------|----------------|---------------|-----------------|-----------------|----------------|---|---|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Rec | Nonre | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| ADDIT | ONAL NRCs | | | | | | | | | | | | | | | 1 |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise | | | UEPFB | URETN | | 11.20 | 1.10 | | | | | | | | |
| DS0 W | HOLESALE LOCAL PLATFORM SERVICE (FX/FCO PBX) | | | | | | | | | | | | | | | |
| DS0 Lo | oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 14.93 | | | | Î | | | | Î | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 25.35 | | | | Î | | | | Î | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 50.46 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 11.52 | 285.00 | 175.00 | | 1 | ĺ | | | | | |
| | Line Side Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 11.52 | 285.00 | 175.00 | | | | | | | | |
| | Line Side Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 11.52 | 285.00 | 175.00 | | İ | 1 | | | İ | | |
| | 2-Wire Voice 2-Way Combination PBX Louisiana Calling Port | | † | UEPFP | UEPL2 | 11.52 | 285.00 | 175.00 | <u> </u> | İ | 1 | | | İ | | |
| - | 2-Wire Voice PBX LD Terminal Ports | | | UEPFP | UEPLD | 11.52 | 285.00 | 175.00 | 1 | | 1 | | | | | |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | t | UEPFP | UEPXA | 11.52 | 285.00 | 175.00 | 1 | 1 | 1 | | | | | |
| _ | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 11.52 | 285.00 | 175.00 | | 1 | + | | | | | |
| - | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 11.52 | 285.00 | 175.00 | | + | <u> </u> | | | | | |
| | 2-Wire Voice PBX LD DDD Terminals Fort 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 11.52 | 285.00 | 175.00 | | | | | | | | — |
| _ | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | - | UEPFP | UEPXE | 11.52 | 285.00 | 175.00 | | - | | | | | | — |
| | · | | | | UEPXK | | | | | | | | | | | |
| | 2-Wire Voice 2-Way PBX Louisiana Local Optional Calling Port 2-Wire Voice 2-Way PBX Hotel/Hospital Economy | | | UEPFP | | 11.52 | 285.00 | 175.00 | | | | | | | | |
| | Administrative Calling Port 2-Wire Voice 2-Way PBX Hotel/Hospital Economy Room Calling | | | UEPFP | UEPXL | 11.52 | 285.00 | 175.00 | | | | | | | | |
| | Port 2-Wire Voice 1-Way Outgoing PBX Hotel/Hospital Discount | | | UEPFP | UEPXM | 11.52 | 285.00 | 175.00 | | | | | | | | |
| | Room Calling Port 2-Wire Voice 1-Way Outgoing PBX Louisiana Local Discount | | | UEPFP | UEPXO | 11.52 | 285.00 | 175.00 | | | | | | | | |
| INTER | Calling Port DFFICE TRANSPORT | | | UEPFP | UEPXP | 11.52 | 285.00 | 175.00 | | | | | | | | |
| INTER | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFP | U1TV2 | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPFP | 1L5XX | 0.013 | | | | | | | | | | |
| FEATU | | | | 02 | 120701 | 0.010 | | | 1 | | 1 | | | | | |
| 1 =/110 | All Features Offered | | | UEPFP | UEPVF | 0.00 | | | | | | | | | | |
| NONRE | CURRING CHARGES (NRCs) - CONVERSIONS | | | UEPFP | 02. 1. | 0.00 | | | | | | | | | | |
| NOMINE | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - Conversion - Switch-With-Change | | | UEPFP | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADDIT | ONAL NRCs | | | OLITI | 00/100 | | 10.00 | 10.00 | 1 | | 1 | | | | | — |
| ADDITI | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port (PBX) Platform - Subsequent Activity | | | UEPFP | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | OLITI | OGAGE | 0.00 | 7.11 | 7.11 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | LIEDED | LIDETN | | | | | | | | | | | |
| 0.14(1.01.50 | End User Premise | | | UEPFP | URETN | | 11.20 | 1.10 | ļ | | | | | | | |
| | ALE LOCAL SWITCHING PORTS | | L | | | | | | L | <u> </u> | l | | L | L | | |
| | lew Install scenarios the Nonrecurring charges are listed in that are categorized accordingly. | e First a | and Ad | ditional NRC colum | nns for each P | ort USOC. For | Existing Platt | orm scenarios | s, the Nonrecur | rring charges a | re listed in t | the NRC - Co | onversions s | ection. Additi | ional NRCs m | ay apply |
| | Office and Tandem Switching Usage and Wholesale Common | Transp | ort Us | age rates in the Por | rt section of th | nis rate exhibit | shall apply to | the Wholesale | Access Line S | Service except | for the Coin | Service wh | ich has a flat | rate usage ch | narge (USOC: | URECU). |
| DS0 W | HOLESALE LOCAL SWITCHING PORTS - (Bus) Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | LIEDOD | LIEDE: | | 27.0- | | | | | | | | | |
| | Bus Exchange Ports - 2-Wire VG Line Port with port with | | | UEPSB | UEPBL | 11.52 | 67.39 | 25.37 | | | - | | | | | |
| | Exchange Ports - 2-Wire VG Line Port with port with Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 11.52 | 67.39 | 25.37 | | | | | | | | |

| SERVICES | - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---|-------------|--|----------------------|----------------|------------------|----------------|---------------|------------------------|--------------|-----------|------------|---|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | Sul | | Submitted | Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | | curring | Nonrecurring Disco | | | | | Rates(\$) | | |
| | | | - | | 1 | 1100 | First | Add'l | First Ad | ld'I So | OMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 11.52 | 67.39 | 25.37 | | | | | | | | l . |
| | Exchange Ports - 2-Wire VG LA extended local dialing parity | | | OLI OD | OLI DO | 11.02 | 07.00 | 20.07 | | | | | | | | |
| | Port with Caller ID - Bus. | | | UEPSB | UEPAX | 11.52 | 67.39 | 25.37 | | | | | | | | 1 |
| | Exhange Ports - 2-Wire VG incoming only port with Caller ID - | | | LIEDOD | LIEDD4 | 44.50 | 07.00 | 05.07 | | | | | | | | |
| | Bus Exchange Ports - 2-Wire VG Louisiana Bus Area Calling Port | | | UEPSB | UEPB1 | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | with Caller ID - Bus (BUC) | | | UEPSB | UEPAA | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | Exchange Ports - 2-Wire Voice Louisiana Business Dialing Plan | | | | | | | | | | ĺ | | | | | |
| | without Caller ID | | | UEPSB | UEPWH | 11.52 | 67.39 | 25.37 | | | | | | | | |
| 1 1 | Exchange Ports - 2-Wire Voice Louisiana Business Area Calling Port without Caller ID | | | UEPSB | UEPBA | 11.52 | 67.39 | 25.37 | | | | | | | | 1 |
| | 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 11.52 | 67.39 | 25.37 | | | | | | | | |
| FEAT | URES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Cross | Connects | | <u> </u> | | ļ | | | | | | | | | | | |
| | Physical Expanded Interconnection Two Wire Cross Connect, Provsioning | | | UEPSB | PE1R2 | 0.0318 | 11.94 | 11.46 | | | | | | | | ĺ |
| | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSB | VE1R2 | 0.0296 | 11.94 | 11.46 | | | | | | | | |
| Non-F | Recurring Charges | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSB | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| D00 WHO! F0 | Subsequent Activity SALE LOCAL PLATFORM SERVICE | | 1 | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Office and Tandem Switching Usage and Wholesale Common VHOLESALE LOCAL PLATFORM SERVICE (Business) | Transp | ort Usa | ge rates in the Port | section of the | nis rate exhibit | shall apply to | DS0 Wholesale | Local Platform Service | ce except fo | or the Co | in Service | which has a f | lat rate usage | charge (USC | C: URECU). |
| DS0 L | oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | UEPBX | UEPLX | 11.77 | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPBX UEPBX | UEPLX | 22.39 48.26 | | | | | | | | | | — |
| 2-Wire | e Voice Grade Line Port (Bus) | | 3 | OLFBX | OLFLX | 40.20 | | | | | 1 | | | | | |
| | 2-Wire voice port without Caller ID - bus | | | UEPBX | UEPBL | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire voice port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire voice port outgoing only - bus | | | UEPBX | UEPBO | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire voice Louisiana extended local dialing parity port with Caller ID - bus | | | UEPBX | UEPAX | 11.36 | 67.39 | 25.37 | | | | | | | | ĺ |
| | 2-Wire voice incoming only port with Caller ID - Bus | | t | UEPBX | UEPB1 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire voice Louisiana Bus Area Calling Port with Caller ID | | | UEPBX | UEPAA | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire voice Incoming Only Port without Caller ID Capability | | \vdash | UEPBX | UEPBE | 11.36 | 67.39 | 25.37 | | | | | | | | |
| \vdash | 2-Wire voice Louisiana Business Dialing Plan without Caller ID 2-Wire voice Louisiana Business Area Calling Port without Caller | | 1 | UEPBX | UEPWH | 11.36 | 67.39 | 25.37 | | | | | | | | —— |
| 1 1 | ID Capability | | | UEPBX | UEPBA | 11.36 | 67.39 | 25.37 | | | | | | | | 1 |
| FEAT | URES | | t | | | 50 | 01.00 | 20.01 | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 0.00 | | | | | | | | | | |
| NONR | ECURRING CHARGES - Conversions | | 1 | LIEDBY | LICACO | | 40.00 | 40.00 | | | | | | | | — |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | - | <u> </u> | UEPBX | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| 1 1 | Change | | | UEPBX | USACC | | 10.00 | 10.00 | | | | | | | | 1 |
| ADDIT | FIONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Platform - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPBX | URETL | | 8.33 | 0.83 | | | | | | | | |
| Inside | e Wire Maintenance | | | OLI DA | ONLIL | | 0.33 | 0.03 | | | | | | | | |
| | Inside Wire Maintenance Plan | | | UEPBX | SEQ1X | 4.50 | | | | | | | | | | |
| OFF/C | ON PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| 1 1 | 2 Wire Analog Voice Grade Extension Loop – Non-Design | 1 | 1 | UEPBX | UEAEN | 12.90 | 36.54 | 16.87 | 1 1 | | | | | I | I | 1 |

| SERV | ICES - | Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|--------------|--|----------|--|-------------------------|-------------------------|----------------------|----------------------|---------------|------------------|--|--------------|--|--|--|--------------|--|
| 22 | | | | | 1 | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | 1 | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svo |
| CATE | CODY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | | - | | | | |
| CATE | JUKI | RATE ELEMENTS | m | Zone | ВСЗ | 0300 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | , | | | | ļ | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPBX | UEAEN | 23.33 | 36.54 | 16.87 | | | | | | | | |
| | | 2 Wire Analog Voice Grade Extension Loop - Non-Design | | 3 | UEPBX | UEAEN | 48.43 | 36.54 | 16.87 | | | | | | | | |
| | | 2 Wire Analog Voice Grade Extension Loop - Design | | 1 | UEPBX | UEAED | 14.93 | 102.10 | 65.72 | | | | | | | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Design | | 2 | UEPBX | UEAED | 25.35 | 102.10 | 65.72 | | | | | | | | |
| | † | 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPBX | UEAED | 50.46 | 102.10 | 65.72 | | | | | | | | |
| | INTER | OFFICE TRANSPORT | | ľ | 02. 5/1 | 027.22 | 00.10 | 102.10 | 00.72 | | | | | | | | |
| - | IIVILIX | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | + | | | | | | | | | | | |
| | | Termination | | | UEPBX | U1TV2 | 22.60 | 39.36 | 26.62 | | | | | | | | |
| - | | | - | ļ | UEPBA | UTIVZ | 22.00 | 39.30 | 20.02 | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | l | | | | | | | | | | | |
| | | or Fraction Mile | | <u> </u> | UEPBX | U1TVM | 0.013 | 0.00 | 0.00 | | | | | | | | |
| DS0 W | | ALE LOCAL PLATFORM SERVICE - CENTREX | | 1 | İ | 1 | | | | | | | | | | | |
| | | lowing DS0 Wholesale Local Platform Service - CENTREX rate | | | | | | | | | | | | | | | |
| | > For N | lew Install scenarios the Nonrecurring charges are listed in th | e First | and Ad | Iditional NRC colun | nns for each F | ort USOC. For | Existing Platfe | orm scenarios | , the Nonrecur | ring charges a | re listed in | the NRC - C | onversions s | ection. Additi | onal NRCs ma | ay apply |
| l | | nd are categorized accordingly. | | | | | | • | | | - • | | | | | | |
| | | Office and Tandem Switching Usage and Wholesale Commo | n Trans | nort H | sage rates in the Po | rt section of t | his rate exhibit | shall annly to | the DS0 Who | lesale I ocal Pl | atform Service | - CENTREX | | l | | | I |
| | | HOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN | | | | 1 2223011 01 1 | CALLO CALIIDII | | | | | <u> </u> | 1 | | † | | |
| | | SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) | I | I | OWITCH THE | + | | | | | | | | | | | |
| - | | | - | - | | + | | | | | | | | | | | |
| | Loop R | | | <u> </u> | LIEDAL | 115004 | | | | | | | | | | | |
| | <u> </u> | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | 1 | UEP91 | UECS1 | 11.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | | 2 | UEP91 | UECS1 | 22.39 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP91 | UECS1 | 48.26 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 1 | UEP91 | UECS2 | 14.93 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 2 | UEP91 | UECS2 | 25.35 | | | | | | | | | | |
| | 1 | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP91 | UECS2 | 50.46 | | | | | | | | | | |
| | Port Ra | ates - Effective As Specified | | Ť | | | | | | | | | | | | | |
| - | | tes (Except North Carolina and South Carolina) | | | | + | | | | | | | | | | | |
| | All Stat | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | 1 | UEP91 | UEPYA | 11.36 | 67.39 | 25.37 | 1 | - | - | - | | | | |
| | 1 | | | <u> </u> | UEF91 | UEFTA | 11.30 | 67.39 | 20.31 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP91 | UEPYB | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP91 | UEPYH | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 Basic Local Area | | | UEP91 | UEPYM | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 1 | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term - Basic Local Area | | | UEP91 | UEPYZ | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 1 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | <u> </u> | OLI 01 | OLI IZ | 11.00 | 120.07 | 70.12 | | | | | | | | |
| 1 | 1 | | | 1 | UEP91 | UEPY9 | 11.36 | 67.39 | 25.37 | | I | I | I | 1 | 1 | | 1 |
| <u> </u> | + | - Basic Local Area | <u> </u> | - | | | | | | 1 | + | ! | ! | | 1 | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | ! | UEP91 | UEPY2 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | AL, KY | , LA, MS, & TN Only | | | | 1 | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | Ш | UEP91 | UEPQB | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | İ | | | | | | | | | |
| 1 | 1 | Center)2 | | 1 | UEP91 | UEPQM | 11.36 | 120.07 | 78.12 | | I | I | I | 1 | 1 | | 1 |
| — | 1 | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | t | | 1 | 50 | .20.07 | 70.12 | | t | l . | l . | | | | 1 |
| | | Term | | | UEP91 | UEPQZ | 11.36 | 120.07 | 78.12 | | 1 | | | | | | |
| | + | Tellii | - | + | OLFSI | UEFUL | 11.36 | 120.07 | 78.12 | - | | ! | ! | - | | | - |
| 1 | 1 | O Wire Vales Conde Bort terrainets I I a self-trained | | 1 | LIEDO4 | LIEDOS | 44.00 | 07.00 | 05.65 | | I | 1 | l | 1 | 1 | | 1 |
| | 1 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | ! | UEP91 | UEPQ9 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 1 | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | Local S | Switching | | | | | | | | | | | | | | | |
| | | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.8577 | | | | | | | | | | |
| | Feature | es es | | | | | | | | | | | | | | | |
| | | All Standard Features Offered, per port | | 1 | UEP91 | UEPVF | 0.00 | | | | 1 | | ĺ | 1 | ĺ | | l |
| | 1 | All Select Features Offered, per port | | † | UEP91 | UEPVS | 0.00 | 412.25 | | | t | † | † | | 1 | | |
| | + | All Centrex Control Features Offered, per port | H | | UEP91 | UEPVC | 0.00 | 712.20 | | <u> </u> | | l | | | | | |
| | | All Ochtrox Control Features Officieu, per port | - | - | OL1 31 | OLF VO | 0.00 | | | - | | - | - | - | - | | \vdash |
| | MADO | | 1 | 1 | | | | | | ł | | - | - | | | | |
| | NARS | Materials Assess Denistes Combined to | | | | | | | | | | | | | | | |
| | NARS | Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | NARS | Network Access Register - Combination Network Access Register - Indial Network Access Register - Outdial | | | UEP91 UEP91 UEP91 | UARCX UAR1X UAROX | 0.00 0.00 0.00 | 0.00 0.00 0.00 | 0.00 | | | | | | | | |

| SERVICES - | - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------------|--|-------------|------|--------|--------|--------|--------|-----------|--------------|------------|---|------------------------|---------------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Misce | llaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.29 | 115.85 | 18.20 | | | | | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.013 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | LIEDO4 | 400047 | 0.0407 | | | | | | | | | | |
| | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | - | UEP91 | 1PQW7 | 0.6497 | | | | | | | | | | - |
| | Different Wire Center | | | UEP91 | 1PQWP | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP91 | 1PQWQ | 0.6497 | | | | | | | | | | <u> </u> |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.6497 | | | | | | | | | | ļ |
| Non-R | ecurring Charges (NRC) | | - | | | | | | | | | | | | | |
| | Conversion - Existing Platform Switch-As-Is with allowed | | | UEP91 | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | changes, per port Conversion of Existing Centrex Common Block | | - | UEP91 | USACN | 0.00 | 40.00 | 20.00 | | | | | | | | - |
| | New Centrex Standard Common Block | | | UEP91 | M1ACS | 0.00 | 770.00 | 20.00 | | | | | | | | 1 |
| | New Centrex Standard Common Block | | | UEP91 | M1ACC | 0.00 | 770.00 | | | | | | | | | |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 80.00 | | | | | | | | | † |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | 0.00 | 85.00 | | | | | | | | | |
| Additi | onal Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP91 | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP91 | URETN | | 11.20 | 1.10 | | | | | | | | |
| 5ESS | SWITCH (Valid in All States) | | | | | | | | | | | | | | | |
| Loop | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | 1 | UEP95 | UECS1 | 11.77 | | · · · · · | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | | | UEP95 | UECS1 | 22.39 | | | | | | | | | | ļ |
| \longrightarrow | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP95 | UECS1 | 48.26 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 1 | UEP95 | UECS2 | 14.93 | | | | | | | | | ļ | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 2 | UEP95 | UECS2 | 25.35 | | | | | | | | | - | |
| Port R | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP95 | UECS2 | 50.46 | | | | | | | | | - | |
| | ollowing port rates are effective as specified | | | | + | | | | | | | | | | | |
| All Sta | | | | | + | | | | | | | | | | | |
| 7 540 | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 11.36 | 67.39 | 25.37 | | | | | | | 1 | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 11.36 | 67.39 | 25.37 | | | İ | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP95 | UEPYM | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP95 | UEPYZ | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP95 | UEPY9 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | | | UEP95 | UEPY2 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| AL. K | Y, LA, MS, SC, & TN Only | | | | 1 | | 550 | 20.01 | | | | | | | İ | |
| , , , , , | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | İ | UEP95 | UEPQB | 11.36 | 67.39 | 25.37 | i i | | ĺ | | | | | |

| SERVIC | ES - | Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---------|--------|--|-------------|------|----------------|----------------|----------------|--------|-------------|--|------------|---|------------------------|---------------|--|---|---|
| CATEGOR | RY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | 1 | | + | | Nonrec | urring | Nonrecurring D | Disconnect | | l l | oss | Rates(\$) | 1 | 1 |
| | | | | | | _ | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 | | | UEP95 | UEPQM | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term | | ļ | UEP95 | UEPQZ | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | | O Mira Vaina Crada Bart tarreinatad in an Manalink an ancimalant | | | UEP95 | UEPQ9 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent 2-Wire Voice Grade Port Terminated on 800 Service Term | | + | UEP95 | UEPQ9 | 11.36 | 67.39 | 25.37 | | | | | | | | - |
| 1.0 | ocal S | witching | | + | UEF95 | UEPQZ | 11.30 | 67.39 | 25.37 | | | | | | | | - |
| | | Centrex Intercom Funtionality, per port | | 1 | UEP95 | URECS | 0.8577 | | | | | | | | | | |
| Fe | ature | | | | 02.00 | UNLEGO | 0.0017 | | | | | | | | | | |
| - 1 | | All Standard Features Offered, per port | | | UEP95 | UEPVF | 0.00 | | | | | | | | | İ | 1 |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 412.25 | | | | | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 0.00 | | | | | | | | | | |
| N/ | ARS | | | | | | | | · · · · · | | | | | | | | |
| | | Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Network Access Register - Indial | | ļ | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Network Access Register - Outdial | | ļ | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | aneous Terminations | | - | | + + | | | | | | | | | | | |
| 2-1 | | Trunk Side Trunk Side Terminations, each | | 1 | UEP95 | CEND6 | 8.29 | 115.85 | 18.20 | | | | | | | | |
| 4-1 | | Digital (1.544 Megabits) | | + | UEP95 | CENDO | 8.29 | 115.85 | 18.20 | | | | | | | | - |
| 4-1 | | DS1 Circuit Terminations, each | | + | UEP95 | M1HD1 | 68.47 | 196.18 | 92.92 | | | | | | | | 1 |
| | | DS0 Channels Activated, each | | + | UEP95 | M1HDO | 0.00 | 14.06 | 32.32 | | | | | | | | |
| Int | | ice Channel Mileage - 2-Wire | | | 02.00 | | 0.00 | 1 1100 | | | | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.013 | | | | | | | | | | |
| Fe | ature | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 | | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.6497 | | | | | | | | | | |
| | | Footon Addition of B. A. Ohannal Book EV Co. Ohla Lang Olar | | | LIEBOE | 400140 | 0.0407 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | 1 | UEP95 | 1PQW6 | 0.6497 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.6497 | | | | | | | | | | |
| | - | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | + | OLF 93 | IFQW/ | 0.0497 | | | | | | | | | | 1 |
| | | Different Wire Center | | | UEP95 | 1PQWP | 0.6497 | | | | | | | | | | |
| | | Smolett The Conte | | | 02.00 | | 0.0.07 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.6497 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | İ | | | | | | | | | | |
| | | Slot | | | UEP95 | 1PQWQ | 0.6497 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.6497 | | | | | | | | | ļ | 1 |
| No | | curring Charges (NRC) | | 1 | 1 | + + | | | | | | | | | | . | - |
| | | Conversion - Existing Platform Switch-As-Is with allowed changes, per port | | 1 | UEP95 | USAC2 | | 10.00 | 10.00 | | | | | | | | I |
| | | Conversion of Existing Centrex Common Block, each | | 1 | UEP95 | USAC2 USACN | | 40.00 | 20.00 | | | | | | | | |
| | -+ | New Centrex Standard Common Block | | 1 | UEP95 | M1ACS | 0.00 | 770.00 | 20.00 | | | | | | | | t |
| | | New Centrex Standard Common Block | | 1 | UEP95 | M1ACC | 0.00 | 770.00 | | | | | | | | 1 | t |
| | | NAR Establishment Charge, Per Occasion | | 1 | UEP95 | URECA | 0.00 | 85.00 | | | | | | | | İ | 1 |
| Ac | | nal Non-Recurring Charges (NRC) | | | | 1 | | | | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP95 | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Design Loop at End Use | | | | | | | | | | | | | | | |
| | | Premise | | | UEP95 | URETN | | 11.20 | 1.10 | | | | | | | ļ | |
| | | 0 SWITCH (Valid in All States) | | | | | | | | | | | | | | | 1 |
| Lo | op R | | | | LIEDAD | LIEGG! | | | | | | | | | | | <u> </u> |
| -+ | - | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | | UEP9D UEP9D | UECS1 UECS1 | 11.77 22.39 | | | | | | | | | | |
| 1 | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP9D UEP9D | UECS1 | 22.39 48.26 | | | + | | | | | | - | - |
| | | | | | OLFBD | ULUSI | 40.∠0 | | | 1 | | | 1 | | 1 | 1 | L |
| | -1 | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 1 | UEP9D | UECS2 | 14.93 | 1 | | | | | | | | | |

| SERVICES | - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|-------------|------|----------------|----------------|-------|----------------|----------------|--------------|-------|---|------------------------|---------------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted | Incremental | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | 0.145 1/1 0.1 1 (0.10) 7 0 1/15000 | | | LIEBAR | 115000 | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Port | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP9D | UECS2 | 50.46 | | | - | | | | | | | |
| The f | ollowing port rates are effective as specified | | | | | | | | | | | | | | | |
| All S | | | | LIEBAR | | 44.00 | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D UEP9D | UEPYA UEPYB | 11.36 | 67.39 67.39 | 25.37 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | LIEDOD | LIEDVD | 44.00 | 07.00 | 05.07 | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | UEP9D | UEPYD | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | UEP9D | UEPYE | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | UEP9D | UEPYF | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | UEP9D | UEPYG | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | UEP9D | UEPYT | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Fort (Centrex / EBS-M5205)/3 Basic Local 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | UEP9D | UEPYU | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | Area | | | UEP9D | UEPYV | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 Basic Local Area | | | UEP9D | UEPYP | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 Basic Local Area | | | UEP9D | UEPYQ | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 Basic Local Area | | | UEP9D | UEPYS | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 Basic Local Area | | | UEP9D | UEPY4 | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 Basic Local Area | | | UEP9D | UEPY5 | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEPY7 | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPYZ | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | UEP9D | UEPY9 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| AI M | Local Area (Y, LA, MS, SC, & TN Only | | - | UEP9D | UEPY2 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| 7, 1 | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 11.36 | 67.39 | 25.37 | | | | | | | | _ |

| | · Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---|---|-------------|----------|----------------|----------------|--------|--------|-----------|--|------------|---|-----------|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | + | 1 | Nonrec | urring | Nonrecurring D | Disconnect | | | 088 | Rates(\$) | <u> </u> | |
| -+- | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| -+ | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 11.36 | 67.39 | 25.37 | 11130 | Addi | JOINEO | JONAN | JONIAN | JONAN | JOHIAN | JONIAN |
| \neg | 2-Wire Voice Grade Port (Centrex 666 termination) | | | UEP9D | UEPQC | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 11.36 | 67.39 | 25.37 | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | l | | | | | | | | | | | I | |
| | Indication)3 | | | UEP9D | UEPQW | 11.36 | 67.39 | 25.37 | | | | | | | | |
| $-\!$ | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 11.36 | 67.39 | 25.37 | | | | | | | ļ | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | =0.40 | | | | | | | | |
| | 2 | | | UEP9D | UEPQM | 11.36 | 120.07 | 78.12 | | | | | | | | |
| \longrightarrow | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | - | UEP9D | UEPQO | 11.36 | 120.07 | 78.12 | | | | | | | 1 | |
| | 2 Mire Veire Crede Bert (Control/differ CMC (EDC ME000)2 2 | | | UEP9D | UEPQP | 11.36 | 120.07 | 78.12 | | | | | | | | |
| -+- | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQP | 11.36 | 120.07 | 78.12 | | | | | | - | | |
| -+- | 2-wire voice Grade Port (Centrex/diller SWC /EBS-5209)2, 3 | | - | UEP9D | UEPQQ | 11.36 | 120.07 | 78.12 | | | | | | | - | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| $-\!\!+\!\!-\!\!\!-$ | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 11.36 | 120.07 | 78.12 | | | | | | | | 1 |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9D | UEPQZ | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.8577 | | | | | | | | | | |
| Featur | | | | | 1 | | | | | | | | | ļ | 1 | |
| $-\!$ | All Standard Features Offered, per port | | | UEP9D | UEPVF | 0.00 | 110.5- | | | | | | | | ļ | |
| $-\!\!+\!\!-\!\!\!-$ | All Select Features Offered, per port | | - | UEP9D | UEPVS | 0.00 | 412.25 | | — | | | | | . | | ļ |
| NARS | All Centrex Control Features Offered, per port | | - | UEP9D | UEPVC | 0.00 | | | | | | | | . | | ļ |
| NAKS | II. | | - | UEP9D | LIABOY | 0.00 | 0.00 | 0.00 | | | | | | | | ļ |
| $+\!-\!$ | Network Access Register - Combination Network Access Register - Indial | - | - | UEP9D UEP9D | UARCX UAR1X | 0.00 | 0.00 | 0.00 | - | | | | | | | - |
| +- | Network Access Register - Indial Network Access Register - Outdial | - | - | UEP9D UEP9D | UARTX | 0.00 | 0.00 | 0.00 | | | | | | | | } |
| Miscol | llaneous Terminations | - | | 021 30 | JANUA | 0.00 | 0.00 | 0.00 | | | | | | | t | |
| | Trunk Side | | | | + | | | | | | | | | | - | |
| | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.29 | 115.85 | 18.20 | | | | | | | <u> </u> | |
| 4-Wire | Digital (1.544 Megabits) | | | | | 0.20 | | .3.20 | | | | | | i | 1 | İ |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 68.47 | 196.18 | 98.62 | | | | | | İ | 1 | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 14.06 | | | | | | | 1 | | İ |
| Interof | fice Channel Mileage - 2-Wire | | | 1 | | | | | | | | | | 1 | | İ |
| | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | Later the Observation and the Second | | | UEP9D | M1GBM | 0.013 | | | | | | | | | 1 | 1 |
| | Interoffice Channel mileage, per mile or fraction of mile | | | OLI OD | | 0.0.0 | | | | | | | | | | |
| | Interoffice Channel mileage, per mile or traction of mile e Activations (DS0) Centrex Loops on Channelized DS1 Service annel Bank Feature Activations | е | | 021 02 | | 0.010 | | | | | | | | | | |

| SERV | ICES - | Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|--|-------------|--|----------------|----------------|----------------|-----------------|-----------|--|-------|-----------|-----------|---------------|--|-------------|-------------|
| 5211 | . 5_0 - | | | | | | | | | | | Svc Order | | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Intor: | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | ın | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | , | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | 001150 | | | Rates(\$) | | |
| - | | | | - | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.6497 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP9D | IFQW6 | 0.0497 | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQW7 | 0.6497 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | 02.00 | | 0.0.01 | | | | | | | | | | |
| | | Different Wire Center | | | UEP9D | 1PQWP | 0.6497 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.6497 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQWQ | 0.6497 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.6497 | | | | | | | | | | |
| | Non-Re | ecurring Charges (NRC) | | | | | | | | | | | | | | | |
| | 1 | Conversion - Existing Platform Switch-As-Is with allowed | | | UEP9D | LICACO | | 40.00 | 10.00 | | | | | | | | |
| <u> </u> | | changes, per port | | - | | USAC2 | | 10.00 | 10.00 | 1 | | ļ | | | | | |
| - | - | Conversion of Existing Centrex Common Block, each New Centrex Standard Common Block | | - | UEP9D UEP9D | USACN M1ACS | 0.00 | 40.00 770.00 | 20.00 | | | - | | | | | |
| | | New Centrex Standard Common Block New Centrex Customized Common Block | | | UEP9D UEP9D | M1ACS M1ACC | 0.00 | 770.00 | | 1 | | | | | | | |
| - | | NAR Establishment Charge, Per Occasion | | | UEP9D | URECA | 0.00 | 85.00 | | + | | | | | | | |
| | Additio | onal Non-Recurring Charges (NRC) | | | OLI 3D | OILLOA | 0.00 | 05.00 | | | | | | | | | |
| | , taaiti | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP9D | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Design Loop at End Use | | | | | | | | | | | | | | | |
| | | Premise | | | UEP9D | URETN | | 11.20 | 1.10 | | | | | | | | |
| | EWSD | SWITCH (Valid in AL, FL, KY, LA, MS & TN) | | | | | | | | | | | | | | | |
| | Loop F | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | 1 | UEP9E | UECS1 | 11.77 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | | 2 | UEP9E | UECS1 | 22.39 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP9E | UECS1 | 48.26 | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 1 | UEP9E | UECS2 UECS2 | 14.93 25.35 | | | | | | | | | | |
| - | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP9E UEP9E | UECS2 | 50.46 | | | | | | | | | | |
| | Port Ra | | | 3 | UEF9E | UEC32 | 50.46 | | | | | | | | | | |
| | | lowing port rates are effective as specified | | | | + | | | | | | | | | | | |
| | | , KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | , , , , , | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | i | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | j | | | | | | | |
| | | Area | | | UEP9E | UEPYB | 11.36 | 67.39 | 25.37 | | | | | <u> </u> | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9E | UEPYH | 11.36 | 67.39 | 25.37 | | | | | | ļ | | |
| | 1 | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | l | 1 | | | | | | 1 | 1 | | | | |
| | | Center)2 Basic Local Area | | | UEP9E | UEPYM | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 1 | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOE | LIEDYZ | 44.00 | 400.07 | 70.40 | | | 1 | 1 | | | | |
| — | ! | Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | - | UEP9E | UEPYZ | 11.36 | 120.07 | 78.12 | 1 | | - | - | | | | |
| | 1 | - Basic Local Area | | | UEP9E | UEPY9 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | OLI JL | OLFIS | 11.30 | 07.39 | 20.31 | | | | | | | | |
| | 1 | Basic Local Area | | | UEP9E | UEPY2 | 11.36 | 67.39 | 25.37 | | | 1 | 1 | | | | |
| | AL. KY | , LA, MS, & TN Only | | | | 5=: 12 | 11.00 | 07.00 | 20.07 | 1 | | | | | 1 | | |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | i | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 11.36 | 67.39 | 25.37 | j | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 | | | UEP9E | UEPQM | 11.36 | 120.07 | 78.12 | | | | | | | | |
| 1 | 1 | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | l | 1 | | | | | | 1 | 1 | | | | |
| | ļ | Term | | | UEP9E | UEPQZ | 11.36 | 120.07 | 78.12 | ļ | | | | | | | |
| | 1 | [| | | | | | | | | | 1 | 1 | | | | |
| | ļ | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | - | UEP9E | UEPQ9 | 11.36 | 67.39 | 25.37 | | | | | | - | | |
| | Local | 2-Wire Voice Grade Port Terminated on 800 Service Term Switching | | | UEP9E | UEPQ2 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| — | Local | Centrex Intercom Funtionality, per port | | - | UEP9E | URECS | 0.8577 | | | | | - | | | | | |
| | L | Centrex intercom Funtionality, per port | | <u> </u> | OLFBE | UKEUS | 0.0077 | | | 1 | | l | l | | 1 | | |

| SERVICES - | Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|---|-------------|--|----------------|----------------|--------|------------------|-----------|--------------|--------------|----------|------------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | II . | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| 1 | | | | | + | | Nonrec | urring | Nonrecurring | g Disconnect | | | OSS | Rates(\$) | | I. |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Feature | es Effective 1/1/2005 Region Wide | | | | | | | 71441 | 1 01 | 7144 | 0020 | 00 | | | | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 412.25 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Network Access Register - Combination | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Network Access Register - Indial | | | UEP9E | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | laneous Terminations | | | | | | | | | | | | | | | |
| | Trunk Side | | | | 1 | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.29 | 115.85 | 18.20 | | | | | | | | |
| 4-Wire | Digital (1.544 Megabits) | - | - | UEP9E | M1HD1 | 68.47 | 100.10 | 20.00 | - | 1 | ļ | | | | | |
| | DS1 Circuit Terminations, each | | | | M1HD0 | | 196.18 | 92.92 | | | 1 | | | | | |
| Interes | DS0 Channel Activated Per Channel | | | UEP9E | MIHDO | 0.00 | 14.06 | | | | | | | | | |
| Interor | fice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination | | | UEP9E | M1GBC | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | - | 1 | UEP9E | M1GBC | 0.013 | 39.30 | 20.02 | | | 1 | | | | | |
| Feature | e Activations (DS0) Centrex Loops on Channelized DS1 Service | 20 | | ULFBL | IVITGBIVI | 0.013 | | | | | | | | | 1 | |
| | annel Bank Feature Activations | 1 | | | + | | | | | | | | | | 1 | |
| D4 0110 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9E | 1PQWS | 0.6497 | | | | | 1 | | | | | |
| | reaction notivation on B + original bank control 2009 clot | | | OLI OL | 11 Q110 | 0.0407 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9E | 1PQWQ | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E | 1PQWA | 0.6497 | | | | | | | | | | |
| Non-Re | ecurring Charges (NRC) | | | | | | | | | | | | | | | |
| | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9E | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | Conversion of Existing Centrex Common Block, each | - | - | UEP9E | USACN | 0.00 | 40.00 | 20.00 | | | 1 | | | | | |
| | New Centrex Standard Common Block New Centrex Customized Common Block | | <u> </u> | UEP9E UEP9E | M1ACS M1ACC | 0.00 | 770.00 770.00 | | | | - | | | | | |
| - | NAR Establishment Charge, Per Occasion | - | 1 | UEP9E | URECA | 0.00 | 85.00 | | | | 1 | | | | | |
| Additio | onal Non-Recurring Charges (NRC) | | | OLI SL | OKLOA | 0.00 | 05.00 | | | | | | | | 1 | |
| 7144111 | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP9E | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Miscellaneous Rate Element, Tag Design Loop at End Use | | | 02. 02 | 0.12.12 | | 0.00 | 0.00 | | | İ | | | | | |
| | Premise | | | UEP9E | URETN | | 11.20 | 1.10 | | | | | | | | |
| DCO S | WITCH (Valid in AL, KY, LA, MS, & TN) | | | | | | | | | | | | | | | |
| Loop F | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | 1 | UEP93 | UECS1 | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | | 2 | UEP93 | UECS1 | 22.39 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP93 | UECS1 | 48.26 | | | | 1 | | | | | ļ | ļ |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 1 | UEP93 | UECS2 | 14.93 | | | | 1 | | | | | ļ | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 2 | UEP93 | UECS2 | 25.35 | | | | | ļ | | | | | |
| Dant D | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP93 | UECS2 | 50.46 | | | | 1 | ļ | | | | - | |
| Port Ra | | - | - | | + | | | | - | 1 | ļ | | | | | - |
| AI FI | llowing port rates are effective as specified , KY, LA, MS, & TN only | - | - | | + | | | | | | | | | | | |
| AL, FL | 2-Wire Voice Grade Port (Centrex) Basic Local Area | - | | UEP93 | UEPYA | 11.36 | 67.39 | 25.37 | - | 1 | 1 | | | | - | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP93 | UEPYB | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP93 | UEPYH | 11.36 | 67.39 | 25.37 | | | | | | | | |

| SERVICE | S - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|-------------|----------|--|---------|--------|---------|-----------|--------------|------------|---|-----------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | - |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP93 | UEPYM | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP93 | UEPY9 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP93 | UEPY2 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP93 | UEPQB | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | ļ | <u> </u> | UEP93 | UEPQH | 11.36 | 67.39 | 25.37 | 1 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP93 | UEPQM | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP93 | UEPQZ | 11.36 | 120.07 | 78.12 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP93 | UEPQ9 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 11.36 | 67.39 | 25.37 | | | | | | | | |
| Loc | al Switching | | † | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | † | UEP93 | URECS | 0.8577 | | | | | | | | | | |
| Fea | tures | | | 02. 00 | 0.1200 | 0.0011 | | | | | | | | | | |
| | All Standard Features Offered, per port | | † | UEP93 | UEPVF | 0.00 | | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | † | UEP93 | UEPVC | 0.00 | | | | | | | | | | |
| NAF | | | | 02. 00 | 02. 70 | 0.00 | | | | | 1 | | | | | |
| - 10.0 | Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | Network Access Register - Indial | | 1 | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | | | † | | | | | |
| | Network Access Register - Outdial | | 1 | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | † | | | | | |
| Mis | cellaneous Terminations | | | 02. 00 | 0711071 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | /ire Trunk Side | | | | | | | | | | 1 | | | | | |
| | Trunk Side Terminations, each | | † | UEP93 | CEND6 | 8.27 | 115.85 | 18.20 | | | | | | | | |
| 4-W | /ire Digital (1.544 Megabits) | | | 02. 00 | 02.150 | 0.2. | 1.10.00 | 10.20 | | | | | | | | |
| 1.11 | DS1 Circuit Terminations, each | | † | UEP93 | M1HD1 | 68.47 | 196.18 | 92.92 | | | | | | | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 14.06 | 02.02 | | | | | | | | |
| Inte | roffice Channel Mileage - 2-Wire | | † | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | † | UEP93 | M1GBC | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | M1GBM | 0.013 | 00.00 | 20.02 | | | | | | | | |
| Fea | ture Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | 0.0.0 | | | | | | | | | | |
| | Channel Bank Feature Activations | | | | | | | | | | İ | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | - | UEP93 | 1PQW7 | 0.6497 | | | | | | | | | | |
| | Different Wire Center | | | UEP93 | 1PQWP | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.6497 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | 1 | 1 | LIEBOO | 400000 | 0.040- | | | | | | | | | | |
| | Slot | ļ | <u> </u> | UEP93 | 1PQWQ | 0.6497 | | | | | | | | | | \vdash |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | - | - | UEP93 | 1PQWA | 0.6497 | | | | | - | | | | | |
| Non | n-Recurring Charges (NRC) | | - | | + | | | | | | - | | | | - | |
| | Conversion - Existing Platform Switch-As-Is with allowed changes, per port | | | UEP93 | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | | 40.00 | 20.00 | | | | | | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 770.00 | | | | | | | | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 770.00 | | | | | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | 0.00 | 85.00 | | | | | | | | | |
| Add | litional Non-Recurring Charges (NRC) | \Box | \Box | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP93 | URETL | | 8.33 | 0.83 | | | | | | | | |

| SERVICES | - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|-------------|----------|-----------------------|---------------|----------------|------------------|----------------|------------------|----------------|---|---|---|---|--|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Order vs. Electronic- | Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonre | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Miscellaneous Rate Element, Tag Design Loop at End Use | | | | | | | | | | | | | | | |
| | Premise | | | UEP93 | URETN | | 11.20 | 1.10 | | | | | | | | ļ |
| | 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | ļ |
| | 2 - Requres Interoffice Channel Mileage 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | - | | | - | - | |
| | SALE LOCAL SWITCHING PORTS | | - | | 1 | | | | | | - | | | - | - | |
| | WHOLESALE LOCAL SWITCHING PORTS | | 1 | | | | | | | | 1 | | | 1 | 1 | 1 |
| D00 ¥ | Exchange Ports - 2-Wire DID Port | | 1 | UEPSP | UEPP2 | 28.27 | 417.95 | 183.92 | | | | | | | | 1 |
| | Subsequent Activity | | 1 | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | Exchange Ports - 2-Wire ISDN Port (See Note1and 2 Below.) | | | UEPTX, UEPSX | U1PMA | 50.00 | 200.00 | 130.00 | | | | | | | | |
| İ | All Features Offered | i e | t — | UEPTX, UEPSX | UEPVF | 0.00 | 0.00 | 0.00 | | İ | | | | 1 | 1 | 1 |
| | Wholesale Exchange Ports - 2-Wire ISDN Port Channel | | | | | | | | | | | | | | | |
| | Profiles | | | UEPTX, UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| NOTE | 1: Transmission/usage charges associated with POTS circuit | switche | d usag | ge will also apply to | circuit switc | hed voice and/ | or circuit switc | hed data trans | mission by B- | Channels asso | ciated with | 2-wire ISDN | ports. | | | |
| NOTE | 2: Access to B Channel or D Channel Packet capabilities will | be avai | lable o | nly through BFR/Ne | w Business F | Request Proces | s. Rates for th | e packet capa | bilities will be | determined via | the Bona F | ide Reques | t/New Busine | ss Request P | rocess. | |
| | WHOLESALE LOCAL SWITCHING PORTS WITH REMOTE CALL | FORW. | ARDIN | G CAPABILITY | | | | | | | | | | | | |
| REMO | OTE CALL FORWARDING SERVICE - (Residence) | | | | | | | | | | | | | | | ļ |
| | Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 8.52 | 32.50 | 11.10 | | | | | | | | |
| | Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 8.52 | 32.50 | 11.10 | | | | | | | | |
| | Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 8.52 | 32.50 | 11.10 | | | | | | | | |
| | Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 8.52 | 32.50 | 11.10 | | | | | | | | |
| Non-F | Recurring (Residence) | | | LIEDVD | 110400 | | 10.00 | 10.00 | | | | | | | | |
| | Remote Call Forwarding Service - Conversion - Switch-as-is Remote Call Forwarding Service - Conversion with allowed | | 1 | UEPVR | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | change (PIC and LPIC) | | | UEPVR | USACC | | 10.00 | 10.00 | | | | | | | | |
| DEMC | DTE CALL FORWARDING - (Business) | - | - | UEPVK | USACC | | 10.00 | 10.00 | | | 1 | | | - | - | 1 |
| KLIVIC | Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 11.52 | 67.39 | 25.37 | | | 1 | | | 1 | | 1 |
| | Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 11.52 | 67.39 | 25.37 | | | 1 | | | | | |
| | Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 11.52 | 67.39 | 25.37 | | | | | | | | |
| | Remote Call Forwarding Service Expanded and Exception Local | | | | | | | | | | | | | | | |
| | Calling | | | UEPVB | UERVJ | 11.52 | 67.39 | 25.37 | | | | | | | | |
| Non-F | Recurring (Business) | | | | | | | | | | | | | | | 1 |
| | Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVB | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | Remote Call Forwarding Service - Conversion with allowed | | | | | | | | | | | | | | | |
| | change (PIC and LPIC) | | | UEPVB | USACC | | 10.00 | 10.00 | | | | | | | | |
| | SALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | |
| EXCH | IANGE PORT RATES | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | | HEDEV | LIEDEY | 040.00 | 4 000 00 | 000.00 | | | | | | | | |
| | Below.) | | | UEPEX | UEPEX | 318.00 | 1,000.00 | 900.00 | | | | | | - | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 Locator Capability (See Note1and 2 Below.) | | | UEPEX | UEPEX | 318.00 | 1,000.00 | 900.00 | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | 1 | UEPEX | UEPEX | 310.00 | 1,000.00 | 900.00 | | | 1 | | | 1 | 1 | 1 |
| | Below.) | | | UEPDX | UEPDX | 318.00 | 1.000.00 | 900.00 | | | | | | | | |
| + | Physical Collocation - DS1 Cross-Connects | - | t | UEPEX UEPDX | PE1P1 | 1.04 | 21.39 | 15.47 | | | - | | | | | + |
| | Virtual collocation - cross-connect per DS1 | l - | <u> </u> | UEPEX UEPDX | CNC1X | 1.04 | 21.39 | 15.47 | | | | | | <u> </u> | <u> </u> | t |
| Detail | led E911 with Locator Capability (required with UEPEX port) | i e | t — | | | | 250 | .5.77 | | İ | | | | 1 | 1 | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | l | i – | | | | | | | l | | | | 1 | 1 | 1 |
| | Capability - Initial Profile Establishment per CLEC per State | l | | UEPEX | UEP1A | 0.00 | 1,792.00 | | | | | | | I | I | |
| İ | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | Ì | | | 1 | | | | | | | | | | | |
| | Capability - Subsequent Profile Changes, Additions, Deletions | <u> </u> | L | UEPEX | UEP1B | 0.00 | 174.03 | | | <u></u> | <u></u> | | | <u> </u> | L | <u> </u> |
| New o | or Additional PRI Telephone Numbers | | | | | | | | | | | | | | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | | | | | | | | | | | |
| | Capability 2-way Telephone Numbers, per number in E911 | l | | 1 | | | | | | | | | | I | I | |
| | profile [New or Additional] | | <u> </u> | UEPEX | UEP1C | 0.0692 | 0.48 | | | | | | | 1 | ļ | ـــــــ |
| ı l | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | l | | | | | | | | | | | | 1 | 1 | |
| | Capability - Outdial Telephone Numbers, per number in E911 | l | | LIEDEY | LIEDAD | 0.0000 | 44.40 | 44.40 | | | | | | I | I | |
| | profile [New or Additional] | | 1 | UEPEX | UEP1D | 0.0692 | 11.18 | 11.18 | | | 1 | | | | | |

| SERVICES | - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | - |
|----------|--|---------------------|--|---------------------|--------------|----------------|-----------------|---------------|------------------|--------------|---|-----------------------|---------------|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted Manually | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Numbers - Inward Data Only Option [New or Additional] | | | UEPDX | UEP1E | 0.00 | 0.48 | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] | | | | | | | | | | | | | | | |
| INTE | Inward Tel Numbers [Customer Testing Purposes] RFACE (Provsioning Only) | | - | UEPEX | PR7ZT | 0.00 | 22.35 | 22.35 | | | + | | | | - | |
| INTE | Voice/Data | | | UEPEX | PR71V | 0.00 | 0.00 | 0.00 | | | + | | | | 1 | |
| | Digital Data | | 1 | UEPEX | PR71D | 0.00 | 0.00 | 0.00 | | | + | | | | - | 1 |
| | Inward Data | | | UEPDX | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New | or Additional Channel | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data "B" Channel | | | UEPEX | PR7BV | 0.00 | 14.11 | | | | | | | | | |
| | New or Additional - Digital Data "B" Channel | | | UEPEX | PR7BF | 0.00 | 14.11 | | | | | | | | | |
| | New or Additional Inward Data "B" Channel | | | UEPDX | PR7BD | 0.00 | 14.11 | | | | | | | | | |
| | New or Additional Useage Sensitive Voice Data "B" Channel | | | UEPEX | PR7BS | 0.00 | 14.11 | | | | 1 | | | | | |
| | New or Additional Useage Sensitive Digital Data "B" Channel | | | UEPEX | PR7BU | 0.00 | 14.11 | | | | | | | | | |
| 0411 | New or Additional PRI "D" Channel | | | UEPEX | PR7EX | 0.00 | 14.11 | | | | 1 | 1 | | | | |
| CALL | TYPES Inward | | | UEPEX UEPDX | PR7C1 | 0.00 | 0.00 | 0.00 | | | + | - | | | - | |
| | Outward | | 1 | UEPEX | PR7CO | 0.00 | 0.00 | 0.00 | | | + | 1 | | | - | |
| | Two-way | | | UEPEX | PR7CC | 0.00 | 0.00 | 0.00 | | 1 | + | | | 1 | | 1 |
| NOTE | 1: Transmission/usage charges associated with POTS circuit | switche | ed usac | | | | | | mission by B- | Channels ass | ociated with | 2-wire ISDN | norts. | | 1 | 1 |
| NOTE | 2: Access to B Channel or D Channel Packet capabilities will | be avail | lable o | nly through BFR/Nev | v Business I | Request Proces | s. Rates for th | e packet capa | bilities will be | determined v | a the Bona I | Fide Reques | t/New Busine | ss Request P | rocess. | |
| | SALE LOCAL PLATFORM SERVICE | | | | | ' | | | | | | | | | | |
| DS0 V | Wholesale Local Platform Service-Direct Inward Dialing (DID) | | | | | | | | | ĺ | | | | | | |
| DS0 L | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | | 1 | UEPPX | UECD1 | 14.93 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | | 2 | UEPPX | UECD1 | 25.35 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | | 3 | UEPPX | UECD1 | 50.46 | | | | | | | | | | |
| DS0 F | Port Rates | | | LIEDDY | LIEDD4 | 00.07 | 447.05 | 100.00 | | | | | | | | |
| NONE | Exchange Ports - 2-Wire DID Port RECURRING CHARGES - Existing Platform | | 1 | UEPPX | UEPD1 | 28.27 | 417.95 | 183.92 | | | + | | | | 1 | |
| NONE | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Existing | | + | | | | | | | | + | | | | - | |
| | Platform - Switch-As-Is | | | UEPPX | USAC1 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | OLITA | 00/101 | | 10.00 | 10.00 | | | + | | | | 1 | 1 |
| | with AT&T Allowable Changes | | | UEPPX | USA1C | | 10.00 | 10.00 | | | | | | | | |
| ADDI | TIONAL NRCs | | | - | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | USAS1 | | 26.01 | 26.01 | | | 1 | | | | | 1 |
| | Miscellaneous Rate Element, Tag Designed Loop at End User | | | | | | | | | | | | | | | ĺ |
| | Premise | | | UEPPX | URETN | | 11.20 | 1.10 | | | | | | | | |
| Telep | hone Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | ļ | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | - | UEPPX UEPPX | ND5 ND6 | 0.00 | 0.00 | 0.00 | | | 1 | 1 | | | | |
| \vdash | Reserve Non-Consecutive DID numbers Reserve DID Numbers | | 1 | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | - | - | | - | | |
| Den | Wholesale Local Platform Service - ISDN/Basic Rate ISDN (ISDN | /DDI\ | 1 | ULFFX | INDV | 0.00 | 0.00 | 0.00 | | | + | 1 | | | - | |
| | Wholesale Local Voice Service Platform Rates | , <u>5, 1, 1, 1</u> | 1 | | | | | | | | + | | | | - | |
| | Loop Rates | | 1 | | | | | | | İ | 1 | | | İ | 1 | † |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UEPPB UEPPR | USL2X | 19.09 | | | | | | | | | | |
| | | | | | | | | | | | İ | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UEPPB UEPPR | USL2X | 31.95 | | | | | | | | | | ļ |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | ļ | 3 | UEPPB UEPPR | USL2X | 62.60 | | | | ļ | 4 | | | ļ | 1 | ↓ |
| ISDN | Port Rates | ! | 1 | LUEBBB | LIEBBB | 40.55 | 10= | 005 | | | 1 | | | | ļ | |
| \vdash | Exchange Port - 2-Wire ISDN Line Side Port | ļ | 1 | UEPPR | UEPPR | 40.00 | 425.00 | 285.00 | | | + | | | | - | |
| NON | Exchange Port - 2-Wire ISDN Line Side Port | - | - | UEPPB | UEPPB | 40.00 | 425.00 | 285.00 | | - | + | ļ | | - | | - |
| NONE | RECURRING CHARGES - Existing Platform 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port - | - | | | | + - | | | | | + | | | | + | + |
| | Conversion - | 1 | | UEPPB UEPPR | USACB | 0.00 | 90.00 | 65.00 | | | | | | | 1 | |
| ADDI: | TIONAL NRCs | l - | 1 | JEITE GEITK | 23/102 | 5.00 | 55.00 | 33.00 | | | 1 | | | | <u> </u> | t |
| | | | 1 | 1 | 1 | 1 | | | | 1 | 1 | 1 | | I. | 1 | · |

| SERVICES - | - Louisiana | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|-----------|--|------------|-------------|---------------|------------------|------------------|---------------|--|----------------|--------------|-------------|---------------|----------------|-------------|---------------|
| SERVICES . | - Louisiana | 1 | 1 | ı | | 1 | ı | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | В | cs | USOC | | | RATES(\$) | | | 1 | | Order vs. | Order vs. | Order vs. | Order vs. |
| 0711200111 | | m | | _ | •• | | | | | | | per LSR | per LSR | | | Electronic- | Electronic- |
| | | | | | | | | | | | | | | Electronic- | Electronic- | | |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | В | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Miscellaneous Rate Element, Tag Designed Loop at End User | | | | | | | | | | | | | | | | |
| | Premise | | | UEPPB | UEPPR | URETN | | 11.20 | 1.10 | | | | | | | | 1 |
| | Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPPB | UEPPR | URETL | | 8.33 | 0.83 | | | | | | | | |
| B-CHA | ANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| D 0114 | CSD ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | 0.140.0 | TA1) | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-CHA | CVS/CSD (DMS/5ESS) | C,IVIS, 8 | IN) | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| | CSD CSD | | | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| USER | TERMINAL PROFILE | | | OLFFB | ULFFR | 01001 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| OOLIK | User Terminal Profile (EWSD only) | | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| VERTI | ICAL FEATURES | | | 02 | OLITIN | 0.000 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | $\overline{}$ |
| | All Vertical Features - One per Channel B User Profile- All | | | | | | | | | | | | | | | | |
| | States | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | i l |
| INTER | ROFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and | | | | | | | | | | | | | | | | |
| | facilities termination | | | UEPPB | UEPPR | M1GNC | 22.613 | 39.36 | 26.62 | | | | | | | | ı l |
| | Interoffice Channel mileage each, additional mile | | | UEPPB | UEPPR | M1GNM | 0.013 | 0.00 | 0.00 | | | | | | | | |
| | SALE LOCAL PLATFORM SERVICE | | | | | | | | | | | | | | | | i |
| | ollowing Terms and Conditions apply to DS1 Wholesale Local | | | | | | | | | | | | | | | | i |
| | New Install scenarios the Nonrecurring charges are listed in the | e First | and Ad | ditional N | IRC colum | ns for each P | ort USOC. For | Existing Platf | orm scenarios | , the Nonrecuri | ring charges a | re listed in | the NRC - C | onversions se | ection. Additi | onal NRCs m | ay apply |
| | nd are categorized accordingly. | | | | | | | | | | | | | | | | |
| | nd Office and Tandem Switching Usage and Wholesale Commo | | | sage rates | s in the Po | rt section of | this rate exhibi | t shall apply to | all DS0 Whol | esale Local Pla | tform Service | s. | | | | | |
| | Wholesale Local Platform Service - ISDN/Primary Rate ISDN (ISI | ON/PRI) | | | | | | | | | | | | | | | |
| DS1 L | oop Rates | | | | | | | | | - | | 1 | | | | | |
| | AW DC4 Dinited Leas (AW ICDN DC4 Dinited Trumb Dark Trans 4 | | | UEPPP | | USL4P | 168.00 | | | | | | | | | | ı l |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 1 | | <u> </u> | UEFFF | | USL4P | 166.00 | | | | | - | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 2 | | 2 | UEPPP | | USL4P | 175.00 | | | | | | | | | | ı l |
| | 14W D31 Digital Loop/4W I3DN D31 Digital Trunk Fort - Zone Z | | | OLFFF | | USL4F | 173.00 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 3 | | 3 | UEPPP | | USL4P | 180.00 | | | | | | | | | | ı l |
| DS1 P | ort Rate | | Ť | 02 | | 002 | 100.00 | | | | | 1 | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | | UEPPP | 318.00 | 1,200.00 | 1,000.00 | | | i e | | | | | |
| NONR | ECURRING CHARGES - Existing Platform | | | | | | | | · | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | Conversion -Switch-As-Is | | | UEPPP | | USACP | 0.00 | 500.00 | 500.00 | | | | | | | | ı l |
| ADDIT | TIONAL NRCs | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | | |
| | Inward/two way Telephone Numbers (except NC) | | | UEPPP | | PR7TF | | 0.48 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | l | | | | | | | | | | | | | ı l |
| | Outward Tel Numbers (All States except NC) | | <u> </u> | UEPPP | | PR7TO | | 11.18 | 11.18 | | | ļ | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | LIEDDO | | DDZZT | | 00.0= | 00.0= | | | | | | | | , l |
| INITES | Subsequent Inward Telephone Numbers | | ₩ | UEPPP | | PR7ZT | | 22.35 | 22.35 | | | <u> </u> | | | | | |
| INTER | RFACE (Provsioning Only) Voice/Data | - | + | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| \vdash | Digital Data | - | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | - | | | | |
| | Inward Data | | 1 | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | <u> </u> | | | | | |
| New o | or Additional "B" Channel | - | | J_111 | | . 137 1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | | PR7BV | 0.00 | 14.11 | | | | | | | | | $\overline{}$ |
| | New or Additional - Digital Data B Channel | | | UEPPP | | PR7BF | 0.00 | 14.11 | | | | | | | | | $\overline{}$ |
| | New or Additional Inward Data B Channel | 1 | | UEPPP | | PR7BD | 0.00 | 14.11 | | | | | 1 | | | | $\overline{}$ |
| CALL | TYPES | 1 | | | | İ | | - | | | | | 1 | | | | $\overline{}$ |
| | Inward | | | UEPPP | | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPPP | | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Intero | ffice Channel Mileage | | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | | <u> </u> | UEPPP | | 1LN1A | 55.50 | 86.69 | 79.44 | I | | <u> </u> | <u>l</u> | | j | | |

| CERTICE | - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------------|--|-------------|------|--------|--------|--------|----------|-----------|--|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | + | | Nonrec | curring | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 17.44 | FIISL | Auu i | FIISL | Auu i | SOWIEC | SOWAN | JOWAN | JOWAN | JOWAN | JOWAN |
| DS1 V | Wholesale Local Platform Service - 4-wire DDITS | | | OLITI | ILIVID | 17.44 | | | | | | | | | | |
| | Wholesale Local Platform Service Rates | | | | | | | | 1 | | | | | | | |
| | oop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | USLDC | 168.00 | | | 1 | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPDC | USLDC | 175.00 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPDC | USLDC | 180.00 | | | | | | | | | | |
| DS1 P | ort Rate | | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 318.00 | 1,100.00 | 900.00 | | | | | | | | |
| NONR | ECURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Switch-As-Is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Conversion with Change | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | |
| ADDIT | TIONAL NRCs | | | 1 | | | | | | | | | | | 1 | 1 |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 14.06 | 14.06 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.06 | 14.06 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.06 | 14.06 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.06 | 14.06 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.06 | 14.06 | | | | | | | | |
| BIPOL | LAR 8 ZERO SUBSTITUTION | | | OLI DO | ODITE | | 14.00 | 14.00 | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.001 | 605.00S | | | | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | | 605.00S | | | | | | | | |
| Altern | ate Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Telepl | hone Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| \longrightarrow | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | | | ļ | |
| +- | Telephone Number for 1-Way Inward Trunk Group Without DID | | - | UEPDC | UDTGZ | 0.00 | | | | | | | | | | |
| 1 | DID Numbers, Establish Trunk Group and Provide First Group | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| +- | of 20 DID Numbers DID Numbers for each Group of 20 DID Numbers | - | - | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | - | | | | | | | |
| | DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | 1 | | | | | | | |
| +- | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| $\overline{}$ | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | 1 | |
| Dedic | ated DS1 (Interoffice Channel Mileage) - FX/FCO for DDITS | | | i . | 1 | 2.20 | 2.20 | 2.30 | 1 | | | | | | İ | İ |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 55.50 | 86.69 | 79.44 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | UEPDC | 1LNOA | 17.44 | 0.00 | 0.00 | | | | | | | | |
| | Termination) Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | miles Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | UEPDC | 1LNOB | 17.44 | 0.00 | 0.00 | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles Central Office Termininating Point | | | UEPDC | 1LNOC | 17.44 | 0.00 | 0.00 | | | | | | | | |
| | (Control Office Termininating Doint | 1 | 1 | UEPDC | CTG | 0.00 | | | 1 1 | | I | 1 | | | l | |
| | Vholesale Local Platform Service - 4-WIRE DS1 LOOP WITH CH | | | | | | | | 1 | | | | | | | |

| SERVICES - | - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------------|---|--|--|-------------------|----------------|----------|--------|-----------|--|------------|--|--|---------------|--------------|-------------|-------------|
| 22.111020 | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| A syst | em can have various rate combinations based on type and nu | mber of | norts | used | 1 | | 11130 | Addi | 11130 | Addi | COMILO | COMPAR | COMPAR | COMPAN | COMPAR | COMPAR |
| DS1 L | | 111001 01 | ports | l | 1 | | | | | | † | | | | | ſ |
| | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | 4-Wire DS1 Loop - Zone 2 | | 2 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 3 | | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | | |
| DSO C | Channelization Capacities (D4 Channel Bank Configurations) | | 3 | OLI WO | OOLDO | 100.00 | 0.00 | 0.00 | | | | | | | | |
| D00 0 | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 97.35 | 0.00 | 0.00 | | | | | | | | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 194.70 | 0.00 | 0.00 | | | | | | | | |
| | 96 DSO Channel Capacity - 1 per 4 DS1s | | | UEPMG | VUM96 | 389.40 | 0.00 | 0.00 | | | 1 | | | | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 584.10 | | 0.00 | | | 1 | | | | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 778.80 | | 0.00 | | | 1 | | | | | |
| \vdash | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 973.50 | 0.00 | 0.00 | | | t | | | <u> </u> | | |
| | 288 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM28 | 1,168.20 | 0.00 | 0.00 | | | | | | | | |
| | 384 DS0 Channel Capacity - 1 per 12 DS1s | - | - | UEPMG | VUM38 | 1,168.20 | 0.00 | 0.00 | | | - | | - | - | | |
| | | - | - | UEPMG | VUM4O | 1,947.00 | 0.00 | 0.00 | | | - | | - | - | | |
| \vdash | 480 DS0 Channel Capacity - 1 per 20 DS1s 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM4O VUM57 | 2,336,40 | 0.00 | 0.00 | | | | | | | | |
| | | - | - | | VUM67 | | 0.00 | 0.00 | | | - | | | | | |
| Non D | 672 DS0 Channel Capacity - 1 per 28 DS1s | h Chan | | UEPMG | | 2,725.80 | | 0.00 | | | - | | | | | |
| | tecurring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | ystem | | | | | | | | | |
| | imum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| Multip | oles of this configuration functioning as one are considered Ad | da'i atte | r tne m | inimum system con | ifiguration is | counted. | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without AT&T | | | | | | | | | | | | | | | ł |
| | Allowed Changes | <u> </u> | | UEPMG | USAC4 | 0.00 | 350.00 | 20.00 | | | | | | | | |
| Syster | m Additions Where Platform Currently Exists and New Installa | tions | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | l | | | | | | | | | | | ł |
| | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | | | | | | |
| Bipola | ar 8 Zero Substitution | | | | ļ | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | ł |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.001 | 605.00S | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | ł |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.001 | 605.00S | | | | | | | | |
| Altern | ate Mark Inversion (AMI) | | | | | | | | | | | | | | | |
| | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | nge Ports Associated with 4-Wire DS1 Loop with Channelizati | on with | Port | | | | | | | | | | | | | |
| Excha | nge Ports | | | | | | | | | | | | | | | |
| | | 1 | | l | l | I | | | | | | 1 | | | | 1 |
| \vdash | Line Side Combination Channelized PBX Trunk Port - Business | ļ | | UEPPX | UEPCX | 11.52 | 0.00 | 0.00 | | | | | ļ | | | - |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPPX | UEPOX | 11.52 | 0.00 | 0.00 | | | | ļ | | | | |
| | | | | | | 1 | | | | | | | | | | 1 |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 11.52 | 0.00 | 0.00 | | | | ļ | | | | |
| | 2-Wire Trunk Side Channelized DID Trunk Port | | | UEPPX | UEPDM | 28.27 | 0.00 | 0.00 | | | | | | | | |
|] | Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, | 1 | 1 | | | I | | 1 | | 1 | 1 | l | l | l | | 1 |
| | MS, & TN) | | | UEPPX | UEPCY | 11.52 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports, 2-Wire Channelized – Combination (AL, KY, | | | | | | | | | | | | | | | ı ——— |
| | LA, MS, & TN | | | UEPPX | UEPCT | 11.52 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports, 2-Wire Channelized – Outdial – Louisiana Only | | | | | | | | | | | | | | | ı |
| | - Calling Plan | <u> </u> | | UEPPX | UEPC2 | 11.52 | 0.00 | 0.00 | | <u></u> | | | <u> </u> | L | | <u> </u> |
| | Exchange Ports, 2-Wire Channelized – Two Way - Louisiana | | | | | | | | | | | | | | | 1 |
| | Only – Calling Plan | | | UEPPX | UEPC3 | 11.52 | 0.00 | 0.00 | | | | | | | | 1 |
| Featur | re Activations - Loop Concentration | | | | | | | | | | | | | | | i |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | i |
| | Bank | 1 | | UEPPX | 1PQWM | 0.6497 | 67.39 | 25.37 | | | | 1 | | | | 1 |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | i |
| | D4 Bank | | | UEPPX | 1PQWU | 0.6497 | 417.95 | 183.92 | | | | | | | | 1 |
| Teleph | none Number/ Group Establishment Charges for DID Service | 1 | | 1 | 1 | | | | | | | | ĺ | ĺ | | i |
| 1 2.5% | DID Trunk Termination (1 per Port) | 1 | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | 1 | | | 1 | İ | İ | | · |
| | DID Numbers - groups of 20 - Valid all States | 1 | | UEPPX | ND4 | 0.00 | | 0.00 | 1 | | | 1 | İ | İ | | · |
| | Non-Consecutive DID Numbers - per number | 1 | 1 | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | 1 | İ | 1 | İ | İ | İ | | |
| | Reserve Non-Consecutive DID Numbers | | 1 | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | 1 | † | i | 1 | | (|
| | | | | 1 | 1.120 | 0.00 | 0.00 | 0.00 | 1 | · | <u> </u> | L | 1 | 1 | | |

| SERVICES - | Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------------|--|--|--|----------------------|----------------|---|----------------|-----------------|---|--------------|-------------|-------------|---------------|--------------------|-------------|--|
| | | I | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | " | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| ļ | | ļ | | | | | N. | | I | B' | | | 000 | D = (= - (A) | | |
| | | 1 | - | | 1 | Rec | Nonrec | urring Add'l | Nonrecurring First | | SOMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | Reserve DID Numbers | 1 | | UEPPX | NDV | 0.00 | First 0.00 | 0.00 | FIRST | Add'l | SOMEC | SUMAN | SOWAN | SOWAN | SUMAN | SUMAN |
| FFATU | IRES - Vertical and Optional | 1 | | OLITA | INDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | FICE SYNC TEST (COST) | | | | | | | | | | | | | | | |
| Note: | COST rates are applicable for Central Office Line Sharing & Li | ine Split | ting in | a maintenance mod | le only. Not a | applicable for R | emote Site Lin | e Sharing & L | ine Splitting | | | | | | | |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - | | | | | | 25.00 | | | | | | | | | |
| | Basic Central Office Sync Test (COST) - Per 15 Minute Increments - | <u> </u> | | | | - | 25.00 | | | | | | | | | |
| | Overtime | | | | | | 30.00 | | | | | | | | | |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - | † | | | <u> </u> | | 55.56 | | | | | | | | | |
| | Premium | <u> </u> | | | <u></u> | <u> </u> | 40.00 | | <u> </u> | | | <u> </u> | | | | <u>. </u> |
| | NG FRAME CONNECTION SERVICE | | | | | | | · · · · · · | | · · · · · · | | | | | | |
| WHOLESALE | SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR | R-LCC) | | | | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | 000.40 | 000.40 | 00.00 | 00.00 | | | | | | |
| DC0 Wholesol | Switch E Local Platform Service With E911 Call Locator Capability | <u> </u> | <u> </u> | | | - | 228.43 | 228.43 | 38.06 | 38.06 | | | | | | |
| | llowing contidions apply to DS0 Wholesale Local Platform Se | rvice W | ith F91 | 1 Call Locator Canal | hility | 1 | | | | | | | | | | |
| | Office and Tandem Switching Usage and Wholesale Common | | | | | his rate exhibit | shall apply to | the Wholesale | Local Platform | Service With | E911 Call L | ocator Capa | ability. | | | |
| | New Installation scenarios the Nonrecurring charges are listed | | | | | | | | | | | | | ntly Combined | section. Ad | ditional |
| NRCs | may apply also and are categorized accordingly. | | | | | | | | | | | | | | | |
| DS0 W | holesale Local Platform Service (BUS - PBX) With DID and E9 | 11 Call I | Locato | Capability | | | | | | | | | | | | , |
| DS0 Lo | pop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | ļ | 1 | UEPRW | UEPLX | 11.77 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | 1 | 3 | UEPRW UEPRW | UEPLX | 22.39 48.26 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | 1 | 1 | UEPRW | UECD1 | 14.93 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | 1 | 2 | UEPRW | UECD1 | 25.35 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | 1 | 3 | UEPRW | UECD1 | 50.46 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | 1 | | | | | | | | | | | |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPRW | UEPPC | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | Line Side Outward PBX Trunk Port - Bus | | | UEPRW | UEPPO | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | Line Side Incoming PBX Trunk Port - Bus | | | UEPRW | UEPP1 | 11.36 | 67.39 67.39 | 25.37 | | | | | | | | |
| — | 2-Wire Voice 2-Way Combination PBX Louisiana Calling Port 2-Wire Voice PBX LD Terminal Ports | <u> </u> | <u> </u> | UEPRW UEPRW | UEPL2 UEPLD | 11.36 11.36 | 67.39 | 25.37 25.37 | | | | | | | | |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPRW | UEPXA | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | 1 | | UEPRW | UEPXB | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice PBX LD DDD Terminals Port | i e | | UEPRW | UEPXC | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPRW | UEPXD | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPRW | UEPXE | 11.36 | 67.39 | 25.37 | | | | | | | | |
| | O.W. Veire O.W. PRVI a Size Level Outre 10 His S | 1 | | LIEDDIN | LIEDVIA | 44.55 | 07.00 | 05.07 | | | | 1 | | | | , |
| | 2-Wire Voice 2-Way PBX Louisiana Local Optional Calling Port 2-Wire Voice 2-Way PBX Hotel/Hospital Economy Administrative | | | UEPRW | UEPXK | 11.36 | 67.39 | 25.37 | | | - | | | | | |
| | Calling Port | | | UEPRW | UEPXL | 11.36 | 67.39 | 25.37 | | | | | | | | , |
| | 2-Wire Voice 2-Way PBX Hotel/Hospital Economy Room Calling | 1 | | O | OLI AL | 11.50 | 07.00 | 20.01 | | | | | | | | |
| | Port | | | UEPRW | UEPXM | 11.36 | 67.39 | 25.37 | | | | | | | | , |
| | 2-Wire Voice 1-Way Outgoing PBX Hotel/Hospital Discount | | | | | | | | | | | | | | | |
| | Room Calling Port | <u> </u> | | UEPRW | UEPXO | 11.36 | 67.39 | 25.37 | | | | | | | | , |
| | 2-Wire Voice 1-Way Outgoing PBX Louisiana Local Discount | | | | | | | | | | | | | | | |
| Dark S | Calling Port | | - | UEPRW | UEPXP | 11.36 | 67.39 | 25.37 | | | | | | | | |
| Port R | ate -DID Exchange Ports - 2-Wire DID Port | 1 | | UEPRW | UEPD1 | 28.27 | 417.95 | 183.92 | | | - | | | | | |
| F911 C | ALL LOCATOR CAPABILITY | | | OLI AVV | OLFDI | 20.21 | 417.95 | 103.92 | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | 1 | | | 1 | | | | | | † | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | 1 | | UEPRW | URE9A | 0.00 | 1,810.00 | | | | | 1 | | | | , [|
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | Subsequent Profile Changes, Additions/Deletions | <u> </u> | | UEPRW | URE9B | 0.00 | 175.79 | | | | | | | | | , |
| Teleph | one Number/Trunk Group Establisment Charges For DID Num | nbers w | ith E91 | | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Trunk Termination (One Per Port) | l . | L | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | | l | | | | |

| SERVICE: | 6 - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|--|----------|----------------|----------------|--------|---------------|-----------|--|------------|---|-----------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | - | 1 | <u> </u> | | | | Nonrec | urring | Nonrecurring | Disconnect | 1 | | oss | Rates(\$) | | 1 |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Additional DID Numbers for each Group of 20 DID Numbers | 1 | | UEPRW | ND4 | 1.332 | 0.00 | 0.00 | | 71001 | 0020 | 00 | 00 | | | |
| | DID Numbers, Non- consecutive DID Numbers . Per Number | | | UEPRW | ND5 | 0.0666 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FEA | TURES | | | | | | İ | | | | | | | | | |
| | All Features Offered | | | UEPRW | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| NON | IRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPRW | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| | Change | | | UEPRW | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADD | DITIONAL NRCs | ļ | <u> </u> | L | 1 | | | | | | | | | | | |
| $\vdash \vdash$ | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | ļ | <u> </u> | UEPRW | USAS2 | | 0.00 | 0.00 | | | | | | | | - |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | 1 | 1 | 1 | | | 0.00 | 0.00 | | | | | | | | I |
| $\vdash \vdash \vdash$ | Activity- Nonrecurring | ! | - | ļ | + | | 0.00 | 0.00 | | | | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | 14.64 | 14.64 | | | | | | | | 1 |
| $\vdash \vdash \vdash$ | Group Miscellaneous Rate Element, Tag Loop at End User Premise | | + | UEPRW | URETL | | 14.64 8.33 | 0.83 | | | - | | | | | |
| OFF | /ON PREMISES EXTENSION CHANNELS | 1 | 1 | UEPRVV | UREIL | | 8.33 | 0.83 | | | - | | | | | - |
| UFF | Local Channel Voice grade, per termination | - | 1 | UEPRW | P2JHX | 14.93 | 102.10 | 65.72 | | | - | | | | | |
| \vdash | Local Channel Voice grade, per termination | 1 | 2 | UEPRW | P2JHX | 25.35 | 102.10 | 65.72 | | | 1 | | | | | - |
| | Local Channel Voice grade, per termination | | 3 | UEPRW | P2JHX | 50.46 | 102.10 | 65.72 | | | | | | | | |
| \vdash | Non-Wire Direct Serve Channel Voice Grade | 1 | 1 | UEPRW | SDD2X | 15.14 | 127.78 | 60.12 | | | | | | | | |
| \vdash | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPRW | SDD2X | 25.50 | 127.78 | 60.12 | | | 1 | | | | | 1 |
| \vdash | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPRW | SDD2X | 42.90 | 127.78 | 60.12 | | | 1 | | | | | 1 |
| INT | EROFFICE TRANSPORT | | | | | | | | 1 | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | 1 | | | | | | | | | | | | | | t |
| | Termination | | | UEPRW | U1TV2 | 22.60 | 39.36 | 26.62 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | i | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPRW | U1TVM | 0.013 | 0.00 | 0.00 | | | | | | | | |
| | sale Local Platform Service With E911 Call Locator Capability | | | | | | | | | | | | | | | |
| | IRE DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | K PORT | | | | | | | | | | | | | | |
| DS1 | Loop Rates | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPPN | USL4P | 168.00 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPPN | USL4P | 175.00 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPPN | USL4P | 180.00 | | | | | | | | | | |
| DS1 | Port Rate | ! | - | LIEDDN | UEPPN | 040.00 | 4 000 00 | 4 000 00 | | | | | | | | |
| F04 | Exchange Ports - 4-Wire ISDN DS1 Port 1 CALL LOCATOR CAPABILITY | | - | UEPPN | UEPPN | 318.00 | 1,200.00 | 1,000.00 | | | | | | | | |
| E91 | Miscellaneous Rate Element, E911 Call Locator Capability - | | + | + | + | | | | | | - | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | | | UEPPN | URE9A | 0.00 | 1,810.00 | | | | | | | | | 1 |
| \vdash | Miscellaneous Rate Element, E911 Call Locator Capability - | † | | OLIFIN | ONLSA | 0.00 | 1,010.00 | | | | | | | | | |
| | Subsequent Profile Changes, Additions/Deletions | 1 | 1 | UEPPN | URE9B | 0.00 | 175.79 | | | | | | | | | I |
| 100 | IRECURRING CHARGES - Existing Platform | t | | 1 | 1 32 | 5.55 | | | 1 | | | | | | İ | 1 |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | t | | İ | | | İ | | 1 | | | | | | İ | 1 |
| | Conversion -Switch-As-Is | 1 | 1 | UEPPN | USACP | 0.00 | 500.00 | 500.00 | | | | | | | | I |
| ADΓ | NITIONAL NRCs and E911 Call Locator Capability Telephone Nun | nber Re | curring | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | |
| oxdot | Inward/two way Tel Nos. (except NC) | <u> </u> | | UEPPN | PR7TF | 0.0666 | 0.48 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | - | | | | | | |
| igwdown | Outward Tel Numbers (All States except NC) | ļ | | UEPPN | PR7TO | 0.0666 | 11.18 | 11.18 | | | | | | | ļ | 1 |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | 1 | 1 | | | | | | | | | | | | | I |
| | Subsequent Inward Tel Numbers | <u> </u> | <u> </u> | UEPPN | PR7ZT | 0.0666 | 22.35 | 22.35 | | | - | | | | ļ | - |
| INTE | ERFACE (Provsioning Only) | ! | <u> </u> | LIEDDA | DD7411 | | 2.00 | | | | | | | | | ļ |
| \vdash | Voice/Data | ! | - | UEPPN | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Digital Data | 1 | - | UEPPN UEPPN | PR71D PR71E | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| \vdash | | | | | | | | | | | | | | | | |
| New | Inward Data | <u> </u> | 1 | UEPPIN | FRIIL | 0.00 | 0.00 | 0.00 | | | | | | | | † |
| New | Inward Data or Additional "B" Channel New or Additional - Voice/Data B Channel | | | UEPPN | PR7BV | 0.00 | 14.11 | 0.00 | | | | | | | | |

| SERVICES | - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|-------------|--|----------------|----------------|------------------|----------|-----------|--|------------|---|-----------|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | New or Additional Inward Data B Channel | | | UEPPN | PR7BD | 0.00 | 14.11 | | | | | | | | | ļ |
| CALL | TYPES | | | UEPPN | DD704 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Outward | | | UEPPN | PR7C1 PR7CO | 0.00 | 0.00 | 0.00 | - | | | | | | - | <u> </u> |
| | Two-way | | | UEPPN | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | + |
| Intero | ffice Channel Mileage | | | OLITIN | 1100 | 0.00 | 0.00 | 0.00 | 1 | | | | | | 1 | <u> </u> |
| | Fixed Each Including First Mile | | | UEPPN | 1LN1A | 55.50 | 86.69 | 79.44 | | | | | | | | |
| | Each Airline-Fractional Additional Mile | | | UEPPN | 1LN1B | 17.44 | | | | | | | | | | |
| | E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | ļ |
| DS1 L | oop Rates | | _ | LIEBBO | LIOL DO | 100.00 | | | | | | | | | | ļ |
| | 4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPDC UEPDC | USLDC | 168.00 175.00 | | | + | | - | | | | - | + |
| | 4-Wire DS1 Digital Loop - Zone 2 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPDC | USLDC | 180.00 | | | | | | | | | | |
| DS1 P | ort Rates | | ۲ | | 30230 | 100.00 | | | | | | | | | | † |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 318.00 | 1,100.00 | 900.00 | | | | | | | | |
| NONR | ECURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Switch-as-is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | UEPDC | USAWA | | 500.00 | 500.00 | 1 | | | | | | | |
| | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | |
| E911 (| CALL LOCATOR CAPABILITY | | | | | | 000.00 | | | | | | | | | 1 |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | | | UEPDB | URE9A | 0.00 | 1,810.00 | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | LIEDDD | LIDEOD | 0.00 | 475.70 | | | | | | | | | |
| ADDIT | Subsequent Profile Changes, Additions/Deletions TONAL NRCs | | | UEPDB | URE9B | 0.00 | 175.79 | | - | | | | | | - | . |
| ADDII | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | - |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDB | UDTTA | | 14.06 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDB | UDTTB | | 14.06 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDB | UDTTC | | 14.06 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDB | UDTTD | | 14.06 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | ULFUD | טווטט | | 14.06 | | + | | | | | | | + |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDB | UDTTE | | 14.06 | | | | | | | | 1 | |
| BIPOL | AR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | | 605.00S | | | | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.001 | 605.00S | ├ | | | | | | | <u> </u> |
| Altern | ate Mark Inversion | | - | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | - | |
| - | AMI - Superframe Format AMI - Extended SuperFrame Format | - | - | UEPDC | MCOSF | | 0.00 | 0.00 | | | - | | | | | |
| Teleni | none Number/Trunk Group Establisment Charges And Charges | For DI | D Num | | | ability | 0.00 | 0.00 | | | | | | | - | |
| Гогорі | Telephone Number for 2-Way Trunk Group | | | UEPDB | UDTGX | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDB | UDTGY | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDB | UDTGZ | 0.00 | | | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPDB | ND4 | 1.332 | 0.00 | 0.00 | ├ | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | - | UEPDB UEPDB | ND5 | 0.0666 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers Reserve DID Numbers | | | UEPDB UEPDB | ND6 NDV | 0.00 | 0.00 | 0.00 | + | | - | | | | - | + |
| FX/FC | O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | - | OLI DB | INDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| . ,,,, | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | 1 | 1 | | | | † | | | | | 1 | 1 | |
| | Termination) | L | | UEPDC | 1LNO1 | 55.50 | 86.69 | 79.44 | <u> </u> | | | <u> </u> | | <u> </u> | <u> </u> | <u> </u> |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 17.44 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |

| SERVICES | - Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|-------------|--|------------------|----------------|----------------------|----------------|-----------------|--|------------|---|-------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonro | u.vvin a | Nonrecurring | Dissennest | | | | Rates(\$) | 2.00 .01 | 2.007.444 |
| | | | | | | Rec | Nonre First | arring Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | 71100 | Addi | 1 1131 | Addi | COME | OOMAN | COMPAR | OOMAN | COMPAR | COMPAR |
| | miles | | | UEPDC | 1LNOB | 17.44 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 17.44 | 0.00 | 0.00 | | | | | | | | |
| Addit | ional Rates | | | | | | 0.00 | | | | | | | | | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | RE DS1 LOOP WITH CHANNELIZATION WITH PORT WITH CALL | | | PIBILITY | | | | | | | | | | | | |
| | m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act tem can have various rate combinations based on type and nu | | | usod | _ | | | | - | | | | | | | - |
| DS1 L | | liber or | ports | useu | + | | | | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | 1 | | İ | | | | | |
| | 4-Wire DS1 Loop - Zone 2 | | 2 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 3 | | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | | |
| DSO | Channelization Capacities (D4 Channel Bank Configurations) 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 97.35 | 0.00 | 0.00 | | | | | | | | |
| | 48 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s | | - | UEPMG | VUM24 VUM48 | 194.70 | 0.00 | 0.00 | | | | | | | | - |
| | 96 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM96 | 389.40 | 0.00 | 0.00 | 1 | | | | | | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 584.10 | 0.00 | 0.00 | | | | | | | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 778.80 | 0.00 | 0.00 | | | | | | | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 973.50 | 0.00 | 0.00 | | | | | | | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,168.20 | 0.00 | 0.00 | | | | | | | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,557.60 | 0.00 | 0.00 | | | | | | | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG UEPMG | VUM4O VUM57 | 1,947.00 2.336.40 | 0.00 | 0.00 | | | | | | | | 1 |
| + | 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,725.80 | 0.00 | 0.00 | | | | | | | | |
| Non- | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with | h Chanr | eliztio | | | | | 0.00 | | | | | | | | |
| | nimum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| Multi | ples of this configuration functioning as one are considered Ac | dd'I afte | r the m | inimum system co | nfiguration is | counted. | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without AT&T | | | | | | | | | | | | | | | |
| Cueta | Allowed Changes | | | UEPMG | USAC4 | 0.00 | 350.00 | 20.00 | | | | | | | | |
| Syste | m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | lons | | | _ | | | | - | | | | | | | - |
| | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | | | | | | |
| Bipol | ar 8 Zero Substitution | | | 021 1110 | 70 | 0.00 | 000.00 | 100.00 | † | | | | | | | t |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.001 | 605.00S | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| Altor | Subsequent Activity Only nate Mark Inversion (AMI) | | | UEPMG | CCOEF | 0.00 | 0.001 | 605.00S | | | | | | | | - |
| Aiteri | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| Excha | ange Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | | | | | | | | | | | | |
| Excha | ange Ports | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | - | | UEPRW UEPRW | UEPCX UEPOX | 11.52 11.52 | 0.00 | 0.00 | | | | | | | | - |
| | Line Side Odiward Charmenzed FDA Hurik For - Business | | - | OLFRW | UEFUA | 11.52 | 0.00 | 0.00 | | | | | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | l | UEPRW | UEP1X | 11.52 | 0.00 | 0.00 | | | | | | | | |
| | 2-Wire Trunk Side Channelized DID Trunk Port | | | UEPRW | UEPDM | 28.27 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, | | | | | - | | | | | | | | | | |
| | MS, & TN) | | L | UEPRW | UEPCY | 11.52 | 0.00 | 0.00 | ļ | | | | | | | |
| | Exchange Ports, 2-Wire Channelized – Combination (AL, KY, | | l | HEDDW | LIEDOT | 44.50 | 0.00 | 0.00 | | | | | | | | |
| - | LA, MS, & TN Exchange Ports, 2-Wire Channelized – Outdial – Louisiana Only | - | - | UEPRW | UEPCT | 11.52 | 0.00 | 0.00 | | | | | | | | |
| | - Calling Plan | | | UEPRW | UEPC2 | 11.52 | 0.00 | 0.00 | | | | | | | | |
| 1 | Exchange Ports, 2-Wire Channelized – Two Way - Louisiana | 1 | l | UEPRW | UEPC3 | 11.52 | 0.00 | 0.00 | | | | | | | | 1 |

| SERVICES - | · Louisiana | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|--|-------------|--|--------------|-------|------------|----------|-----------|--------------|------------|----------|--|--|--|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| 1 | | | + | | | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | |
| | | | 1 | | † | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Featur | e Activations - Loop Concentration | | 1 | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | Bank | | | UEPRW | 1PQWM | 0.6497 | 67.39 | 25.37 | | | | | | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | D4 Bank | | | UEPRW | 1PQWU | 0.6497 | 417.95 | 183.92 | | | | | | | | |
| E911 (| CALL LOCATOR CAPABILITY | | | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - Initial Profile Establishment, Per CLEC End-User | | | UEPRW | URE9A | 0.00 | 1,810.00 | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | 1 | OLI KW | ORESA | 0.00 | 1,010.00 | | | | 1 | | | | | |
| | Subsequent Profile Changes, Additions/Deletions | | | UEPRW | URE9B | 0.00 | 175.79 | | | | | | | | | |
| Telenh | none Number/Trunk Group Establisment Charges For DID Num | hers w | ith F91 | | | 0.00 | 175.75 | | | | 1 | | | | | |
| Гегері | DID Trunk Termination (One Per Port) | DC: 0 W | 1 | UEPRW | INDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1,332 | 0.00 | 0.00 | | | İ | | | | | |
| | DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPRW | ND5 | 0.0666 | 0.00 | 0.00 | | | İ | | | | | |
| | Reserve Non-Consecutive DID numbers | | 1 | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | İ | | | | | |
| | Reserve DID Numbers | | i e | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FEAT | JRES - Vertical and Optional | | 1 | | | | | | | | | | | | | |
| Local | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPRW | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| ODUF/ADUF/C | CMDS | | | | | | | | | | | | | | | |
| ACCE | SS DAILY USAGE FILE (ADUF) | | | | | | | | | | | | | | | |
| | ADUF: Message Processing, per message | | | | | 0.007983 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00018 | | | | | | | | | | |
| OPTIO | NAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | |
| | ODUF: Recording, per message | | | | | 0.0000280 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | 1 | | ļ | 0.004641 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | - | | + | 48.45 | | | | | | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00015 | | | | | | | | | | |
| CENT | RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | <u> </u> | | + | 0.00013 | | | | | + | | | | | |
| OLIVII. | CMDS: Message Processing, per message | | 1 | | 1 | 0.004 | | | | | | | | | | |
| | ombe: message resouring, per message | | 1 | | 1 | 0.001 | | | | | † | | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |
| 8XX ACCESS | TEN DIGIT SCREENING | | 1 | | | | | | | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit | | | | | | | | | | | | | | | |
| | Screening service with 800 Number Delivery per query | | | | | 0.004 | | | | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing | | | | | | | | | | | | | | | |
| | Screening service with 800 Number Delivery for 800 Numbers | | | | | | | | | | | | | | | |
| | with Optional Complex Feature, i.e., Call handling and Destination Features per query | | | | | 0.00450000 | 5.77 | 0.78 | | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit | | | | + | 0.00400000 | 5.77 | 0.78 | | | | | | | | |
| | Screening service with POTS Number Delivery per query | | | | 1 | 0.004 | | | | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit | | 1 | | | | | | | | | | | | | |
| | Screening service with POTS Number delivery for 800 Numbers | | 1 | | | | | | | | | | | | | |
| | with Optional Complex Feature,i.e., Call Handling and | | | | | 0.00:- | | | | | | | | | | |
| | Destination Features per query | | <u> </u> | L | | 0.0045 | | | l | <u> </u> | l | | | <u> </u> | l | |

| SERV | ICES - | Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|----------|--|---------|----------|------------------------|--------------|----------|----------|------------|--------------|--------------|---|-----------|---------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | "" | | | | | | | | | p = = = = = = = = = = = = = = = = = = = | F | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | Diac iat | Disc Add I |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| SERVI | | ADVANCEMENT (A.K.A EXPEDITE) CHARGE | | | | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with I | BellSou | th's FC | C No.1 Tariff, Section | n 5 as appli | cable. | | | | | | | | | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| 1 | | | 1 | 1 | UC1CC, UC1CL, | I | | | | | | 1 | 1 | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | | | | U1TUB, | | | | | | | | | | | | |
| | | | | | U1TUA,NTCVG, | | | | | | | | | | | | |
| | | Expedite Charge per Circuit or Line Assignable USOC, per Day | | | NTCUD, NTCD1 | SDASP | | 200.00 | | | | | | | | | |
| ORDE | MODIF | ICATION CHARGE | | | | | | | | | | | | | | | |
| <u> </u> | | Order Modification Charge (OMC) | | | | | | 26.21 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Order Modification Additional Dispatch Charge (OMCAD) | | | | | | 150.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| LOCAL | SERVIO | CE REQUEST (LSR) ORDERING CHARGE | | | | | | | | | | | | | | | |
| 1 | 1 7 | Electronic Service Order Charge, Per Local Service Request | 1 | 1 | | 1 | | | · <u> </u> | | l | | 1 | | | l | 1 |
| | | (LSR) | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| | | | | | | | | | | | | | 1 | | | | |
| | | Manual Service Order Charge, Per Local Service Request (LSR) | | | | SOMAN | | 15.75 | 0.00 | 1.97 | 0.00 | | | | | | |
| LINE II | NFORMA | TION DATA BASE ACCESS (LIDB) | | | | | | | | | | | | | | | |
| | | LIDB Common Transport Per Query | | | | | 0.0003 | | | | | | | | | | |
| | | LIDB Validation Per Query | | | OQV | BHML1 | 0.035378 | | | | | | | | | | |
| | | LIDB Originating Point Code Establishment or Change | | | OQV | NRBPX | | 91.00 | 34.52 | 42.33 | 42.33 | | | | | | |
| BRANI | | IRECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| | Facility | Based CLEC | | | | | | | | | | | | | | | |
| | | Recording and Provisioning of DA Custom Branded | | | | I | | | | l | l | | | | | I | |
| | | Announcement | | | AMT | CBADA | | 3,000.00 | 3,000.00 | | | | | | | | |
| | | Loading of Custom Branded Announcement per Switch per | | | | I | | | | l | l | | | | | I | |
| | | OCN | | | AMT | CBADC | | 1,170.00 | 1,170.00 | | | | | | | | |
| | Wholes | sale CLEC | | | | | | | | | | | | | | | |
| | | Recording of DA Custom Branded Announcement | | | | | | 3,000.00 | 3,000.00 | | | | | | | | |
| | | Loading of DA Custom Branded Announcement per Switch per | | | | | | | | | | | | | | | |
| | | OCN | <u></u> | <u> </u> | | <u> </u> | <u> </u> | 1,170.00 | 1,170.00 | <u></u> | <u></u> | | | | | <u> </u> | |
| | Unbran | ding via OLNS for Wholesale CLEC | | | | | | | | | | | | | | | |
| | | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | |
| | | Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| SERVICES | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---|--|--|----------------|----------------|------|----------|-----------|--|-------|--|-----------|---------------|--|--|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | _ | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | ASSISTANCE SERVICES | | | | | | | | | | | | | | | |
| DIRE | CTORY ASSISTANCE ACCESS SERVICE | | | | | | | | | | | | | | | |
| | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.31 | | | | | | | | | | |
| DIRE | CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I | DACC) | | | | | | | | | | | | | | |
| | Directory Assistance Call Completion Access Service (DACC), | | | | | | | | | | | | | | | ' |
| | Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| | OPERATOR CALL PROCESSING | | | | | | | | | | | | | | | |
| Facili | ty based CLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | AMT | CBAOS | | 7,000.00 | 7,000.00 | | | | | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | 1 |
| | per OCN | | | AMT | CBAOL | | 500.00 | 500.00 | | | | | | | | |
| Whole | esale CLEC | | | | | | | | | | | | | | | 1 |
| | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | _ | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | j | | | | | | | |
| | per OCN | | 1 | | | | 500.00 | 500.00 | | | | | | | I | |
| Unbra | anding via OLNS for Wholesale CLEC | | Ì | | | | | | | | | | | | | |
| | Loading of OA per OCN (Regional) | | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| INWARD OPE | RATOR SERVICES | | | | | | | · | | | | | | | | |
| | Inward Operator Services - Verification, Per Minute | | | | 1 | 1.15 | | | | | | | | | | |
| | Inward Operator Services - Verification and Emergency Interrupt | | | | 1 | | | | | | | | | | | |
| | - Per Minute | | | | | 1.15 | | | | | | | | | | 1 |
| OPERATOR (| CALL PROCESSING | | † | | | 0 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST | | † | | | | | | | | | | | | | |
| | LIDB | | | | | 1.20 | | | | | | | | | | 1 |
| | Oper. Call Processing - Oper. Provided, Per Min Using | | 1 | | + | 1.20 | | | | | † | | | | | |
| | Foreign LIDB | | | | | 1.24 | | | | | | | | | | ' |
| | Oper. Call Processing - Fully Automated, per Call - Using BST | | 1 | | + | 1.27 | | | | | † | | | | | |
| | LIDB | | | | | 0.20 | | | | | | | | | | 1 |
| | Oper. Call Processing - Fully Automated, per Call - Using | | | | + | 0.20 | | | | | | | | | | - |
| | Foreign LIDB | | | | | 0.20 | | | | | | | | | | 1 |
| CALLING NA | ME (CNAM) SERVICE | | | | + | 0.20 | | | | | | | | | | |
| OALLING IVA | CNAM Service, per line | | 1 | UEPFB | N1ACR | 2.11 | | | | | † | | | | | |
| | CNAM Service, per line | | | UEPBX | N1ACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | - | UEPSB | N1ACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | - | UEPFP | N1ACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | - | UEPSP | N1ACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line CNAM Service, per line | | | UEPPX | N1ACR | 2.11 | | | + | | H | | | | | + |
| | CNAM Service, per line | | | UEPSR | NXMCR | 2.11 | | | 1 | | | | | | | |
| \vdash | CNAM Service, per line | | | UEPFR | NXMCR | 2.11 | | | + + | | | | | 1 | + | + |
| | CNAM Service, per line CNAM Service, per line | | | UEPRX | NXMCR | 2.11 | | | | | | | | | | |
| \vdash | CNAM Service, per line CNAM Service, per line | | | UEPBG | N1ACR | 2.11 | | | + + | | | | | 1 | + | + |
| \vdash | CNAM Service, per line CNAM Service, per line | - | | UEPPB | N1ACR N1ACR | 2.11 | | | + | | | | | - | | |
| \vdash | CNAM Service, per line | - | | UEPPR | NXMCR | 2.11 | | | + + | | | | | - | | |
| \vdash | CNAM Service, per line CNAM Service, per line | - | - | UEPFB | NXMCR | 2.11 | | | | | - | | | - | | |
| | | - | 1 | | | | | | | | 1 | | | | | |
| | CNAM Service, per line | | 1 | UEPBX | NXMCR | 2.11 | | | | | 1 | | | | | |
| —— | CNAM Service, per line | - | - | UEPSB | NXMCR NXMCR | 2.11 | | | | | - | | | | | |
| | CNAM Service, per line | | 1 | UEPRG | | 2.11 | | | | | 1 | | | | | |
| \vdash | CNAM Service, per line | <u> </u> | 1 | UEPSE UEPFP | NXMCR NXMCR | 2.11 | | | 1 | | 1 | | | - | - | |
| \vdash | CNAM Service, per line | | - | | | 2.11 | | | | | 1 | | | | - | |
| \vdash | CNAM Service, per line | — | <u> </u> | UEPSP | NXMCR | 2.11 | | | | | - | | | . | - | |
| \vdash | CNAM Service, per line | — | <u> </u> | UEPPX | NXMCR | 2.11 | | | | | - | | | . | - | |
| ——— | CNAM Service, per line | | | UEPPB | NXMCR | 2.11 | | | | | ļ | | | | | |
| \vdash | CNAM Service, per line | | <u> </u> | UEPBG | NXMCR | 2.11 | | | | | | | | ļ | . | |
| \vdash | CNAM Service, per line | | | UEPSR | NXMMN | 2.11 | | | | | | | | ļ | ļ | ļ |
| \vdash | CNAM Service, per line | | | UEPFR | NXMMN | 2.11 | | | | | | | | ļ | ļ | <u> </u> |
| \vdash | CNAM Service, per line | | | UEPRX | NXMMN | 2.11 | | | | | | | | ļ | ļ | <u> </u> |
| | CNAM Service, per line | | | UEPFB | NXMMN | 2.11 | | | | | | | | ļ | ļ | ļ |
| | CNAM Service, per line | | | UEPBX | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPPR | NXMMN | 2.11 | | | | | | | | | | |

| SERVIC | CES - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---|--|---------|---|---|---|---|---|---|---|----------------|--------------|----------------|----------------|-------------|--|
| OLIVIO | 720 Imi33i33ippi | 1 | | | 1 1 | | | | | | Svc Order | | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| CATEGO | RY RATE ELEMENTS | Interi | J | BCS | USOC | | | RATES(\$) | | | Elec | , | Manual Svc | Manual Svc | | Manual Svo |
| CATEGOR | RATE ELEMENTS | m | Zone | всэ | USUC | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| <u> </u> | | | | | | | | | | | | | | | | |
| \perp | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CNAM Service, per line | | | UEPBG | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPPB | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSB | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPRG | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSE | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPFP | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSP | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPPX | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPBG | NXECR | 2.11 | | | | | | | | | | |
| \vdash | CNAM Service, per line | | | UEPPB | NXECR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPFB | NXECR | 2.11 | | | | | | | | | | |
| \vdash | CNAM Service, per line | | | UEPBX | NXECR | 2.11 | - | | | | | | | | | l |
| \vdash | CNAM Service, per line | | | UEPSB | NXECR | 2.11 | - | | | | | | | | | l |
| \vdash | CNAM Service, per line | | | UEPFP | NXECR | 2.11 | - | | | | | | | | | |
| \vdash | CNAM Service, per line CNAM Service, per line | | | UEPSP | NXECR | 2.11 | | | | | | | | | | |
| \vdash | CNAM Service, per line CNAM Service, per line | - | | UEPPX | NXECR | 2.11 | | | | | - | | | | | |
| \vdash | CNAM Service, per line CNAM Service, per line | - | | UEPBG | NCACR | 2.11 | | | | | | | | | | |
| \vdash | CNAM Service, per line | - | | UEPPB | NCACR | 2.11 | | | | | | | | | | |
| \vdash | | | | | | | | | | | | | | | | |
| \vdash | CNAM Service, per line | | | UEPFB | NCACR | 2.11 | | | | | | | | | | |
| \vdash | CNAM Service, per line | | | UEPBX | NCACR | 2.11 | | | | | | | | | | |
| \vdash | CNAM Service, per line | | | UEPSB | NCACR | 2.11 | | | | | | | | | | |
| \vdash | CNAM Service, per line | | | UEPFP | NCACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSP | NCACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPPX | NCACR | 2.11 | | | | | | | | | | |
| | DLESALE LOCAL SWITCHING PORTS | L | ليبا | | | | | | | | L | | l | | | l |
| | For New Install scenarios the Nonrecurring charges are listed in the | e First | and Ad | ditional NRC colum | ins for each P | ort USOC. For | Existing Platfo | orm scenarios | , the Nonrecuri | ing charges a | re listed in 1 | the NRC - Co | onversions se | ection. Additi | onal NRCs m | ay apply |
| al | Iso and are categorized accordingly. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | End Office and Tandem Switching Usage and Wholesale Common | Trans | ort Usa | nge rates in the Por | t section of th | nis rate exhibit | shall apply to | the Wholesale | Access Line S | ervice except | for the Coin | Service wh | ich has a flat | rate usage ch | arge (USOC: | URECU). |
| D: | S0 WHOLESALE LOCAL SWITCHING PORTS - (Res) | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 8.41 | 38.76 | 10.95 | 0.00 | 0.00 | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | | | | | | | | | | | | | |
| | | | l 1 | UEPSR | UEPRC | 8.41 | 38.76 | 10.95 | 0.00 | 0.00 | | | | | | |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRC | 8.41 | 38.76 | 10.95 | 0.00 | 0.00 | | | | | | |
| | Exchange Ports - 2-Wire VG MS extended local dialing parity | | L I | UEPSR UEPSR | UEPRC UEPRO | 8.41 8.41 | 38.76 38.76 | 10.95 10.95 | 0.00 | 0.00 | | | | | | |
| | Port with Caller ID - Res. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire VG res, low usage line port with Caller | | | UEPSR | UEPRO | 8.41 | 38.76 | 10.95 | 0.00 | 0.00 | | | | | | |
| | ID (LUM) | | | UEPSR | UEPRO | 8.41 | 38.76 | 10.95 | 0.00 | 0.00 | | | | | | |
| | | | | UEPSR UEPSR | UEPRO | 8.41 8.41 | 38.76 38.76 | 10.95 10.95 | 0.00 | 0.00 | | | | | | |
| | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing | | | UEPSR UEPSR | UEPRO | 8.41 8.41 | 38.76 38.76 38.76 | 10.95 10.95 | 0.00 | 0.00 | | | | | | |
| | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID | | | UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ | 8.41 8.41 8.41 8.41 | 38.76 38.76 38.76 38.76 | 10.95 10.95 10.95 10.95 | 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | | | | | |
| FE | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability | | | UEPSR UEPSR UEPSR | UEPAT UEPAP | 8.41 8.41 8.41 | 38.76 38.76 38.76 | 10.95 10.95 | 0.00 0.00 0.00 | 0.00 0.00 0.00 | | | | | | |
| FE | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES | | | UEPSR UEPSR UEPSR UEPSR UEPSR | UEPAT UEPAP UEPWJ UEPRT | 8.41 8.41 8.41 8.41 8.41 | 38.76 38.76 38.76 38.76 38.76 | 10.95 10.95 10.95 10.95 10.95 | 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | | | | | |
| | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features | | | UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ | 8.41 8.41 8.41 8.41 | 38.76 38.76 38.76 38.76 | 10.95 10.95 10.95 10.95 | 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | | | | | |
| | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features cross Connects | | | UEPSR UEPSR UEPSR UEPSR UEPSR | UEPAT UEPAP UEPWJ UEPRT | 8.41 8.41 8.41 8.41 8.41 | 38.76 38.76 38.76 38.76 38.76 | 10.95 10.95 10.95 10.95 10.95 | 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | | | | | |
| | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features ross Connects Physical Expanded Interconnection Two Wire Cross Connect, | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ UEPT UEPVF | 8.41 8.41 8.41 8.41 8.41 2.56 | 38.76 38.76 38.76 38.76 38.76 0.00 | 10.95 10.95 10.95 10.95 10.95 0.00 | 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | | | | | |
| | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features Fross Connects Physical Expanded Interconnection Two Wire Cross Connect, Provsioning | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ UEPRT UEPVF PE1R2 | 8.41 8.41 8.41 8.41 2.56 | 38.76 38.76 38.76 38.76 38.76 0.00 | 10.95 10.95 10.95 10.95 10.95 0.00 | 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | | | | | |
| Cr | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features cross Connects Physical Expanded Interconnection Two Wire Cross Connect, Provsioning Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ UEPT UEPVF | 8.41 8.41 8.41 8.41 8.41 2.56 | 38.76 38.76 38.76 38.76 38.76 0.00 | 10.95 10.95 10.95 10.95 10.95 0.00 | 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | | | | | |
| Cr | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features Fross Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Ion-Recurring Charges | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ UEPRT UEPVF PE1R2 VE1R2 | 8.41 8.41 8.41 8.41 2.56 | 38.76 38.76 38.76 38.76 38.76 0.00 12.37 | 10.95 10.95 10.95 10.95 10.95 0.00 | 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | | | | | |
| Cr | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features ross Connects Physical Expanded Interconnection Two Wire Cross Connect, Provsioning Virtual Collocation - Two Wire Cross Connect, Provisioning lon-Recurring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ UEPRT UEPVF PE1R2 VE1R2 USAS2 | 8.41 8.41 8.41 8.41 2.56 0.0288 0.0268 | 38.76 38.76 38.76 38.76 0.00 12.37 12.37 | 10.95 10.95 10.95 10.95 10.95 0.00 11.87 11.87 | 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | | | | | |
| Cr | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features Fross Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Ion-Recurring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ UEPRT UEPVF PE1R2 VE1R2 | 8.41 8.41 8.41 8.41 2.56 | 38.76 38.76 38.76 38.76 38.76 0.00 12.37 | 10.95 10.95 10.95 10.95 10.95 0.00 | 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 | | | | | | |
| Cr | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features Fross Connects Physical Expanded Interconnection Two Wire Cross Connect, Provsioning Virtual Collocation - Two Wire Cross Connect, Provisioning Ion-Recurring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity SO WHOLESALE LOCAL SWITCHING PORTS - (PBX) | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ UEPT UEPVF PE1R2 VE1R2 USAS2 USASC | 8.41 8.41 8.41 8.41 8.41 2.56 0.0288 0.0268 | 38.76 38.76 38.76 38.76 38.76 0.00 12.37 12.37 0.00 0.00 | 10.95 10.95 10.95 10.95 10.95 0.00 11.87 11.87 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 | | | | | | |
| Cr | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features Fross Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Ion-Recurring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity ISO WHOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG 2-Way PBX Trunk - Res | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ UEPRT UEPVF PE1R2 VE1R2 USAS2 USASC UEPRD | 8.41 8.41 8.41 8.41 2.56 0.0288 0.0268 | 38.76 38.76 38.76 38.76 0.00 12.37 12.37 0.00 0.00 | 10.95 10.95 10.95 10.95 10.95 0.00 11.87 11.87 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 | | | | | | |
| Cr | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features ross Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Ion-Recurring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity ISO WHOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG 2-Way PBX Trunk - Res 2-Wire VG Line Side 2-Way PBX Trunk - Bus | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ UEPRT UEPVF PE1R2 VE1R2 USAS2 USASC UEPRD UEPPC | 8.41 8.41 8.41 8.41 8.41 2.56 0.0288 0.0268 0.000 11.41 11.41 | 38.76 38.76 38.76 38.76 38.76 0.00 12.37 12.37 0.00 0.00 56.45 | 10.95 10.95 10.95 10.95 10.95 0.00 11.87 11.87 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 | | | | | | |
| Cr | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features Fross Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Ion-Recurring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity SO WHOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG Line Side 2-Way PBX Trunk - Bus 2-Wire VG Line Side Outward PBX Trunk - Bus | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ UEPRT UEPVF UEPVF PE1R2 VE1R2 USAS2 USASC UEPRD UEPPC UEPPO | 8.41 8.41 8.41 8.41 8.41 2.56 0.0288 0.0268 0.000 11.41 11.41 | 38.76 38.76 38.76 38.76 38.76 0.00 12.37 12.37 12.37 0.00 0.00 56.45 56.45 | 10.95 10.95 10.95 10.95 10.95 0.00 11.87 11.87 0.00 0.00 12.64 12.64 | 0.00 0.00 0.00 0.00 0.00 0.00 | 0.00 0.00 0.00 0.00 0.00 0.00 | | | | | | |
| Cr | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features Tross Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Ion-Recurring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity SO WHOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG 2-Way PBX Trunk - Res 2-Wire VG Line Side 2-Way PBX Trunk - Bus 2-Wire VG Line Side Outward PBX Trunk - Bus 2-Wire VG Line Side Outward PBX Trunk - Bus | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ UEPRT UEPVF PE1R2 VE1R2 USAS2 USASC UEPRD UEPPC UEPPO UEPPO UEPP0 | 8.41 8.41 8.41 8.41 8.41 2.56 0.0288 0.0268 0.000 11.41 11.41 11.41 | 38.76 38.76 38.76 38.76 38.76 0.00 12.37 12.37 0.00 0.00 56.45 56.45 56.45 | 10.95 10.95 10.95 10.95 10.95 0.00 11.87 11.87 0.00 0.00 12.64 12.64 12.64 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | | | | | | |
| Cr | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features ross Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning lon-Recurring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity SO WHOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG 2-Way PBX Trunk - Res 2-Wire VG Line Side 2-Way PBX Trunk - Bus 2-Wire VG Line Side Incoming PBX Trunk - Bus 2-Wire VG Line Side Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSP UEPSP | UEPRO UEPAT UEPAP UEPWJ UEPRT UEPVF PE1R2 VE1R2 USAS2 USASC UEPRD UEPPC UEPPC UEPPO UEPP1 UEPLD | 8.41 8.41 8.41 8.41 8.41 2.56 0.0288 0.0268 0.000 11.41 11.41 11.41 11.41 | 38.76 38.76 38.76 38.76 38.76 0.00 12.37 12.37 0.00 0.00 56.45 56.45 56.45 56.45 | 10.95 10.95 10.95 10.95 10.95 0.00 11.87 11.87 0.00 0.00 12.64 12.64 12.64 12.64 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | | | | | | |
| Cr | ID (LUM) Exchange Ports - 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability EATURES All Available Vertical Features Tross Connects Physical Expanded Interconnection Two Wire Cross Connect, Provisioning Virtual Collocation - Two Wire Cross Connect, Provisioning Ion-Recurring Charges 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity SO WHOLESALE LOCAL SWITCHING PORTS - (PBX) 2-Wire VG 2-Way PBX Trunk - Res 2-Wire VG Line Side 2-Way PBX Trunk - Bus 2-Wire VG Line Side Outward PBX Trunk - Bus 2-Wire VG Line Side Outward PBX Trunk - Bus | | | UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR | UEPRO UEPAT UEPAP UEPWJ UEPRT UEPVF PE1R2 VE1R2 USAS2 USASC UEPRD UEPPC UEPPO UEPPO UEPP0 | 8.41 8.41 8.41 8.41 8.41 2.56 0.0288 0.0268 0.000 11.41 11.41 11.41 | 38.76 38.76 38.76 38.76 38.76 0.00 12.37 12.37 0.00 0.00 56.45 56.45 56.45 | 10.95 10.95 10.95 10.95 10.95 0.00 11.87 11.87 0.00 0.00 12.64 12.64 12.64 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | | | | | | |

| SERVICES | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|-------------|----------|-------------|---------|--------|--------|-----------|--|------------|---|---|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| I | | | | | | I | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | |
| | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPSP | UEPXC | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | |
| | 2-Wire Voice 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | |
| | 2-Wire Voice 2-Way PBX Hotel/Hospital Economy Room Calling | | | 02. 0. | 02.7.2 | | 00.10 | 12.01 | 0.00 | 0.00 | | | | | | 1 |
| | Port | | | UEPSP | UEPXM | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | |
| | 2-Wire Voice 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | |
| | 2-Wire Voice 2-Way PBX Mississippi Local Economy Calling | | | LIEDOD | LIEDVO | 44.44 | 50.45 | 40.04 | 0.00 | 0.00 | | | | | | |
| -+ | Port | | | UEPSP | UEPXQ | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | |
| | 2-Wire Voice 2-Way PBX Mississippi Local Optional Calling Port | | 1 | UEPSP | UEPXR | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | I | |
| | 2-Wire Voice PBX Port, Mississippi colar Optional Calling Fort | | | UEPSP | UEPA5 | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | 1 | | | | † | t |
| | 2-Wire Voice 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | |
| FEAT | URES | | | | | | | | İ | | | | | | | |
| | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 2.56 | 0.00 | 0.00 | | | | | | | | |
| Cross | S Connects | | | | | | | | | | | | | | | |
| | Physical Expanded Interconnection Two Wire Cross Connect, Provsioning | | | UEPSP | PE1R2 | 0.0288 | 12.37 | 11.87 | | | | | | | | |
| | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSP | VE1R2 | 0.0268 | 12.37 | 11.87 | | | | | | | 1 | 1 |
| Non- | Recurring Charges | | | 02. 0. | 722 | 0.0200 | 12.01 | | † † | | | | | | t | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSP | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| ĺ | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | İ | | | | | | | |
| DS0 I | OCAL WHOLESALE SWITCHING PORTS - (Coin) | | | | | | | | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without Blocking (AL, KY, LA, MS) | | | UEP2C | UEPRF | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | | | | | | |
| - | Blocking; with Dialing Parity (Note 3) (MS) 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | UEP2C | UEPMC | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 900, 1+DDD (AL, KY, LA, & MS) | | | UEP2C | UEPRA | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Coin 2-W with Operator Screening and Blocking: 011, 900, 1+DDD; with Dialing Parity (MS) | | | UEP2C | UEPMA | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (AL, LA, MS) | | | UEP2C | UEPRB | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; | | | UEP2C | | 11.41 | 36.43 | 12.04 | | | | | | | | |
| | with Dialing Parity (MS) 2-Wire Coin 2-Way with Operator Screening & Blocking: 900, | | | UEP2C | UEPMB | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEP2C | UEPCD | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Coin 2-W Oper Screen & Blocking: 900, 1+DDD, 011+, and Local; with Dialing Parity (MS) | | | UEP2C | UEPCJ | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Coin Outward without Blocking and without Operator | | | | | | | | | | | | | | | |
| | Screening (KY, LA, MS) 2-Wire Coin Outward without Blocking and without Operator | | | UEP2C | UEPRN | 11.41 | 56.45 | 12.64 | | | | | | | | - |
| | Screening; with Dialing Parity (MS) | | | UEP2C | UEPME | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011Blocking (GA, KY, MS) | | | UEP2C | UEPRJ | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking; with Dialing Parity (MS) | | | UEP2C | UEPMD | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 011, 900, 1+DDD (AL, KY, LA, MS) 2-Wire Coin Outward Operator Screening & Blocking: 900, | | - | UEP2C | UEPRH | 11.41 | 56.45 | 12.64 | | | | | | | - | |
| | 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEP2C | UEPCN | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Coin Out Operator Screen & Blocking: 900, 1+DDD, 011+, & Local; with Dialing Parity (MS) | | | UEP2C | UEPCS | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | - | UEP2C | UEPCS | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | 52. 510 | 11.41 | 55.45 | 12.04 | † | | | | | 1 | 1 | |
| | LA) | | L_ | UEP2C | UEPCR | 11.41 | 56.45 | 12.64 | <u> </u> | | | | | | | |

| SERVIC | CES - | Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------|---|---|--|----------|---|--|--|---|---|------------------|-----------------|----------------|-------------|---------------|----------------|--------------|------------|
| SLIVIO |)LU - | Mississippi | | 1 | | | 1 | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incrementa |
| | | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Indan: | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | |
| CATEGO | RY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | poi zoit | po. 20.1 | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | D130 131 | DISC Add I |
| | | | | | | | Rec | Nonre | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| (| Coin Us | sage | | - | | | | | | | | ļ | | | | | |
| | | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | | | UEP2C | URECU | 5.50 | | | | | | | | | | |
| - | | Connects | - | | UEP2C | URECU | 5.50 | - | | - | 1 | . | | | | | - |
| | | Physical Expanded Interconnection Two Wire Cross Connect, | | + | | 1 | | 1 | | 1 | | 1 | | | | | |
| | | Provsioning | | | UEP2C | PE1R2 | 0.0288 | 12.37 | 11.87 | | | | | | | | |
| | | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEP2C | VE1R2 | 0.0268 | 12.37 | 11.87 | | | 1 | | | | | |
| 1 | | ecurring Charges | | 1 | | | | | | | | İ | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | 1 | UEP2C | USAS2 | | 0.00 | 0.00 | | | İ | | | | | |
| 1 | i | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | İ | | | | | | | | | | | | | |
| | | Premise | | | UEP2C | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | LOCAL CIRCUIT SWITCHING, PORT USAGE | | | | | | | • | | | | | | | | |
| E | | fice Switching (Port Usage) | | | | | | | | | | | | | | | |
| | | End Office Switching Function, Per MOU | | | | | 0.0010269 | | | | | | | | | | |
| | | End Office Trunk Port - Shared, Per MOU | ļ | 1 | ļ | | 0.000161 | 1 | | ļ | ļ | | | | | | |
| 1 | | n Switching (Port Usage) (Local or Access Tandem) | | 1 | | 1 | 0.00045 | ļ | | | | | | | | | |
| | | Tandem Switching Function Per MOU | | - | | | 0.0001723 | | | | | ļ | | | | | |
| | | Tandem Trunk Port - Shared, Per MOU Factor: 36.82% of the Tandem Rate | - | - | | | 0.0001828 | | | | | 1 | | | | | |
| , | | Tandem Switching Function Per MOU (Melded) | | - | | | 0.000063441 | - | | - | | - | - | | | | - |
| | | Tandem Switching Function Per MOU (Melded) | - | + | | <u> </u> | 0.000063441 | - | | - | | | | | | | |
| | | sale Common Transport | | + | | 1 | 0.000067307 | 1 | | 1 | | 1 | | | | | _ |
| | VIIOIES | Common Transport - Per Mile, Per MOU | | 1 | | + | 0.0000026 | | | | | 1 | | | | | |
| | | Common Transport - Facilities Termination Per MOU | | 1 | | 1 | 0.0004541 | | | | | | | | | | |
| DS0 WH | | ALE LOCAL PLATFORM SERVICE | | | | | | | | | | İ | | | | | |
| | For N | lew Install scenarios the Nonrecurring charges are listed in th | | | | | | | | | | | | | | | |
| 1 | lso an | and are categorized accordingly. | ie riisi | and Ad | iditional NRC coluit | ins for each l | Port USOC. Fo | r Existing Platf | orm scenarios | , the Nonrecur | rring charges a | re listed in t | the NRC - C | onversions se | ection. Additi | ional NRCs m | ay apply |
| | | d are categorized accordingly. | | | | | | | | - | | | | | | | |
| > | End C | d are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common | | | | | | | | - | | | | | | | |
| > | End C | nd are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates | | oort Usa | age rates in the Port | section of the | his rate exhibit | | | - | | | | | | | |
| > | End C | nd are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | | oort Usa | age rates in the Port | section of the | his rate exhibit | | | - | | | | | | | |
| > | End C | nd are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | oort Usa | age rates in the Port | section of the | 10.98 15.91 | | | - | | | | | | | |
| > | End C | nd are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 1 2 3 | age rates in the Port UEPRX UEPRX UEPRX UEPRX | section of the UEPLX UEPLX UEPLX UEPLX | 10.98 15.91 25.04 | | | - | | | | | | | |
| 2 | End C | nd are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 | | oort Usa | age rates in the Port | section of the | 10.98 15.91 | | | - | | | | | | | |
| 2 | End C | d are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) | | 1 2 3 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | Section of the UEPLX UEPLX UEPLX UEPLX UEPLX | 10.98 15.91 25.04 43.68 | shall apply to | DS0 Wholesale | - | | | | | | | |
| 2 | End C | d are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence | | 1 2 3 | age rates in the Port UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | Section of the UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX | 10.98 15.91 25.04 43.68 | shall apply to | DS0 Wholesale | - | | | | | | | |
| 2 | End C | d are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res | | 1 2 3 | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | Section of the UEPLX UEPLX UEPLX UEPLX UEPLX | 10.98 15.91 25.04 43.68 | shall apply to | DS0 Wholesale | e Local Platforn | | | | | | | |
| 2 | End C | d are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence | | 1 2 3 | age rates in the Port UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | Section of the UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC | 10.98 15.91 25.04 43.68 8.23 8.23 | shall apply to | 10.95 10.95 | e Local Platforn | | | | | | | |
| 2 | End C | d are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res | | 1 2 3 | age rates in the Port UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | Section of the UEPLX UEPLX UEPLX UEPLX UEPLX UEPLX UEPRL UEPRC UEPRO UEPAT | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 | 38.76 38.76 38.76 | 10.95 10.95 10.95 10.95 | e Local Platforn | | | | | | | |
| 2 | End C | d are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with | | 1 2 3 | UEPRX | 10.98 15.91 25.04 43.68 8.23 8.23 | 38.76 38.76 | 10.95 10.95 10.95 | e Local Platforn | | | | | | | |
| 2 | End C | d are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res | | 1 2 3 | ueprx | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 | 10.95 10.95 10.95 10.95 10.95 | e Local Platforn | | | | | | | |
| 2 | End Cost Lo | d are categorized accordingly. Diffice and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi Residence Dialing Plan without Caller ID 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID | | 1 2 3 | DEPRX UEPRX ion of the sectio | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 38.76 38.76 | 10.95 10.95 10.95 10.95 10.95 10.95 | e Local Platforn | | | | | | | |
| 2 2 2 | End C | d are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice res, low usage line port with Caller ID 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID | | 1 2 3 | ueprx | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 | 10.95 10.95 10.95 10.95 10.95 | e Local Platforn | | | | | | | |
| 2 2 2 | End Cost Local | d are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice Port Outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi Residence Dialing Plan without Caller ID 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID All Features Offered CURRING CHARGES - Conversions | | 1 2 3 | ueprx | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 38.76 | 10.95 10.95 10.95 10.95 10.95 10.95 | e Local Platforn | | | | | | | |
| 2 2 2 | - End C | In a re categorized accordingly. Diffice and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port outgoing only - res 2-Wire voice blississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi extended local dialing Plan without Caller ID 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID All Features Offered CURRING CHARGES - Conversions 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is | | 1 2 3 | DEPRX UEPRX ion of the sectio | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 38.76 38.76 | 10.95 10.95 10.95 10.95 10.95 10.95 | e Local Platforn | | | | | | | |
| 2 2 2 | P-Wire | d are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common top Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port - residence 2-Wire voice port outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi Residence Dialing Plan without Caller ID 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID All Features Offered CURRING CHARGES - Conversions 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Switch with change | | 1 2 3 | ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx ueprx | Section of the UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAT UEPAP UEPWJ UEPVF | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 38.76 | 10.95 10.95 10.95 10.95 10.95 10.95 | e Local Platforn | | | | | | | |
| 2 2 2 | - End C | In a categorized accordingly. Diffice and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port outgoing only - res 2-Wire voice port outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi Residence Dialing Plan without Caller ID 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Switch vith change 2-Wire Voice Grade Loop / Line Port Platform - Switch vith change 2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing | | 1 2 3 | UEPRX | Section of the UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAT UEPAP UEPAP UEPVF USAC2 USACC | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 38.76 38.76 10.00 | 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 | e Local Platforn | | | | | | | |
| 2 2 2 | - End C | or and are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port vith Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi Residence Dialing Plan without Caller ID 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID All Features Offered CURRING CHARGES - Conversions 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service | | 1 2 3 | ueprx | Section of the UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAT UEPAP UEPWJ UEPVF | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 38.76 10.00 | 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 | e Local Platforn | | | | | | | |
| 2 2 2 | - End C DS0 Loo DS0 Lo | In a categorized accordingly. Diffice and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port outgoing only - res 2-Wire voice port outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi Residence Dialing Plan without Caller ID 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Switch vith change 2-Wire Voice Grade Loop / Line Port Platform - Switch vith change 2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing | | 1 2 3 | UEPRX | Section of the sectio | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 38.76 10.00 | 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.90 | a Local Platforn | | | | | | | |
| 2 2 2 | - End C DS0 Loo | In a categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port outgoing only - res 2-Wire voice port outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi Residence Dialing Plan without Caller ID 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID All Features Offered CURRING CHARGES - Conversions 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service ONAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Platform - Switch - Subsequent | | 1 2 3 | UEPRX | Section of the UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAT UEPAP UEPAP UEPVF USAC2 USACC | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 38.76 38.76 10.00 | 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 | a Local Platforn | | | | | | | |
| 2 2 2 | - End C | In a categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi Residence Dialing Plan without Caller ID 3-Wire Voice Mississippi Residence Dialing Plan without Caller ID 4II Features Offered CURRING CHARGES - Conversions 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service ONAL NRCS NRC - 2-Wire Voice Grade Loop/Line Port Platform - Subsequent Unbundled Miscellaneous Rate Element, Tag Loop at End User | | 1 2 3 | UEPRX | Section of the UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAT UEPAT UEPAP UEPAF UEPAF UEPAF UEACC USACC USACC USAS2 | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 0.00 10.00 10.00 | 10.95 10.95 10.95 10.95 10.95 10.95 10.90 10.00 | a Local Platforn | | | | | | | |
| 2 2 2 | - End C | In a categorized accordingly. Diffice and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi Residence Dialing Plan without Caller ID All Features Offered CURRING CHARGES - Conversions 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Switch with change 2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service ONAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Platform - Subsequent Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | 1 2 3 | UEPRX | Section of the sectio | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 38.76 10.00 | 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.95 10.90 | a Local Platforn | | | | | | | |
| 2 2 2 | End C | In a categorized accordingly. Office and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port outgoing only - res 2-Wire voice port outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi Residence Dialing Plan without Caller ID 2-Wire Voice Mississippi Residence Dialing Plan without Caller ID All Features Offered CURRING CHARGES - Conversions 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service ONAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Platform - Subsequent Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise Wire Maintenance | | 1 2 3 | UEPRX | Section of the UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRC UEPRO UEPAT UEPAP UEPAP UEACC USACC URECC URAS2 URETL | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 0.00 10.00 10.00 | 10.95 10.95 10.95 10.95 10.95 10.95 10.90 10.00 | a Local Platforn | | | | | | | |
| | - End C | In a categorized accordingly. Diffice and Tandem Switching Usage and Wholesale Common op Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Loop (SL1) - Zone 4 Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port outgoing only - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi extended local dialing parity port with Caller ID - res 2-Wire voice Mississippi Residence Dialing Plan without Caller ID All Features Offered CURRING CHARGES - Conversions 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Switch with change 2-Wire Voice Grade Loop / Line Port Platform - Installation Charge at QuickService location - Not Conversion of Existing Service ONAL NRCs NRC - 2-Wire Voice Grade Loop/Line Port Platform - Subsequent Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | 1 2 3 | UEPRX | Section of the UEPLX UEPLX UEPLX UEPLX UEPLX UEPRC UEPRO UEPAT UEPAT UEPAP UEPAF UEPAF UEPAF UEACC USACC USACC USAS2 | 10.98 15.91 25.04 43.68 8.23 8.23 8.23 8.23 8.23 | 38.76 38.76 38.76 38.76 0.00 10.00 10.00 | 10.95 10.95 10.95 10.95 10.95 10.95 10.90 10.00 | a Local Platforn | | | | | | | |

| SERVICES | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|-------------|--|----------------|----------------|----------------|--------|----------------|--|-------|-------|---|--|--|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring Discor | nnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First Ad | ld'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPRX | UEAEN | 12.03 | 37.92 | 17.55 | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPRX | UEAEN | 16.87 | 37.92 | 17.55 | | | | | | | | <u> </u> |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPRX | UEAEN | 25.68 | 37.92 | 17.55 | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 4 | UEPRX | UEAEN | 43.85 | 37.92 | 17.55 | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 1 | UEPRX | UEAED | 13.89 | 105.96 | 68.28 | | | | | | | | ļ |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 2 | UEPRX | UEAED | 18.75 | 105.96 | 68.28 | | | | | | | | ļ |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPRX | UEAED UEAED | 27.55 45.72 | 105.96 | 68.28 68.28 | | | | | | - | | |
| INTE | 2 Wire Analog Voice Grade Extension Loop – Design ROFFICE TRANSPORT | | 4 | UEPRX | UEAED | 45.72 | 105.96 | 68.28 | | | | | | - | | |
| INTE | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | + | | | | | | | | | | | - |
| | Termination | | | UEPRX | U1TV2 | 20.32 | 40.77 | 27.57 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | - | t | OLI IVA | 01172 | 20.32 | 40.77 | 21.31 | | | | | | | t | |
| | or Fraction Mile | | | UEPRX | U1TVM | 0.0088 | 0.00 | 0.00 | | | | | | | 1 | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 10.98 | 3.30 | 3.00 | | 1 | | | | | <u> </u> | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 15.91 | | | | - t | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 25.04 | | | | Ì | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEPRG | UEPLX | 43.68 | | | | i | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | |
| | 2-Wire voice 2-Way PBX Trunk Port - Res (E: 1/1/2005) | | | UEPRG | UEPRD | 11.23 | 56.45 | 12.64 | | | | | | | | |
| FEAT | URES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 2.56 | | | | | | | | | | |
| NON | RECURRING CHARGES - Conversions | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPRG | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| | Change | | | UEPRG | USACC | | 10.00 | 10.00 | | | | | | | | ļ |
| ADDI | TIONAL NRCs | | | LIEDDO | 110400 | | 0.00 | 0.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | UEPRG | USAS2 | | 0.00 | 0.00 | | | | | | | - | |
| | Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | - | | | | 0.00 | 0.00 | | | | | | | - | |
| | Group | | | | | | 14.64 | 14.64 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | 1 | | + | | 14.04 | 14.04 | | | | | | | | 1 |
| | Premise | | | UEPRG | URETL | | 8.33 | 0.83 | | | | | | | | |
| OFF/ | ON PREMISES EXTENSION CHANNELS | | | 02.110 | 0.12.2 | | 0.00 | 0.00 | | | | | | | 1 | 1 |
| | Local Channel Voice grade, per termination | | 1 | UEPRG | P2JHX | 13.89 | 105.96 | 68.28 | | | | | | | | |
| | Local Channel Voice grade, per termination | | 2 | UEPRG | P2JHX | 18.75 | 105.96 | 68.28 | | Ì | | | | | | |
| | Local Channel Voice grade, per termination | | 3 | UEPRG | P2JHX | 27.55 | 105.96 | 68.28 | | T I | | | | | | |
| | Local Channel Voice grade, per termination | | 4 | UEPRG | P2JHX | 45.72 | 105.96 | 68.28 | | | | | | | | 1 |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPRG | U1TV2 | 20.32 | 40.77 | 27.57 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPRG | U1TVM | 0.0088 | 0.00 | 0.00 | | | | | | | | ļ |
| DS0 I | Loop Rates | | <u> </u> | LIEDDY | LIEDLY | | | | | | | | | | - | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 10.98 | | | | | | | | - | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | - | 2 | UEPPX UEPPX | UEPLX | 15.91 | | | | - | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 | - | 3 | UEPPX | UEPLX | 25.04 43.68 | + | | | | | | | | | + |
| 2-\Mir | re Voice Grade Line Port Rates (BUS - PBX) | - | 4 | OLFFA | ULFLA | 43.08 | + | | | | | | | | | + |
| Z-VVII | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 11.23 | 56.45 | 12.64 | | | | | | | | + |
| | Line Side Combination 2-way PBX Trunk Port - Bus | † | | UEPPX | UEPPO | 11.23 | 56.45 | 12.64 | | + | | | | | I | 1 |
| | Line Side Incoming PBX Trunk Port - Bus | | t | UEPPX | UEPP1 | 11.23 | 56.45 | 12.64 | | 1 | | | | 1 | <u> </u> | |
| | 2-Wire Voice PBX LD Terminal Ports | | t | UEPPX | UEPLD | 11.23 | 56.45 | 12.64 | 1 | | | | | i | 1 | |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | t — | UEPPX | UEPXA | 11.23 | 56.45 | 12.64 | | | | | | İ | 1 | 1 |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | 1 | UEPPX | UEPXB | 11.23 | 56.45 | 12.64 | | | | | | İ | t | |
| | 2-Wire Voice PBX LD DDD Terminals Port | | i – | UEPPX | UEPXC | 11.23 | 56.45 | 12.64 | 1 | | | | | 1 | | |
| i | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 11.23 | 56.45 | 12.64 | | 1 | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 11.23 | 56.45 | 12.64 | | i | | | | | | |

| SERV | ICES - | Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--------|--|-------------|------|----------------|----------------|----------------|--------|-----------|--|-------|--|-------|---|---|---|---|
| CATEG | | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | DISC 1St | Disc Add'l |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| - | | | - | | | + | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire voice 2-Way PBX Mississippi Local Economy Calling Port | | | UEPPX | UEPXQ | 11.23 | 56.45 | 12.64 | | | | | | | | i ' |
| | | , | | | | | | | | | | | | | | | |
| | | 2-Wire Voice 2-Way PBX Mississippi Local Optional Calling Port | | | UEPPX | UEPXR | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Voice Mississippi PBX 2-Way Combo Local Opt 2 Calling Port | | | UEPPX | UEPA5 | 11.23 | 56.45 | 12.64 | | | | | | | | ł |
| | FEATU | | 1 | | OLFFX | OLFAS | 11.23 | 30.43 | 12.04 | | | | | | | | |
| | | All Features Offered | | | UEPPX | UEPVF | 2.56 | 0.00 | 0.00 | | | | | | | | |
| | NONR | CURRING CHARGES - Conversions | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | <u> </u> | | UEPPX | USAC2 | | 41.50 | 41.50 | | | | | | | | |
| | | Change | | | UEPPX | USACC | | 41.50 | 41.50 | 1 | | | | | | | l |
| | ADDIT | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | | | | 0.00 | 0.00 | | | | | | | | ł |
| | | Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt | 1 | | | + + | | 0.00 | 0.00 | + + | | - | | | | | ſ |
| | | Group | | | | | | 14.64 | 14.64 | | | | | | | | ł |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | 1 |
| - | 055/0 | Premise N PREMISES EXTENSION CHANNELS | ļ | | UEPPX | URETL | | 8.33 | 0.83 | 1 | | | | | | | — |
| | OFF/O | Local Channel Voice grade, per termination | 1 | 1 | UEPPX | P2JHX | 13.89 | 105.96 | 68.28 | + | | | | | | | |
| | | Local Channel Voice grade, per termination | | 2 | UEPPX | P2JHX | 18.75 | 105.96 | 68.28 | | | | | | | | |
| | | Local Channel Voice grade, per termination | | 3 | UEPPX | P2JHX | 27.55 | 105.96 | 68.28 | | | | | | | | i . |
| | | Local Channel Voice grade, per termination | | 4 | UEPPX | P2JHX | 45.72 | 105.96 | 68.28 | | | | | | | | |
| | INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPPX | U1TV2 | 20.32 | 40.77 | 27.57 | | | | | | | | i |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | | OLFFX | UTTVZ | 20.32 | 40.77 | 21.31 | | | | | | | | |
| | | or Fraction Mile | | | UEPPX | U1TVM | 0.0088 | 0.00 | 0.00 | | | | | | | | l |
| | | HOLESALE LOCAL PLATFORM SERVICE (Coin) | | | | | | | | | | | | | | | |
| | DS0 Lo | pop Rates | <u> </u> | | LIEDOO | LIEDLY | 40.00 | | | | | | | | | | —— |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | <u> </u> | 2 | UEPCO UEPCO | UEPLX UEPLX | 10.98 15.91 | | | - | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 3 | 1 | 3 | UEPCO | UEPLX | 25.04 | | | 1 | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 4 | <u> </u> | 4 | UEPCO | UEPLX | 43.68 | | | 1 | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (Coin) | | | | | | | | | | | | | | | |
| | | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | | | | | | l |
| | | Blocking (AL, KY, LA, MS) 2-Wire Coin 2-Way without Operator Screening and without | <u> </u> | | UEPCO | UEPRF | 11.23 | 56.45 | 12.64 | - | | | | | | | |
| | | Blocking; with Dialing Parity (Note 3) (MS) | | | UEPCO | UEPMC | 11.23 | 56.45 | 12.64 | | | | | | | | l |
| | | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | İ | | | | | | | | | | | | | | |
| | | 900, 1+DDD (AL, KY, LA, MS, SC) | | | UEPCO | UEPRA | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Coin 2-W with Operator Screening and Blocking: 011, 900, 1+DDD; with Dialing Parity (MS) | | | LIEDOO | UEPMA | 11.23 | 56.45 | 12.64 | | | | | | | | l |
| - | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | <u> </u> | | UEPCO | UEPIVIA | 11.23 | 30.43 | 12.04 | 1 | | | | | | | |
| | | (AL, LA, MS) | | | UEPCO | UEPRB | 11.23 | 56.45 | 12.64 | | | | | | | | l |
| | | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; | | | | | | | | | | | | | | | |
| | | with Dialing Parity (MS) | | | UEPCO | UEPMB | 11.23 | 56.45 | 12.64 | 1 | | 1 | | | | | |
| | | 2-Wire Coin 2-Way with Operator Screening & Blocking: 900, 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCD | 11.23 | 56.45 | 12.64 | 1 | | | | | | | l |
| - | | 2-Wire Coin 2-W Oper Screen & Blocking: 900, 1+DDD, 011+, | | | 01.00 | JEI OD | 11.23 | 50.45 | 12.04 | † † | | | | | | | |
| | | and Local; with Dialing Parity (MS) | | | UEPCO | UEPCJ | 11.23 | 56.45 | 12.64 | | | | | | | | <u> </u> |
| | | 2-Wire Coin Outward without Blocking and without Operator | | | | luene:: | | | | | | | | | | | |
| - | | Screening (KY, LA, MS) 2-Wire Coin Outward without Blocking and without Operator | - | | UEPCO | UEPRN | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | Screening; with Dialing Parity (MS) | | | UEPCO | UEPME | 11.23 | 56.45 | 12.64 | | | | | | | | l |
| | | 2-Wire Coin Outward with Operator Screening and 011Blocking | | | | | | | | | | | | | | | |
| | | (GA, KY, MS) | <u> </u> | | UEPCO | UEPRJ | 11.23 | 56.45 | 12.64 | | | | | | | | |

| SFR\ | ICFS - | Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|--|--|--|----------|----------|--------|--------|-----------|--|----------|-----------|-----------|---------------|-------------|-------------|-------------|
| OLIV | IOLO | | I | 1 | | 1 1 | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | | | | |
| OA.L | 30111 | TATE ELEMENTO | m | 20110 | 500 | 0000 | | | π. Ευ(ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | 1 | | | | | | | Nonrec | urring | Nonrecurring Dis | sconnect | | | OSS | Rates(\$) | <u> </u> | |
| | 1 | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | <u>† </u> | 2-Wire Coin Outward with Operator Screening and 011 | | | | | | | 71441 | 101 | 71441 | 0020 | 00 | | | | |
| | | Blocking; with Dialing Parity (MS) | | | UEPCO | UEPMD | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | <u>† </u> | 2-Wire Coin Outward with Operator Screening and Blocking: | | | 02.00 | 022 | 11.20 | 00.10 | 12.01 | | | | | | | | |
| | | 011, 900, 1+DDD (AL, KY, LA, MS) | | | UEPCO | UEPRH | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | <u>† </u> | 2-Wire Coin Outward Operator Screening & Blocking: 900, | | | | | | | | | | | | | | | |
| | | 1+DDD, 011+, & Local (AL, KY, LA, MS) | | | UEPCO | UEPCN | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 1 | 2-Wire Coin Out Operator Screen & Blocking: 900, 1+DDD, | | | | | | | | | | | | | | | |
| | | 011+, & Local; with Dialing Parity (MS) | | | UEPCO | UEPCS | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 1 | 2-Wire 2-Way Smartline with 900 (all states except LA) | | | UEPCO | UEPCK | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Coin Outward Smartline with 900 (all states except LA) | | | UEPCO | UEPCR | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | Coin U | | | | | | | | | | | | | | | | |
| | | _ | 1 | | | | | | | | | | | | | | |
| 1 | | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | 1 | 1 | UEPCO | URECU | 5.50 | | | [| | | | | | | |
| | NONRI | ECURRING CHARGES - Conversions | 1 | 1 | | | | | | | | | | | i | | |
| | 1 | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | 1 | 1 | UEPCO | USAC2 | | 41.50 | 41.50 | | | | | | İ | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| | | Change | | | UEPCO | USACC | | 41.50 | 41.50 | | | | | | | | |
| | ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | | Premise | | | UEPCO | URETL | | 8.33 | 0.83 | | | | | | | | |
| | DS0 W | HOLESALE LOCAL PLATFORM SERVICE (FX/FCO Res) | | | | | | | | | | | | | | | |
| | | pop Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 13.89 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 18.75 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 27.55 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL2) - Zone 4 | | 4 | UEPFR | UECF2 | 45.72 | | | | | | | | | | |
| | 2-Wire | Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | | 2-Wire voice port - residence | | | UEPFR | UEPRL | 8.27 | 220.00 | 145.00 | | | | | | | | |
| | | 2-Wire voice port with Caller ID - res | | | UEPFR | UEPRC | 8.27 | 220.00 | 145.00 | | | | | | | | |
| | | 2-Wire voice port outgoing only - res | | | UEPFR | UEPRO | 8.27 | 220.00 | 145.00 | | | | | | | | |
| | | 2-Wire voice Mississippi extended local dialing parity port with | | | | | | | | | | | | | | | |
| | | Caller ID - res | | | UEPFR | UEPAT | 8.27 | 220.00 | 145.00 | | | | | | | | |
| | | 2-Wire voice res, low usage line port with Caller ID | | | UEPFR | UEPAP | 8.27 | 220.00 | 145.00 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire voice res, low usage line port without Caller ID capabilty | | | UEPFR | UEPRT | 8.27 | 220.00 | 145.00 | | | | | | | | |
| | | 2-Wire Voice Mississippi Residence Dialing Plan without Caller | | | | | | | | | | | | | | | |
| | <u> </u> | ID | | | UEPFR | UEPWJ | 8.27 | 220.00 | 145.00 | | | | | | | | |
| | INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | |
| 1 | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | 1 | 1 | | | | | | [| | | | | | | |
| | 1 | Termination | | — | UEPFR | U1TV2 | 20.32 | 40.77 | 27.57 | | | | | | | | |
| 1 | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | 1 | LIEDED | 41.500/ | 0.0000 | | | [| | | | | | | |
| <u> </u> | FEAS | or Fraction Mile | | — | UEPFR | 1L5XX | 0.0088 | | | | | | | | | | |
| <u> </u> | FEATU | | ! | ! | LIEDED | LIED) (E | 0.50 | 0.00 | 0.00 | | | | | | | | |
| <u> </u> | NONE | All Features Offered | ! | - | UEPFR | UEPVF | 2.56 | 0.00 | 0.00 | | | | | | | | |
| <u> </u> | NONRI | ECURRING CHARGES (NRCs) - CONVERSIONS | 1 | - | | + | | | | | | | | | | | |
| 1 | | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - Conversion - Switch-as-is | 1 | 1 | UEPFR | USAC2 | | 10.00 | 10.00 | [| | | | | | | |
| — | + | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | _ | + | ULPFR | USAUZ | | 10.00 | 10.00 | | | | | | | | |
| 1 | | - Conversion - Switch-With-Change | Ί | 1 | UEPFR | USACC | | 10.00 | 10.00 | [| | | | | | | |
| - | ADDIT | IONAL NRCs | | | OLFIN | USACC | | 10.00 | 10.00 | | | | | | | | |
| - | ADDIT | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | + + | | | | | | | | | | | |
| 1 | | - Subsequent Activity | 1 | | UEPFR | USAS2 | 0.00 | 0.00 | 0.00 | [| | | | | | | |
| - | + | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | OLITIK | UUAUZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 1 | | End User Premise | 1 | 1 | UEPFR | URETN | | 11.19 | 1.10 | [| | | | | | | |
| - | DS0 W | HOLESALE LOCAL PLATFORM SERVICE (FX/FCO Bus) | | | OLI I IX | OINETIN | | 11.19 | 1.10 | | | | | | | | |
| | | pop Rates | t | † | | + - | | | | | | | | | | | |
| | 300 E | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 13.89 | | | | | | | | | | |
| | † | 2-Wire Voice Grade Loop (SL2) - Zone 2 | t | 2 | UEPFB | UECF2 | 18.75 | | | | | | | | | | |
| | 1 | | <u> </u> | | | 020.2 | 10.70 | | | L | | | | | 1 | | |

| SERVICES | 6 - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|-------------|------|----------------|----------------|--------------|------------------|------------------|--|-------------|------------------|-----------|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | Subr E | mitted S Elec | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring Discon | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First Add | d'I SO | MEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | | UEPFB | UECF2 | 27.55 | | | | | | | | | | L |
| | 2-Wire Voice Grade Loop (SL2) - Zone 4 | | 4 | UEPFB | UECF2 | 45.72 | | | | | | | | | | L |
| 2-Wi | re Voice Grade Line Port (Bus) | | | | | | | | | | | | | | | ļ |
| | 2-Wire voice port without Caller ID - bus | | | UEPFB | UEPBL | 8.27 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice port with Caller + E484 ID - bus | | - | UEPFB UEPFB | UEPBC UEPBO | 8.27 8.27 | 220.00 220.00 | 145.00 145.00 | <u> </u> | | - | | | | | <u> </u> |
| | 2-Wire voice port outgoing only - bus 2-Wire voice Grade Mississippi extended local dialing parity port | | - | UEPFB | UEPBU | 8.27 | 220.00 | 145.00 | | | | | | | | |
| | with Caller ID - bus | | | UEPFB | UEPAY | 8.27 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice incoming only port with Caller ID - Bus | | - | UEPFB | UEPB1 | 8.27 | 220.00 | 145.00 | | | | | | | 1 | - |
| | 2 vine voice incoming only port with caller is Bus | | | OLITB | OLI DI | 0.27 | 220.00 | 140.00 | | | - | | | | | |
| | 2-Wire Voice Mississippi Business Dialing Plan without Caller ID | | | UEPFB | UEPWK | 8.27 | 220.00 | 145.00 |] | | | | | | | |
| | 2-Wire voice incoming only port without Caller ID capability | | | UEPFB | UEPBE | 8.27 | 220.00 | 145.00 | | | | | | İ | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFB | U1TV2 | 20.32 | 40.77 | 27.57 | <u> </u> | | | | | <u> </u> | | <u> </u> |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | - | | | | | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.0088 | | | | | | | | | | <u> </u> |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 2.56 | 0.00 | 0.00 | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CONVERSIONS | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | 40.00 | | | | | | | | | |
| | - Conversion - Switch-as-is | | - | UEPFB | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - Conversion - Switch-With-Change | | | UEPFB | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADD | TIONAL NRCs | | - | UEPFB | USACC | | 10.00 | 10.00 | | | - | | | | | |
| ADD | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | 1 | | | | | | - | | | | | |
| | End User Premise | | | UEPFB | URETN | | 11.19 | 1.10 | | | | | | | | |
| DS0 | WHOLESALE LOCAL PLATFORM SERVICE (FX/FCO PBX) | | | OLITB | ORLIN | | 11.10 | 1.10 | | | | | | | | — |
| | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 13.89 | | | | | | | | | | |
| İ | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 18.75 | | | | | i | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 27.55 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 4 | | 4 | UEPFP | UECF2 | 45.72 | | | | | | | | | | |
| 2-Wi | re Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 8.27 | 285.00 | 175.00 | | | | | | | | |
| | Line Side Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 8.27 | 285.00 | 175.00 | | | | | | | | |
| | Line Side Incoming PBX Trunk Port - Bus | | - | UEPFP | UEPP1 | 8.27 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Ports | | - | UEPFP UEPFP | UEPLD UEPXA | 8.27 8.27 | 285.00 285.00 | 175.00 175.00 | <u> </u> | | - | | | | | |
| | 2-Wire Voice 2-Way Combination PBX Usage Port 2-Wire Voice PBX Toll Terminal Hotel Ports | | - | UEPFP | UEPXA | 8.27 | 285.00 | 175.00 | + | | | | | | | - |
| - | 2-Wire Voice PBX I'oli Terminal Hotel Ports 2-Wire Voice PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 8.27 | 285.00 | 175.00 | | | + | | | | | - |
| | 2-Wire Voice PBX LD DDD Terminal Switchboard Port | | | UEPFP | UEPXD | 8.27 | 285.00 | 175.00 | | | - | | | | | 1 |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPFP | UEPXE | 8.27 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice 2-Way PBX Mississippi Local Economy Calling | | | OLITI | OLI AL | 0.27 | 200.00 | 170.00 | | | - | | | | | |
| | Port | | | UEPFP | UEPXQ | 8.27 | 285.00 | 175.00 | | | | | | | | |
| | | | | | | Ţ.Z. | | | | | | | | İ | | |
| | 2-Wire Voice 2-Way PBX Mississippi Local Optional Calling Port | | | UEPFP | UEPXR | 8.27 | 285.00 | 175.00 |] | | | | | | | |
| | Mississippi PBX 2-Way Combo Local Opt 2 Calling Port | | | UEPFP | UEPA5 | 8.27 | 285.00 | 175.00 | | | 1 | | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | I | | |
| | Termination | | | UEPFP | U1TV2 | 20.32 | 40.77 | 27.57 | | | | | | ļ | ļ | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | 41 =10: | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFP | 1L5XX | 0.0088 | | | | | | | | | | |
| FEA | TURES | | - | LIEDED | LIED\/C | 0.50 | 0.00 | 0.00 | | | -+ | | | | - | |
| NON | All Features Offered RECURRING CHARGES (NRCs) - CONVERSIONS | - | - | UEPFP UEPFP | UEPVF | 2.56 | 0.00 | 0.00 | + | | -+ | | | - | | |
| INUN | | | - | ULFFF | + | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | | | | | | |

| CATEGORY | 6 - Mississippi RATE ELEMENTS | Interi m | Zone | | | | | | | | | Svc Order | Att: 1 Exh: A Incremental | | | Incremental |
|--|---|--|----------|-----------------------|-----------------|-------------------|------------------|---------------|-----------------|----------------|----------------|--------------|------------------------------|----------------|--------------|---------------|
| CATEGORY | RATE ELEMENTS | | Zone | | | | | | | | | | | | | |
| CATEGORY | RATE ELEMENTS | | Zone | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| CATEGORY | RATE ELEMENTS | | Zone | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| | | m | | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | Disc 1st | DISC Add I |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | | | | | | ı l |
| \vdash | - Conversion - Switch-With-Change | | | UEPFP | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADD | ITIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port (PBX) | | | | | | | | | | | | | | | i l |
| \vdash | Platform - Subsequent Activity | | \perp | UEPFP | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | = 00 | | | | | | | | ı l |
| | Group | - | | | | | 7.36 | 7.36 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at End User Premise | | | UEPFP | URETN | | 11.19 | 1.10 | | | | | | | | i l |
| DC0 WILIOLE | | | | UEPFP | UKETN | | 11.19 | 1.10 | | | - | | | | | |
| | SALE LOCAL SWITCHING PORTS r New Install scenarios the Nonrecurring charges are listed in th | o Eirot | and Ad | ditional NDC column | no for each B | ort USOC For | Eviating Blots | | the Nepresur | ina abarasa a | ro licted in (| ho NDC C | | otion Additi | anal NDCa m | ov opply |
| | | ie First | and Ad | ditional NKC colum | ns for each P | on usuc. For | Existing Platte | orm scenarios | , the Nonrecuri | ring charges a | re listed in 1 | ine NRC - Co | onversions se | ection. Additi | onai NRCS m | ay appiy |
| aiso | and are categorized accordingly. | | | | | | | | | | | | | | | |
| | ad Office and Tandam Switching Hoogs and Whaters a Commen | Trans | 00# II | and roton in the Dant | l cootion of th | io roto ovbibit | oh oll onnly to | the Wheles-I- | Access Line C | ondes ever-t | for the Calm | Comicet | ich has a fl-t | rote upons -l | orgo (11000: | IIBECII) |
| | nd Office and Tandem Switching Usage and Wholesale Commor WHOLESALE LOCAL SWITCHING PORTS - (Bus) | irans | JUIT US | age rates in the Port | Section of th | ns rate exhibit | Sitali apply to | uie wnoiesale | Access Line S | ervice except | the Coin | Service Wh | icii nas a flat | rate usage cr | large (USUC: | UKECU). |
| D20 | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | 1 | \vdash | | 1 | | | | | | | | | | | \vdash |
| | Bus | | | UEPSB | UEPBL | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | i l |
| | Exchange Ports - 2-Wire VG Line Port with port with | 1 | \vdash | UEFOB | UEPBL | 11.41 | 30.43 | 12.04 | 0.00 | 0.00 | | | | | | $\overline{}$ |
| | Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | i l |
| | Caller + E + O + 1D - Bus. | | 1 | OLI OD | OLI DO | 11.41 | 30.43 | 12.04 | 0.00 | 0.00 | | | | | | $\overline{}$ |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | i l |
| | Exchange Ports - 2-Wire VG MS extended local dialing parity | | | OLI OD | OLI DO | 11.41 | 30.43 | 12.04 | 0.00 | 0.00 | | | | | | |
| | Port with Caller ID - Bus. | | | UEPSB | UEPAY | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | i l |
| | Exhange Ports - 2-Wire VG incoming only port with Caller ID - | | | OLI OD | OLI 7(1 | 11.41 | 00.40 | 12.07 | 0.00 | 0.00 | | | | | | |
| | Bus | | | UEPSB | UEPB1 | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | i l |
| | Exchange Ports - 2-Wire Voice Mississippi Business Dialing Plan | | | | | | | | | | | | | | | $\overline{}$ |
| | without Caller ID | | | UEPSB | UEPWK | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | i l |
| | 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 11.41 | 56.45 | 12.64 | 0.00 | 0.00 | | | | | | |
| FEA ⁻ | TURES | | | | | | | | | | | | | | | |
| | All Available Vertical Features | | | UEPSB | UEPVF | 2.56 | 0.00 | 0.00 | | | | | | | | |
| Cros | s Connects | | | | | | | | | | | | | | | i |
| | Physical Expanded Interconnection Two Wire Cross Connect, | | | | | | | | | | | | | | | i l |
| | Provsioning | | | UEPSB | PE1R2 | 0.0288 | 12.37 | 11.87 | | | | | | | | |
| | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSB | VE1R2 | 0.0268 | 12.37 | 11.87 | | | | | | | | |
| Non- | Recurring Charges | | | | | | | | | | | | | | | |
| \longrightarrow | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSB | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | Subsequent Activity | | \perp | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | SALE LOCAL PLATFORM SERVICE | L | Щ. | | | | | | | | | | | | | |
| | r New Install scenarios the Nonrecurring charges are listed in th | ne First | and Ad | ditional NRC colum | ns for each P | ort USOC. For | Existing Platte | orm scenarios | , the Nonrecuri | ring charges a | re listed in 1 | the NRC - Co | onversions se | ction. Additi | onal NRCs m | ay apply |
| aiso | and are categorized accordingly. | | | | | | | | | | | | | | | |
| l l_ | | _ | | | | | | | | | | | | | | |
| | d Office and Tandem Switching Usage and Wholesale Common | ransp | ort Usa | ge rates in the Port | section of th | is rate exhibit s | snall apply to I | ບຣບ Wholesale | Local Platforn | n Service exce | pt for the C | oin Service | wnich has a f | iat rate usage | cnarge (USO | C: URECU). |
| | WHOLESALE LOCAL PLATFORM SERVICE (Business) | | | | | | | | | | - | | | | | |
| DS0 | Loop Rates 2-Wire Voice Grade Loop (SL1) - Zone 1 | + | 1 | UEPBX | UEPLX | 10.98 | | | | | - | | | | - | |
| \vdash | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | - | | UEPBX | UEPLX | 15.91 | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL1) - Zone 2 | 1 | | UEPBX | UEPLX | 25.04 | | | | | - | | | | | $\overline{}$ |
| \vdash | 2-Wire Voice Grade Loop (SL1) - Zone 4 | | 4 | UEPBX | UEPLX | 43.68 | | | | | | | | | | $\overline{}$ |
| 2-Wi | re Voice Grade Line Port (Bus) | | \vdash | OLI DA | JLI LA | 40.00 | | | | | | | | | | $\overline{}$ |
| 2-9911 | 2-Wire voice port without Caller ID - bus | t | | UEPBX | UEPBL | 11.23 | 56.45 | 12.64 | | | | | | | | |
| \vdash | 2-Wire voice port with Caller + E484 ID - bus | | \vdash | UEPBX | UEPBC | 11.23 | 56.45 | 12.64 | | | | | | | | $\overline{}$ |
| | 2-Wire voice port with Callet + E-404 ib - bds 2-Wire voice port outgoing only - bus | | \vdash | UEPBX | UEPBO | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire voice port outgoing only - bus 2-Wire voice Mississippi extended local dialing parity port with | † | \vdash | 0L1 D/ | 52, 50 | 11.23 | 50.45 | 12.04 | | | - | | | | | $\overline{}$ |
| | Caller ID - bus | 1 | | UEPBX | UEPAY | 11.23 | 56.45 | 12.64 | | | | | | | | , , |
| | 2-Wire voice incoming only port with Caller ID - Bus | | \vdash | UEPBX | UEPB1 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire voice incoming Only Port with Caller ID Capability | † | \vdash | UEPBX | UEPBE | 11.23 | 56.45 | 12.64 | | | - | | | | | - |
| | 2 2 2 2 3 2 3 2 3 2 2 2 2 2 2 2 2 2 2 2 | l – | | | 1 | 5 | | | | | | | | | | $\overline{}$ |
| | 2-Wire voice Mississippi Business Dialing Plan without Caller ID | | | UEPBX | UEPWK | 11.23 | 56.45 | 12.64 | | | | | | | | ı l |
| FEA | TURES | | | | | | | | | | | | | | | |

| | ES - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|--------------------|-------------------|---|--|--|--|--|----------------|----------------|--------------|--------------|---------------|----------------|--------------|-------------|
| | | 1 | 1 | 1 | 1 | | | | | | Svc Order | | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | 1 | | | | | |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | Interi | l_ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | Y RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | - | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Addi | DISC 1St | DISC Add I |
| | | | | | 1 | _ | Nonrec | urring | Nonrecurring | g Disconnect | 1 | • | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | All Features Offered | | | UEPBX | UEPVF | 2.56 | 0.00 | 0.00 | | | | | | | | |
| NC | NRECURRING CHARGES - Conversions | | | 02. 5/1 | 0 L. V. | 2.00 | 0.00 | 0.00 | | | 1 | | | | | |
| 140 | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | - | UEPBX | USAC2 | | 41.50 | 41.50 | | | | | | | | |
| - | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-Asis | - | - | OLFBA | USACZ | | 41.50 | 41.30 | | | | | | | | |
| | · | | | | | | 44.50 | | | | | | | | | |
| H | Change | | - | UEPBX | USACC | | 41.50 | 41.50 | | | ļ | | | | | |
| AL | DITIONAL NRCs | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Platform - | | | | | | | | | | | | | | | |
| | Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | | | UEPBX | URETL | | 8.33 | 0.83 | | | | | | | | |
| Ins | side Wire Maintenance | | | | | | | | | | | | | | | |
| | Inside Wire Maintenance Plan | | | UEPBX | SEQ1X | 4.50 | | | | | | | | | | |
| OF | F/ON PREMISES EXTENSION CHANNELS | | | | 1 | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPBX | UEAEN | 12.03 | 37.92 | 17.55 | 1 | 1 | 1 | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | 1 | 2 | UEPBX | UEAEN | 16.87 | 37.92 | 17.55 | † | † | t | i | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPBX | UEAEN | 25.68 | 37.92 | 17.55 | t | t | t | | | | | |
| \vdash | 2 Wire Analog Voice Grade Extension Loop – Non-Design | — | 4 | UEPBX | UEAEN | 43.85 | 37.92 | 17.55 | + | + | 1 | | | | | |
| - | | - | 4 | | | 13.89 | | 68.28 | - | - | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 1 | UEPBX | UEAED | | 105.96 | | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 2 | UEPBX | UEAED | 18.75 | 105.96 | 68.28 | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPBX | UEAED | 27.55 | 105.96 | 68.28 | | | | | | | | |
| 1 1 | 2 Wire Analog Voice Grade Extension Loop – Design | | 4 | UEPBX | UEAED | 45.72 | 105.96 | 68.28 | | | | | | | | |
| \perp | | | | | | | | | | | | | | | | |
| IN | TEROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| IN | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| IN | | | | UEPBX | U1TV2 | 20.32 | 40.77 | 27.57 | | | | | | | | |
| IN | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPBX | U1TV2 | 20.32 | 40.77 | 27.57 | | | | | | | | |
| IN | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPBX UEPBX | U1TV2 | 20.32 0.0088 | 0.00 | 27.57 | | | | | | | | |
| DS0 WHO | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX | es shall | annly | UEPBX | U1TVM | 0.0088 | 0.00 | 0.00 | | | | | | | | |
| DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate | | | UEPBX to the elements ind | U1TVM | 0.0088 | 0.00 | 0.00 | the Nonrecus | ring charges a | ro listed in | the NPC - C | onversions s | oction Additi | onal NPCs m | av apply |
| DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the | | | UEPBX to the elements ind | U1TVM | 0.0088 | 0.00 | 0.00 | , the Nonrecur | ring charges a | re listed in | the NRC - Co | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the orange and are categorized accordingly. | e First | and Ad | UEPBX to the elements ind Iditional NRC colum | U1TVM icated accord | 0.0088 lance with the fort USOC. For | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile LESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the oand are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commo | e First n Trans | and Ad | UEPBX to the elements ind Iditional NRC colun | U1TVM icated accord | 0.0088 lance with the fort USOC. For | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the or and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commo WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN | e First n Trans | and Ad | UEPBX to the elements ind Iditional NRC colun | U1TVM icated accord | 0.0088 lance with the fort USOC. For | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th > F als >>> DS | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the condition of the categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commo 10 WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) | e First n Trans | and Ad | UEPBX to the elements ind Iditional NRC colun | U1TVM icated accord | 0.0088 lance with the fort USOC. For | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs ma | ay apply |
| DS0 WHOI Th > F als >>> DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile LESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the orange and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common Orange Willowship Usage and Wholesale Common Orange Service - CENTREX BY CENESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates | e First n Trans | and Ad | UEPBX to the elements indiditional NRC columnsage rates in the Possible SWITCH TYPE | U1TVM icated according for each F | 0.0088 lance with the fort USOC. For | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th > F als >>> DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile LESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the orange and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common OWHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | e First n Trans | port Us DFFICE | UEPBX to the elements indiditional NRC colun sage rates in the Pc SWITCH TYPE UEP91 | U1TVM icated according for each F | 0.0088 lance with the fort USOC. For this rate exhibit | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th > F als >>> DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the orange and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | e First n Trans | and Ad | UEPBX to the elements indiditional NRC columnsage rates in the Possible SWITCH TYPE | U1TVM icated according for each F | 0.0088 lance with the fort USOC. For | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th > F als >>> DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile LESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the orange and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common OWHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | e First n Trans | port Us DFFICE | UEPBX to the elements indiditional NRC colun sage rates in the Pc SWITCH TYPE UEP91 | U1TVM icated according for each F | 0.0088 lance with the fort USOC. For this rate exhibit | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th > F als >>> DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the orange and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | e First n Trans | port Us DFFICE | UEPBX to the elements ind Iditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 | U1TVM icated according for each F | 0.0088 lance with the fort USOC. For this rate exhibit | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th > F als >>> DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX e1010wing DS0 Wholesale Local Platform Service - CENTREX rates or New Install scenarios the Nonrecurring charges are listed in the one and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common Witching Usage and Wholesale Common Witching Usage and Wholesale Common Signature (CENTREX BY CENTRE | e First n Trans | port Us DFFICE | UEPBX to the elements ind Iditional NRC colun sage rates in the Pc SWITCH TYPE UEP91 UEP91 UEP91 UEP91 | U1TVM icated according for each F rt section of 1 UECS1 UECS1 UECS1 | 0.0088 lance with the foort USOC. For this rate exhibit 10.98 15.91 25.04 | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th > F als >>> DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 4 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 4 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS1 | e First n Trans | port Us DFFICE | UEPBX to the elements ind iditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | U1TVM icated according for each F rt section of 1 UECS1 UECS1 UECS1 UECS1 UECS2 | 0.0088 lance with the foot USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th > F als >>> DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the or and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commo WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 4 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | e First n Trans | port Us DFFICE | UEPBX to the elements ind iditional NRC colunts age rates in the Pc SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | U1TVM icated according for each for the section of | 0.0088 lance with the fort USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th > F als >>> DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the orange and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENTESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 4 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 4 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | e First n Trans | port Us DFFICE | UEPBX to the elements indiditional NRC colunts age rates in the PoswITCH TYPE UEP91 | 0.0088 lance with the ferr USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th > F als >>> DS0 1A | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commoi WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | e First n Trans | port Us DFFICE | UEPBX to the elements ind iditional NRC colunts age rates in the Pc SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | U1TVM icated according for each for the section of | 0.0088 lance with the fort USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th > F als >>> DS9 1A Lo | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the or and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commo WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 | e First n Trans | port Us DFFICE | UEPBX to the elements indiditional NRC colunts age rates in the PoswITCH TYPE UEP91 | 0.0088 lance with the ferr USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th Th In Second Se | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate on the state of the stat | e First n Trans | port Us DFFICE | to the elements indiditional NRC columns age rates in the Poswitch Type UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | U1TVM icated according for each If rt section of 1 UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 | 0.0088 lance with the ferr USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 | 0.00 ollowing criter Existing Platf shall apply to | 0.00 rea: orm scenarios the DS0 Who | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th Th In Second Se | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common WhOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) OP Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | e First n Trans | port Us DFFICE | UEPBX to the elements indiditional NRC colunts age rates in the PoswITCH TYPE UEP91 | 0.0088 lance with the ferr USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 | 0.00 ollowing criter Existing Platf | 0.00 rea: orm scenarios | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th Th In Second Se | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the orange and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and France Switch Switch (19 WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2 Wirre Voice Grade Loop (SL 1) - Zone 1 UECS1 2 - Wirre Voice Grade Loop (SL 1) - Zone 2 UECS1 2 - Wirre Voice Grade Loop (SL 1) - Zone 4 UECS1 2 - Wirre Voice Grade Loop (SL 2) - Zone 4 UECS2 2 - Wirre Voice Grade Loop (SL 2) - Zone 1 UECS2 2 - Wirre Voice Grade Loop (SL 2) - Zone 3 UECS2 2 - Wirre Voice Grade Loop (SL 2) - Zone 4 UECS2 2 - Wirre Voice Grade Loop (SL 2) - Zone 4 UECS2 2 - Wirre Voice Grade Loop (SL 2) - Zone 4 UECS2 3 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 3 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 3 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 3 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 3 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 3 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 3 | e First n Trans | port Us DFFICE | UEPBX to the elements ind iditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | U1TVM icated according for each F rt section of 1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 | 0.0088 lance with the feart USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 | 0.00 collowing criter Existing Platf shall apply to | 0.00 ea: orm scenarios the DS0 Who | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th Th In Second Se | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the or and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commo WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 4 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area | e First n Trans | port Us DFFICE | to the elements indiditional NRC columns age rates in the Poswitch Type UEP91 | 0.0088 lance with the ferr USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 | 0.00 ollowing criter Existing Platf shall apply to | 0.00 rea: orm scenarios the DS0 Who | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th Th In Second Se | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the orange and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and France Switch Switch (19 WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2 Wirre Voice Grade Loop (SL 1) - Zone 1 UECS1 2 - Wirre Voice Grade Loop (SL 1) - Zone 2 UECS1 2 - Wirre Voice Grade Loop (SL 1) - Zone 4 UECS1 2 - Wirre Voice Grade Loop (SL 2) - Zone 4 UECS2 2 - Wirre Voice Grade Loop (SL 2) - Zone 1 UECS2 2 - Wirre Voice Grade Loop (SL 2) - Zone 3 UECS2 2 - Wirre Voice Grade Loop (SL 2) - Zone 4 UECS2 2 - Wirre Voice Grade Loop (SL 2) - Zone 4 UECS2 2 - Wirre Voice Grade Loop (SL 2) - Zone 4 UECS2 3 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 3 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 3 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 3 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 3 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 3 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 4 - Wire Voice Grade Loop (SL 2) - Zone 3 | e First n Trans | port Us DFFICE | UEPBX to the elements indiditional NRC colunts age rates in the PoswITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | U1TVM icated according for each F rt section of 1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECYS2 | 0.0088 lance with the ferr USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 | 0.00 ollowing criter Existing Platf shall apply to 56.45 | 0.00 rea: orm scenarios the DS0 Who 12.64 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI The property Proper | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the or and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commo WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 4 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area | e First n Trans | port Us DFFICE | UEPBX to the elements ind iditional NRC colun sage rates in the Po SWITCH TYPE UEP91 | 0.0088 lance with the feart USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 | 0.00 collowing criter Existing Platf shall apply to | 0.00 ea: orm scenarios the DS0 Who | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI The property Proper | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the or and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commo Mo WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENTESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 4 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 1-Wire Voic | e First n Trans | port Us DFFICE | UEPBX to the elements indiditional NRC colunts age rates in the PoswITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | U1TVM icated according for each F rt section of 1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECYS2 | 0.0088 lance with the ferr USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 | 0.00 ollowing criter Existing Platf shall apply to 56.45 | 0.00 rea: orm scenarios the DS0 Who 12.64 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th Th In Second Se | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the orange and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Fraction Switch Switch Common Office and Fraction Switch Switch Switch Switch Switch Switch Switch Switch Switch Common Office and Ecoal Dog WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2 Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2 - Wire Voice Grade Loop (SL 1) - Zone 4 UECS1 2 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2 - Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2 - Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2 - Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2 - Wire Voice Grade Port (Centrex) Basic Local Area 2 - Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2 - Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | e First n Trans | port Us DFFICE | UEPBX to the elements indiditional NRC colunts age rates in the PoswITCH TYPE UEP91 | 0.0088 lance with the ferr USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 | 0.00 ollowing criter Existing Platf shall apply to 56.45 | 0.00 rea: orm scenarios the DS0 Who 12.64 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th Th In Second Se | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX e following DS0 Wholesale Local Platform Service - CENTREX rate on the state of the state | e First n Trans | port Us DFFICE | UEPBX to the elements ind ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | U1TVM icated according for each for eac | 0.0088 lance with the foot USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 11.23 11.23 | 0.00 collowing criter Existing Platf shall apply to 56.45 56.45 | 0.00 ea: orm scenarios the DS0 Who 12.64 12.64 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th Th In Second Se | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the post of the property of the pro | e First n Trans | port Us DFFICE | UEPBX to the elements ind ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 UEP91 | U1TVM icated according for each for eac | 0.0088 Rance with the ferr USOC. For USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 11.23 11.23 11.23 | 0.00 collowing criter Existing Platf shall apply to 56.45 56.45 97.22 | 0.00 rea: orm scenarios the DS0 Who 12.64 12.64 69.19 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th Th In Second Se | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the or and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commo WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 4 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 1-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 1-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 1-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | e First n Trans | port Us DFFICE | UEPBX to the elements ind ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 r each for eac | 0.0088 lance with the foot USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 11.23 11.23 | 0.00 collowing criter Existing Platf shall apply to 56.45 56.45 | 0.00 ea: orm scenarios the DS0 Who 12.64 12.64 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th Th In Second Se | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the or and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commo WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 4 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent | e First n Trans | port Us DFFICE | UEPBX to the elements ind ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 YS2 UECYS3 UECYS3 | 0.0088 lance with the ferr USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 11.23 11.23 11.23 11.23 | 0.00 collowing criter Existing Platf shall apply to 56.45 56.45 56.45 97.22 | 0.00 rea: orm scenarios the DS0 Who 12.64 12.64 69.19 69.19 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th Th In Second Se | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile Or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate for New Install scenarios the Nonrecurring charges are listed in the onal are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commoi WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) OP Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 1-Vire Voice Grade Loop (SL 2) - Zone 4 UECS2 1-Vire Voice Grade Loop (SL 2) - Zone 4 UECS2 1-Vire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | e First n Trans | port Us DFFICE | UEPBX to the elements ind iditional NRC colun sage rates in the Po SWITCH TYPE UEP91 each for eac | 0.0088 lance with the ferr USOC. For USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 11.23 11.23 11.23 11.23 11.23 | 0.00 ollowing criter Existing Platf shall apply to 56.45 56.45 97.22 97.22 56.45 | 0.00 rea: orm scenarios the DS0 Who 12.64 12.64 69.19 69.19 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the or and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Switching Usage and Wholesale Common Office and Ecomp SWICE - CENTREX BY CE | e First n Trans | port Us DFFICE | UEPBX to the elements ind ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 | U1TVM icated according for each I rt section of 1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECYS3 UECYS3 | 0.0088 lance with the ferr USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 11.23 11.23 11.23 11.23 | 0.00 collowing criter Existing Platf shall apply to 56.45 56.45 56.45 97.22 | 0.00 rea: orm scenarios the DS0 Who 12.64 12.64 69.19 69.19 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the or and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Commo WHOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN ESS SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) op Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 4 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 4 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term | e First n Trans | port Us DFFICE | UEPBX to the elements ind ditional NRC colun sage rates in the Po SWITCH TYPE UEP91 YS2 UECYS3 UECYS3 | 0.0088 lance with the feart USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 11.23 11.23 11.23 11.23 11.23 11.23 | 0.00 ollowing criter Existing Platf shall apply to 56.45 56.45 97.22 97.22 56.45 56.45 | 0.00 rea: orm scenarios the DS0 Who 12.64 12.64 69.19 69.19 12.64 12.64 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |
| DS0 WHOI Th > F als >>> DS0 1A Lo | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile ESALE LOCAL PLATFORM SERVICE - CENTREX et following DS0 Wholesale Local Platform Service - CENTREX rate or New Install scenarios the Nonrecurring charges are listed in the or and are categorized accordingly. End Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Tandem Switching Usage and Wholesale Common Office and Switching Usage and Wholesale Common Office and Ecomp SWICE - CENTREX BY CE | e First n Trans | port Us DFFICE | UEPBX to the elements ind iditional NRC colun sage rates in the Po SWITCH TYPE UEP91 | U1TVM icated according for each for eac | 0.0088 lance with the ferr USOC. For USOC. For this rate exhibit 10.98 15.91 25.04 43.68 13.89 18.75 27.55 45.72 11.23 11.23 11.23 11.23 11.23 | 0.00 ollowing criter Existing Platf shall apply to 56.45 56.45 97.22 97.22 56.45 | 0.00 rea: orm scenarios the DS0 Who 12.64 12.64 69.19 69.19 | | | | | onversions se | ection. Additi | onal NRCs m | ay apply |

| | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---|---|-------------|--|----------------|----------------|----------------|-----------------|-----------|--------------|------------|--|---|--|--|---|---|
| TEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| \neg | | | <u> </u> | | | | Nonrec | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | l | |
| +- | | | | | _ | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| \neg | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | 1 | UEP91 | UEPQH | 11.23 | 56.45 | 12.64 | 1.191 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | | UEP91 | UEPQM | 11.23 | 97.22 | 69.19 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPQZ | 11.23 | 97.22 | 69.19 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| +- | 2-Wire Voice Grade Port Terminated in 611 Meganink of equivalent | | | UEP91 | UEPQ2 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| Local | Switching | | 1 | OLI 01 | OLI QL | 11.20 | 00.40 | 12.04 | | | 1 | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP91 | URECS | 0.7947 | | | | | | | | | | |
| Featur | | | 1 | | 0.1.20 | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP91 | UEPVF | 2.56 | | | | | | | | | 1 | |
| | All Select Features Offered, per port | | 1 | UEP91 | UEPVS | 0.00 | 404.98 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVC | 2.56 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Network Access Register - Indial | | | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Network Access Register - Outdial | | | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Ilaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | | | | | |
| Intero | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| F | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.0098 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | 1 | | + | | | | | | | | | | | |
| D4 Ch | Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | | - | UEP91 | 1PQWS | 0.57 | | | | | - | | | | | |
| + | Feature Activation on D-4 Channel Bank Centrex Loop Stot | | 1 | UEF91 | IPQWS | 0.57 | | | | | 1 | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.57 | | | | | | | | | | |
| - | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | 1 | OLI 01 | 11 00000 | 0.07 | | | 1 | | | | | | | |
| | Slot | | | UEP91 | 1PQW7 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | 1 | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP91 | 1PQWP | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQWQ | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 | 1PQWA | 0.57 | | | | | | | | | | |
| Non-R | Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| - | changes, per port | | | UEP91 | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| $-\!$ | Conversion of Existing Centrex Common Block New Centrex Standard Common Block | | 1 | UEP91 UEP91 | USACN M1ACS | | 40.00 770.00 | 20.00 | | | | | | | | |
| $-\!$ | New Centrex Standard Common Block | | 1 | UEP91 | M1ACS | | 770.00 | | | | | | | | | |
| +- | Secondary Block, per Block | | | UEP91 | M2CC1 | | 80.00 | | | | - | | | | | |
| +- | NAR Establishment Charge, Per Occasion | | <u> </u> | UEP91 | URECA | | 85.00 | | | | 1 | | | | | |
| Δddit | ional Non-Recurring Charges (NRC) | - | | OF1: 91 | UNLUA | | 05.00 | | 1 | | | | | | | |
| Additi | Miscellaneous Rate Element, Tag Loop at End Use Premise | | † | UEP91 | URETL | | 8.33 | 0.83 | † | | | | | | | |
| \dashv | Miscellaneous Rate Element, Tag Design Loop at End Use | | 1 | OLI 01 | ORLIL | | 0.00 | 0.00 | | | 1 | | | | | |
| | Premise | 1 | | UEP91 | URETN | | 11.19 | 1.10 | | | | | | | | 1 |
| | SWITCH (Valid in All States) | | i – | | 1 | | | | 1 | | | | | | İ | |
| 5ESS | | | | | | | | | | | | | | | | |
| 5ESS Loop | To 187 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | 1 | UEP95 | UECS1 | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | | 1115004 | 15.91 | _ | | | | | | • | | | I |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP95 | UECS1 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 25.04 | | | | | | | | _ | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 3 | UEP95 UEP95 | UECS1 UECS1 | 25.04 43.68 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP95 | UECS1 | 25.04 | | | | | | | | | | |

| SERVICES . | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|--|-------------|--|--------|-------------|--------|--------|-----------|--------------|--------------|--|------------------------|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Increment Charge - Manual Sv Order vs. Electronic Disc Add |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP95 | UECS2 | 45.72 | | | | | | | | | | |
| Port R | | | | | | | | | | | | | | | | |
| | llowing port rates are effective as specified | | | | | | | | | | | | | | | |
| All Sta | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 11.23 | 56.45 | 12.64 | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 11.23 | 56.45 | 12.64 | | | | | | | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP95 | UEPYH | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | | - | UEP95 | UEPYH | 11.23 | 56.45 | 12.04 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | LIEDOE | UEPYM | 11.23 | 97.22 | CO 40 | | | | | | | | |
| _ | Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | - | UEP95 | UEPYW | 11.23 | 97.22 | 69.19 | | | - | | | | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 11.23 | 97.22 | 69.19 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | 1 | UEF95 | UEPTZ | 11.23 | 91.22 | 69.19 | | | 1 | | | | | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 11.23 | 56.45 | 12.64 | | | | | | | | ĺ |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | \vdash | OL: 30 | OLI 19 | 11.23 | 50.45 | 12.04 | | | | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| AL K | Y, LA, MS, SC, & TN Only | | 1 | OL1 33 | OLI 12 | 11.25 | 56.45 | 12.64 | | | | | | | | |
| AL, IX | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 11.23 | 56.45 | 12.64 | | | 1 | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | 1 | UEP95 | UEPQH | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Fort (Centrex from diff Serving Wire | | 1 | OLI 33 | OLI QII | 11.25 | 30.43 | 12.04 | | | | | | | | |
| | Center)2 | | | UEP95 | UEPQM | 11.23 | 97.22 | 69.19 | | | | | | | | |
| - | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI SO | OLI QIVI | 11.20 | 07.22 | 00.10 | | | † | | | | | |
| | Term | | | UEP95 | UEPQZ | 11.23 | 97.22 | 69.19 | | | | | | | | |
| | | | | | | | - | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| FL & C | GA Only | | | | | | | | | | | | | | | |
| | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.7947 | | | | | | | | | | |
| Featur | es | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP95 | UEPVF | 2.56 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 404.98 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 2.56 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Miscel | Ilaneous Terminations | | | | | | | | | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | | | | | |
| 4-Wire | Digital (1.544 Megabits) | | | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP95 | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | | | | | |
| | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.56 | | | | | | | | | 1 |
| Intero | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | <u> </u> | UEP95 | M1GBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | <u> </u> |
| | Interoffice Channel mileage, per mile or fraction of mile | | <u> </u> | UEP95 | M1GBM | 0.0098 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Service | е | <u> </u> | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | ļ | LIEDOS | 400000 | . == | | | | - | - | | | | | |
| _ | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | - | UEP95 | 1PQWS | 0.57 | | | | | - | | | | 1 | - |
| | Easture Activation on D.4 Channel Bank EV line Cide Lear Class | | | LIEBOE | 1PQW6 | 0.57 | | | | | | | | | | 1 |
| - | Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | + | UEP95 | IPQWb | 0.57 | | | | | - | | | - | 1 | |
| | Slot | | | UEP95 | 1PQW7 | 0.57 | | | | | | | | | | 1 |
| -+ | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | - | OLF 90 | IPQVV/ | 0.57 | | | | | - | | | - | | ₩ |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.57 | | | | | | | | | | 1 |
| | Director Mile Conto | | | 321 30 | 11 02 7 7 1 | 0.57 | | | | | | | | | 1 | |
| | 1 | | | | | | | | | | | | | | | |

| SERVICES | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|-------------|------|----------------|----------------|----------------|------------------|-----------------|-----------------------|-----------------------|---|-----------|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | Rec | Nonrec First | urring Add'l | Nonrecurring First | g Disconnect Add'l | SOMEC | SOMAN | | Rates(\$) | SOMAN | SOMAN |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | riist | Addi | 11130 | Addi | JOINEC | JOINAIN | JOHAN | JOWAN | JOHIAN | JOWAN |
| | Slot | | | UEP95 | 1PQWQ | 0.57 | | | | | | | | | | |
| Non-E | Feature Activation on D-4 Channel Bank WATS Loop Slot Recurring Charges (NRC) | | | UEP95 | 1PQWA | 0.57 | | | | ļ | | | | ļ | | |
| NOII-F | Conversion - Existing Platform Switch-As-Is with allowed | 1 | | | | | | | | | | | | | | |
| | changes, per port | | | UEP95 | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP95 | USACN | | 40.00 | 20.00 | | | | | | | | |
| | New Centrex Standard Common Block New Centrex Customized Common Block | | | UEP95 UEP95 | M1ACS M1ACC | | 770.00 770.00 | | | - | | | | - | | |
| | NAR Establishment Charge, Per Occasion | 1 | | UEP95 | URECA | | 85.00 | | | | | | | - | | |
| Addit | onal Non-Recurring Charges (NRC) | | | | | | 33.33 | | | | | | | | | i |
| | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP95 | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP95 | URETN | | 11.19 | 1.10 | | | | | | | | |
| DMS1 | 00 SWITCH (Valid in All States) | | | UEF95 | URETIN | | 11.19 | 1.10 | | | | | | <u> </u> | | |
| | Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | ļ | 2 | UEP9D | UECS1 | 15.91 | | | | | | | | | | |
| \vdash | 2-Wire Voice Grade Loop (SL 1) - Zone 3 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 3 | UEP9D UEP9D | UECS1 UECS1 | 25.04 43.68 | | | | - | | | | 1 | | |
| — | 2-Wire Voice Grade Loop (SL 1) - Zone 4 2-Wire Voice Grade Loop (SL 2) - Zone 1 | 1 | 1 | UEP9D | UECS2 | 13.89 | | | | | | | | - | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9D | UECS2 | 18.75 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | 3 | UEP9D | UECS2 | 27.55 | | | | | | | | | | |
| B | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP9D | UECS2 | 45.72 | | | | | | | | | | |
| Port F | lates bllowing port rates are effective as specified | | | | | | | | | | | | | - | | — |
| All St | | | | | | | | | | | | | | 1 | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP9D | UEPYB | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local Area | | | UEP9D | UEPYE | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local Area | | | UEP9D | UEPYG | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local Area | | | UEP9D | UEPYV | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | | | UEP9D | UEPY3 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 11.23 | 56.45 | 12.64 | | | | | | | | ļ |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYW | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 Basic Local Area | | | UEP9D | UEPYJ | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 Basic Local Area | | | UEP9D | UEPYO | 11.23 | 97.22 | 69.19 | | | | | | | | l |

| SERVICE | FS - | Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-----------------|------|---|--------|----------|--------|--------|-------|--------|-----------|-------|--|--------------|-----------|---------------|--|-------------|--|
| OLIVIO | | mississippi | | | | 1 | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | RY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | po. zo | po. 2011 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | D130 131 | DISC Add I |
| | | | | | | | Rec | Nonred | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | | | | | | | | | | l . |
| | | Basic Local Area | | | UEP9D | UEPYP | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | | | | | | | | | | | | | l . |
| | | Basic Local Area | | | UEP9D | UEPYQ | 11.23 | 97.22 | 69.19 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | | | | | | | | | | | l . |
| | | Basic Local Area | | | UEP9D | UEPYR | 11.23 | 97.22 | 69.19 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | | | 44.00 | | | | | | | | | | 1 |
| | | Basic Local Area | | | UEP9D | UEPYS | 11.23 | 97.22 | 69.19 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | | | | | | | | | | l . |
| | | Basic Local Area | | | UEP9D | UEPY4 | 11.23 | 97.22 | 69.19 | | | | | | | | + |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | LIEDOD | UEPY5 | 44.00 | 07.00 | 00.40 | | | | | | | | 1 |
| - | | Basic Local Area | | | UEP9D | UEPY5 | 11.23 | 97.22 | 69.19 | | | - | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | LIEDOD | LIEDVC | 44.00 | 07.00 | 00.40 | | | | | | | | l . |
| — | | Basic Local Area | - | | UEP9D | UEPY6 | 11.23 | 97.22 | 69.19 | | | 1 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPY7 | 11.23 | 97.22 | 69.19 | | | | | | | | i . |
| - | | Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP9D | UEP17 | 11.23 | 97.22 | 69.19 | | | - | | | | | —— |
| | | Term | | | UEP9D | UEPYZ | 11.23 | 97.22 | 69.19 | | | | | | | | 1 |
| - | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEFTZ | 11.23 | 91.22 | 09.19 | | | | | | | | |
| | | | | | UEP9D | UEPY9 | 11.23 | 56.45 | 12.64 | | | | | | | | l . |
| - | | Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | - | | UEF9D | UEF19 | 11.23 | 30.43 | 12.04 | | + | - | | | - | | |
| | | Local Area | | | UEP9D | UEPY2 | 11.23 | 56.45 | 12.64 | | | | | | | | 1 |
| Δ1 | ΚV | , LA, MS, SC, & TN Only | | | OLF3D | ULF 12 | 11.23 | 30.43 | 12.04 | | 1 | | | | | | |
| | -, 1 | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 11.23 | 56.45 | 12.64 | | | | | | | | <u> </u> |
| | | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQB | 11.23 | 56.45 | 12.64 | | + | | | | | | — |
| | | 2-Wire Voice Grade Port (Centrex 600 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 11.23 | 56.45 | 12.64 | | | | | | | | — |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 11.23 | 56.45 | 12.64 | | 1 | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQU | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | | | | | | | | | | |
| | | Indication)3 | | | UEP9D | UEPQW | 11.23 | 56.45 | 12.64 | | | | | | | <u></u> | <u> </u> |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | 1 |
| \Box | | 2 | | | UEP9D | UEPQM | 11.23 | 97.22 | 69.19 | | | | | | | | 1 |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 11.23 | 97.22 | 69.19 | | | | | | | | |
| | | | | | | | | | | l | | | | | | | 1 |
| $\sqcup \sqcup$ | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 11.23 | 97.22 | 69.19 | | | | | | L | | |
| $\sqcup \bot$ | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 11.23 | 97.22 | 69.19 | | ļ | | | | ļ | | |
| | | | | | | | | | | | | | | | I | | 1 |
| \vdash | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | \vdash | UEP9D | UEPQR | 11.23 | 97.22 | 69.19 | | | ļ | | | ļ | | |
| | | | | | | | | | | | | | | | I | | 1 |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 11.23 | 97.22 | 69.19 | | | | | | | | |
| | | | | | | | | | | | | | | | I | | 1 |
| \vdash | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 11.23 | 97.22 | 69.19 | | | | | | - | | |
| | | O With Maior Condo Dart (Control 1977 - ONIO /EDO MESSO) | | | LIEDOD | LIEDOS | 44.00 | 07.00 | 00.40 | | | | | | I | | 1 |
| \vdash | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | - | — | UEP9D | UEPQ5 | 11.23 | 97.22 | 69.19 | - | | | | | | | |
| | | 2 Wire Voice Crade Bort (Contrav/differ SWC /EBS MEGAC) | | | LIEDOD | LIEBOS | 11 00 | 07.00 | 60.40 | | | | | | 1 | | 1 |
| \vdash | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 11.23 | 97.22 | 69.19 | | + | - | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 11.23 | 97.22 | 69.19 | | | | | | I | | 1 |
| \vdash | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | - | | OFLAD | UEFUI | 11.23 | 91.22 | 09.19 | | + | 1 | | | + | | |
| | | Term | | | UEP9D | UEPQZ | 11.23 | 97.22 | 69.19 | | | | | | I | | 1 |
| ullet | | 161111 | L | 1 | OLFBD | ULFUL | 11.23 | 91.22 | 09.19 | L | 1 | 1 | 1 | | 1 | | 1 |

| SERVIC | CES - | Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------|--------|---|-------------|--------------|----------------|----------------|--------|-----------------|---------------------------------------|--|------------|--|---|---|---|---|--|
| CATEGO | DRY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 11.23 | 97.22 | 69.19 | | | | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 11.23 | 97.22 | 69.19 | | | | | | | | |
| | | A Only | | <u> </u> | | | | | | | | ļ | | | | | |
| | | centrex Intercom Funtionality, per port | | + | UEP9D | URECS | 0.7947 | | | | | | | | | - | 1 |
| F | eature | | | † | OLF 9D | UKLCS | 0.7547 | | | | | + | | | | - | |
| ľ | | All Standard Features Offered, per port | | 1 | UEP9D | UEPVF | 2.56 | | | | | 1 | | | | | |
| | | All Select Features Offered, per port | | 1 | UEP9D | UEPVS | 0.00 | 404.98 | | | | i e | | | | | |
| | | All Centrex Control Features Offered, per port | | i e | UEP9D | UEPVC | 2.56 | | | | | | | | | | |
| N | NARS | ., . | | | | | | | | | | | | | | | |
| | | Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | ļ |
| | | aneous Terminations | | 1 | | | | | | | | ļ | | | | ļ | ļ |
| 2 | | Trunk Side Trunk Side Terminations, each | | + | UEP9D | CEND6 | 8.25 | 400.00 | 10.0= | 04 7- | 3.88 | | | | - | | 1 |
| 4 | | Digital (1.544 Megabits) | | 1 | UEP9D | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | . | | | | - | |
| 4 | | DS1 Circuit Terminations, each | | - | UEP9D | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | | | | | |
| | | DS0 Channels Activiated per Channel | | 1 | UEP9D | M1HD0 | 0.00 | 14.56 | 90.23 | 74.00 | 2.54 | 1 | | | | 1 | |
| lı. | | ice Channel Mileage - 2-Wire | | † | OLF 9D | WITIDO | 0.00 | 14.30 | | | | + | | | | - | |
| | | Interoffice Channel Facilities Termination | | 1 | UEP9D | M1GBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | i e | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | 1 | UEP9D | M1GBM | 0.0098 | | | | | İ | | | | | |
| F | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D | 04 Cha | nnel Bank Feature Activations | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.57 | | | | | | | | | | |
| | | | | i | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP9D | 1PQWQ | 0.57 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.57 | | | | | | | | | | |
| N | | curring Charges (NRC) | | | | | | | | | | | | | | | |
| T | | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | 1 | UEP9D | USAC2 | | 10.00 | 10.00 | | | ļ | | | | ļ | ļ |
| | | Conversion of Existing Centrex Common Block, each | | - | UEP9D | USACN | | 40.00 | 20.00 | | | | | | | - | |
| | | New Centrex Standard Common Block | | | UEP9D | M1ACS M1ACC | | 770.00 | | - | | 1 | | | | 1 | |
| -+ | | New Centrex Customized Common Block NAR Establishment Charge, Per Occasion | - | + | UEP9D UEP9D | URECA | | 770.00 85.00 | | | | | | - | | | 1 |
| | | nal Non-Recurring Charges (NRC) | | + | 021 30 | UNLOA | | 05.00 | | | | 1 | | | | | |
| - r | | Miscellaneous Rate Element, Tag Loop at End Use Premise | | 1 | UEP9D | URETL | | 8.33 | 0.83 | | | i e | | | | | |
| | | Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP9D | URETN | | 11.19 | 1.10 | | | | | | | | |
| E | | SWITCH (Valid in AL, FL, KY, LA, MS & TN) | | † | | 0 | | 11.15 | 1.70 | | | 1 | | | | † | 1 |
| | oop R | | | 1 | | 1 | | | | | | | | | İ | 1 | 1 |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9E | UECS1 | 10.98 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9E | UECS1 | 15.91 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9E | UECS1 | 25.04 | | · · · · · · · · · · · · · · · · · · · | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | | 4 | UEP9E | UECS1 | 43.68 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP9E | UECS2 | 13.89 | | | | | | | | ļ | 1 | ļ |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | | 2 | UEP9E | UECS2 | 18.75 | | | | | | | | | | |
| , | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | 1 | 3 | UEP9E | UECS2 | 27.55 | | | 1 | | ļ | 1 | | | | <u> </u> |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP9E | UECS2 | 45.72 | | | | | | | | | | |

| SERVICES | 6 - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---|--|--|--|----------------|----------------|--------|-----------------|-----------------|--|-------|--|---|---------------|--------------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | ļ | ļ | | | | Names | | I Namananaina | - Di | | | | | 2.00 .00 | 2.007.444 |
| - | | - | - | | - | Rec | Nonrec First | arring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | | Rates(\$) | SOMAN | SOMAN |
| The | following port rates are effective as specified | - | | | + | | FIISt | Auu i | First | Addi | SOMEC | JOWAN | JOIVIAIN | JOWAN | JOWAN | JOWAN |
| | FL, KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9E | UEPYB | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP9E | UEPYH | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | 1 | OLI 3L | OLI III | 11.25 | 30.43 | 12.04 | | | | | | <u> </u> | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP9E | UEPY9 | 11.23 | EG AF | 12.64 | 1 | | | | | | | |
| \vdash | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | OLFSE | JEF 19 | 11.23 | 56.45 | 12.04 | | | - | | | - | | |
| | Basic Local Area | | | UEP9E | UEPY2 | 11.23 | 56.45 | 12.64 | 1 | | | | | | | |
| AL, I | CY, LA, MS, & TN Only | L | | | | 20 | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP9E | UEPQH | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | | | UEP9E | UEPQM | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP9E | UEPQZ | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | Term | | | UEP9E | UEPQZ | 11.23 | 56.45 | 12.04 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E | UEPQ9 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| <u> </u> | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9E | UEPQ2 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| Loca | Il Switching Centrex Intercom Funtionality, per port | - | - | UEP9E | URECS | 0.7947 | | | - | | | | | - | | |
| Feat | | | | OLF9L | UKLCS | 0.7547 | | | | | | | | | | |
| 1 | All Standard Features Offered, per port | | | UEP9E | UEPVF | 2.56 | | | t | | | | | t | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 404.98 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 2.56 | | | | | | | | | | |
| NAR | | | | LIEDAE | LIADOV | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Network Access Register - Combination | - | <u> </u> | UEP9E UEP9E | UARCX UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | 1 | | |
| H + + + + + + + + + + + + + + + + + + + | Network Access Register - Indial Network Access Register - Outdial | | | UEP9E UEP9E | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| Misc | ellaneous Terminations | | <u>† </u> | J_1 J_ | 5/11/5/ | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | re Trunk Side | | İ | | 1 | | | | 1 | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | | | | | |
| 4-Wi | re Digital (1.544 Megabits) | | <u> </u> | LIEBAE | 1441154 | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9E | M1HD1 M1HDO | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | - | | | | | |
| Inter | DS0 Channel Activated Per Channel office Channel Mileage - 2-Wire | 1 | | UEP9E | INITIDO | 0.00 | 14.56 | | | | 1 | - | - | + | | |
| IIILEI | Interoffice Channel Facilities Termination | | <u> </u> | UEP9E | M1GBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | l - | UEP9E | M1GBM | 0.0098 | | 257 | 20 | | | | | | | |
| | ure Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| D4 C | hannel Bank Feature Activations | | <u> </u> | | 1001/12 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | - | | UEP9E | 1PQWS | 0.57 | | | | | - | | | - | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9E | 1PQW7 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | OLF JL | IF WVVI | 0.57 | | | † | | | | | | | |
| | Different Wire Center | | | UEP9E | 1PQWP | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| \vdash | Slot | <u> </u> | <u> </u> | UEP9E | 1PQWQ | 0.57 | | | | | | | L | | ļ | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | L | | UEP9E | 1PQWA | 0.57 | | | L | l | | l | ļ | 1 | | |

| SERVICES | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|---|----------|----------|--------|-----------|--------|--------|-----------|--------------|------------|-----------|--|---------------|-------------|-------------|-------------|
| CERVICES | mississippi | 1 | 1 | I | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | I . | | | | | |
| 0711200111 | | m | | | | | | | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | 1 | 1 | | + | I | Nonrec | urring | Nonrecurring | Disconnect | † | 1 | OSS | Rates(\$) | I. | 1 |
| -+- | | 1 | 1 | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Non-F | Recurring Charges (NRC) | 1 | 1 | | | | 11130 | Auu i | 11130 | Addi | JOINEO | JONAN | JONAN | JOHAN | JOHAN | JOHIAN |
| NOIL I | Conversion - Existing Platform Switch-As-Is with allowed | 1 | 1 | | + | | | | | | 1 | † | | | | |
| | changes, per port | | | UEP9E | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| -+- | Conversion of Existing Centrex Common Block, each | 1 | 1 | UEP9E | USACN | | 40.00 | 20.00 | | | † | | | | | |
| - | New Centrex Standard Common Block | 1 | 1 | UEP9E | M1ACS | | 770.00 | 20.00 | | | 1 | † | | | | |
| - | New Centrex Customized Common Block | 1 | 1 | UEP9E | M1ACC | | 770.00 | | | | 1 | † | | | | |
| - | NAR Establishment Charge, Per Occasion | 1 | 1 | UEP9E | URECA | | 85.00 | | | | 1 | † | | | | |
| Addit | onal Non-Recurring Charges (NRC) | | | 02. 02 | 0.12071 | | 00.00 | | | | İ | | | | | |
| 714411 | Miscellaneous Rate Element, Tag Loop at End Use Premise | 1 | 1 | UEP9E | URETL | | 8.33 | 0.83 | | | 1 | † | | | | |
| - | Miscellaneous Rate Element, Tag Design Loop at End Use | 1 | 1 | 02. 02 | 0.12.2 | | 0.00 | 0.00 | | | 1 | † | | | | |
| | Premise | | | UEP9E | URETN | | 11.19 | 1.10 | | | | | | | | |
| DCO ! | SWITCH (Valid in AL, KY, LA, MS, & TN) | | | 02. 02 | O.V.E.IIV | | | 0 | | | İ | | | | | |
| Loop | | 1 | 1 | | 1 | | | | t | | 1 | | | † | | i |
| Есор | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | t | 1 | UEP93 | UECS1 | 10.98 | | | t | | † | | | t | | |
| - | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | 1 | 2 | UEP93 | UECS1 | 15.91 | | | | | 1 | † | | | | |
| - | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | 1 | 3 | UEP93 | UECS1 | 25.04 | | | | | 1 | † | | | | |
| - | 2-Wire Voice Grade Loop (SL 1) - Zone 4 | 1 | 4 | UEP93 | UECS1 | 43.68 | | | | | 1 | † | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | | 1 | UEP93 | UECS2 | 13.89 | | | | | İ | | | | | |
| - | 2-Wire Voice Grade Loop (SL 2) - Zone 2 | 1 | 2 | UEP93 | UECS2 | 18.75 | | | | | 1 | † | | | | |
| - | 2-Wire Voice Grade Loop (SL 2) - Zone 3 | 1 | 3 | UEP93 | UECS2 | 27.55 | | | | | 1 | † | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 4 | | 4 | UEP93 | UECS2 | 45.72 | | | | | İ | | | | | |
| Port R | | | <u> </u> | 02. 00 | 02002 | 10.72 | | | | | İ | | | | | |
| | ollowing port rates are effective as specified | | | | | | | | | | İ | | | | | |
| | L, KY, LA, MS, & TN only | | | | | | | | | | İ | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 11.23 | 56.45 | 12.64 | | | İ | | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | 02. 00 | 02. 17. | 11120 | 00.10 | 12.01 | | | İ | | | | | |
| | Area | | | UEP93 | UEPYB | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | 1 | 1 | | | | | | | | i e | | | | | |
| | Area | | | UEP93 | UEPYH | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | İ | | | | | |
| | Center)2 Basic Local Area | | | UEP93 | UEPYM | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | 1 | 1 | | | | | | | | i e | | | | | |
| | Term - Basic Local Area | | | UEP93 | UEPYZ | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | 1 | | | | | | | | | İ | | | | | |
| | - Basic Local Area | | | UEP93 | UEPY9 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | 1 | 1 | | | | | | | | i e | | | | | |
| | Basic Local Area | | | UEP93 | UEPY2 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 11.23 | 56.45 | 12.64 | | | | İ | | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | 1 | 1 | UEP93 | UEPQB | 11.23 | 56.45 | 12.64 | İ | | 1 | | | İ | | İ |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | 1 | İ | UEP93 | UEPQH | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | 1 | 1 | 1 | | | | | | | | | | | | ĺ |
| | Center)2 | | 1 | UEP93 | UEPQM | 11.23 | 56.45 | 12.64 | I | | | | | I | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | 1 | UEP93 | UEPQZ | 11.23 | 56.45 | 12.64 | I | | | | | I | | |
| | | 1 | 1 | 1 | | | | | | | | | | | | ĺ |
| 1 1 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | t | | UEP93 | UEPQ9 | 11.23 | 56.45 | 12.64 | 1 | | | | | 1 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.7947 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP93 | UEPVF | 2.56 | | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP93 | UEPVC | 2.56 | | | | | | | | | | |
| NARS | | | | | | | | | | | | | | | | |
| | Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Network Access Register - Indial | | | UEP93 | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | Ilaneous Terminations | | | | | | | | | | | | | | | |
| Misce | naneous reminations | | | | | | | | | | | | | | | |
| | a Trunk Side | | | UEP93 | CEND6 | 8.25 | 120.00 | 18.85 | 61.77 | 3.88 | | | | | | |

| SERVICES - | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------------|---|-------------|----------|----------------------|----------------|----------------|------------------|----------------|------------------|----------------|--|---|---------------|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | 1 | | Nonrec | urring | Nonrecurring | Disconnect | 1 | | OSS | Rates(\$) | 1 | |
| -+- | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| 4-Wire | Digital (1.544 Megabits) | | | | | | 11130 | Auu | 11130 | Audi | COME | COMPAN | COMPAR | COMPAR | COMPAR | COMPAN |
| | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 58.41 | 203.19 | 96.25 | 74.86 | 2.54 | | | | | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 14.56 | | | | | | | | | 1 |
| Interof | ffice Channel Mileage - 2-Wire | | | | | | | | | | | | | | | 1 |
| | Interoffice Channel Facilities Termination | | | UEP93 | M1GBC | 22.52 | 40.77 | 27.57 | 17.26 | 7.11 | | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | M1GBM | 0.0098 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| D4 Cha | annel Bank Feature Activations | | | LIEBOO | 400040 | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.57 | | | | | | | | | | - |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | UEP93 | 1PQW6 | 0.57 | | | | | | | | | | |
| | Slot | | | UEP93 | 1PQW7 | 0.57 | | | | | | | | | I | 1 |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | 1 | 0.01 | | | | | † | | | | † | |
| | Different Wire Center | | | UEP93 | 1PQWP | 0.57 | | | | | | | | | | - |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop Slot | | | UEP93 | 1PQWQ | 0.57 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.57 | | | | | | | | | | |
| Non-R | ecurring Charges (NRC) | | | | | | | | | | | | | | | |
| | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP93 | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | Conversion of Existing Centrex Common Block, each | | | UEP93 | USACN | | 40.00 | 20.00 | | | | | | | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | | 770.00 | | | | | | | | | |
| | New Centrex Customized Common Block NAR Establishment Charge, Per Occasion | | - | UEP93 UEP93 | M1ACC URECA | | 770.00 85.00 | | | | | | | | 1 | + |
| Additi | onal Non-Recurring Charges (NRC) | | - | UEP93 | URECA | | 85.00 | | | | - | | | | - | |
| Addition | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP93 | URETL | | 8.33 | 0.83 | | | 1 | | | | 1 | + |
| - | Miscellaneous Rate Element, Tag Design Loop at End Use | | | OLI SO | ORETE | | 0.00 | 0.00 | | | 1 | | | | | + |
| | Premise | | | UEP93 | URETN | | 11.19 | 1.10 | | | | | | | | |
| Note 1 | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | 2 - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| | ALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | <u> </u> |
| DS0 W | /HOLESALE LOCAL SWITCHING PORTS | | - | LIEDOD | LIEDDO | 07.40 | 405.00 | 187.13 | 1 | | | | | - | | |
| -+- | Exchange Ports - 2-Wire DID Port Subsequent Activity | | - | UEPSP UEPSP | UEPP2 USASC | 27.43 0.00 | 425.96 0.00 | 0.00 | - | | | | | | | + |
| - - | Exchange Ports - 2-Wire ISDN Port (See Note1and 2 Below.) | | | UEPTX, UEPSX | U1PMA | 50.00 | 200.00 | 130.00 | + | | | | | 1 | | + |
| | All Features Offered | | | UEPTX, UEPSX | UEPVF | 2.56 | 0.00 | 0.00 | | | † | | | | † | |
| | Wholesale Exchange Ports - 2-Wire ISDN Port Channel Profiles | | | UEPTX, UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| NOTE | 1: Transmission/usage charges associated with POTS circuit | switche | d usag | e will also apply to | circuit switch | hed voice and/ | or circuit switc | hed data trans | smission by B-0 | Channels asso | ciated with | 2-wire ISDN | ports. | | | 1 |
| NOTE | 2: Access to B Channel or D Channel Packet capabilities will I | be avail | able o | nly through BFR/Ne | w Business R | Request Proces | s. Rates for th | e packet capa | bilities will be | determined via | the Bona F | ide Reques | t/New Busine | ss Request P | rocess. | |
| | HOLESALE LOCAL SWITCHING PORTS WITH REMOTE CALL | FORWA | ARDIN | G CAPABILITY | | | | • | | • | | | | | | |
| REMO | TE CALL FORWARDING SERVICE - (Residence) | | | LUEDI (D | LUED (= | | | | | | | | | | ļ | |
| | Remote Call Forwarding Service, Area Calling, Res | | - | UEPVR | UERAC | 8.41 | 38.76 | 10.95 | 1 | | | | | - | | |
| | Remote Call Forwarding Service, Local Calling - Res Remote Call Forwarding Service, InterLATA - Res | | <u> </u> | UEPVR UEPVR | UERLC | 8.41 8.41 | 38.76 38.76 | 10.95 10.95 | 1 | | 1 | | | - | 1 | + |
| | Remote Call Forwarding Service, InterLATA - Res Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 8.41 8.41 | 38.76 | 10.95 | - | | - | | | | | + |
| Non-R | ecurring (Residence) | - | | OLI VIX | OLKIK | 0.41 | 30.76 | 10.95 | | | | | | | | + |
| 14011-10 | Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVR | USAC2 | | 10.00 | 10.00 | | | † | | | | † | |
| | Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | | | UEPVR | USACC | | 10.00 | 10.00 | | | | | | | | |
| REMO | TE CALL FORWARDING - (Business) | | | | | | | | | | | | | İ | 1 | <u> </u> |
| | Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 11.41 | 56.45 | 12.64 | | | | | | | 1 | † |
| | Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB | UERTE | 11.41 | 56.45 | 12.64 | | | | | | | | |
| | Remote Call Forwarding Service, IntraLATA - Bus | | 1 | UEPVB | UERTR | 11.41 | 56.45 | 12.64 | | | | | | | | |

| SERVICES | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-----------|---|-------------|--|-----------------------|----------------|-----------------|-------------------|---------------|--|----------------|---|---|--|--|---|--|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Remote Call Forwarding Service Expanded and Exception Local | | | | | | | | | | | | | | | |
| | Calling | | | UEPVB | UERVJ | 11.41 | 56.45 | 12.64 | | | | | | | | |
| Non- | Recurring (Business) | | | | | | | | | | | | | | | |
| | Remote Call Forwarding Service - Conversion - Switch-as-is | 1 | <u> </u> | UEPVB | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | Remote Call Forwarding Service - Conversion with allowed change (PIC and LPIC) | | | UEPVB | USACC | | 10.00 | 10.00 | | | | | | | | |
| DS1 WHOLE | SALE LOCAL SWITCHING PORTS | 1 | | UEPVB | USACC | | 10.00 | 10.00 | | | | | | | | - |
| | HANGE PORT RATES | + | | | + | | | | | | | | | | | |
| EXO. | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | 1 | | | + | | | | | | | | | | | |
| | Below.) | | | UEPEX | UEPEX | 410.00 | 1,000.00 | 900.00 | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 | 1 | | | | | | | 1 | | | | | 1 | | İ |
| | Locator Capability (See Note1and 2 Below.) | | | UEPEX | UEPEX | 410.00 | 1,000.00 | 900.00 | | <u> </u> | | | <u></u> | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | | | | | | | | | | | | | | |
| | Below.) | | | UEPDX | UEPDX | 410.00 | 1,000.00 | 900.00 | | | | | | | | |
| | Physical Collocation - DS1 Cross-Connects | | | UEPEX UEPDX | PE1P1 | 1.14 | 22.16 | 16.02 | ļ | | | | | ļ | | 1 |
| | Virtual collocation - cross-connect per DS1 | ļ | | UEPEX UEPDX | CNC1X | 1.14 | 22.16 | 16.02 | | | | | | | | |
| Detai | led E911 with Locator Capability (required with UEPEX port) | | | | | | | | | | | | | | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | LIEDEV | LIEDAA | 0.00 | 4 044 00 | | | | | | | | | |
| | Capability - Initial Profile Establishment per CLEC per State Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | 1 | - | UEPEX | UEP1A | 0.00 | 1,814.00 | | | | | | | | | |
| | Capability - Subsequent Profile Changes, Additions, Deletions | | | UEPEX | UEP1B | 0.00 | 176.15 | | | | | | | | | |
| New | or Additional PRI Telephone Numbers | 1 | | UEPEX | UEPIB | 0.00 | 176.15 | | | | | | | | | 1 |
| IVEW | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | 1 | | | + | | | | | | | | | | | |
| | Capability 2-way Telephone Numbers, per number in E911 | | | | | | | | | | | | | | | |
| | profile [New or Additional] | | | UEPEX | UEP1C | 0.0701 | 0.49 | | | | | | | | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | 0.0.0. | | | | | | | | | | |
| | Capability - Outdial Telephone Numbers, per number in E911 | | | | | | | | | | | | | | | |
| | profile [New or Additional] | | | UEPEX | UEP1D | 0.0701 | 11.58 | 11.58 | | | | | | | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone | | | | | | | | | | | | | | | |
| | Numbers - Inward Data Only Option [New or Additional] | | | UEPDX | UEP1E | 0.00 | 0.49 | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] | | | | | | | | | | | | | | | |
| | Inward Tel Numbers [Customer Testing Purposes] | | | UEPEX | PR7ZT | 0.00 | 23.15 | 23.15 | | | | | | | | |
| INTE | RFACE (Provsioning Only) | 1 | <u> </u> | HEDEV | DD74) / | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Voice/Data Digital Data | 1 | - | UEPEX UEPEX | PR71V PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | - | | UEPDX | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| New | or Additional Channel | + | \vdash | OLFDA | ITM IE | 0.00 | 0.00 | 0.00 | 1 | | | | | | 1 | |
| 14644 | New or Additional - Voice/Data "B" Channel | 1 | | UEPEX | PR7BV | 0.00 | 14.61 | | 1 | | | | | | 1 | I |
| | New or Additional - Digital Data "B" Channel | 1 | | UEPEX | PR7BF | 0.00 | 14.61 | | 1 | | | | | 1 | 1 | t |
| | New or Additional Inward Data "B" Channel | 1 | | UEPDX | PR7BD | 0.00 | 14.61 | | 1 | | | | | İ | | |
| | New or Additional Useage Sensitive Voice Data "B" Channel | | L | UEPEX | PR7BS | 0.00 | 14.61 | | | | | | | | | |
| | New or Additional Useage Sensitive Digital Data "B" Channel | | | UEPEX | PR7BU | 0.00 | 14.61 | | | | | | | | | |
| | New or Additional PRI "D" Channel | | | UEPEX | PR7EX | 0.00 | 14.61 | - | | | | | | | | |
| CALI | _ TYPES | | | | | | | | | | | | | | | |
| | Inward | | | UEPEX UEPDX | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | ļ | | 1 |
| | Outward | 1 | <u> </u> | UEPEX | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | ļ | <u> </u> |
| NOT! | Two-way | l owite! | al mar | UEPEX | PR7CC | 0.00 | 0.00 | 0.00 | | Channala aa - | alatad!t! | 2 wire ICC | l marta | - | 1 | |
| NOT | E 1: Transmission/usage charges associated with POTS circuit E 2: Access to B Channel or D Channel Packet capabilities will | be avail | ahla a | ge will also apply to | w Rusiness 5 | Peguaget Proces | e Pates for th | e nacket cana | simpoion by B-C | determined vis | the Bons F | ide Peguse | t/New Rusine | es Paguast B | Process | |
| | SALE LOCAL PLATFORM SERVICE | be avail | able 0 | III III Uugii BER/Ne | w Dusiliess r | equest F100es | 3. INDIES IOI III | е раскет сара | Dinities will be t | aeterrimed via | ine bona r | rue neques | unew busine | oo nequest r | 100033. | |
| | Wholesale Local Platform Service-Direct Inward Dialing (DID) | 1 | | + | | | | | | | | | | | 1 | |
| | Loop Rates | 1 | | <u> </u> | † | | | | 1 | | | | | 1 | | <u> </u> |
| 200 | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | 1 | 1 | UEPPX | UECD1 | 13.89 | | | 1 | | | | | İ | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | 1 | 2 | UEPPX | UECD1 | 18.75 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | | 3 | UEPPX | UECD1 | 27.55 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 4 | | 4 | UEPPX | UECD1 | 45.72 | | | | | | | _ | | | |
| DS0 | Port Rates | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPPX | UEPD1 | 27.43 | 425.96 | 187.13 | | | | | | | | |
| NON | RECURRING CHARGES - Existing Platform | 1 | i – | 1 | 1 | 1 | | | | | I | 1 | | 1 | 1 | 1 |

| SERVICES - | - Mississippi | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|----------|--|----------------|-------------|---------------|-----------------|-------------------|------------------|-----------------|----------------|--|-------------|---------------|---------------|--------------|---------------|
| | | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | - | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | E | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | .,, | | | per Loix | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | | curring | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Existing | | | | | | | | | | | | | | | | ı l |
| | Platform - Switch-As-Is | | | UEPPX | | USAC1 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | LIEDDY | | 110440 | | 40.00 | 40.00 | | | | | | | | i l |
| ADDIT | with AT&T Allowable Changes | | - | UEPPX | | USA1C | | 10.00 | 10.00 | | | 1 | | | | | |
| ADDIT | TONAL NRCs 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | - | UEPPX | | USAS1 | | 26.94 | 26.94 | | | - | | | | | |
| | Miscellaneous Rate Element, Tag Designed Loop at End User | | 1 | UEFFA | | USAST | | 20.94 | 20.94 | | | + | | | | | $\overline{}$ |
| | Premise | | | UEPPX | | URETN | | 11.19 | 1.10 | | | | | | | | ı l |
| Teleni | none Number/Trunk Group Establisment Charges | | | OLITA | | OIKETIV | | 11.13 | 1.10 | | | + | | | | | |
| Гсісрі | DID Trunk Termination (One Per Port) | | 1 | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | + | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | 1 | | | 1 | 3.00 | 3.00 | 3.00 | | 1 | † | | | | | $\overline{}$ |
| | of 20 DID Numbers | | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | 1 | | | | | , 1 |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | holesale Local Platform Service - ISDN/Basic Rate ISDN (ISDN | /BRI) | | | | | | | | | | | | | | | |
| | /holesale Local Voice Service Platform Rates | | | | | | | | | | | | | | | | |
| ISDN I | Loop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 18.26 | | | | | | | | | | |
| | | | _ | l | | | | | | | | | | | | | ı l |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 | | 2 | UEPPB | UEPPR | | 24.67 | | | | | | | | | | |
| | 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UEPPB | UEPPR | USL2X | 34.85 | | | | | | | | | | |
| 10001 | 2-Wire ISDN Digital Grade Loop - Zone 4 | | 4 | UEPPB | UEPPR | USL2X | 57.28 | | | | | 1 | | | | | |
| ISDNI | Port Rates Exchange Port - 2-Wire ISDN Line Side Port | | 1 | LIEDDD | | UEPPR | 50.00 | 405.00 | 205.00 | | | + | - | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | 1 | UEPPR UEPPB | | UEPPB | 50.00 50.00 | 425.00 425.00 | 285.00 285.00 | | | + | | | | | $\overline{}$ |
| NONR | ECURRING CHARGES - Existing Platform | | 1 | OLFFB | | OLFFB | 30.00 | 423.00 | 203.00 | | | + | | | | | $\overline{}$ |
| Itolik | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port - | | 1 | 1 | | 1 | | | | | | + | | | | | |
| | Conversion - | | | LIEPPB | UEPPR | USACB | 0.00 | 90.00 | 65.00 | | | | | | | | ı l |
| ADDIT | TONAL NRCs | | | 02 | OL. III | 00/102 | 0.00 | 00.00 | 00.00 | | | | | | | | |
| | Miscellaneous Rate Element, Tag Designed Loop at End User | | | | | | | | | | | | | | | | |
| | Premise | | | UEPPB | UEPPR | URETN | | 11.19 | 1.10 | | | | | | | | ı l |
| | Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPPB | UEPPR | URETL | | 8.33 | 0.83 | | | | | | | | |
| B-CHA | ANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | L | <u> </u> | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | ļ | ļ | 1 | | | | | |
| B-CHA | ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, 8 | k TN) | ==== | | | | | | | | 1 | | | | | |
| \vdash | CVS/CSD (DMS/5ESS) | | 1 | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | 1 | 1 | | | | | | |
| | CVS (EWSD) | - | - | UEPPB UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| HEED | CSD TERMINAL PROFILE | - | 1 | UEPPB | UEPPR | UTUCE | 0.00 | 0.00 | 0.00 | 1 | 1 | 1 | - | - | | | |
| USER | User Terminal Profile (EWSD only) | | 1 | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | - | | |
| VEDTI | CAL FEATURES | | 1 | OLFFB | ULFFR | OTOWA | 0.00 | 0.00 | 0.00 | | | + | | | | | $\overline{}$ |
| VERII | All Vertical Features - One per Channel B User Profile- All | | + | - | | + | + | | | + | 1 | | | | | | $\overline{}$ |
| | States | | | UEPPB | UEPPR | UEPVF | 2.56 | 0.00 | 0.00 | | | 1 | | | | | ı |
| INTER | OFFICE CHANNEL MILEAGE | | | 1 | | 1 | 2.50 | 5.50 | 5.50 | | | | | | İ | | |
| 1 | Interoffice Channel mileage each, including first mile and | | | t | | i i | | İ | İ | | | | | | İ | | |
| | facilities termination | | | UEPPB | UEPPR | M1GNC | 22.5298 | 40.77 | 27.57 | | | 1 | | | | | , 1 |
| | Interoffice Channel mileage each, additional mile | | | | UEPPR | | 0.0098 | 0.00 | 0.00 | | | | | | | | |
| | ALE LOCAL PLATFORM SERVICE | | | | | | | | | | | | | | | | |
| | llowing Terms and Conditions apply to DS1 Wholesale Local | | | | | | | | | | | | | | | | |
| | New Install scenarios the Nonrecurring charges are listed in the | | | | NRC colum | ns for each I | Port USOC. Fo | r Existing Platf | orm scenarios | s, the Nonrecur | ring charges a | re listed in | the NRC - C | onversions se | ection. Addit | ional NRCs m | ay apply |
| | nd are categorized accordingly. | | | | | | | | | | | | | | | | |
| | d Office and Tandem Switching Usage and Wholesale Commo | | | sage rate | s in the Po | rt section of | this rate exhib | it shall apply to | o all DS0 Whol | lesale Local Pl | atform Service | s. | | | | | |
| | holesale Local Platform Service - ISDN/Primary Rate ISDN (ISI | ON/PRI) | | | | | | | | | | | | | | | |
| DS1 L | oop Rates | | 1 | | | 1 | | | | | | 1 | | | | | |

| SERVICES | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|-------------|--|-------|--------|--------|----------|-------------|--------------|--|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Dan. | Nonrec | urring | Nonrecurring | g Disconnect | 1 | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 1 | | 1 | UEPPP | USL4P | 168.00 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 2 | | 2 | UEPPP | USL4P | 175.00 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 3 | | 3 | UEPPP | USL4P | 180.00 | | | | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 4 | | 4 | UEPPP | USL4P | 180.00 | | | | | | | | | | |
| DS1 P | Fush on the Posts of A Wins ISBN DS4 Both | | 1 | UEPPP | UEPPP | 440.00 | 4 200 00 | 4 000 00 | | 1 | 1 | - | | | 1 | |
| NOND | Exchange Ports - 4-Wire ISDN DS1 Port ECURRING CHARGES - Existing Platform | | - | UEPPP | UEPPP | 410.00 | 1,200.00 | 1,000.00 | | - | | | | | - | + |
| NONK | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | + | | | | | | <u> </u> | | | | | + |
| | Conversion -Switch-As-Is | | 1 | UEPPP | USACP | 0.00 | 500.00 | 500.00 | | 1 | | | | | I | |
| ADDIT | TIONAL NRCs | | | 02 | 007.0. | 0.00 | 000.00 | 000.00 | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | 1 | | | | | 1 | | | | ĺ | 1 | 1 |
| | Inward/two way Telephone Numbers (except NC) | | <u> </u> | UEPPP | PR7TF | | 0.49 | | | <u></u> | | | | | | <u> </u> |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 11.58 | 11.58 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | |
| INITEE | Subsequent Inward Telephone Numbers | | | UEPPP | PR7ZT | | 23.15 | 23.15 | | | | | | | | ļ |
| INTER | RFACE (Provsioning Only) | | | UEPPP | PR71V | 0.00 | 0.00 | 0.00 | | - | | | | | - | <u> </u> |
| - | Digital Data | | 1 | UEPPP | PR71D | 0.00 | 0.00 | 0.00 | | 1 | | | | | 1 | - |
| | Inward Data | | | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | - | - |
| New o | or Additional "B" Channel | | | 02 | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 14.61 | | | | 1 | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 14.61 | | | | | | | | | |
| | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | 14.61 | | | | | | | | | |
| | New or Additional Useage Sensitive Voice Data B Channel | | | UEPPP | PR7BS | 0.00 | | | | | | | | | | |
| 0411 | New or Additional Useage Sensitive Digital Data B Channel | | | UEPPP | PR7BU | 0.00 | | | | | | | | | | |
| CALL | TYPES Inward | | 1 | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | - | | | | | - | |
| 1 | Outward | | 1 | UEPPP | PR7CO | 0.00 | 0.00 | 0.00 | | 1 | | | | | 1 | - |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | - | - |
| Intero | ffice Channel Mileage | | | 02 | 111100 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 92.68 | 89.79 | 82.28 | | | | | | | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 16.01 | | | | | | | | | | |
| | Vholesale Local Platform Service - 4-wire DDITS | | | | | | | | | | | | | | | ļ |
| | Wholesale Local Platform Service Rates | | | | | | | | | | | | | | | |
| DS1 L | oop Rates | | 1 | UEPDC | USLDC | 168.00 | | | | 1 | 1 | - | | | 1 | |
| | 4-Wire DS1 Digital Loop - Zone 1 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPDC | USLDC | 175.00 | | | | | | | | | | 1 |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPDC | USLDC | 180.00 | | | | | | | | | | + |
| | 4-Wire DS1 Digital Loop - Zone 4 | | 4 | UEPDC | USLDC | 180.00 | | | | | | | | | - | 1 |
| DS1 P | ort Rate | | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 361.00 | 1,100.00 | 900.00 | | | | | | | | |
| NONR | ECURRING CHARGES - Existing Platform | | | | | | | · · · · · · | | | | | | | | 1 |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Switch-As-Is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Conversion with Change | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | |
| ADDIT | TIONAL NRCs | | | | 1 | | | | | | | | | ļ | ļ | ļ |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 14.56 | 14.56 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.56 | 14.56 | | | | | | | | |

| ERVIC | ES - | Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------|--------|---|-------------|--|----------------|----------------|----------|-------|-----------|--|-----------|---|---|--|---|--|--|
| ATEGOR | RY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.56 | 14.56 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | LIEDDO | LIDTTD | | 44.50 | 44.50 | | | | | | | | |
| - | | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.56 | 14.56 | | | | | | | 1 | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.56 | 14.56 | | | | | | | | |
| BI | | AR 8 ZERO SUBSTITUTION | | | OLFDC | ODITE | | 14.30 | 14.50 | | | | | | | | |
| | | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.001 | 600.00S | i i | | | | | | t | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.001 | 600.00S | i i | | | | | | t | |
| Al | | te Mark Inversion | | | | | | | | | | | | | | | |
| | | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Те | | one Number/Trunk Group Establisment Charges | | | | | | | | | · | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | | | | | | | ļ | |
| | | Telephone Number for 1-Way Inward Trunk Group Without DID DID Numbers for each Group of 20 DID Numbers | | - | UEPDC | UDTGZ | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | _ | DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPDC UEPDC | ND4 ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | _ | Reserve Non-Consecutive DID Nos. | | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| De | edicat | red DS1 (Interoffice Channel Mileage) - FX/FCO for DDITS | | | ULFDC | INDV | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| | cuicai | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | _ | | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO1 | 92.68 | 89.79 | 82.28 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 16.01 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | | | | | | | | | | | | | |
| | | miles | | | UEPDC | 1LNOB | 16.01 | 0.00 | 0.00 | | | | | | | | |
| | | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | LIEDDO | 41.1100 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| | | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 16.01 | 0.00 | 0.00 | | | | | | | | |
| - | | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | 0.00 | 0.00 | | | | | | | 1 | 1 |
| DS | | nolesale Local Platform Service - 4-WIRE DS1 LOOP WITH CH. | ANNFI | ZATIO | | 010 | 0.00 | | | | | | | | | | |
| | | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | | | | | | i i | | | | | | t | İ |
| | | m can have various rate combinations based on type and nur | | | used | | | | | | | | | | | | |
| DS | S1 Lo | | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | | | · | | | |
| | | 4-Wire DS1 Loop - Zone 2 | | 2 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | | | | | | |
| _ | | 4-Wire DS1 Loop - Zone 3 | | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | | |
| - | | 4-Wire DS1 Loop - Zone 4 nannelization Capacities (D4 Channel Bank Configurations) | | 4 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | | 1 |
| טפ | | 24 DSO Channel Capacities (D4 Channel Bank Configurations) | | | UEPMG | VUM24 | 95.06 | 0.00 | 0.00 | | | | | | | | |
| | | 48 DSO Channel Capacity - 1 per DS1 | - | | UEPMG | VUM48 | 190.12 | 0.00 | 0.00 | + | | | | | | | } |
| - | | 96 DSO Channel Capacity - 1 per 2 DS1s | - | | UEPMG | VUM96 | 380.24 | 0.00 | 0.00 | | | | | | | | |
| | | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 570.36 | 0.00 | 0.00 | | | | | | | † | |
| | | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 760.48 | 0.00 | 0.00 | | | | | | | 1 | |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 950.60 | 0.00 | 0.00 | | | | | | | | |
| | | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,140.72 | 0.00 | 0.00 | | | | | | | | |
| | | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,520.96 | 0.00 | 0.00 | | · · · · · | | | | | | |
| | | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 1,901.20 | 0.00 | 0.00 | | | | | | | | |
| _ | | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,281.44 | 0.00 | 0.00 | | | | | | | 1 | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,661.68 | 0.00 | 0.00 | | | | | | | | |
| | | curring Charges (NRC) Associated with 4-Wire DS1 Loop with num System configuration is One (1) DS1, One (1) D4 Channe | | | | | | rstem | | | | - | | | | 1 | |
| | | num System configuration is One (1) DS1, One (1) D4 Channe es of this configuration functioning as one are considered Ac | | | | | | - | | + | | - | | | | | |
| IVI | uniple | NRC - Conversion (Currently Combined) with or without AT&T | au i aite | i iiie ii | | Iniguration IS | Counted. | | | | | | | | | | |
| | | | | | 1 | | 1 | | | | | ı | | | | 1 | 1 |

| RATE ELEMENTS Interior m Zone BCS USOC RATES(\$) BCS USOC RATES(\$) Submitted Elec Manually per LSR Per LSR Per LSR Per LSR Manually per LSR Per LSR Per LSR Manually per LSR Manual Svc Order vs. Electronic- lat Add'l Disc 1st Disc Ar ONOR PER Manual Svc Order vs. Electronic- lat Disc 1st Disc Ar OSS Rates(\$) | SERVICES - | Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|-------------|--|----------|--|-------------------|----------------|-----------------|-----------------|----------------|--|---------------|-------------------|-----------------------|---|---|--|---|
| New Price April | CATEGORY | RATE ELEMENTS | | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| Specific Character Specifi | | | | | | | Pac | | | | | | | | | | |
| CSCIAC Claume Basis - Acet NRC for each Pive and Assoc I., PPAG VAILED O. 100 Mol. | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Pres Activation | Systen | | ions | | | | | | | | | | | | | | |
| Biguar 2 Zero Substitution Control Control Control (Control Control Control) Format - supprisons - Subsequent Control Control Control Control (Control Control) Control Control (Control Control) Control Control (Control Control) Control Control (Control Control) Control Control (Control Control) Control Control (Control Control) Control Control (Control Control Control (Control Control) Control Control (Control Control Control (Control Control Control Control Control Control Control Control (Control | | | | | | | | | | | | | | | | | |
| Disput Charmon Coupling Forminal Superfulars - Subsequent UsPMG CCOSS 0.00 0.01 ECOSS CCCOSS CCCCS C | | | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | | | | | | |
| Anthony Chay | Віроїа | | | - | | 1 | | | | | | | | | | | —— |
| Clase Charmant Capability Format - Enaboded Superhame - | | | | | LIEDMC | CCOSE | 0.00 | 0.001 | 600 008 | | | | | | | | ĺ |
| Sibbongom Activity Only | | | | | ULFINIG | CCOSI | 0.00 | 0.001 | 000.003 | | | | | | | | |
| Alternate Mark Inversion (AMI) | | | | | UEPMG | CCOEF | 0.00 | 0.001 | 600.00\$ | | | | | | | | ĺ |
| Superframe Format | Alterna | | | | 020 | 0002. | 0.00 | 0.00. | 000.000 | | | | | | | | |
| Exchange Posts Associated with AWIND BST Loop with Channelization with Post | | | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Exchange Ports | | | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Use Side Contraination Charmelized PBX Trunk Port - Business UEPPX UEPCX 11.41 0.00 | | | on with | Port | | | | | | | | | | | | | |
| Une Side Dutaned Chimmisted PRX Track Port - Business Une Side Track Port - Pusiness Une Side | Excha | nge Ports | | | | | | | | | | | | | | | |
| Une Side Dutaned Chimmisted PRX Track Port - Business Une Side Track Port - Pusiness Une Side | | | | | l | | | | | I | | | | | | | 1 |
| Une Side Inward Only Channelized PBX Trunk Port without DID UEPPX | | | | | | | | | | | | | | | | | |
| 2-Wire Trunk Side Channelized - Outdid - (AL, KY, LA, UEPPK UEPPK UEPCY 11.41 0.00 0.00 UEPPK UEPCY 11.41 0.00 0.00 UEPPK UEPCY 11.41 0.00 0.00 UEPPK UEPCY 11.41 0.00 0.00 UEPPK UEPCY 11.41 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0. | | Line Side Outward Channelized PBX Trunk Port - Business | | - | UEPPX | UEPOX | 11.41 | 0.00 | 0.00 | _ | | | | | | - | |
| 2-Wire Trunk Side Channelized - Outdid - (AL, KY, LA, UEPPK UEPPK UEPCY 11.41 0.00 0.00 UEPPK UEPCY 11.41 0.00 0.00 UEPPK UEPCY 11.41 0.00 0.00 UEPPK UEPCY 11.41 0.00 0.00 UEPPK UEPCY 11.41 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 UEPPK UEPCY 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0. | | Line Cide Inwest Oak Channelined DDV Tweet Destroit DD | | | LIEDDY | LIEDAY | 44.44 | 0.00 | 0.00 | | | | | | | | |
| Exchange Ports, 2-Wire ChannelizedOutside(Al, KY, LA, MS, 8 TN) Exchange Ports, 2-Wire ChannelizedOutsideMississippi Exchange Ports, 2-Wire ChannelizedOutsideMississippi Exchange Ports, 2-Wire ChannelizedOutsideMississippi Exchange Ports, 2-Wire ChannelizedOutsideMississippi Deep Company Exchange Ports, 2-Wire ChannelizedOutside Exchange Ports, 2-Wire Channelized Only Calling Plain Feature (Service) Activation for each Turne Port Terminated in D4 Bank Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for each Turne Port Terminated in D4 Bank Feature (Service) Activation for Each Turne Port Terminated in D4 Bank Feature (Service) Activation for Each Turne Port Terminated in | | | | | | | | | | | | - | | | | | |
| MS, & TN UEPPX UEPCY 11.41 0.00 0.00 | | | | 1 | UEFFX | UEPDIVI | 21.43 | 0.00 | 0.00 | | | | | | | | |
| Exchange Ports, 2-Wire Channelized - Combination (AL, KY, LA, MS, 8. TN | | | | | LIEPPX | LIEPCY | 11 41 | 0.00 | 0.00 | | | | | | | | ĺ |
| LA MS, & TN | | | | 1 | OLITA | OLI OI | 11.41 | 0.00 | 0.00 | | | | | | | | |
| Exchange Ports, 2-Wire Channelized — Outdiel—Mississippi Only — Calling Plan Exchange Ports, 2-Wire Channelized — Two Way - Mississippi Only — Calling Plan UEPPX UEPC7 11.41 0.00 0.00 UEPX UEPC7 11.41 0.00 0.00 UEPX UEPC7 11.41 0.00 0.00 UEPX UEPC7 11.41 0.00 0.00 UEPX UEPC7 11.41 0.00 0.00 UEPX UEPC7 11.41 0.00 0.00 UEPX UEPC7 11.41 0.00 0.00 UEPX UEPC7 11.41 0.00 0.00 UEPX UEPC7 11.41 0.00 0.00 UEPX UEPC7 11.41 0.00 0.00 UEPX UEPC7 11.41 0.00 0.00 UEPX UEPC7 11.41 0.00 0.00 UEPX UEPC7 11.41 0.00 0.00 UEPX UEPX UEPC7 11.41 0.00 0.00 UEPX UEPX UEPC7 11.41 0.00 0.00 UEPX UEPX UEPC7 11.41 0.00 0.00 0.00 UEPX UEPX UEPC7 11.41 0.00 0.00 0.00 UEPX UEPX UEPX UEPC7 11.41 0.00 0.00 0.00 UEPX UEPX UEPX UEPX UEPX UEPX UEPX UEPX | | | | | UEPPX | UEPCT | 11.41 | 0.00 | 0.00 | | | | | | | | İ |
| Only - Calling Plan | | | | | | | | | | | | | | | | | |
| Control Charles Control Ch | | | | | UEPPX | UEPC4 | 11.41 | 0.00 | 0.00 | | | | | | | | ĺ |
| Feature Settivations - Loop Concentration Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Feature (Service) Activated in Central Office on D4 Bank Feature (Service) Activated in Central Office Line Sharing & Line Splitting in a maintenance mode only. Not applicable for Remote Site Line Sharing & Line Splitting Feature (Service) Feature (COST) - Per 15 Minute Increments - Overland Office Sync Test (COST) - Per 15 Minute Increments - Overland Office Sync Test (COST) - Per 15 Minute Increments - Premium Feature (Service) | | Exchange Ports, 2-Wire Channelized - Two Way - Mississippi | | | | | | | | | | | | | | | |
| Feature (Service) Activation for each Line Port Terminated in D4 UEPPX 1PQWM 0.61 56.45 12.64 | | | | | UEPPX | UEPC7 | 11.41 | 0.00 | 0.00 | | | | | | | | <u> </u> |
| Bank | Featur | | | | | | | | | | | | | | | | |
| Feature (Service) Activation for each Trunk Port Terminated in DB Bank UEPPX 1POWU 0.61 425.96 187.13 DB DESTABLES FOR THE PORT OF THE | | | | | | | | | | | | | | | | | ĺ |
| Description | | | | | UEPPX | 1PQWM | 0.61 | 56.45 | 12.64 | | | | | | | | |
| Telephone Number/ Group Establishment Charges for DID Service | | | | | HEDDY | 45004/11 | 0.04 | 405.00 | 407.40 | | | | | | | | |
| DID Trunk Termination (1 per Port) | Talanh | | | 1 | UEPPX | 1PQWU | 0.61 | 425.96 | 187.13 | | | | | | | | |
| DID Numbers - groups of 20 - Valid all States UEPPX ND4 0.00 0 | relepi | | | 1 | LIEDDY | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Non-Consecutive DID Numbers - per number UEPPX ND5 0.00 | | | | | | | | | | | | | | | | | |
| Reserve Non-Consecutive DID Numbers Reserve DiD Numbers Reserve Non-Country Reserve Did Numbers Reserve Non-Country Reserve Non-Country Reserve Non-Country Reserve Non-Country Reserve Non-Country Reserve Non-Country Reserve Non-Country Reserve Non-Country Reserve Non-Country Reserve Non-Country Reserve Non-Country Reserve Non-Country Reserve Non-Country Reserve Non-Co | | Non-Consecutive DID Numbers - per number | | | | | | | | | | | | | | | |
| FEATURES - Vertical and Optional Local Switching Features Offered with Line Side Ports Only Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Features Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Uerper Indicate Indicates Available UEPPX UEPVF 2.56 0.00 0.00 Local Switching Uerper Indicates Available Indicates Available UEPPX UEPVF 2.56 0.00 0.00 Local Vertical Available Indicates Availa | | | | | | | | | | | | | | | | | |
| Local Switching Features Offered with Line Side Ports Only All Features Available UEPPX UEPVF 2.56 0.00 0.00 0.00 Note: COST rates are applicable for Central Office Line Sharing & Line Splitting in a maintenance mode only. Not applicable for Remote Site Line Sharing & Line Splitting Central Office Sync Test (COST) - Per 15 Minute Increments - Basic Central Office Sync Test (COST) - Per 15 Minute Increments - Overtime 30.00 Central Office Sync Test (COST) - Per 15 Minute Increments - Premium 40.00 OP SPLITTING FRAME CONNECTION SERVICE WHOLESALE SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC) Selective Routing Per Unique Line Class Code Per Request Per Switch Switch 100 100 100 100 100 100 100 1 | | Reserve DID Numbers | | | | | | | | | | | | | | | |
| All Features Available UEPYX UEPY 2.56 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0 | | | | | | | | | | | | | | | | | |
| Note: COST rates are applicable for Central Office Line Sharing & Line Splitting in a maintenance mode only. Not applicable for Remote Site Line Sharing & Line Splitting Central Office Sync Test (COST) - Per 15 Minute Increments - | Local | | | | | | | | | | | | | | | | |
| Note: COST rates are applicable for Central Office Line Sharing & Line Splitting in a maintenance mode only. Not applicable for Remote Site Line Sharing & Line Splitting Central Office Sync Test (COST) - Per 15 Minute Increments - | | | | | UEPPX | UEPVF | 2.56 | 0.00 | 0.00 | | | | | | | ļ | 1 |
| Central Office Sync Test (COST) - Per 15 Minute Increments - Basic Central Office Sync Test (COST) - Per 15 Minute Increments - Overtime Central Office Sync Test (COST) - Per 15 Minute Increments - Overtime Central Office Sync Test (COST) - Per 15 Minute Increments - Premium 40.00 OPSPLITTING FRAME CONNECTION SERVICE WHOLESALE SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC) Selective Routing Per Unique Line Class Code Per Request Per Switch Switch 228.38 228.38 38.04 38.04 38.04 38.04 38.04 38.04 38.04 Selective Coulting Using Line Class Code Per Request Per Switch The following contidions apply to DS0 Wholesale Local Platform Service With E911 Call Locator Capability. The following contidions apply to DS0 Wholesale Local Platform Service With E911 Call Locator Capability. > End Office and Tandem Switching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to the Wholesale Local Platform Service With E911 Call Locator Capability. > For New Installation scenarios the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | 0-7 | <u> </u> | | da ambi Nisi | | | - Charles C | in a Culturia | | | | | | ! | ├ |
| Basic Central Office Sync Test (COST) - Per 15 Minute Increments - Overtime 30.00 Central Office Sync Test (COST) - Per 15 Minute Increments - Premium A0.00 COP SPLITTING FRAME CONNECTION SERVICE WHOLESALE SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC) Selective Routing Per Unique Line Class Code Per Request Per Switch Switch Switch The following contidions apply to DS0 Wholesale Local Platform Service With E911 Call Locator Capability The following contidions apply to DS0 Wholesale Local Platform Service With E911 Call Locator Capability. > For New Installation scenarios the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | Note: | | ne Split | ting in | a maintenance mo | de only. Not a | ppiicable for F | cemote Site Lir | ie Sharing & L | ine Splitting | | | | | | - | |
| Central Office Sync Test (COST) - Per 15 Minute Increments - Overtime Central Office Sync Test (COST) - Per 15 Minute Increments - Premium 40.00 COP SPLITTING FRAME CONNECTION SERVICE WHOLESALE SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC) Selective Routing Per Unique Line Class Code Per Request Per Switch Switch 228.38 228.38 38.04 38.04 38.04 38.04 38.04 38.04 38.04 SOS Wholesale Local Platform Service With E911 Call Locator Capability The following contidions apply to DS0 Wholesale Local Platform Service With E911 Call Locator Capability. > End Office and Tandem Switching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to the Wholesale Local Platform Service With E911 Call Locator Capability. > For New Installation scenarios the Nonrecurring charges are listed in the First and Additional NRCs may apply also and are categorized accordingly. | | | | 1 | 1 | | | 25.00 | | | | | | | | | 1 |
| Overtime Overtime 30.00 | | | | | | + | | ∠5.00 | | | | 1 | | | | | |
| Central Office Sync Test (COST) - Per 15 Minute Increments - Premium 40.00 40. | | | | 1 | 1 | | | 30.00 | | | | | | | | | 1 |
| Premium 40.00 40 | 1 | | | | 1 | 1 | | 55.56 | | | | | | | | 1 | |
| DOP SPLITTING FRAME CONNECTION SERVICE WHOLESALE SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC) Selective Routing Per Unique Line Class Code Per Request Per Switch Switch Solective Routing Per Unique Line Class Code Per Request Per Switch Solective Routing Per Unique Line Class Code Per Request Per Switch Solective Routing Per Unique Line Class Code Per Request Per Switch Solective Routing Per Unique Line Class Code Per Request Per Switch Solective Routing Per Unique Line Class Code Per Request Per Switch Solective Routing Per Unique Line Class Code Per Request Per Switch Solective Routing Per Unique Line Class Code Per Request Per Switch Solective Routing Per Unique Line Class Code Per Request Per Switch Switch Solection Per Unique Line Class Code Per Request Per Switch Sw | | | | 1 | 1 | | | 40.00 | | | | | | | | | 1 |
| WHOLESALE SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR-LCC) Selective Routing Per Unique Line Class Code Per Request Per Switch 228.38 228.38 38.04 38.04 38.04 So Wholesale Local Platform Service With E911 Call Locator Capability The following contidions apply to DS0 Wholesale Local Platform Service With E911 Call Locator Capability. > End Office and Tandem Switching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to the Wholesale Local Platform Service With E911 Call Locator Capability. > For New Installation scenarios the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | LOOP SPLITT | ING FRAME CONNECTION SERVICE | | | | | | | | | | | | | | | |
| Switch 228.38 228.38 38.04 38 | | SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR | -LCC) | | | | | | | | | | | | | | |
| DS0 Wholesale Local Platform Service With E911 Call Locator Capability The following contidions apply to DS0 Wholesale Local Platform Service With E911 Call Locator Capability. > End Office and Tandem Switching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to the Wholesale Local Platform Service With E911 Call Locator Capability. > For New Installation scenarios the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | | | 1 | | | | | | | | | | | | 1 |
| The following contidions apply to DS0 Wholesale Local Platform Service With E911 Call Locator Capability. > End Office and Tandem Switching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to the Wholesale Local Platform Service With E911 Call Locator Capability. > For New Installation scenarios the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | | ļ | | | | 228.38 | 228.38 | 38.04 | 38.04 | | | | | | |
| > End Office and Tandem Switching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to the Wholesale Local Platform Service With E911 Call Locator Capability. > For New Installation scenarios the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | | | L | 1 | | | | | | | | | | | |
| > For New Installation scenarios the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Currently Combined scenarios, the Nonrecurring charges are listed in the NRC - Currently Combined section. Additional NRCs may apply also and are categorized accordingly. | | | | | | | | | 41 - 180 - 1 | 1 | | F044 0 ::: | | 1.11% | | | ├ |
| NRCs may apply also and are categorized accordingly. | | | | | | | | | | | | | | | | | Litera and Litera |
| | | | ın the | rırst a | na Additional NRC | columns for e | acn Port USO | b. For Current | y Combined s | cenarios, the N | onrecurring c | narges are I | istea in the | NKC - Curren | itiy Combined | section. Ad | aitional |
| | | | 11 Call | 0004- | r Canability | 1 | | ı | | | | 1 | | | | 1 | |

Version: 2Q07 MBR - SLC 06/04/07

| SERVICES | S - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|---------|--------|---------------------|--|----------------|------------------|-----------|--------------|------------|-----------|-----------|---------------|-------------|-------------|-------------|
| 32 | | | | 1 | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | 1 | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | late. | 1 | İ | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | .,, | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | Disc 1st | |
| | | | | | | | | | | | | | 1st | Add'l | DISC 1St | Disc Add'l |
| | | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DS0 | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | 1 | 1 | UEPRW | UEPLX | 10.98 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRW | UEPLX | 15.91 | | | | | | | | | | Î |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRW | UEPLX | 25.04 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 4 | | 4 | UEPRW | UEPLX | 43.68 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | | 1 | UEPRW | UECD1 | 13.89 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | | 2 | UEPRW | UECD1 | 18.75 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | 1 | 3 | UEPRW | UECD1 | 27.55 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 4 | | 4 | UEPRW | UECD1 | 45.72 | | | | | | | | | | |
| 2-Wi | ire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPRW | UEPPC | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | Line Side Outward PBX Trunk Port - Bus | | | UEPRW | UEPPO | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | Line Side Incoming PBX Trunk Port - Bus | | | UEPRW | UEPP1 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Ports | 1 | | UEPRW | UEPLD | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPRW | UEPXA | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | 1 | | UEPRW | UEPXB | 11.23 | 56.45 | 12.64 | | | | | | ĺ | | ĺ |
| | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPRW | UEPXC | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPRW | UEPXD | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | 1 | | UEPRW | UEPXE | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | 1 | | | | | | | | | | | | | | |
| | 2-Wire voice 2-Way PBX Mississippi Local Economy Calling Port | | | UEPRW | UEPXQ | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice 2-Way PBX Mississippi Local Optional Calling Port | | | UEPRW | UEPXR | 11.23 | 56.45 | 12.64 | | | | | | | | |
| | 2-Wire Voice Mississippi PBX 2-Way Combo Local Opt 2 Calling | | | | | | | | | | | | | | | |
| | Port | | | UEPRW | UEPA5 | 11.23 | 56.45 | 12.64 | | | | | | | | |
| Port | Rate -DID | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPRW | UEPD1 | 27.43 | 425.96 | 187.13 | | | | | | | | |
| E911 | I CALL LOCATOR CAPABILITY | | | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | | | UEPRW | URE9A | 0.00 | 1,814.00 | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | Subsequent Profile Changes, Additions/Deletions | | | UEPRW | URE9B | 0.00 | 176.19 | | | | | | | | | |
| Tele | phone Number/Trunk Group Establisment Charges For DID Nun | nbers w | th E91 | 1 Call Locator Capa | bility | | | | | | | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1.334 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPRW | ND5 | 0.0663 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | 1 | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRW | UEPVF | 2.56 | 0.00 | 0.00 | | | | | | | | |
| NON | IRECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPRW | USAC2 | | 10.00 | 10.00 | | | | | | | | Î |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| | Change | | | UEPRW | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADD | ITIONAL NRCs | | | | <u> </u> | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPRW | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | | | | | | | | | | | | | |
| | Activity- Nonrecurring | | Ц_ | <u> </u> | <u> </u> | | 0.00 | 0.00 | <u> </u> | | <u> </u> | | | <u> </u> | | <u> </u> |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| | Group | | Ц_ | <u> </u> | <u> </u> | | 14.64 | 14.64 | <u> </u> | | <u> </u> | | | <u> </u> | | <u> </u> |
| | Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPRW | URETL | | 8.33 | 0.83 | | | | | | | | |
| OFF | ON PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | Local Channel Voice grade, per termination | | 1 | UEPRW | P2JHX | 13.89 | 105.96 | 68.28 | | | | | | | | |
| | Local Channel Voice grade, per termination | | 2 | UEPRW | P2JHX | 18.75 | 105.96 | 68.28 | | | | | | | | |
| | Local Channel Voice grade, per termination | | 3 | UEPRW | P2JHX | 27.55 | 105.96 | 68.28 | | | | | | | | |
| | Local Channel Voice grade, per termination | | 4 | UEPRW | P2JHX | 45.72 | 105.96 | 68.28 | | | | | | | | |
| | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPRW | SDD2X | 14.30 | 132.36 | 62.28 | | | | | | | | |
| | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPRW UEPRW | SDD2X SDD2X | 19.02 24.90 | 132.36 132.36 | 62.28 | | | | | | | | |
| 1 1 | Non-Wire Direct Serve Channel Voice Grade | | | | | | | 62.28 | | | | | | | | |

| SERVICES | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|--|----------|---------|-------|--------|----------|---|--|-------|--|---|--|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | 1 | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring I | | | | | Rates(\$) | | |
| | New Wise Bisset Over Observative in Over I | ļ | | UEPRW | SDD2X | 36.52 | First | Add'I 62.28 | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| INTER | Non-Wire Direct Serve Channel Voice Grade | 1 | 4 | UEPRW | SDD2X | 36.52 | 132.36 | 62.28 | - | | - | | | | - | |
| INTER | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | 1 | 1 | | | | | | 1 | | 1 | | | | 1 | 1 |
| | Termination | | | UEPRW | U1TV2 | 20.32 | 40.77 | 27.57 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPRW | U1TVM | 0.0088 | 0.00 | 0.00 | | | | | | | | |
| | le Local Platform Service With E911 Call Locator Capability | | | | | | | | | | | | | | | |
| | E DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | K PORT | | | | | | | | | | | | | | |
| DSTL | oop Rates 4-Wire DS1 Digital Loop - Zone 1 | 1 | 1 | UEPPN | USL4P | 168.00 | | | - | | - | | | | - | |
| 1 | 4-Wire DS1 Digital Loop - Zone 1 | 1 | 2 | UEPPN | USL4P | 175.00 | | | 1 | | 1 | | | | 1 | 1 |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPPN | USL4P | 180.00 | | | | | | | | | - | |
| | 4-Wire DS1 Digital Loop - Zone 4 | | 4 | UEPPN | USL4P | 180.00 | | | | | 1 | | | | 1 | |
| DS1 P | ort Rate | | <u> </u> | 02 | | 100.00 | | | | | 1 | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | 1 | UEPPN | UEPPN | 410.00 | 1,200.00 | 1,000.00 | | | | | | | | |
| E911 | CALL LOCATOR CAPABILITY | | | | | | , | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | | | UEPPN | URE9A | 0.00 | 1,814.00 | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | Subsequent Profile Changes, Additions/Deletions | | | UEPPN | URE9B | 0.00 | 176.19 | | | | | | | | | |
| NONR | ECURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| | Conversion -Switch-As-Is | | | UEPPN | USACP | 0.00 | 500.00 | 500.00 | | | | | | | | |
| ADDIT | TIONAL NRCs and E911 Call Locator Capability Telephone Nun | nber Re | curring | Charges | | | | | | | | | | | | |
| | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | |
| | Inward/two way Tel Nos. (except NC) | | | UEPPN | PR7TF | 0.0667 | 0.49 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| | Outward Tel Numbers (All States except NC) | | | UEPPN | PR7TO | 0.0667 | 11.58 | 11.58 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | UEPPN | PR7ZT | 0.0667 | 23.15 | 23.15 | | | | | | | | |
| INTER | Subsequent Inward Tel Numbers RFACE (Provsioning Only) | | | UEPPN | PR/Z1 | 0.0667 | 23.15 | 23.15 | - | | - | | | | | |
| INTER | Voice/Data | 1 | <u> </u> | UEPPN | PR71V | 0.00 | 0.00 | 0.00 | + | | 1 | | | | - | |
| | Digital Data | 1 | 1 | UEPPN | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | 1 | 1 | UEPPN | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| New o | or Additional "B" Channel | | 1 | 02 | | 0.00 | 0.00 | 0.00 | | | 1 | | | | 1 | |
| 11011 | New or Additional - Voice/Data B Channel | | | UEPPN | PR7BV | 0.00 | 14.61 | | | | | | | | | İ |
| | New or Additional - Digital Data B Channel | | 1 | UEPPN | PR7BF | 0.00 | 14.61 | | | | | | | | | |
| | New or Additional Inward Data B Channel | i | 1 | UEPPN | PR7BD | 0.00 | 14.61 | | | | | | | | | |
| | New or Additional Useage Sensitive Voice Data B Channel | i | 1 | UEPPN | PR7BS | 0.00 | | | | | | | | | | |
| | New or Additional Useage Sensitive Digital Data B Channel | | | UEPPN | PR7BU | 0.00 | | | | | | | | | | |
| CALL | TYPES | | | | | | | | | | | | | | | |
| | Inward | | | UEPPN | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Outward | | | UEPPN | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPN | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Intero | ffice Channel Mileage | | | | | | | | | | | | | | | |
| | Fixed Each Including First Mile | <u> </u> | <u> </u> | UEPPN | 1LN1A | 92.68 | 89.79 | 82.28 | + + | | | | | - | | |
| 4 14/15 | E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | <u> </u> | UEPPN | 1LN1B | 16.01 | | | | | | | | | | + |
| | oop Rates | 1 | 1 | + | + | | | | + | | - | | | | | - |
| DOLL | 4-Wire DS1 Digital Loop - Zone 1 | 1 | 1 | UEPDC | USLDC | 168.00 | | | + + | | | | | | | } |
| | 4-Wire DS1 Digital Loop - Zone 1 | † | 2 | UEPDC | USLDC | 175.00 | | | + + | | - | | | | t | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPDC | USLDC | 180.00 | | | + + | | | | | | + | 1 |
| | 4-Wire DS1 Digital Loop - Zone 3 | 1 | 4 | UEPDC | USLDC | 180.00 | | | + + | | | | | | I | 1 |
| DS1 P | ort Rates | <u> </u> | ΙĖ | | 30220 | .55.00 | | | | | | | | | <u> </u> | |
| | 4-Wire DDITS Digital Trunk Port | t | t — | UEPDC | UDD1T | 361.00 | 1,100.00 | 900.00 | 1 | | | | | İ | 1 | |
| NONR | ECURRING CHARGES - Existing Platform | 1 | l – | | 1 | 2200 | ., | 222.00 | | | | | | | 1 | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | 1 | | |
| | - Switch-as-is | 1 | 1 | UEPDC | USAC4 | | 500.00 | 500.00 | 1 | | 1 | 1 | | I | 1 | 1 |

| SERVICES | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|-------------|----------|----------------|----------|------------------|----------|-----------|--------------|-------|--|---|--|---|--|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| == | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | |
| E911 (| CALL LOCATOR CAPABILITY Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | - | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | | | UEPDB | URE9A | 0.00 | 1,814.00 | | | | | | | | | |
| - | Miscellaneous Rate Element, E911 Call Locator Capability - | | | UEPDB | UKESA | 0.00 | 1,014.00 | | | | | | | | 1 | 1 |
| | Subsequent Profile Changes, Additions/Deletions | | | UEPDB | URE9B | 0.00 | 176.19 | | | | | | | | | |
| ADDIT | FIONAL NRCs | | | OLI DD | OILEOD | 0.00 | 170.10 | | | | | | | | | |
| 7.22 | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDB | UDTTA | | 14.56 | | | | | | | | I | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDB | UDTTB | | 14.56 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDB | UDTTC | | 14.56 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDB | UDTTD | | 14.56 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDB | UDTTE | | 14.56 | | | | | | | | | |
| BIPOL | AR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.001 | 600.00S | | | | | | | | |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.001 | 600.00S | | | | | | | | |
| Altern | ate Mark Inversion AMI -Superframe Format | | - | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | 1 | |
| | AMI - Extended SuperFrame Format | | - | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | - | - |
| Toloni | hone Number/Trunk Group Establisment Charges And Charges | For DI | D Num | | | ability | 0.00 | 0.00 | | | | | | | - | 1 |
| Гетері | Telephone Number for 2-Way Trunk Group | 7 01 01 | I | UEPDB | UDTGX | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDB | UDTGY | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDB | UDTGZ | 0.00 | | | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPDB | ND4 | 1.334 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPDB | ND5 | 0.0663 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPDB | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDB | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FX/FC | O for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 92.68 | 89.79 | 82.28 | | | | | | | | |
| - 1 | Interesting Channel Milesen Add Providence and Co. 11 | | | LIEDDO | 41 NO 2 | 40.01 | 0.00 | 0.00 | | | | | | | 1 | 1 |
| -+ | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | <u> </u> | UEPDC | 1LNOA | 16.01 | 0.00 | 0.00 | | | | | | | 1 | - |
| 1 | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | I | I |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | OLF DC | ILINUZ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | miles | | | UEPDC | 1LNOB | 16.01 | 0.00 | 0.00 | | | | | | | I | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | 02.100 | | 10.01 | 0.00 | 0.00 | | | | | | | t | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | 1 | 1 |
| | | | | 1 | | 5.50 | 5.50 | 3.30 | | | | | | | 1 | 1 |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 16.01 | 0.00 | 0.00 | | | | | | | 1 | 1 |
| Additi | ional Rates | | | | | | | | | | | | | | | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| | E DS1 LOOP WITH CHANNELIZATION WITH PORT WITH CALL | | | APIBILITY | | | | • | | • | | | | | | |
| | m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | | | | | | | | | | | | | |
| | tem can have various rate combinations based on type and nu | mber of | ports | used | ļ | | | | | | | | | | ļ | |
| DS1 L | | | L . | LIEDMO | LIOL B.C | 100.0- | | | | | | | | | ļ | ļ |
| | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | | | | | - | - |
| - | 4-Wire DS1 Loop - Zone 2 4-Wire DS1 Loop - Zone 3 | | | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | | | | | | + |
| -+ | 4-Wire DS1 Loop - Zone 3 4-Wire DS1 Loop - Zone 4 | - | | UEPMG UEPMG | USLDC | 180.00 180.00 | 0.00 | 0.00 | | | | | | | | |
| | | | 4 | OLFIVIG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | | 1 |
| DSO (| Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | |

| <u>ERVICES</u> | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------------|--|-----------|--|--------------------|---------------|----------|----------|-----------|--|------------|--|-----------|---------------|-------------|--|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| TEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | .,, | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 190.12 | 0.00 | 0.00 | | | | | | | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 380.24 | 0.00 | 0.00 | | | | | | | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 570.36 | 0.00 | 0.00 | | | | | | | | |
| _ | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 760.48 | 0.00 | 0.00 | | | | | | | | |
| _ | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 950.60 | 0.00 | 0.00 | † | | | | | | | |
| _ | 288 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM28 | 1,140.72 | 0.00 | 0.00 | | | | | | | | |
| _ | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,520.96 | 0.00 | 0.00 | | | | | | | | |
| _ | 480 DS0 Channel Capacity - 1 per 10 DS1s | | - | UEPMG | VUM4O | 1,901.20 | 0.00 | 0.00 | | | | | | | | |
| _ | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,281.44 | 0.00 | 0.00 | <u> </u> | | | | | | | |
| _ | | | | UEPMG | VUM67 | 2,261.44 | | 0.00 | <u> </u> | | | | | | | |
| N1 | 672 DS0 Channel Capacity - 1 per 28 DS1s | 01 | 12 - 42 - | | | | | 0.00 | <u> </u> | | | | | | | |
| | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | rstem | | | | | | | | | |
| | nimum System configuration is One (1) DS1, One (1) D4 Channe | | | | | | | | | | | | | | | |
| Multi | ples of this configuration functioning as one are considered Ac | ld'I afte | r the m | ninimum system con | figuration is | counted. | | | | | | | | | | |
| | NRC - Conversion (Currently Combined) with or without AT&T | | | | | | | | | | | | | | | |
| | Allowed Changes | | | UEPMG | USAC4 | 0.00 | 350.00 | 20.00 | | | | | | | | |
| Syste | em Additions Where Platform Currently Exists and New Installat | ions | | | | | | | | | | | | | | |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | | |
| | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | | | | | | |
| Bipo | lar 8 Zero Substitution | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | | |
| | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.001 | 600.00S | | | | | | | | |
| | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.001 | 600.00S | | | | | | | | |
| Alter | nate Mark Inversion (AMI) | | | OLI MO | OCCLI | 0.00 | 0.001 | 000.000 | | | | | | | | |
| Aito | Superframe Format | | - | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| _ | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | - | | | | | - |
| Fuels | ange Ports Associated with 4-Wire DS1 Loop with Channelization | | Dont | UEFING | IVICOPO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | on with | Port | | _ | | | | | | | | | | | |
| EXCI | ange Ports | | - | | | | | | <u> </u> | | | | | | | |
| | | | | | | | | | | | | | | | | |
| _ | Line Side Combination Channelized PBX Trunk Port - Business | | _ | UEPRW | UEPCX | 11.41 | 0.00 | 0.00 | | | | | | | | |
| | Line Side Outward Channelized PBX Trunk Port - Business | | | UEPRW | UEPOX | 11.41 | 0.00 | 0.00 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPRW | UEP1X | 11.41 | 0.00 | 0.00 | | | | | | | | |
| | 2-Wire Trunk Side Channelized DID Trunk Port | | | UEPRW | UEPDM | 27.43 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, | | | | 1 | | | | | | | | | Ī | | |
| | MS, & TN) | | | UEPRW | UEPCY | 11.41 | 0.00 | 0.00 | | | | | | <u> </u> | | |
| | Exchange Ports, 2-Wire Channelized – Combination (AL, KY, | | | | | | | | | | | | | | | |
| | LA, MS, & TN | 1 | | UEPRW | UEPCT | 11.41 | 0.00 | 0.00 | | | I | | | 1 | l | 1 |
| | Exchange Ports, 2-Wire Channelized – Outdial– Mississippi | | | | | | | | | | | | | | | |
| | Only - Calling Plan | | | UEPRW | UEPC4 | 11.41 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports, 2-Wire Channelized – Two Way - Mississippi | | | İ | | | | | † | | ĺ | | | | | |
| | Only – Calling Plan | | 1 | UEPRW | UEPC7 | 11.41 | 0.00 | 0.00 | | | 1 | | | | | |
| Feati | ure Activations - Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | † | | | | | | | |
| | Bank | | | UEPRW | 1PQWM | 0.61 | 56.45 | 12.64 | | | | | | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | OLI IXVV | 11 02 4 4 141 | 0.01 | 30.43 | 12.04 | | | | | | | | |
| | D4 Bank | 1 | | UEPRW | 1PQWU | 0.61 | 425.96 | 187.13 | | | I | | | 1 | l | 1 |
| E044 | CALL LOCATOR CAPABILITY | | | OLI INV | 11.0440 | 0.01 | 420.90 | 101.13 | + | | | | | | - | |
| 2917 | Miscellaneous Rate Element, E911 Call Locator Capability - | - | | + | _ | | | | + | | - | | | - | | - |
| | Initial Profile Establishment, Per CLEC End-User | 1 | | LIEDDW | LIBECA | 0.00 | 1 044 00 | | | | I | | | 1 | l | 1 |
| | | | - | UEPRW | URE9A | 0.00 | 1,814.00 | | | | | | | - | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | 1 | | LIEBBIA | LIDEGS | | .= | | | | I | | | 1 | l | 1 |
| | Subsequent Profile Changes, Additions/Deletions | Ļ | | UEPRW | URE9B | 0.00 | 176.19 | | | | | | | ļ | | |
| Telep | phone Number/Trunk Group Establisment Charges For DID Num | bers wi | th E91 | | | | | | | | | | | | ļ | |
| | DID Trunk Termination (One Per Port) | | | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1.334 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPRW | ND5 | 0.0663 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| TEE AS | URES - Vertical and Optional | | | † | 1 | | | | | | İ | | | | Ì | İ |

| SERVICES - | - Mississippi | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|---|-------------|----------|-------|-------|-----------|--------|-----------|--------------|------------|----------|-----------------------|---------------|-----------|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually | Charge - | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | + | I | Nonrec | urring | Nonrecurring | Disconnect | + | | OSS | Rates(\$) | | I. |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Local | Switching Features Offered with Line Side Ports Only | | | | | i | | 71441 | | 71441 | 0020 | 00 | | | | |
| | All Features Available | | | UEPRW | UEPVF | 2.56 | 0.00 | 0.00 | | | İ | | | | | |
| ODUF/ADUF/O | | | | | 1 | | | | | | İ | | | | | |
| ACCE | SS DAILY USAGE FILE (ADUF) | | | | | | | | | | i e | | | | | |
| | ADUF: Message Processing, per message | | | | 1 | 0.008087 | i | | | | İ | | | | | İ |
| | 3., | | | | | | i | | | | İ | | | 1 | 1 | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00017 | | | | | | | | | | |
| OPTIC | NAL DAILY USAGE FILE (ODUF) | | | | | i | | | | | | | | | | |
| | ODUF: Recording, per message | | | | | 0.0000150 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | | 0.004707 | | | | | | | | Î | Î | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 49.04 | | | | | | | | Î | Î | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00015 | | | | | | | | | | |
| CENT | RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | † | | | | | | | | İ | | | | | |
| - | CMDS: Message Processing, per message | | † | | | 0.004 | | | | | İ | | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.004 | | | | | | | | | | |
| 8XX ACCESS | TEN DIGIT SCREENING | | 1 | | 1 | 0.001 | | | | | 1 | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit Screening service with 800 Number Delivery per query | | | | | 0.00421 | | | | | | | | | | |
| | Per 800 Čall Utilizing AT&T SWA 8XX Toll Free Dialing Screening service with 800 Number Delivery for 800 Numbers with Optional Complex Feature, i.e., Call handling and Destination Features per query | | | | | 0.004296 | 5.97 | 0.81 | 4.60 | 0.54 | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit Screening service with POTS Number Delivery per query | | | | | 0.00383 | | | | | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit Screening service with POTS Number delivery for 800 Numbers with Optional Complex Feature,i.e., Call Handling and Destination Features per query | | | | | 0.00431 | | | | | | | | | | |

| SERVICES | - North Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | | |
|--------------|--|------------|------|------------------------------------|---------------|----------|----------|-----------|--|------------|------------------------------|--|---|-------------|--|--|---|
| SERVICES | - North Carolina | 1 | | | 1 | 1 | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | Submitted Elec per LSR | | Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | _ | Nonre | curring | Nonrecurring | Disconnect | | 1 | oss | Rates(\$) | | | |
| | | | | | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | | | | | | | | | | | | | | | | |
| | E ADVANCEMENT (A.K.A EXPEDITE) CHARGE | | | | | | | | | | | | | | | | |
| NOTE | The Expedite charge will be maintained commensurate with B | ellsouth's | | | as applicable |). | | | | | | | | | | | |
| | | | | UAL, UEANL, UCL, | | | | | | | | | | | | | |
| | | | | UEF, UDF, UEQ, UDL, UENTW, UDN, | | | | | | | | | | | | | |
| | | | | UEA, UHL, ULC, | | | | | | | | | | | | | |
| | | | | USL, U1T12, U1T48, | | | | | | | | | | | | | |
| | | | | U1TD1, U1TD3, | | | | | | | | | | | | | |
| | | | | U1TDX, U1TO3, | | | | | | | | | | | | | |
| | | | | U1TS1, U1TVX, | | | | | | | | | | | | | |
| | | | | UC1BC, UC1BL, | | | | | | | | | | | | | |
| | | | | UC1CC, UC1CL, UC1DC, UC1DL, | | | | | | | | | | | | | |
| | | | | UC1EC, UC1EL, | | | | | | | | | | | | | |
| | | | | UC1FC, UC1FL, | | | | | | | | | | | | | |
| | | | | UC1GC, UC1GL, | | | | | | | | | | | | | |
| | | | | UC1HC, UC1HL, | | | | | | | | | | | | | |
| | | | | UDL12, UDL48, | | | | | | | | | | | | | |
| | | | | UDLO3, UDLSX, UE3, ULD12, | | | | | | | | | | | | | |
| | | | | ULD48, ULDD1, | | | | | | | | | | | | | |
| | | | | ULDD3, ULDDX, | | | | | | | | | | | | | |
| | | | | ULDO3, ULDS1, | | | | | | | | | | | | | |
| | | | | ULDVX, UNC1X, | | | | | | | | | | | | | |
| | | | | UNC3X, UNCDX, | | | | | | | | | | | | | |
| | | | | UNCNX, UNCSX, | | | | | | | | | | | | | |
| | | | | UNCVX, UNLD1, UNLD3, UXTD1, | | | | | | | | | | | | | |
| | | | | UXTD3, UXTS1, | | | | | | | | | | | | | |
| | | | | U1TUC, U1TUD, | | | | | | | | | | | | | |
| | | | | U1TUB, | | | | | | | | | | | | | |
| | | | | U1TUA,NTCVG,NT | | | | | | | | | | | | | |
| | Expedite Charge per Circuit or Line Assignable USOC, per Day | | | CUD, NTCD1 | SDASP | | 200.00 | | | | | | | | | | |
| ORDER MODII | ICATION CHARGE | | | | | | | | | | | | | | | | |
| | Order Modification Charge (OMC) | | | | | | 26.21 | 0.00 | 0.00 | 0.00 | | | | | | | |
| LOCAL SERVI | Order Modification Additional Dispatch Charge (OMCAD) CE REQUEST (LSR) ORDERING CHARGE | 1 | | | - | | 0.00 | 0.00 | 0.00 | 0.00 | | 1 | | | | | |
| LOCAL SERVI | Electronic Service Order Charge, Per Local Service Request | | | | - | | | | | | | † | | | | | |
| | (LSR) | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| <u> </u> | Manual Service Order Charge, Per Local Service Request (LSR) | ļ | | | SOMAN | | 15.20 | 0.00 | 15.20 | 0.00 | | ļ | | | | | |
| LINE INFORMA | ATION DATA BASE ACCESS (LIDB) | . | | | | 0.0003 | | | | | | 1 | | | | | |
| \vdash | LIDB Common Transport Per Query LIDB Validation Per Query | 1 | | OQV | BHML1 | 0.0003 | | - | - | - | | 1 | | | | | |
| | LIDB Originating Point Code Establishment or Change | † | | OQV | NRBPX | 0.033316 | 91.00 | | | | | 1 | | | | | · |
| BRANDING - D | PIRECTORY ASSISTANCE | | | | | | 31.50 | | İ | | | 1 | | | | | |
| | Based CLEC | | | | | | | | | | | | | | | | |
| | Recording and Provisioning of DA Custom Branded | | | | | | | | | | | 1 | | | | | |
| | Announcement | — | | AMT | CBADA | | 3,000.00 | 3,000.00 | | | | ļ | | | | | |
| | Loading of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximations of Custom Proposed Approximation (Custom Pr | | | AMT | CDADC | | 1 170 00 | 1 470 00 | | | | | | | | | |
| Whole | Loading of Custom Branded Announcement per Switch per OCN sale CLEC | 1 | | AIVI I | CBADC | | 1,170.00 | 1,170.00 | 1 | | | 1 | | | | | |
| vviiole | Recording of DA Custom Branded Announcement | † | | | | | 3,000.00 | 3,000.00 | | | | | | | | | |
| | Loading of DA Custom Branded Announcement per Switch per | 1 | | | | | 5,000.00 | 5,000.00 | 1 | | | | | | | | |
| | OCN | | | | <u> </u> | | 1,170.00 | 1,170.00 | <u> </u> | <u> </u> | | | | | | | |
| Unbra | nding via OLNS for Wholesale CLEC | | | | | | | | | | | | | | | | |
| | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | | | | | | | |
| DIDECTOR | Loading of DA per Switch per OCN | <u> </u> | | | | | 16.00 | 16.00 | ļ | | | 1 | | | | | |
| | SSISTANCE SERVICES TORY ASSISTANCE ACCESS SERVICE | 1 | | | | | | | | | | | | | | | |
| DIKEC | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.31 | | l | | l | | 1 | | | | | |
| DIREC | TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I | DACC) | | | | 0.51 | | | i | | | 1 | | | | | |
| | | , | | | | | | | | | | | | | | | |

| SERVICES - | North Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | | $\overline{}$ |
|--|---|--|--|----------------|----------------|--|----------|-----------|--------------|----------|---|--|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonred | | Nonrecurring | | | | | Rates(\$) | | | <u> </u> |
| | | | ļ | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | ↓ |
| | Directory Assistance Call Completion Access Service (DACC), Per Call Attempt | | | | | 0.10 | | | | | | | | | | | |
| DD VNDING O | PERATOR CALL PROCESSING | | 1 | | + | 0.10 | | | | - | + | ł | - | | | - | ├ |
| | based CLEC | | 1 | | | | | | | | + | 1 | | | | | ├── |
| 1 donity | Recording of Custom Branded OA Announcement | 1 | 1 | AMT | CBAOS | | 7,000.00 | 7,000.00 | | 1 | 1 | 1 | | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV per | | 1 | | | | 1,000.00 | .,, | | | 1 | | | | | | † |
| | OCN | | | AMT | CBAOL | | 500.00 | 500.00 | | | | | | | | | |
| Wholes | ale CLEC | | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | | | | | | | | | |
| ' | Loading of Custom Branded OA Announcement per shelf/NAV per | | | | | | | | | | | | | | | | |
| <u> </u> | OCN | | | | - | | 500.00 | 500.00 | | | ļ | | | | | | |
| | ding via OLNS for Wholesale CLEC | + | | | + | | 1,200.00 | 1,200.00 | - | 1 | 1 | 1 | - | | | | |
| | Loading of OA per OCN (Regional) ATOR SERVICES | | | | + | | 1,200.00 | 1,200.00 | | 1 | | | | | | | + |
| I DEEK | Inward Operator Services - Verification, Per Minute | | | | 1 | 1.15 | | | | 1 | 1 | 1 | | | | | t |
| | Inward Operator Services - Verification, 1 et Militate Inward Operator Services - Verification and Emergency Interrupt - | t | | | 1 | 1.13 | | | İ | Ì | 1 | t | İ | | | | t |
| <u> </u> | Per Minute | Ш. | | | | 1.15 | | | <u> </u> | | | <u></u> | <u> </u> | | <u> </u> | | <u></u> |
| OPERATOR C/ | ALL PROCESSING | | | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | | l | | | | | | | | l |
| | LIDB | | | | | 1.20 | | | | | | | | | | | |
| ' | Oper. Call Processing - Oper. Provided, Per Min Using Foreign | | | | | | | | | | | | | | | | |
| | LIDB Oper. Call Processing - Fully Automated, per Call - Using BST | | 1 | | - | 1.24 | | | | | + | | | | | | |
| 1 1 ' | LIDB | | | | | 0.20 | | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using Foreign | | 1 | | - | 0.20 | | | | | + | | | | | 1 | - |
| 1 1 ' | LIDB | | | | | 0.20 | | | | | | | | | | | |
| CALLING NAMI | (CNAM) SERVICE | | | | | | | | | | 1 | i e | | | | | |
| | CNAM Service, per line | | 1 | UEPFB | N1ACR | 2.11 | | | | | | | | | | | 1 |
| | CNAM Service, per line | | | UEPBX | N1ACR | 2.11 | | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSB | N1ACR | 2.11 | | | | | | | | | | | ļ |
| | CNAM Service, per line | | | UEPFP | N1ACR | 2.11 | | | | | ļ | | | | | | <u> </u> |
| | CNAM Service, per line CNAM Service, per line | | - | UEPSP UEPPX | N1ACR N1ACR | 2.11 2.11 | | | | 1 | + | | | | | | |
| | CNAM Service, per line CNAM Service, per line | | 1 | UEPSR | NXMCR | 2.11 | | | | | + | 1 | | | | | - |
| | CNAM Service, per line | | 1 | UEPFR | NXMCR | 2.11 | | | | | + | | | | | | ┼── |
| | CNAM Service, per line | | | UEPRX | NXMCR | 2.11 | | | | İ | 1 | | | | | | t - |
| | CNAM Service, per line | | | UEPFB | NXMCR | 2.11 | | | | | 1 | | | | | | |
| | CNAM Service, per line | | | UEPBX | NXMCR | 2.11 | | | | | | | | | | | |
| | CNAM Service, per line | | \perp | UEPSB | NXMCR | 2.11 | | | | | | | | | | | ↓ |
| \vdash | CNAM Service, per line | | <u> </u> | UEPRG | NXMCR | 2.11 | | | | ļ | 1 | 1 | ļ | | | | |
| | CNAM Service, per line CNAM Service, per line | - | <u> </u> | UEPSE UEPFP | NXMCR NXMCR | 2.11 2.11 | | | | - | + | - | - | | | - | <u> </u> |
| | CNAM Service, per line CNAM Service, per line | | ! | UEPSP | NXMCR | 2.11 | | | l | 1 | + | | | | | | \vdash |
| | CNAM Service, per line | | | UEPPX | NXMCR | 2.11 | | | | | 1 | 1 | 1 | | | | † |
| | CNAM Service, per line | 1 | | UEPVB | NXMCR | 2.11 | | | İ | İ | 1 | 1 | İ | | İ | İ | |
| | CNAM Service, per line | | | UEPSR | NXMMN | 2.11 | | | | | | | | | | | |
| | CNAM Service, per line | | | UEPFR | NXMMN | 2.11 | | | | | | | | | | | |
| | CNAM Service, per line | | <u> </u> | UEPRX | NXMMN | 2.11 | | | | | ļ | ļ | | | | | ↓ |
| | CNAM Service, per line | ! | | UEPFB | NXMMN | 2.11 | | | | 1 | 1 | _ | _ | | | _ | ├ |
| | CNAM Service, per line CNAM Service, per line | - | <u> </u> | UEPBX UEPSB | NXMMN NXMMN | 2.11 2.11 | | | | - | + | - | - | | | - | <u> </u> |
| | CNAM Service, per line CNAM Service, per line | | | UEPRG | NXMMN | 2.11 | | | | <u> </u> | + | | | | l | | \vdash |
| | CNAM Service, per line CNAM Service, per line | | | UEPSE | NXMMN | 2.11 | | | | | 1 | 1 | 1 | | | | — |
| | CNAM Service, per line | | | UEPFP | NXMMN | 2.11 | | | l | | 1 | 1 | İ | | | | i – |
| | CNAM Service, per line | | | UEPSP | NXMMN | 2.11 | | | | | | | | | | | |
| | CNAM Service, per line | | | UEPPX | NXMMN | 2.11 | | • | | | | | | | | | |
| \vdash | CNAM Service, per line | ļ | | UEPFB | NXECR | 2.11 | | | | 1 | | ļ | ļ | | | | <u> </u> |
| <u> </u> | CNAM Service, per line | | <u> </u> | UEPBX | NXECR | 2.11 | | | | ļ | 1 | 1 | ļ | | | | |
| | CNAM Service, per line | + | | UEPVB | NXECR | 2.11 2.11 | | | - | 1 | 1 | 1 | - | | | | |
| | CNAM Service, per line CNAM Service, per line | | | UEPSB UEPFP | NXECR NXECR | 2.11 | | | | 1 | | | | | | | + |
| | CNAM Service, per line CNAM Service, per line | | t | UEPSP | NXECR | 2.11 | | | | + | + | | | | | | \vdash |
| | CNAM Service, per line | t | t | UEPPX | NXECR | 2.11 | | | | 1 | 1 | † | i | | | i | † |
| | CNAM Service, per line | 1 | 1 | UEPFB | NCACR | 2.11 | | | | 1 | 1 | i e | İ | | | İ | |

| CNAI CNAI CNAI CNAI CNAI CNAI CNAI CNAI | te and Tandem Switching Usage and Wholesale Common T | Interim | | BCS UEPBX UEPSB UEPFP UEPSP | USOC NCACR NCACR | - Rec 2.11 | Nonred First | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- |
|--|--|--|--|----------------------------------|------------------------|--|-----------------|-----------------|----------------|--|-------------|---|--|--|---|---|
| CNAI CNAI CNAI CNAI CNAI CNAI CNAI CNAI | AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line LOCAL SWITCHING PORTS Install scenarios the Nonrecurring charges are listed in the Flaccordingly. Lee and Tandem Switching Usage and Wholesale Common TESALE LOCAL SWITCHING PORTS - (Res) | | | UEPBX UEPSB UEPFP UEPSP | NCACR | | | .,, | | | Elec | Manually | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- | Manual Svc Order vs. Electronic- |
| CNAI CNAI CNAI CNAI CNAI CNAI CNAI CNAI | AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line LOCAL SWITCHING PORTS Install scenarios the Nonrecurring charges are listed in the Flaccordingly. Lee and Tandem Switching Usage and Wholesale Common TESALE LOCAL SWITCHING PORTS - (Res) | | | UEPBX UEPSB UEPFP UEPSP | NCACR | | | .,, | | | | | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- | Order vs. Electronic- |
| CNAI CNAI CNAI CNAI CNAI CNAI CNAI CNAI | AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line LOCAL SWITCHING PORTS Install scenarios the Nonrecurring charges are listed in the Flaccordingly. Lee and Tandem Switching Usage and Wholesale Common TESALE LOCAL SWITCHING PORTS - (Res) | | | UEPBX UEPSB UEPFP UEPSP | NCACR | | | .,, | | | per LSR | per LSR | Electronic- | Electronic- | Electronic- | Electronic- |
| CNAI CNAI CNAI CNAI CNAI CNAI CNAI CNAI | AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line LOCAL SWITCHING PORTS Install scenarios the Nonrecurring charges are listed in the F Laccordingly. Lee and Tandem Switching Usage and Wholesale Common T ESALE LOCAL SWITCHING PORTS - (Res) | irst and | | UEPSB UEPFP UEPSP | | | | curring | | | | , | | | | |
| CNAI CNAI CNAI CNAI CNAI CNAI CNAI CNAI | AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line LOCAL SWITCHING PORTS Install scenarios the Nonrecurring charges are listed in the F Laccordingly. Lee and Tandem Switching Usage and Wholesale Common T ESALE LOCAL SWITCHING PORTS - (Res) | First and | | UEPSB UEPFP UEPSP | | | | curring | | | | ' i | | | | |
| CNAI CNAI CNAI CNAI CNAI CNAI CNAI CNAI | AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line LOCAL SWITCHING PORTS Install scenarios the Nonrecurring charges are listed in the F Laccordingly. Lee and Tandem Switching Usage and Wholesale Common T ESALE LOCAL SWITCHING PORTS - (Res) | First and | | UEPSB UEPFP UEPSP | | | | urring | | | | | | | | Disc Add'l |
| CNAI CNAI CNAI CNAI CNAI CNAI CNAI CNAI | AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line LOCAL SWITCHING PORTS Install scenarios the Nonrecurring charges are listed in the F Laccordingly. Lee and Tandem Switching Usage and Wholesale Common T ESALE LOCAL SWITCHING PORTS - (Res) | First and | | UEPSB UEPFP UEPSP | | | | curring | | | | | | | | |
| CNAI CNAI CNAI CNAI CNAI CNAI CNAI CNAI | AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line LOCAL SWITCHING PORTS Install scenarios the Nonrecurring charges are listed in the F Laccordingly. Lee and Tandem Switching Usage and Wholesale Common T ESALE LOCAL SWITCHING PORTS - (Res) | First and | | UEPSB UEPFP UEPSP | | 2 11 | | | Nonrecurring | | SOMEC | 0011411 | OSS | Rates(\$) | SOMAN | SOMAN |
| CNAI CNAI CNAI CNAI CNAI CNAI CNAI CNAI | AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line LOCAL SWITCHING PORTS Install scenarios the Nonrecurring charges are listed in the F Laccordingly. Lee and Tandem Switching Usage and Wholesale Common T ESALE LOCAL SWITCHING PORTS - (Res) | First and | | UEPSB UEPFP UEPSP | | | 11131 | Add'l | First | Add'l | SOMEC | SUMAN | SOWAN | SOMAN | SUMAN | SUMAN |
| CNAI CNAI CNAI CNAI CNAI CNAI CNAI CNAI | AM Service, per line AM Service, per line AM Service, per line AM Service, per line AM Service, per line LOCAL SWITCHING PORTS Install scenarios the Nonrecurring charges are listed in the F accordingly. Lee and Tandem Switching Usage and Wholesale Common T ESALE LOCAL SWITCHING PORTS - (Res) | First and | | UEPFP UEPSP | | 2.11 | | | | | | | | | | |
| CNAI CNAI CNAI CNAI CNAI CNAI CNAI CNAI | AM Service, per line AM Service, per line AM Service, per line LOCAL SWITCHING PORTS install scenarios the Nonrecurring charges are listed in the F Laccordingly. De and Tandem Switching Usage and Wholesale Common T ESALE LOCAL SWITCHING PORTS - (Res) | irst and | | | NCACR | 2.11 | | | | | | | | | | |
| CNAI WHOLESALE > For New In categorized a > End Office DS0 WHOLE Excha Excha Excha Excha Cross Conne Physi Provs Virtue Non-Recurrir Subs | AM Service, per line AM Service, per line LOCAL SWITCHING PORTS Install scenarios the Nonrecurring charges are listed in the F I accordingly. Be and Tandem Switching Usage and Wholesale Common T ESALE LOCAL SWITCHING PORTS - (Res) | irst and | | | NCACR | 2.11 | | | | | | | | i i | | i i |
| WHOLESALE LC > For New In categorized a > End Office DS0 WHOLE Exch Exch Exch (LUM 2-Wiff FEATURES All AL Cross Conne Physi Provs Viritue Non-Recurrin 2-Wiff Subs | LOCAL SWITCHING PORTS install scenarios the Nonrecurring charges are listed in the F accordingly. be and Tandem Switching Usage and Wholesale Common T ESALE LOCAL SWITCHING PORTS - (Res) | First and | | UEPPX | NCACR | 2.11 | | | | | | | | | | |
| > For New Incategorized a > End Office DS0 WHOLE Excha Excha Excha (LUM 2-VVir FEATURES All Av Cross Conne Physi Provs Virtue Non-Recurrin 3-VVir Subs | Install scenarios the Nonrecurring charges are listed in the F l accordingly. te and Tandem Switching Usage and Wholesale Common T ESALE LOCAL SWITCHING PORTS - (Res) | irst and | | UEPBX | NXM | 2.11 | | | | | | | | | | |
| categorized a > End Office DS0 WHOLE Excha Excha Excha (LUM) 2-Wiff FEATURES All AA Cross Conne Physi Provo Viritue Non-Recurrin 2-Wiff Subs | l accordingly. se and Tandem Switching Usage and Wholesale Common T ESALE LOCAL SWITCHING PORTS - (Res) | irst and | | | | | | | | | | ليسي | | | | |
| > End Office DS0 WHOLE Exch Exch Exch Exch (LUM 2-Viff FEATURES All Av Cross Connea Physi Provs Viritue Non-Recurrin Subs | te and Tandem Switching Usage and Wholesale Common T | | Additio | onal NRC columns for | r each Port U | SOC. For Exist | ing Platform sc | enarios, the No | nrecurring cha | rges are listed i | n the NRC - | Conversions | s section. Add | ditional NRCs r | may apply also | and are |
| Exchi Exchi Exchi Exchi Exchi Exchi (LUM PEATURES All Av. Cross Conne Physi Provs Virtue Non-Recurrir Subs | ESALE LOCAL SWITCHING PORTS - (Res) | | | | | | | | | | | | | | | |
| Exchi Exchi Exchi Exchi Exchi Exchi (LUM PEATURES All Av. Cross Conne Physi Provs Virtue Non-Recurrir Subs | ESALE LOCAL SWITCHING PORTS - (Res) | | | | | | | | | | | | | | | |
| Exchi Exchi Exchi Exchi Exchi (I.UM 2-Wiri FEATURES All Au Cross Conne Physi Provs Viritus Non-Recurrir Subs | | ranspor | t Usage | e rates in the Port sec | ction of this ra | ate exhibit shall T | apply to the Wi | iolesale Access | Line Service | except for the C | oin Service | which has a | tlat rate usage | e cnarge (USO | DC: URECU). | ,——— <u> </u> |
| Exchi Exchi Exchi (LUM) (2-Wir FEATURES AIALIA Cross Conne Physi Provs Virtue Non-Recurrir Subs | hange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 9.19 | 33.56 | 11.97 | | 1 | | | \vdash | | | |
| Exchi (LUM 2-Wir FEATURES All Au Cross Conne Physi Prov Virtue Non-Recurrir Subs | mange i ons - z-vviie Analog Line Port- Res. | | | OLFOR | UEFKL | 9.19 | 33.36 | 11.9/ | | | | \rightarrow | | | | , |
| Exchi (LUM 2-Wir FEATURES All Au Cross Conne Physi Prov Virtue Non-Recurrir Subs | hange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 9.19 | 33.56 | 11.97 | | | | , , | į , | į l | | |
| Excho (LUM 2-Wir FEATURES All Av Cross Conne Physi Provs Virtue Non-Recurrin 2-Wir Subs | | | | | | | | | | | | | | | | |
| (LUM 2-Wir FEATURES All Av Cross Conne Physi Provs Virtue Non-Recurre 2-Wir Subs | hange Ports - 2-Wire Analog Line Port outgoing only - Res. | 1 | <u> </u> | UEPSR | UEPRO | 9.19 | 33.56 | 11.97 | | | | | ullet | | | |
| 2-Wir FEATURES All AV Cross Conne Physi Provs Virtue Non-Recurrin 2-Wir Subs | hange Ports - 2-Wire VG res, low usage line port with Caller ID | | 1 | | l | _ | | | | | | , 7 | ı 7 | i T | | ι Τ |
| FEATURES All Av Cross Conne Physi Provs Virtua Non-Recurrin 2-Wir | | ļ | <u> </u> | UEPSR | UEPAP | 9.19 | 33.56 | 11.97 | | | | | | └── | | |
| All Av Cross Conne Physi Provs Virtus Non-Recurrin 2-Wir Subs | /ire voice Low Usage Line Port without Caller ID Capability | 1 | <u> </u> | UEPSR | UEPRT | 9.19 | 33.56 | 11.97 | | | | | | \vdash | | , |
| Physi Provs Virtua Non-Recurrin 2-Wir Subs | | 1 | - | UEPSR | LIEDVE | 0.40 | 0.00 | 0.00 | | | | | ├ | | | |
| Physi Provs Virtua Non-Recurrin 2-Wir | Available Vertical Features | | - | UEPSK | UEPVF | 3.40 | 0.00 | 0.00 | | | | | \vdash | | | |
| Provs Virtus Non-Recurrin 2-Wir | rsical Expanded Interconnection Two Wire Cross Connect, | 1 | 1 | | 1 | - | | | | | | \longrightarrow | \vdash | \vdash | | |
| Non-Recurrin 2-Wir Subs | vsioning | | | UEPSR | PE1R2 | 0.0309 | 19.77 | 14.95 | | | | | | i l | | 1 |
| Non-Recurrin 2-Wir Subs | ual Collocation - Two Wire Cross Connect, Provisioning | 1 | 1 | UEPSR | VE1R2 | 0.0303 | 33.53 | 31.65 | | | | | | | | |
| 2-Wir Subs | | | | OLI OIL | V = 111.E | 0.0220 | 00.00 | 01.00 | | | | | | | | |
| Subs | /ire Voice Grade Loop/ Line Port Platform - Subsequent | 1 | | UEPSR | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | sequent Activity | | 1 | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| DOG WITHOLL | ESALE LOCAL SWITCHING PORTS - (PBX) | | | | | | | | | | | | | | | |
| | /ire VG 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 12.18 | 53.56 | 18.13 | | | | | | ĺ | | |
| | /ire VG Line Side 2-Way PBX Trunk - Bus | | | UEPSP | UEPPC | 12.18 | 53.56 | 18.13 | | | | | | | | |
| | /ire VG Line Side Outward PBX Trunk - Bus | | | UEPSP | UEPPO | 12.18 | 53.56 | 18.13 | | | | | | l | | |
| | /ire VG Line Side Incoming PBX Trunk - Bus | | | UEPSP | UEPP1 | 12.18 | 53.56 | 18.13 | | | | | | | | |
| | /ire Analog Long Distance Terminal PBX Trunk - Bus | 1 | | UEPSP | UEPLD | 12.18 | 53.56 | 18.13 | | | | , | | | | |
| | /ire Voice PBX LD Terminal Ports | | - | UEPSP | UEPLD | 12.18 | 53.56 | 18.13 | | | | | | | | |
| | /ire Vice 2-Way PBX Usage Port | | - | UEPSP | UEPXA | 12.18 | 53.56 | 18.13 | | | | | \vdash | | | |
| | /ire Voice PBX Toll Terminal Hotel Ports /ire Voice PBX LD DDD Terminals Port | + | - | UEPSP UEPSP | UEPXB UEPXC | 12.18 12.18 | 53.56 53.56 | 18.13 18.13 | | | | | \vdash | | | |
| | /ire Voice PBX LD DDD Terminals Port | + | | UEPSP | UEPXD | 12.18 | 53.56 | 18.13 | | <u> </u> | | | | | | |
| | /ire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 12.18 | 53.56 | 18.13 | | | | | \vdash | | | , —— |
| | /ire Voice 2-Way PBX Hotel/Hospital Economy Administrative | 1 | <u> </u> | 0. | J //L | 12.10 | 55.50 | 10.10 | | l | | \rightarrow | | | | |
| | ling Port | | | UEPSP | UEPXL | 12.18 | 53.56 | 18.13 | | | | , , | , , | i I | | |
| | /ire Voice 2-Way PBX Hotel/Hospital Economy Room Calling | 1 | | | | | 1 | | | ĺ | | | | | | i t |
| Port | t | <u></u> | L | UEPSP | UEPXM | 12.18 | 53.56 | 18.13 | | | | | | <u>. </u> | | <u>. </u> |
| | /ire Voice 1-Way Outgoing PBX Hotel/Hospital Discount | | | | | | | | | | | | | ı — — | | |
| | om Calling Port | 1 | | UEPSP | UEPXO | 12.18 | 53.56 | 18.13 | | ļ | | | | | | |
| | /ire Voice 1-Way Outgoing PBX Measured Port | ļ | <u> </u> | UEPSP | UEPXS | 12.18 | 53.56 | 18.13 | | | | | | └── | | |
| FEATURES | | | - | LIEDOD LIESOE | HEDVE | | 0.5- | | | | | | \vdash | | | |
| Cross Conne | Available Vertical Features | 1 | | UEPSP UEPSE | UEPVF | 3.40 | 0.00 | 0.00 | | | | | \vdash | | | ,——— <u> </u> |
| | rsical Expanded Interconnection Two Wire Cross Connect, | | | | } | | 1 | | | 1 | | | \vdash | | | |
| | vsioning | | | UEPSP | PE1R2 | 0.0309 | 19.77 | 14.95 | | | | , , | , , | į l | | |
| | ual Collocation - Two Wire Cross Connect, Provisioning | t | | UEPSP | VE1R2 | 0.0309 | 33.53 | 31.65 | | | | | | | | , —— |
| Non-Recurrin | | 1 | <u> </u> | 0. | | 0.0220 | 55.55 | 01.00 | | l | | \rightarrow | | | | |
| | /ire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSP | USAS2 | i e | 0.00 | 0.00 | | i | | - | $\overline{}$ | | | |
| | | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | i | | - | $\overline{}$ | | | |
| | Sequent ACTIVITY | 1 | | | | | | | | İ | | $\overline{}$ | | | | |
| | sequent Activity WHOLESALE SWITCHING PORTS - (Coin) | | | | 1 | | | | | İ | | , | | | | |
| | | | | | | 1 | | | | | | | | | | |
| | WHOLESALE SWITCHING PORTS - (Coin) | | L | UEP2C | UEPND | 12.19 | 53.56 | 18.13 | | <u> </u> | | ' | <u> </u> | <u> </u> | | ' |
| 2-Wir 900, | L WHOLESALE SWITCHING PORTS - (Coin) Wire Coin 2-Way without Operator Screening and without obking (NC) Wire Coin 2-Way with Operator Screening (NC) | | | UEP2C UEP2C | UEPND UEPNC | 12.19 12.19 | 53.56 53.56 | 18.13 18.13 | | | | | | | | |

| ERVICES - North Carolina | 1 | 1 | ı | 1 | 1 | | | | | 0 | 0 | Att: 1 Exh: A | h | I | I |
|---|----------|---------|---|---|--|--|--|----------------|--|---|---|--|--|---|---|
| ATEGORY RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | _ | Nonrec | urring | Nonrecurring | Disconnect | | l | oss | Rates(\$) | | ' |
| | + | 1 | İ | | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| (NC) | | | UEP2C | UEPNB | 12.19 | 53.56 | 18.13 | | | | | | | | |
| 2-Wire Coin 2-Way with Operator Screening and Blocking: 900, | | | | | | | | | | | | | | | |
| 1+DDD, 011+, and Local (NC, TN) | | | UEP2C | UEPCA | 12.19 | 53.56 | 18.13 | | | | | | | | |
| 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| (NC) | | | UEP2C | UEPNE | 12.19 | 53.56 | 18.13 | | | | | | | | |
| 2-Wire Coin Outward with Operator Screening and Blocking: 900, | | | | | | | | | | | | | | | |
| 1+DDD, 011+, and Local (NC) | | | UEP2C | UEPCL | 12.19 | 53.56 | 18.13 | | | | | | | | |
| 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEP2C | UEPCK | 12.19 | 53.56 | 18.13 | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 2-Wire Coin Outward Smartline with 900/976 (all states except LA |) | | UEP2C | UEPCR | 12.19 | 53.56 | 18.13 | | | | | | | | |
| Coin Usage | + | + | | + | | | | | 1 | | | | | | |
| DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | | | UEP2C | URECU | 5.50 | | | | I | | 1 | 1 | | | |
| Cross Connects | + | +- | UEPZU | UKECU | 5.50 | | | | | | | | | | + |
| Physical Expanded Interconnection Two Wire Cross Connect, | + | + | | + | 1 | 1 | | | | | | | | | |
| Provisioning | | | UEP2C | PE1R2 | 0.0309 | 19.77 | 14.95 | | I | | 1 | 1 | | | |
| Virtual Collocation - Two Wire Cross Connect, Provisioning | + | t | UEP2C | VE1R2 | 0.0225 | 33.53 | 31.65 | | <u> </u> | | | l | 1 | | |
| Non-Recurring Charges | + | † | | | 0.0220 | 00.00 | 01.00 | | † | | | l | | | |
| 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEP2C | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | 02.20 | 00/102 | | 0.00 | 0.00 | | | | | | | | |
| Premise | | | UEP2C | URETL | | 8.33 | 0.83 | | | | | | | | |
| IOLESALE LOCAL CIRCUIT SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| End Office Switching (Port Usage) | | | | | | | | | | | | | | | |
| End Office Switching Function, Per MOU | | | | | 0.0015 | | | | | | | | | | |
| End Office Trunk Port - Shared, Per MOU | 1 | | | | 0.00023 | | | | | | | | | | |
| Tandem Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| Tandem Switching Function Per MOU | | | | | 0.0006 | | | | | | | | | | |
| Tandem Trunk Port - Shared, Per MOU | | | | | 0.0003 | | | | | | | | | | |
| Melded Factor: 41.03% of the Tandem Rate | | | | | | | | | | | | | | | |
| Tandem Switching Function Per MOU (Melded) | | | | | 0.00024618 | | | | | | | | | | |
| Tandem Trunk Port - Shared, Per MOU (Melded) | | | | | 0.00012309 | | | | | | | | | | |
| Wholesale Common Transport | | | | | | | | | | | | | | | |
| Common Transport - Per Mile, Per MOU | | | | | 0.00001 | | | | | | | | | | |
| Common Transport - Facilities Termination Per MOU | | | | | 0.00034 | | | | | | | | | | |
| 50 WHOLESALE LOCAL PLATFORM SERVICE > For New Install scenarios the Nonrecurring charges are listed in the | | | | | 000 5 5 | . 5 | | · | | | | | | L | <u> </u> |
| categorized accordingly. > End Office and Tandem Switching Usage and Wholesale Common DSO WHOLESALE LOCAL PLATFORM SERVICE (Residence) DS0 Loop Rates | Franspor | t Usage | rates in the Port se | ction of this ra | ate exhibit shall | apply to DS0 Wi | nolesale Local | Platform Servi | ce except for the | e Coin Servi | ce which ha | ıs a flat rate us | age charge (l | JSOC: URECU | 1). |
| 2-Wire Voice Grade Loop (SL1) - Zone 1 | ì | 1 | UEPRX | UEPLX | 10.75 | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 2 | T | 2 | UEPRX | UEPLX | 19.05 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX UEPRX | UEPLX UEPLX | 19.05 30.33 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) | | | UEPRX | UEPLX | 30.33 | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence | | | UEPRX UEPRX | UEPLX | 30.33 9.28 | 33.56 | 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res | | | UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC | 9.28 9.28 | 33.56 | 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res | | | UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRO | 9.28 9.28 9.28 | 33.56 33.56 | 11.97 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res | | | UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC | 9.28 9.28 | 33.56 | 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice res, low usage line port with Caller ID | | | UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRO UEPAP | 9.28 9.28 9.28 9.28 9.28 | 33.56 33.56 33.56 | 11.97 11.97 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice res, low usage line port with Caller ID 2-Wire voice North Carolina port without Caller ID capability - res | | | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP | 9.28 9.28 9.28 9.28 9.28 | 33.56 33.56 33.56 | 11.97 11.97 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice port with Caller ID capability - res 2-Wire voice North Carolina port with Caller ID capability - res 2-Wire voice North Carolina port with Caller ID capability - res | | | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP UEPRZ UEPRY | 30.33 9.28 9.28 9.28 9.28 9.28 | 33.56 33.56 33.56 33.56 33.56 | 11.97 11.97 11.97 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice res, low usage line port with Caller ID 2-Wire voice North Carolina port with Caller ID capability - res 2-Wire voice North Carolina port with Caller ID capability - res 2-Wire voice Low Usage Line Port without Caller ID capability - res | | | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP | 9.28 9.28 9.28 9.28 9.28 | 33.56 33.56 33.56 | 11.97 11.97 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice res, low usage line port with Caller ID 2-Wire voice North Carolina port without Caller ID capability - res 2-Wire voice North Carolina port with Caller ID capability - res 2-Wire voice Low Usage Line Port without Caller ID Capability - FEATURES | | | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP UEPRZ UEPRY UEPRY | 9.28 9.28 9.28 9.28 9.28 9.28 9.28 | 33.56 33.56 33.56 33.56 33.56 | 11.97 11.97 11.97 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice res, low usage line port with Caller ID 2-Wire voice North Carolina port without Caller ID capability - res 2-Wire voice North Carolina port without Caller ID capability - res 2-Wire voice Low Usage Line Port without Caller ID Capability FEATURES All Features Offered | | | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP UEPRZ UEPRY | 30.33 9.28 9.28 9.28 9.28 9.28 | 33.56 33.56 33.56 33.56 33.56 | 11.97 11.97 11.97 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice port outgoing only - res 2-Wire voice Rorth Carolina port with Caller ID 2-Wire voice North Carolina port without Caller ID capability - res 2-Wire voice North Carolina port with Caller ID capability - res 2-Wire voice Low Usage Line Port without Caller ID Capability - FEATURES All Features Offered NONRECURRING CHARGES - Conversions | | | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRO UEPAP UEPRZ UEPRZ UEPRY UEPRT | 9.28 9.28 9.28 9.28 9.28 9.28 9.28 | 33.56 33.56 33.56 33.56 33.56 33.56 | 11.97 11.97 11.97 11.97 11.97 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice res, low usage line port with Caller ID 2-Wire voice North Carolina port with Caller ID capability - res 2-Wire voice North Carolina port with Caller ID capability - res 2-Wire voice North Carolina port with Caller ID capability - res 2-Wire voice Low Usage Line Port without Caller ID Capability FEATURES All Features Offered NONRECURRING CHARGES - Conversions 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is | | | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP UEPRZ UEPRY UEPRY | 9.28 9.28 9.28 9.28 9.28 9.28 9.28 | 33.56 33.56 33.56 33.56 33.56 | 11.97 11.97 11.97 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port versidence 2-Wire voice port versidence 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice res, low usage line port with Caller ID 2-Wire voice North Carolina port without Caller ID capability - res 2-Wire voice North Carolina port with Caller ID capability - res 2-Wire voice Low Usage Line Port without Caller ID Capability - FEATURES All Features Offered NONRECURRING CHARGES - Conversions 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is | | | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP UEPRZ UEPRY UEPRT UEPRT UEPVF | 9.28 9.28 9.28 9.28 9.28 9.28 9.28 | 33.56 33.56 33.56 33.56 33.56 33.56 | 11.97 11.97 11.97 11.97 11.97 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice res, low usage line port with Caller ID 2-Wire voice North Carolina port without Caller ID capability - res 2-Wire voice North Carolina port with Caller ID capability - res 2-Wire voice North Carolina port without Caller ID Capability - res 2-Wire voice Low Usage Line Port without Caller ID Capability FEATURES All Features Offered NORECURRING CHARGES - Conversions 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is | le le | | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRO UEPAP UEPRZ UEPRZ UEPRY UEPRT | 9.28 9.28 9.28 9.28 9.28 9.28 9.28 | 33.56 33.56 33.56 33.56 33.56 33.56 | 11.97 11.97 11.97 11.97 11.97 11.97 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Voice Grade Line Port (Res) 2-Wire voice port - residence 2-Wire voice port with Caller ID - res 2-Wire voice port with Caller ID - res 2-Wire voice port outgoing only - res 2-Wire voice res, low usage line port with Caller ID 2-Wire voice North Carolina port without Caller ID capability - res 2-Wire voice North Carolina port with Caller ID capability - res 2-Wire voice Low Usage Line Port without Caller ID Capability - res 2-Wire voice Low Usage Line Port without Caller ID Capability - res 2-Wire voice Low Usage Line Port without Caller ID Capability - res 2-Wire Voice Cande Loop / Line Port Platform - Switch-as-is 2-Wire Voice Grade Loop / Line Port Platform - Switch with change | le | | UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX UEPRX | UEPLX UEPRL UEPRC UEPRO UEPAP UEPAP UEPRZ UEPRY UEPRT UEPRT UEPVF | 9.28 9.28 9.28 9.28 9.28 9.28 9.28 | 33.56 33.56 33.56 33.56 33.56 33.56 | 11.97 11.97 11.97 11.97 11.97 11.97 | | | | | | | | |

| EKVICES | - North Carolina | | | r | | ı | | | | | | | Att: 1 Exh: A | | | | ₩ |
|---------|--|--|----------|--------|----------------|----------------|------------------|--------------------|--------------|--------------|--------------|---|--|--|---|---|----------|
| ATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | Nonred | urring | Nonrecurring | Disconnect | | | OSS | Rates(\$) | | | ╆ |
| | | | - | | + | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | ╆ |
| - | | | | | + | | 11131 | Addi | 11131 | Addi | JOIVILO | JOWAN | JOIVIAN | JOWAN | JOWAN | JOINAIN | \vdash |
| | NRC - 2-Wire Voice Grade Loop/Line Port Platform - Subsequent | | | UEPRX | USAS2 | | 0.00 | 0.00 | | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | OLITOX | 00/102 | | 0.00 | 0.00 | | 1 | † | | | | | | \vdash |
| | Premise | | | UEPRX | URETL | | 8.33 | 0.83 | | | | | | | | | |
| Insida | Wire Maintenance | | | 02.100 | OILEIL | | 0.00 | 0.00 | | 1 | † | | | | | | \vdash |
| | Inside Wire Maintenance Plan | | | UEPRX | SEQ1X | 4.50 | | | | | 1 | | | | | | \vdash |
| OFF/O | N PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | | H |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPRX | UEAEN | 12.11 | 57.99 | 42.37 | | | | | | | | | H |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPRX | UEAEN | 21.24 | 57.99 | 42.37 | | | | | | | | | т |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPRX | UEAEN | 33.65 | 57.99 | 42.37 | | | | | | | | | Т |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 1 | UEPRX | UEAED | 14.97 | 142.97 | 106.56 | | | | | | | | | Т |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 2 | UEPRX | UEAED | 25.93 | 142.97 | 106.56 | 1 | 1 | 1 | | 1 | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPRX | UEAED | 40.81 | 142.97 | 106.56 | 1 | 1 | 1 | | 1 | | | | Г |
| INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | | Г |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | | Г |
| | Termination | | <u> </u> | UEPRX | U1TV2 | 18.00 | 137.48 | 52.58 | <u> </u> | | | | <u> </u> | | | | L |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPRX | U1TVM | 0.0125 | 0.00 | 0.00 | | | | | | | | | \perp |
| | (HOLESALE LOCAL PLATFORM SERVICE (Res-PBX) | | | | | | | | | | | | | | | | Ľ |
| DS0 L | oop Rates | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 10.75 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPRG | UEPLX | 19.05 | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 30.33 | | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | | |
| | 2-Wire voice 2-Way PBX Trunk Port - Res (E: 1/1/2005) | | | UEPRG | UEPRD | 12.28 | 53.56 | 18.13 | | | | | | | | | |
| FEAT | | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPRG | UEPVF | 3.40 | | | | | | | | | | | |
| NONR | ECURRING CHARGES - Conversions | | | | | | | | | | | | | | | | ┖ |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPRG | USAC2 | | 10.00 | 10.00 | | | | | | | | | ┺ |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | | | |
| | Change | | | UEPRG | USACC | | 10.00 | 10.00 | | | | | | | | | ╙ |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | | ╄ |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPRG | USAS2 | | 0.00 | 0.00 | | | | | | | | | ╄ |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | | | | | | | | | | | | | | |
| _ | Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | | | ╄ |
| | | | | | | | | | | | | | | | | | |
| - | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | - | <u> </u> | | + | 1 | 14.64 | 14.64 | | 1 | + | | | | | | ⊬ |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | LIEBBO | LIBETI | | 0.00 | 0.00 | 1 | | 1 | | 1 | | | | 1 |
| OFF'S | Premise | - | ├ | UEPRG | URETL | 1 | 8.33 | 0.83 | - | 1 | + | | | | | | ⊢ |
| OFF/O | N PREMISES EXTENSION CHANNELS | - | 1 | UEPRG | P2JHX | 14.97 | 142.97 | 106.56 | | - | + | | - | | | | ⊢ |
| - | Local Channel Voice grade, per termination Local Channel Voice grade, per termination | I | 2 | UEPRG | P2JHX P2JHX | 14.97 25.93 | 142.97 142.97 | 106.56 | - | 1 | 1 | | | | | | ⊢ |
| - | Local Channel Voice grade, per termination Local Channel Voice grade, per termination | - | 3 | UEPRG | P2JHX P2JHX | 25.93 40.81 | 142.97 | 106.56 | - | | + | | - | | | | ⊢ |
| + | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPRG | SDD2X | 14.62 | 252.06 | 109.08 | l | ł | 1 | | | | | | \vdash |
| + | Non-Wire Direct Serve Channel Voice Grade Non-Wire Direct Serve Channel Voice Grade | - | 2 | UEPRG | SDD2X SDD2X | 23.86 | 252.06 126.03 | 109.08 54.54 | | } | + | | | | | | + |
| +- | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPRG | SDD2X SDD2X | 36.40 | 126.03 | 54.54 | | 1 | 1 | | | | | - | \vdash |
| INTED | OFFICE TRANSPORT | | ٥ | ULING | SDDZA | 30.40 | 120.03 | J 4 .54 | | † | 1 | | | | | 1 | \vdash |
| - NATER | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | + | | | | | | | | | | | | \vdash |
| | Termination | | | UEPRG | U1TV2 | 18.00 | 137.48 | 52.58 | 1 | | 1 | | 1 | | | | Ī |
| _ | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | 02.10 | 011 VZ | 10.00 | 107.40 | 02.00 | | | 1 | | l | | | | \vdash |
| | or Fraction Mile | | | UEPRG | U1TVM | 0.0125 | 0.00 | 0.00 | 1 | | 1 | | 1 | | | | 1 |
| DS0 W | /HOLESALE LOCAL PLATFORM SERVICE (Bus-PBX) | | | | 1 | 0.0720 | 3.00 | 3.00 | | İ | † | | | | | | T |
| | pop Rates | | | | 1 | | | | | İ | † | | | | | | T |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 10.75 | | | | İ | † | | | | | | T |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 19.05 | | | İ | İ | İ | | i | | | | \vdash |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPPX | UEPLX | 30.33 | | | | | 1 | | l | | | | Г |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | 1 | | | | | | 1 | | l | | | | Г |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPPX | UEPPC | 12.28 | 53.56 | 18.13 | | | 1 | | l | | | | Г |
| | Line Side Outward PBX Trunk Port - Bus | | | UEPPX | UEPPO | 12.28 | 53.56 | 18.13 | İ | İ | 1 | | İ | | | | Т |
| | Line Side Incoming PBX Trunk Port - Bus | | | UEPPX | UEPP1 | 12.28 | 53.56 | 18.13 | İ | İ | İ | | i | | | | \vdash |
| \neg | 2-Wire Voice PBX LD Terminal Ports | | | UEPPX | UEPLD | 12.28 | 53.56 | 18.13 | 1 | 1 | 1 | | 1 | | | | Г |
| \neg | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPPX | UEPXA | 12.28 | 53.56 | 18.13 | 1 | 1 | 1 | | 1 | | | | Г |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 12.28 | 53.56 | 18.13 | İ | İ | 1 | | İ | | | | Т |
| | 2-Wire Voice PBX LD DDD Terminals Port | | t | UEPPX | UEPXC | 12.28 | 53.56 | 18.13 | - | t | 1 | | i | | | | \vdash |

| EKVICES - | North Carolina | 1 | | | | | | | | | | | Att: 1 Exh: A | | | | ⊢ |
|-----------|--|----------|--|--------|---------|--|--------|-----------|--------------|--------------|--|---|--|--|---|---|----------|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | + | _ 1 | Nonrec | urring | Nonrecurring | Disconnect | <u> </u> | | oss | Rates(\$) | <u> </u> | | ╆ |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 12.28 | 53.56 | 18.13 | | 7.00. | 0020 | 00.02.01 | 00 | 00 | 00.112.111 | 00 | \vdash |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 12.28 | 53.56 | 18.13 | | | | | | | | | \vdash |
| | 2-Wire Voice 1-Way Outgoing PBX Measured Port | | | UEPPX | UEPXS | 12.28 | 53.56 | 18.13 | | | | | | | | | \vdash |
| FEATU | | | | 02.17 | 02.70 | 12.20 | 00.00 | 10.10 | | | 1 | | | | | | ╆ |
| | All Features Offered | | | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | 1 | | | | | | + |
| NONRE | ECURRING CHARGES - Conversions | | | 02.17 | 02. 1. | 0.10 | 0.00 | 0.00 | | | 1 | | | | | | ╆ |
| NONNE | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPPX | USAC2 | | 10.00 | 10.00 | | | + | | | | | | ╆ |
| _ | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | OLITA | 00/102 | | 10.00 | 10.00 | | | + | | | | | | + |
| | Change | | | UEPPX | USACC | | 10.00 | 10.00 | | | | | | | | | |
| ADDITI | ONAL NRCs | | | OLITA | 00/100 | | 10.00 | 10.00 | | - | + | | | | | | ╆ |
| ADDIII | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPPX | USAS2 | | 0.00 | 0.00 | | - | + | | | | | | ╆ |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | OLITA | 00/102 | | 0.00 | 0.00 | | | + | | | | | | ╁ |
| | Activity- Nonrecurring | | l | | 1 | | 0.00 | 0.00 | | | 1 | | 1 | | | | 1 |
| | Activity- Nonlectiffing | - | - | | + | | 0.00 | 0.00 | | 1 | + | | - | | | | + |
| | DDV Cube agree A stirity Change / Decrease Multilla - Live Const | | l | | 1 | | 11.01 | 44.04 | | | 1 | | 1 | | | | 1 |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | - | - | | + | | 14.64 | 14.64 | | 1 | + | | - | | | | + |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | LIEDDY | LIDET | | 0.00 | 0.00 | | | 1 | | 1 | | | | 1 |
| 0==: | Premise | - | - | UEPPX | URETL | | 8.33 | 0.83 | | | + | | | | | | ╀ |
| OFF/OI | PREMISES EXTENSION CHANNELS | | <u> </u> | LIEBBY | Do II | | , | , | | ļ | | | | | | | + |
| | Local Channel Voice grade, per termination | | 1 | UEPPX | P2JHX | 14.97 | 142.97 | 106.56 | | ļ | 1 | | | | | | + |
| _ | Local Channel Voice grade, per termination | | 2 | UEPPX | P2JHX | 25.93 | 142.97 | 106.56 | | | 1 | | | | | | ╀ |
| | Local Channel Voice grade, per termination | | 3 | UEPPX | P2JHX | 40.81 | 142.97 | 106.56 | | | | | | | | | ┸ |
| | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPPX | SDD2X | 14.62 | 252.06 | 109.08 | | | | | | | | | ┸ |
| | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPPX | SDD2X | 23.86 | 126.03 | 54.54 | | | | | | | | | ┖ |
| | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPPX | SDD2X | 36.40 | 126.03 | 54.54 | | | | | | | | | |
| INTER | OFFICE TRANSPORT | | | | | | | | | | | | | | | | Г |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPPX | U1TV2 | 18.00 | 137.48 | 52.58 | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPPX | U1TVM | 0.0125 | 0.00 | 0.00 | | | | | | | | | Γ |
| DS0 W | HOLESALE LOCAL PLATFORM SERVICE (Coin) | | | | | | | | | İ | | | | | | | T |
| | op Rates | | | | | | | | | | | | | | | | t |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 10.75 | | | | İ | | | | | | | T |
| 1 | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 19.05 | | | | | | | | | | | t |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPCO | UEPLX | 30.33 | | | | | 1 | | | | | | t |
| 2-Wire | Voice Grade Line Port Rates (Coin) | | Ŭ | 02.00 | 02.2. | 00.00 | | | | | 1 | | | | | | ╆ |
| 2-44116 | 2-Wire Coin 2-Way without Operator Screening and without | | | | + | | | | | | 1 | | | | | | ╁ |
| | Blocking (NC) | | | UEPCO | UEPND | 12.28 | 53.56 | 18.13 | | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening (NC) | — | | UEPCO | UEPNC | 12.28 | 53.56 | 18.13 | | | + | | | | | | + |
| +- | | - | - | OLFOO | DEFINE | 12.28 | 53.56 | 10.13 | | } | + | | | | | | + |
| 1 | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | 1 | UEPCO | UEPRP | 40.00 | E0 E0 | 40.40 | | | 1 | | | | | | 1 |
| - | 900, 1+DDD (NC, TN) | - | - | UEPCU | UEPKP | 12.28 | 53.56 | 18.13 | | 1 | + | | - | | | | + |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | l | LIEBCO | LIEDNID | 10.00 | F0 F0 | 40.40 | | | 1 | | 1 | | | | 1 |
| + | (NC) | - | - | UEPCO | UEPNB | 12.28 | 53.56 | 18.13 | | 1 | + | | | | | | + |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900, | | | LIEDOO | LIEBC: | | ==== | | | | 1 | | 1 | | | | l |
| | 1+DDD, 011+, and Local (NC, TN) | | | UEPCO | UEPCA | 12.28 | 53.56 | 18.13 | | ļ | | | | | | | ╄ |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (NC) | | | UEPCO | UEPNE | 12.28 | 53.56 | 18.13 | | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 900, | | | | | | | | | | | | | | | | Γ |
| | 1+DDD, 011+, and Local (NC) | | l | UEPCO | UEPCL | 12.28 | 53.56 | 18.13 | | | 1 | | 1 | | | | 1 |
| T I | 2-Wire 2-Way Smartline with 900 (all states except LA) | | | UEPCO | UEPCK | 12.28 | 53.56 | 18.13 | | | | | | | | | Г |
| | 2-Wire Coin Outward Smartline with 900 (all states except LA) | | | UEPCO | UEPCR | 12.28 | 53.56 | 18.13 | | 1 | | | 1 | | | | Г |
| Coin Us | | | 1 | | 1 | | | | | İ | | | İ | | | | T |
| | | | | | 1 | | | | | | 1 | | l | | | | Г |
| | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | | 1 | UEPCO | URECU | 5.50 | | | | | 1 | | | | | | 1 |
| NONRE | ECURRING CHARGES - Conversions | | | | 1 | | 1 | | | İ | 1 | | i | | | | Т |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | 1 | UEPCO | USAC2 | | 10.00 | 10.00 | | 1 | 1 | | l | | | | T |
| _ | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | 1 | | 307.02 | | . 5.55 | | | 1 | 1 | | | | | | t |
| | Change | | l | UEPCO | USACC | | 10.00 | 10.00 | | | 1 | | 1 | | | | 1 |
| ADDITI | ONAL NRCs | — | | 021 00 | UUAUU | | 10.00 | 10.00 | | | + | | | | | | ٠ |
| ADDITI | | - | | UEPCO | USAS2 | | 0.00 | 0.00 | | + | + | | | | | | ╁ |
| + | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | — | - | ULFCO | USASZ | + | 0.00 | 0.00 | | 1 | + | | | - | | | + |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | l | LIEBCO | LIDETI | | 0.00 | 0.00 | | | 1 | | 1 | | | | 1 |
| D001*** | Premise | - | - | UEPCO | URETL | | 8.33 | 0.83 | | 1 | + | | | | | | + |
| | HOLESALE LOCAL PLATFORM SERVICE (FX/FCO Res) op Rates | | - | ļ | + | | | | | | + | | | ļ | | | + |
| | | | | | | | | | | | | | i | | | ı | 1 |

| EKAICE2 | North Carolina | | | 1 | | 1 | | | | | 1 | | Att: 1 Exh: A | | | |
|---------|---|--|--|----------------|----------------|----------------|------------------|------------------|-----------------------|--|--|---|--|--|---|---|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | - | | Names | | Nanzaszenina | Discounces | - | | 220 | Detec(f) | | |
| | | | | | - | Rec | Nonrect First | Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 25.93 | FIISL | Auu i | FIISL | Add I | SOMEC | JOWAN | SOWAN | SOWAN | JOWAN | JOINAIN |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 40.81 | | | | | 1 | | | | | |
| 2-Wire | Voice Grade Line Port Rates (Res) | | Ť | 02 | 020.2 | 10.01 | | | | | | | | | | |
| | 2-Wire voice port - residence | | | UEPFR | UEPRL | 9.19 | 225.00 | 170.00 | | | İ | | | | | |
| | 2-Wire voice port with Caller ID - res | | | UEPFR | UEPRC | 9.19 | 225.00 | 170.00 | | | 1 | | | | | |
| | 2-Wire voice port outgoing only - res | | | UEPFR | UEPRO | 9.19 | 225.00 | 170.00 | | | | | | | | |
| | 2-Wire voice res, low usage line port with Caller ID | | | UEPFR | UEPAP | 9.19 | 220.00 | 145.00 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire voice res, low usage line port without Caller ID capabilty | | | UEPFR | UEPRT | 9.19 | 220.00 | 145.00 | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire voice North Carolina port without Caller ID capability - res | | | UEPFR | UEPRZ | 9.19 | 220.00 | 145.00 | | ļ | | ļ | ļ | | | |
| | 2-Wire voice North Carolina port with Caller ID capability - res | | <u> </u> | UEPFR | UEPRY | 9.19 | 220.00 | 145.00 | | - | | | | | | |
| INTER | DFFICE TRANSPORT | | - | | + | | | | | - | - | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | UEPFR | U1TV2 | 18.00 | 140.00 | 71.00 | | 1 | | | | | | |
| - | Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | - | - | UEPFR | U11 V2 | 18.00 | 140.00 | 71.00 | | - | + | - | | | | |
| | or Fraction Mile | | | UEPFR | 1L5XX | 0.0125 | | | | 1 | | | | | | |
| FEATU | | H | | OLITIN | ILUAA | 0.0125 | + | | | t | + | | | | | - |
| | All Features Offered | — | \vdash | UEPFR | UEPVF | 3.40 | + | | | t | | | l | | | - |
| NONRI | ECURRING CHARGES (NRCs) - CONVERSIONS | 1 | | | J VI | 5.40 | + | | | t | 1 | | l | | | + |
| 1.0 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - | | | İ | İ | | 1 | İ | | 1 | † | | i | | | 1 |
| | Conversion - Switch-as-is | | | UEPFR | USAC2 | | 10.00 | 10.00 | | 1 | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - | | | İ | 1 | i | | | | 1 | | | İ | | | |
| | Conversion - Switch-With-Change | | | UEPFR | USACC | | 10.00 | 10.00 | | 1 | | | | | | |
| ADDIT | ONAL NRCs | | | | | | | | | | | | 1 | | | |
| İ | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - | | | | | | | | | | | | | | | j |
| | Subsequent Activity | | | UEPFR | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | | | | | | | | | | | | |
| | End User Premise | | | UEPFR | URETN | | 11.20 | 1.10 | | | | | | | | |
| | HOLESALE LOCAL PLATFORM SERVICE (FX/FCO Bus) | | | | | | | | | | | | | | | |
| DS0 Lo | op Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 14.97 | | | | | 1 | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 25.93 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFB | UECF2 | 40.81 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port (Bus) | | | LIEDED | LIEBBI | 10.10 | 200.00 | 4.45.00 | | | | | | | | |
| - | 2-Wire voice port without Caller ID - bus | - | - | UEPFB | UEPBL | 12.19 | 220.00 | 145.00 | | | + | | | | | |
| + | 2-Wire voice port with Caller + E484 ID - bus | - | | UEPFB UEPFB | UEPBC UEPBO | 12.19 12.19 | 220.00 220.00 | 145.00 145.00 | | | + | | | - | | - |
| + | 2-Wire voice port outgoing only - bus 2-Wire voice incoming only port with Caller ID - Bus | - | - | UEPFB | UEPB0 | 12.19 | 220.00 | 145.00 | | | + | | - | | | - |
| + | 2-Wire voice incoming only port with Caller ID - Bus 2-Wire voice incoming only port without Caller ID capability | | | UEPFB | UEPBE | 12.19 | 220.00 | 145.00 | | | + | | | | | |
| INTER | DFFICE TRANSPORT | 1 | | 02110 | OLI DL | 12.19 | 220.00 | 140.00 | | t | 1 | | l | | | + |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | 1 | | - | | | 1 | | | | | | |
| | Termination | | | UEPFB | U1TV2 | 18.00 | 140.00 | 71.00 | | I | 1 | 1 | 1 | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | İ | 1 | | | | | 1 | | | İ | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.0125 | | | | 1 | | | | | | |
| FEATU | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 3.40 | | | | | | | | | | |
| NONRI | CURRING CHARGES (NRCs) - CONVERSIONS | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - | | | | | | | | | | | | | | | |
| | Conversion - Switch-as-is | | | UEPFB | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - | | | | | | ı | | | 1 | | | | | | |
| | Conversion - Switch-With-Change | | <u> </u> | UEPFB | USACC | | 10.00 | 10.00 | | - | | | | | | |
| ADDIT | ONAL NRCs | — | | | 1 | | | | | - | - | ļ | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | LIEDED | LIDETN | | 44.00 | 4.40 | | 1 | | | | | | |
| Dear | End User Premise HOLESALE LOCAL PLATFORM SERVICE (FX/FCO PBX) | - | - | UEPFB | URETN | | 11.20 | 1.10 | | | + | - | - | | | |
| | | - | - | | + | | | | | | + | | - | | | |
| D20 F0 | op Rates | - | 1 | UEPFP | UECF2 | 14.97 | | | | | + | | | | | - |
| + | 2-Wire Voice Grade Loop (SL2) - Zone 1 | - | 2 | UEPFP | UECF2 | 14.97 25.93 | | | | | + | | | | | - |
| +- | 2-Wire Voice Grade Loop (SL2) - Zone 2 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 40.81 | + | - | | + | + | | | | | 1 |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | H | 3 | 02111 | ULUFZ | 40.01 | + | | | t | + | | | | | - |
| 2-44116 | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 12.19 | 285.00 | 175.00 | | | + | | | | | |
| + | Line Side Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 12.19 | 285.00 | 175.00 | | | + | | | | | - |
| | Line Side Tourish of Bus | 1 | | UEPFP | UEPP1 | 12.19 | 285.00 | 175.00 | | | 1 | | | | | |

| SERVICES - | North Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | | |
|------------|--|--|--|-----------------------|-------------------|------------------|------------------|------------------|------------------|------------------|--|---|--|--|---|---|--|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | | Ь |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | <u> </u> |
| | 2-Wire Voice PBX LD Terminal Ports | | | UEPFP | UEPLD | 12.19 | 285.00 | 175.00 | | | | | | | | | <u> </u> |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 12.19 | 285.00 | 175.00 | | | | | | | | | <u> </u> |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 12.19 | 285.00 | 175.00 | | | | | | | | | <u> </u> |
| | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 12.19 | 285.00 | 175.00 | | | 1 | | | | | | Ь |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 12.19 | 285.00 | 175.00 | | | | | | | | | <u> </u> |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPFP | UEPXE | 12.19 | 285.00 | 175.00 | | | | | | | | | ــــــ |
| | 2-Wire Voice 1-Way Outgoing PBX Measured Port | | ļ | UEPFP | UEPXS | 12.19 | 285.00 | 175.00 | | | 1 | | | | | | Щ. |
| INTERC | DFFICE TRANSPORT | | | | | | | | | | | | | | | | ــــــ |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | | Ì |
| | Termination | | | UEPFP | U1TV2 | 18.00 | 140.00 | 71.00 | | | ļ | | | | | | Ь— |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | | İ |
| | or Fraction Mile | - | ├ | UEPFP | 1L5XX | 0.0125 | | | | | | 1 | - | | | | — |
| FEATU | | - | - | LIEDED | LIED: (E | 2 / - | | | | | <u> </u> | - | _ | | | | — |
| | All Features Offered | | | UEPFP | UEPVF | 3.40 | | | | - | 1 | 1 | - | | | | — |
| NONRE | CURRING CHARGES (NRCs) - CONVERSIONS | + | \vdash | UEPFP | + | | | | | - | 1 | + | | | | | \leftarrow |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform Conversion - Switch-as-is | 1 | | UEPFP | USAC2 | | 10.00 | 10.00 | | 1 | 1 | 1 | | | | | ĺ |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | UEPFP | USACZ | | 10.00 | 10.00 | | - | | 1 | | | | | \vdash |
| | Conversion - Switch-With-Change | | | UEPFP | USACC | | 10.00 | 10.00 | | | | | | | | | İ |
| ADDITI | ONAL NRCs | 1 | - | UEFFF | USACC | | 10.00 | 10.00 | | | + | 1 | | | | | ├ |
| ADDITIO | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port (PBX) | 1 | - | + | _ | | | | | | + | 1 | | | | | ┢ |
| | Platform - Subsequent Activity | | | UEPFP | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | | 1 |
| | i lationii - Subsequent Activity | | | OLITI | 00A02 | 0.00 | 0.00 | 0.00 | | | 1 | <u> </u> | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | J | | | | | 14.64 | 14.64 | | | | | | | | | 1 |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | 1 | | | + | | 14.04 | 14.04 | | | 1 | <u> </u> | | | | | |
| | End User Premise | | | UEPFP | URETN | | 11.20 | 1.10 | | | | | | | | | 1 |
| SO WHOLES | ALE LOCAL SWITCHING PORTS | <u> </u> | <u> </u> | OLITI | OKLIN | | 11.20 | 1.10 | | | 1 | † | | | | | \vdash |
| > End (| Office and Tandem Switching Usage and Wholesale Common T HOLESALE LOCAL SWITCHING PORTS - (Bus) | ranspor | t Usag | e rates in the Port s | ection of this ra | te exhibit shall | apply to the Wh | olesale Access | Line Service | except for the (| Coin Service | which has | a flat rate usag | e charge (USC | OC: URECU). | | |
| | Exchange Ports - 2-Wire Analog Line Port without Caller ID - Bus | | | UEPSB | UEPBL | 12.19 | 53.56 | 18.13 | | | | | | | | | Ì |
| | Exchange Ports - 2-Wire VG Line Port with port with Caller+E484 | | 1 | | | | | | | | | i e | | | | | |
| | ID - Bus. | | | UEPSB | UEPBC | 12.19 | 53.56 | 18.13 | | | | | | | | | 1 |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 12.19 | 53.56 | 18.13 | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | Exhange Ports - 2-Wire VG incoming only port with Caller ID - Bus | | | UEPSB | UEPB1 | 12.19 | 53.56 | 18.13 | | | | | | | | | <u> </u> |
| | 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 12.19 | 53.56 | 18.13 | | | | | | | | | |
| FEATU | | | | L | | | | | | | | 1 | | | | | — |
| | All Available Vertical Features | | | UEPSB | UEPVF | 3.40 | 0.00 | 0.00 | | | 1 | | | | | | Ь |
| Cross C | Connects | L | 1 | | | | | | | | ļ | ļ | | | | | ــــــ |
| | Physical Expanded Interconnection Two Wire Cross Connect, | 1 | | l | [| | l l | | | 1 | 1 | 1 | | | | | ĺ |
| | Provsioning | - | - | UEPSB | PE1R2 | 0.0309 | 19.77 | 14.95 | | | <u> </u> | - | | | | | ⊢ |
| | Virtual Collocation - Two Wire Cross Connect, Provisioning | ├ | ₩ | UEPSB | VE1R2 | 0.0225 | 33.53 | 31.65 | | | | | 1 | | | | \vdash |
| Non-Re | curring Charges | ├ | ₩ | LIEDED | 110 4 00 | | 0.00 | 0.00 | | | | | 1 | | | | ⊢ |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity | + | | UEPSB UEPSB | USAS2 USASC | 0.00 | 0.00 | 0.00 | | | | | - | | | | \vdash |
| O WHOLESA | ALE LOCAL PLATFORM SERVICE | - | - | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | - | | | | | | + |
| | | inat and | A alalisia | nal NDC askumna | ion occh Dow US | COC For Eviet | ing Dietferm ee | mariae the Ne | | | in the NDC | Camuranalan | o o o o o tilo o o o o o o | ditional NDCs | | | ┢ |
| | ew Install scenarios the Nonrecurring charges are listed in the F | irst and | Additio | onai NKC columns | or each Port Us | SOC. FOR EXIST | ing Platform Sce | enarios, the Noi | nrecurring cha | rges are listed | in the NKC - | Conversion | is section. Add | IIIIONAI NRUS | may apply als | o and are | İ |
| categor | ized accordingly. | | | | | | | | | | | | | | | | ┢ |
| - End C | Office and Tandem Switching Usage and Wholesale Common T | ranener | Hearr | rates in the Bort of | action of this ro | to ovhibit chall | annly to DSC W | ologalo I ocol E | Platform Service | o aveant for th | o Coin Son | ice which h | ae a flat rate un | age charge (I | ISOC: LIDECI | n. | ĺ |
| | HOLESALE LOCAL PLATFORM SERVICE (Business) | ansport | Usage | rates in the Port St | culon of this fa | C CATHOR SHAll | apply to DSU WI | iolesale Local I | iationii Servic | e except for th | le com serv | Le which ha | a a nat rate US | age charge (C | JOGG. ORECL | <i>y</i> . | \vdash |
| | op Rates | | \vdash | | 1 | | | | | | | + | | | | | \vdash |
| PSULO | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 10.75 | | | | | | | _ | | | | \vdash |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 19.05 | | | | | | | _ | | | | \vdash |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 30.33 | | | | | | | _ | | | | \vdash |
| 2 18/6- | Voice Grade Line Port (Bus) | | 3 | OEFBA | UEFLA | 30.33 | | | | | | | _ | | | | \vdash |
| | 2-Wire voice port without Caller ID - bus | | | UEPBX | UEPBL | 12.28 | 53.56 | 18.13 | | l | | 1 | _ | | | | \vdash |
| _ | 2-Wire voice port without Caller ID - bus 2-Wire voice port with Caller + E484 ID - bus | | t | UEPBX | UEPBC | 12.28 | 53.56 | 18.13 | | | <u> </u> | t | | | | | \vdash |
| 1 | 2-Wire voice port with Caller + E464 ID - bus 2-Wire voice port outgoing only - bus | | \vdash | UEPBX | UEPBO | 12.28 | 53.56 | 18.13 | | | | + | | | | | \vdash |
| | 12 TEND VOICE POIL Outgoing Only - DUS | 1 | 1 | OLI DA | OLI BU | 12.20 | 00.00 | 10.13 | | | 1 | 1 | 1 | | | | |

Version: 2Q07 MBR - SLC 06/04/07

| | | 1 | I | 1 | | | | | | | Svc Order | Svc Order | Att: 1 Exh: A Incremental | Incremental | Incremental | Incremental |
|--|--|-------------------|---|--|--|---|--|---|-----------------|-------------------|-------------|----------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | | Submitted Manually per LSR | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. |
| | | | | | | | | | | | | | Electronic- 1st | Electronic- Add'l | Electronic- Disc 1st | Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | urring | Nonrecurring | Disconnect | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire voice incoming only port with Caller ID - Bus | | | UEPBX | UEPB1 | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPBX | UEPBE | | | | | | | | | | | |
| FEATU | | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPBX | UEPVF | 3.40 | | | | | | | | | | |
| NONR | ECURRING CHARGES - Conversions | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPBX | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| | Change | | | UEPBX | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Platform - Subsequent | | | UEPBX | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | | |
| | Premise | <u> </u> | | UEPBX | URETL | | 8.33 | 0.83 | <u> </u> | | | | <u> </u> | <u> </u> | | |
| Inside | Wire Maintenance | | | | | | | | | | | | | | | |
| | Inside Wire Maintenance Plan | | | UEPBX | SEQ1X | 4.50 | | | | | | | | | | |
| OFF/O | N PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPBX | UEAEN | 12.11 | 57.99 | 42.37 | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPBX | UEAEN | 21.24 | 57.99 | 42.37 | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop - Non-Design | | 3 | UEPBX | UEAEN | 33.65 | 57.99 | 42.37 | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Design | | 1 | UEPBX | UEAED | 14.97 | 142.97 | 106.56 | | | | | | | | İ |
| | 2 Wire Analog Voice Grade Extension Loop - Design | | 2 | UEPBX | UEAED | 25.93 | 142.97 | 106.56 | | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop - Design | | 3 | UEPBX | UEAED | 40.81 | 142.97 | 106.56 | | | | | | | | |
| INTER | OFFICE TRANSPORT | | | | 1 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPBX | U1TV2 | 18.00 | 137.48 | 52.58 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPBX | U1TVM | 0.0125 | 0.00 | 0.00 | | | | | | | | |
| | | | _ | | | | | | | | | | | | | |
| WHOLES | ALE LOCAL PLATFORM SERVICE - CENTREX | | ı | | | | | | | | | | | | | |
| | ALE LOCAL PLATFORM SERVICE - CENTREX Ilowing DS0 Wholesale Local Platform Service - CENTREX rates | shall ap | pply to | the elements indicate | ed accordance | e with the follow | ing criterea: | | | | | | | | | |
| The fol | llowing DS0 Wholesale Local Platform Service - CENTREX rates | | | | | | | narios, the No | onrecurring cha | rges are listed i | n the NRC - | Conversion | s section. Add | ditional NRCs | mav apply also | and are |
| The fol | llowing DS0 Wholesale Local Platform Service - CENTREX rates New Install scenarios the Nonrecurring charges are listed in the F | | | | | | | narios, the No | nrecurring cha | rges are listed i | n the NRC - | Conversion | s section. Add | ditional NRCs | may apply also | and are |
| The fol > For N catego | llowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the F rized accordingly. | irst and | Additio | onal NRC columns fo | or each Port U | ISOC. For Exist | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | and are |
| The fol > For N catego >> End | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the F rizled accordingly. I Office and Tandem Switching Usage and Wholesale Common | First and | Addition | onal NRC columns for | or each Port U | ISOC. For Exist | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | and are |
| The fol > For N catego >> End DS0 W | Ilowing DS0 Wholesale Local Platform Service - CENTREX rates sew Install scenarios the Nonrecurring charges are listed in the F rized accordingly. I offfice and Tandem Switching Usage and Wholesale Common 1 HOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN | First and | Addition | onal NRC columns for | or each Port U | ISOC. For Exist | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | and are |
| The following the second secon | Ilowing DS0 Wholesale Local Platform Service - CENTREX rates New Install scenarios the Nonrecurring charges are listed in the F rized accordingly. I Office and Tandem Switching Usage and Wholesale Common T HOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN SWITCH (Valid in All States) | First and | Addition | onal NRC columns for | or each Port U | ISOC. For Exist | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The fol > For N catego >> End DS0 W | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frizzed accordingly. I Office and Tandem Switching Usage and Wholesale Common THOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) | First and | Addition | onal NRC columns for | ection of this | ISOC. For Exist | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | and are |
| The following the second secon | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the F rized accordingly. I Office and Tandem Switching Usage and Wholesale Common 1 (HOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN SWITCH (Valid in All States) Rates [2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | First and | Addition of Usage | onal NRC columns for gerates in the Port s | ection of this UECS1 | SOC. For Existi | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | and are |
| The following For N catego >> End DS0 W 5ESS \$ | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frizzed accordingly. I Office and Tandem Switching Usage and Wholesale Common THOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) | First and | Addition of Usage FFICE | onal NRC columns for ge rates in the Port s SWITCH TYPE | ection of this | rate exhibit shall | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following For National Control of the following For National Contr | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common THOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) Lewire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | First and | Additional | onal NRC columns for the Port sign of th | ection of this UECS1 UECS1 | rate exhibit shall | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | and are |
| The following For N catego >> End DS0 W 5ESS \$ | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common THOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSULTED (Wild in All States) Lates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS1 | First and | Additional rt Usage FFICE | onal NRC columns for rates in the Port s SWITCH TYPE UEP95 UEP95 UEP95 | ection of this UECS1 UECS1 UECS1 | rate exhibit shall 10.75 19.05 30.33 | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following For National Control of the following For National Contr | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common THOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | First and | Addition of Usage FFICE 1 2 3 1 1 | onal NRC columns for rates in the Port s SWITCH TYPE UEP95 UEP95 UEP95 UEP95 UEP95 | ection of this UECS1 UECS1 UECS1 UECS1 UECS2 | rate exhibit shall 10.75 19.05 30.33 14.97 | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following For National Control of the following For National Contr | Ilowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common THOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) Lewire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | First and | Addition t Usage FFICE 1 2 3 1 2 | perates in the Port s SWITCH TYPE UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 | ection of this UECS1 UECS1 UECS1 UECS2 UECS2 | 10.75 19.05 30.33 14.97 25.93 | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Ilowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common THOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) Lewire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | First and | Addition t Usage FFICE | perates in the Port s SWITCH TYPE UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 | ection of this UECS1 UECS1 UECS1 UECS2 UECS2 | 10.75 19.05 30.33 14.97 25.93 | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Ilowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common THOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (valid in All States) Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 ates Ilowing port rates are effective as specified | First and | Addition t Usage FFICE | perates in the Port s SWITCH TYPE UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 | ection of this UECS1 UECS1 UECS1 UECS2 UECS2 | 10.75 19.05 30.33 14.97 25.93 | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Ilowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common THOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (valid in All States) Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 ates Ilowing port rates are effective as specified | First and | Addition t Usage FFICE | perates in the Port s SWITCH TYPE UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 | ection of this UECS1 UECS1 UECS1 UECS2 UECS2 | 10.75 19.05 30.33 14.97 25.93 | ng Platform sce | | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common ThOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) Lewire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 Illowing port rates are effective as specified tes | First and | Addition t Usage FFICE | praid NRC columns for rates in the Port sign in the Port sign rate in the Port | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 | 10.75 19.05 19.05 30.33 14.97 25.93 40.81 | ng Platform see | 0 Wholesale L | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frizzed accordingly. I Office and Tandem Switching Usage and Wholesale Common ThOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) Lattes 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | First and | Addition t Usage FFICE | praid NRC columns for rates in the Port s SWITCH TYPE UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 | UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 | 10.75 19.05 30.33 14.97 25.93 40.81 | ng Platform sce apply to the DS | 0 Wholesale L | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common ThOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 I-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 I-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 Illowing port rates are effective as specified tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex) Basic Local Area | First and | Addition t Usage FFICE | praid NRC columns for rates in the Port s SWITCH TYPE UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 UEP95 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECYS2 UECYS2 | 10.75 19.05 19.05 30.33 14.97 25.93 40.81 | apply to the DS | 85.00 85.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frizzed accordingly. 10 Office and Tandem Switching Usage and Wholesale Common TriboLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) 12-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 ates 10wing port rates are effective as specified tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | First and | Addition t Usage FFICE | praid NRC columns for rates in the Port sign in the Port sign rate in the Port | UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 | 10.75 19.05 30.33 14.97 25.93 40.81 | ng Platform sce apply to the DS | 0 Wholesale L | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common ThoLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 Illowing port rates are effective as specified tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | First and | Addition t Usage FFICE | praid NRC columns for rates in the Port sign in the Port sign rate in the Port | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYS2 UECYS2 UECYS2 UECYS2 | 10.75 19.05 19.05 30.33 14.97 25.93 40.81 12.28 | 105.00 105.00 | 85.00 85.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common Trocesale Local Platform Service - CENTREX BY CENSWITCH (Valid in All States) I Switch (Valid in All States) I Z-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex Description of the Service Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex With Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex Form diff Serving Wire Center)2 Basic Local Area | First and | Addition t Usage FFICE | praid NRC columns for the Port sign rates in in the Port sign rate in the Port sign rat | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECYS2 UECYS2 | 10.75 19.05 19.05 30.33 14.97 25.93 40.81 | apply to the DS | 85.00 85.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common ThoLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 Illowing port rates are effective as specified tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 | First and | Addition t Usage FFICE | praid NRC columns for the Port sign rates in in the Port sign rate in the Port sign rat | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYS2 UECYS2 UECYS2 UECYS2 | 10.75 19.05 19.05 30.33 14.97 25.93 40.81 12.28 | 105.00 105.00 | 85.00 85.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common ThoLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | First and | Addition t Usage FFICE 1 2 3 1 2 | ue post in the Port s switch Type UEP95 | UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECYS2 UECYS2 UECYS2 UECYS2 UECYS2 UECYS2 | 10.75 19.05 30.33 14.97 25.93 40.81 12.28 12.28 12.28 | 105.00 105.00 215.00 | 85.00 85.00 85.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common Tricel accordingly. I Office and Tandem Switching Usage and Wholesale Common Tricel Centre Structure (Common Tricel Centre Structure). I Office and Tandem Switching Usage and Wholesale Common Tricel Centre Structure (Common Tricel Centre Structure). I Office and Tandem Switching Usage and Wholesale Common Tricel Centre Structure (Common Tricel Centre Structure). I Office and Tandem Switching Usage and Wholesale Common Tricel Centre Structure (Common Tricel Centre Structure). I Office and Tandem Switching Usage and Wholesale Centre Structure (Common Tricel Centre Structure). I Office Amon Tricel Centre Structure (Common Tricel Centre). I Office Amon Tricel Centre Structure (Common Tricel Centre). I Office Amon Tricel Centre Structure (Common Tricel Centre). I Office Amon Tricel Centre Structure (Common Tricel Centre). I Office Amon Tricel Centre (Centre Structure). I Office Amon Tricel C | First and | Addition t Usage FFICE 1 2 3 1 2 | praid NRC columns for the Port sign rates in in the Port sign rate in the Port sign ra | UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECY2 | 10.75 19.05 19.05 30.33 14.97 25.93 40.81 12.28 12.28 12.28 | 105.00 105.00 215.00 | 85.00 85.00 85.00 165.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. Illowing DS0 Wholesale Common Thread | Franspo TRAL O | Addition t Usage FFICE 1 2 3 1 2 | ue post in the Port s switch Type UEP95 | UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECS2 UECYS2 UECYS2 UECYS2 UECYS2 UECYS2 UECYS2 | 10.75 19.05 30.33 14.97 25.93 40.81 12.28 12.28 12.28 | 105.00 105.00 215.00 | 85.00 85.00 85.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common ThoLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port terminated on 800 Service Term - Basic Local Area | Franspo TRAL O | Addition t Usage FFICE 1 2 3 1 2 | praid NRC columns for rates in the Port sign in the Port sign rate in the Port | UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYS2 UEPYA UEPYH UEPYH UEPYH UEPYH | 10.75 19.05 30.33 14.97 25.93 40.81 12.28 12.28 12.28 | 105.00 105.00 215.00 105.00 | 85.00 85.00 165.00 85.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The folion of th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage Troces and Troces and Troces and Tandem Switching Usage Troces T | Franspo TRAL O | Addition t Usage FFICE 1 2 3 1 2 | praid NRC columns for the Port sign rates in in the Port sign rate in the Port sign ra | UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECY2 | 10.75 19.05 19.05 30.33 14.97 25.93 40.81 12.28 12.28 12.28 | 105.00 105.00 215.00 | 85.00 85.00 85.00 165.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The following th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. Illowing DS0 Wholesale Local Platform Service - CENTREX BY CEN SWITCH (Valid in All States) In Office and Tandem Switching Usage and Wholesale Common THOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN SWITCH (Valid in All States) In Office and Tandem Switching Usage and Wholesale Common THOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN SWITCH (Valid in All States) In Office and Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 Illowing port rates are effective as specified tes Illowing port rates are effective as specified tes 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port terminated on 800 Service Term - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area | Franspo TRAL O | Addition t Usage FFICE 1 2 3 1 2 | UEP95 | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECS2 UECYS2 UEC | 10.75 19.05 30.33 14.97 25.93 40.81 12.28 12.28 12.28 12.28 12.28 12.28 | 105.00 105.00 215.00 105.00 | 85.00 85.00 85.00 165.00 85.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The folion of th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates | Franspo TRAL O | Addition t Usage FFICE 1 2 3 1 2 | praid NRC columns for rates in the Port sign in the Port sign rate in the Port | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYS2 UEPYA UEPYH UEPYH UEPYH UEPYH UEPYH UEPYS UEPYS UEPYS | 10.75 19.05 30.33 14.97 25.93 40.81 12.28 12.28 12.28 12.28 | 105.00 105.00 215.00 105.00 105.00 53.56 | 85.00 85.00 165.00 165.00 85.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The folion of th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage Troces and Troces and Troces and Tandem Switching Usage Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troc | Franspo TRAL O | Addition t Usage FFICE 1 2 3 1 2 | DEPS UEPS | UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECY2 UEPYA UEPYB UEPYH UEPYH UEPYH UEPYZ UEPYS UEPYS | 10.75 10.75 19.05 30.33 14.97 25.93 40.81 12.28 12.28 12.28 12.28 12.28 12.28 12.28 12.28 | 105.00 105.00 215.00 105.00 105.00 53.56 | 85.00 85.00 85.00 165.00 85.00 181.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The folion of th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates | Franspo TRAL O | Addition t Usage FFICE 1 2 3 1 2 | praid NRC columns for rates in the Port sign in the Port sign rate in the Port | UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECYS2 UEPYA UEPYH UEPYH UEPYH UEPYH UEPYH UEPYS UEPYS UEPYS | 10.75 19.05 30.33 14.97 25.93 40.81 12.28 12.28 12.28 12.28 | 105.00 105.00 215.00 105.00 105.00 53.56 | 85.00 85.00 165.00 165.00 85.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The folion of th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common ThoLESALE LOCAL PLATFORM SERVICE - CENTREX BY CENSWITCH (Valid in All States) Rates 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 2-Wire Voice Grade Port (Centrex) Basic Local Area 2-Wire Voice Grade Port (Centrex With Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area 2-Wire Voice Grade Port terminated on 800 Service Term - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area 2-Wire Voice Grade Port Terminated on 800 Service Term - Basic Local Area 2-Wire Voice Grade Port Centrex 800 termination) 2-Wire Voice Grade Port Centrex 800 termination) 2-Wire Voice Grade Port Centrex 800 termination) 2-Wire Voice Grade Port Centrex 800 termination) | Franspo TRAL O | Addition t Usage FFICE 1 2 3 1 2 | rates in the Port s SWITCH TYPE UEP95 | UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECY2 UEPYB UEPYH UEPYH UEPYH UEPYH UEPYZ UECY2 UECY2 UECY2 UECY2 UECY2 UECY2 UEPYB UEPYH UEPYH UEPYH UEPYH UEPYH UEPYD UEPYD UEPYD | 10.75 19.05 30.33 14.97 25.93 40.81 12.28 12.28 12.28 12.28 12.28 12.28 12.28 12.28 12.28 12.28 | 105.00 105.00 105.00 215.00 105.00 105.00 53.56 53.56 | 85.00 85.00 165.00 85.00 165.00 181.33 18.13 18.13 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |
| The folion of th | Illowing DS0 Wholesale Local Platform Service - CENTREX rates lew Install scenarios the Nonrecurring charges are listed in the Frized accordingly. I Office and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage and Wholesale Common Troces and Tandem Switching Usage Troces and Troces and Troces and Tandem Switching Usage Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troces Troc | Franspo TRAL O | Addition t Usage FFICE 1 2 3 1 1 2 | DEPS UEPS | UECS1 UECS1 UECS1 UECS1 UECS2 UECS2 UECS2 UECS2 UECY2 UEPYA UEPYB UEPYH UEPYH UEPYH UEPYZ UEPYS UEPYS | 10.75 10.75 19.05 30.33 14.97 25.93 40.81 12.28 12.28 12.28 12.28 12.28 12.28 12.28 12.28 | 105.00 105.00 215.00 105.00 105.00 53.56 | 85.00 85.00 85.00 165.00 85.00 181.00 | | | | Conversion | s section. Add | ditional NRCs | may apply also | o and are |

| | | 1 | | | | | | | | | 0 | 0 0 . | Income 1.1 | Inches 1 | Inches 1.1 | h |
|-----------|--|--|--|----------------|--------|--------|--------|-----------|--------------|--|--|---|--|--|---|---|
| EGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | | | | | | | | | |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | l | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPU9 | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPU2 | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | witching | | | LIEBOS | LIBEOO | 0.000 | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.903 | | | | | 1 | | | | | |
| Feature | All Standard Features Offered, per port | - | - | UEP95 | UEPVF | 3.40 | | | | | - | | | | | |
| + | All Select Features Offered, per port | - | - | UEP95 | UEPVS | 0.00 | 457.83 | | | | - | | | | | |
| | All Centrex Control Features Offered, per port | - | - | UEP95 | UEPVS | 3.40 | 457.63 | | | | - | | | | | |
| NARS | All Centrex Control Features Offered, per port | - | - | UEP95 | UEPVC | 3.40 | | | | - | + | | | | | |
| IVANO | Network Access Register - Combination | | - | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | | | + | | | | | |
| + | Network Access Register - Combination Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | | | + | | | | | |
| | Network Access Register - Indial Network Access Register - Outdial | | | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | | | + | | | | | |
| | neous Terminations | | | OL1 30 | UANUA | 0.00 | 0.00 | 0.00 | | <u> </u> | + | | | | | |
| | runk Side | | | | + | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP95 | CEND6 | 12.36 | | | | | | | | | | |
| | Digital (1.544 Megabits) | | | 02.00 | SEINDO | 12.30 | | | | † | <u> </u> | | l | | | |
| | DS1 Circuit Terminations, each | 1 | | UEP95 | M1HD1 | 123.65 | | | | l | † | | 1 | | | |
| | DS0 Channels Activated, each | 1 | | UEP95 | M1HDO | 0.00 | 28.81 | | | l | † | | 1 | | | |
| | ce Channel Mileage - 2-Wire | 1 | | | | 0.00 | 20.01 | | | l | † | | 1 | | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 18.00 | | | | | 1 | | | | | |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.0282 | | | | | 1 | | | | | |
| | Activations (DS0) Centrex Loops on Channelized DS1 Service | | | 02.00 | | 0.0202 | | | | | 1 | | | | | |
| | nnel Bank Feature Activations | | | | 1 | | | | | | + | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | 1 | | UEP95 | 1PQWS | 0.65 | | | | l | † | | 1 | | | |
| + | | 1 | | | 4,,0 | 0.00 | | | | l | † | | 1 | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP95 | 1PQW7 | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP95 | 1PQWP | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.65 | | | | | | | | | | |
| | • | | | | | i i | | | | Î | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | UEP95 | 1PQWQ | 0.65 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.65 | | | | | | | | | | |
| Non-Re | curring Charges (NRC) | | | | | | | | | | | | | | | |
| | Conversion - Existing Platform Switch-As-Is with allowed changes, per port | | | UEP95 | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 770.00 | | | | | | | | | |
| | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 770.00 | | | İ | | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | 0.00 | 85.00 | | | | | | | | | |
| Addition | al Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP95 | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP95 | URETN | | 11.20 | 1.10 | | | | | | | | _ |
| DMS100 | SWITCH (Valid in All States) | | | | 1 | | 0 | | | | | | | | | |
| Loop Ra | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | - | 4 | UEP9D | UECS1 | 10.75 | | | | | + | | - | | | |
| + | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | I | 2 | UEP9D UEP9D | UECS1 | 10.75 | | | | | + | | | | | |
| + | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | - | 3 | UEP9D | UECS1 | 30.33 | | | | | + | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 1 | UEP9D UEP9D | UECS1 | 14.97 | | | | <u> </u> | + | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 2 | UEP9D | UECS2 | 25.93 | | | | <u> </u> | + | | | | | |
| + - | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP9D | UECS2 | 40.81 | | | | | | | | | | |
| Port Ra | | | - | 02.00 | 22002 | 40.01 | | | | † | <u> </u> | | l | | | |
| | owing port rates are effective as specified | — | \vdash | | + | | | | | | | | l | | | |
| All State | | 1 | | | 1 | 1 | | | | l | † | | 1 | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | 1 | | UEP9D | UEPYA | 12.28 | 53.56 | 18.13 | | l | † | | 1 | | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | 05 | | .2.20 | 00.00 | .0.10 | | 1 | | | | | | |
| | Area | | | UEP9D | UEPYB | 12.28 | 53.56 | 18.13 | | | 1 | | 1 | | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | | | UEP9D | UEPYC | 12.28 | 53.56 | 18.13 | | ļ | 1 | | ļ | | | |

| | North Carolina | 1 | 1 | 1 | | | | | | | Svo Order | Svo Order | Att: 1 Exh: A | Ingramantal | Ingramantal | Incremental |
|--------|---|--|--|----------------|---------|----------------|-----------------|-----------------|-----------------------|--|-----------|---|--|--|---|---|
| regory | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | - | | N | | L 81 | Di | | | 000 | D-1(A) | | |
| _ | | | | | - | Rec | Nonred First | urring Add'l | Nonrecurring First | Add'l | SOMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | | | | First | Addi | FIISt | Add I | SUMEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN |
| | Area | | | UEP9D | UEPYE | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | 1 | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYF | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| - | Area | | | UEP9D | UEPYG | 12.28 | 53.56 | 18.13 | | | 1 | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local Area | | | UEP9D | UEPYT | 12.28 | 53.56 | 18.13 | | | | | | | | |
| _ | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | | | OLI 9D | OLI II | 12.20 | 33.30 | 10.13 | | | | | | | | |
| | Area | | | UEP9D | UEPYU | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP9D | UEPYV | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | UEP9D | HEDVO | 12.28 | E0 E0 | 40.40 | | | | 1 | | | | |
| _ | Area | | | DEPSD | UEPY3 | 12.28 | 53.56 | 18.13 | | t | 1 | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local Area | | | UEP9D | UEPYH | 12.28 | 53.56 | 18.13 | | 1 | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | | | | 22.30 | | | 1 | Ì | | | | | |
| | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYJ | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 Basic Local Area | | | UEP9D | UEPYM | 12.28 | 189.26 | 147.38 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEF9D | OEFTIVI | 12.20 | 109.20 | 147.30 | | | + | | | | | |
| | Basic Local Area | | | UEP9D | UEPYO | 12.28 | 189.26 | 147.38 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYP | 12.28 | 189.26 | 147.38 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | | | | | | | | | | | | | |
| _ | Basic Local Area | | | UEP9D | UEPYQ | 12.28 | 189.26 | 147.38 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 Basic Local Area | | | UEP9D | UEPYR | 12.28 | 189.26 | 147.38 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | OLI SD | OLI III | 12.20 | 103.20 | 147.00 | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYS | 12.28 | 189.26 | 147.38 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 12.28 | 189.26 | 147.38 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | LIEDOD | LIEDVE | 40.00 | 400.00 | 4.47.00 | | | | | | | | |
| _ | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPY5 | 12.28 | 189.26 | 147.38 | | - | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY6 | 12.28 | 189.26 | 147.38 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY7 | 12.28 | 189.26 | 147.38 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOD | UED) (Z | | 100.5- | | | | | 1 | | | | |
| - | Term 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | - | UEP9D | UEPYZ | 12.28 | 189.26 | 147.38 | | | 1 | | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 12.28 | 53.56 | 18.13 | | | | 1 | | | | |
| - | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | † | | 32 | .2.20 | 55.50 | .0.10 | | 1 | | | | | | |
| | Local Area | | | UEP9D | UEPY2 | 12.28 | 53.56 | 18.13 | | | | | | | | |
| NC On | | | | | | | | | | | | | | | | |
| _ | 2-Wire Voice Grade Port (Centrex) | - | - | UEP9D | UEPUA | 12.28 | 53.56 | 18.13 | ļ | - | 1 | | | | | |
| - | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | - | - | UEP9D UEP9D | UEPUB | 12.28 12.28 | 53.56 53.56 | 18.13 18.13 | | | - | - | | | | — |
| _ | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPUD | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPUE | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPUF | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPUG | 12.28 | 53.56 | 18.13 | | | | | | | | |
| _ | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | - | - | UEP9D | UEPUT | 12.28 | 53.56 | 18.13 | ļ | - | 1 | | | | | |
| - | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | - | - | UEP9D UEP9D | UEPUV | 12.28 12.28 | 53.56 53.56 | 18.13 18.13 | - | | + | - | - | | | |
| + | 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D UEP9D | UEPUV | 12.28 | 53.56 | 18.13 | | | + | | | | | |
| _ | 2-Wire Voice Grade Port (Centrex / EBS-MSS16)3 | | | UEP9D | UEPUH | 12.28 | 53.56 | 18.13 | | <u> </u> | 1 | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | 1 | | | | | | | | | | | | | |
| | Indication)3 | | | UEP9D | UEPUW | 12.28 | 53.56 | 18.13 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPUJ | 12.28 | 53.56 | 18.13 | | ļ | | | | | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) 2 | | 1 | UEP9D | UEPUM | 12.28 | 189.26 | 147.38 | | | 1 | | | | | |

| CATEGORY RATE ELEMENTS Interim Zone BCS USOC RATES(\$) Sv C Order Submitted Submitted Charge per LSR Manually per LSR Order Submitted Submitted Manually per LSR Order Submitted | Att: 1 Exh: A | : 1 Exh: A |
|---|---|---|
| No. Prist April SOME SOMAN | Svc Order Incremental Ir Submitted Charge - Manually Per LSR Order vs. Electronic- Ist | |
| SWINE VOID Class Port Contracellater SWC RESENTS 3 UPPID | | OSS Rates(\$) SOMAN SOMAN SOMAN SOMAN |
| Description | SUMAN SUMAN | SUMAN SUMAN SUMAN |
| 2-Wire Voice Grade Port Centracidific SWC (EBS-ASS12), 3 | | |
| 2-Wite Voice Crash Port Centresoffler SWC EBS-63092, 3 UEPDO UEPU 12.28 199.28 147.38 | | |
| Description | | |
| 2-Nime Votes Grade Port (Centrecidiffer SWC RES-M5008)2.3 UEP90 UEPU5 12.28 189.26 147.38 UEP90 UEP9 | | |
| 2-Nime Votes Grade Port (Centrecidiffer SWC RES-M5008)2.3 UEP90 UEPU5 12.28 189.26 147.38 UEP90 UEP9 | | |
| 2-Wire Voice Grade Port (Centracidifer SWC RES-M5008)2, 3 | | |
| 2-Wire Voice Grade Port (Centracidifer SWC RES-M5008)2, 3 | | |
| 2-Wine Voice Grade Port (Certreviller's SWC /EBS-M5208)2, 3 | | |
| 2-Wine Voice Grade Port (Certrexcitifer SWC /EBS-M5208)2, 3 | | |
| 2-Wire Voice Grade Port (Certrexidifer SWC /EBS-M5216)2, 3 | | |
| 2-Wire Voice Grade Port (Centrex/Giffer SWC, ESB-MS316)2, 3 UEP90 UEPU7 12.28 189.26 147.38 | | |
| 2-Wire Voice Grade Port (Centrex/Giffer SWC, ESB-MS316)2, 3 UEP90 UEPU7 12.28 189.26 147.38 | | |
| 2-Wire Voice Grade Port terminated in on Megalink or equivalent UEP9D UEPUZ 12.28 189.26 147.38 | | |
| 2-Wire Voice Grade Port Item/insted in on Megalirik or equivalent UEP9D UEPUZ 12.28 188.26 147.38 | | |
| Term | | |
| 2-Wire Voice Grade Port terminated in on Megalirk or equivalent UEP9D UEPU2 12.28 53.56 18.13 | | |
| 2-Wire Voice Grade Port Terminated on 800 Service Term UEP0D UEP0Z 12.28 53.56 18.13 | \longrightarrow | - |
| 2-Wire Voice Grade Port Terminated on 800 Service Term UEP9D UEP | | |
| Local Switching | | |
| Centrex Intercon Furtionally, per port UEPBD URECS 0.903 | | |
| Features | | |
| All Standard Features Offered, per port UEPBD UEPVF 3.40 | | |
| All Select Features Offered, per port | | |
| NARS | | |
| Network Access Register - Combination | | |
| Network Access Register - Outdal | | |
| Network Access Register - Outdial UEP9D UAROX 0.00 | | |
| Miscellaneous Ferminations | | |
| 2-Wire Trunk Side | | |
| Trurk Side Terminations, each UEP9D CEND6 12.38 | | |
| 4-Wire Digital (1,544 Megabits) | | |
| DS1 Circuit Terminations, each | | |
| DSO Channels Activiated per Channel UEP9D M1HDO 0.00 28.81 | | |
| Interoffice Channel Mileage - 2-Wire Interoffice Channel Facilities Termination Interoffice Channel Facilities Termination UEP9D M1GBM 0.0282 Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Facture Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.65 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank FX Tunk Side Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank FX Tunk Side Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank FX Tunk Side Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank FX Tunk Side Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Fivate Line Loop Slot | | |
| Interoffice Channel Facilities Termination UEP9D M1GBC 18.00 Interoffice Channel mileage, per mile or fraction of mile UEP9D M1GBM 0.0282 Interoffice Channel mileage, per mile or fraction of mile UEP9D M1GBM 0.0282 Interoffice Channel mileage, per mile or fraction of mile UEP9D M1GBM 0.0282 Interoffice Channel mileage, per mile or fraction of mile UEP9D M1GBM 0.0282 Interoffice Channel mileage, per mile or fraction of mile UEP9D M1GBM 0.0282 Interoffice Channel mileage, per mile or fraction of mile UEP9D M1GBM 0.0282 Interoffice Channel mileage, per mile or fraction of mile UEP9D M1GBM 0.0282 Interoffice Channel mileage, per mile or fraction of mile UEP9D M1GBM 0.0282 Interoffice Channel mileage, per port UEP9D M1GBM 0.0282 Interoffice Channel mileage, per mile or fraction of mile M1GBM 0.0282 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 770.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel mileage, per port UEP9D M1ACS 0.00 85.00 Interoffice Channel m | | |
| Interoffice Channel mileage, per mile or fraction of mile Feature Activations (DS0) Centrex Loops on Channelized DS1 Service D4 Channel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWS 0.65 Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Centrex Loop Slot-Different Wire Center UEP9D 1PQWF 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D 1PQWA 0.65 Feature Activation on D-4 Channel Bank Wats Loop Slot UEP9D | | |
| Feature Activations (DS0) Centrex Loops on Channelized DS1 Service | | |
| Feature Activation on D-4 Channel Bank Centrex Loop Slot Feature Activation on D-4 Channel Bank FX line Side Loop Slot UEP9D 1PQW6 0.65 | | |
| Feature Activation on D-4 Channel Bank FX line Side Loop Slot Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot Feature Activation on D-4 Channel Bank Centrex Loop Slot Different Wire Center UEP9D 1PQW7 0.65 Feature Activation on D-4 Channel Bank Centrex Loop Slot UEP9D 1PQWP 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWQ 0.65 Non-Recurring Charges (NRC) Conversion - Existing Platform Switch-As-Is with allowed changes, per port New Centrex Standard Common Block UEP9D USAC2 10.00 10.00 10.00 New Centrex Customized Common Block UEP9D M1ACS 0.00 770.00 New Centrex Customized Common Block UEP9D URECA 0.00 85.00 Additional Non-Recurring Charges (NRC) | | |
| Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP9D 1PQW7 0.65 | | |
| Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot UEP9D 1PQW7 0.65 | | |
| Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP9D 1PQWP 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWQ 0.65 Non-Recurring Charges (NRC) Conversion - Existing Platform Switch-As-Is with allowed changes, per port UEP9D USAC2 10.00 10.00 New Centrex Standard Common Block UEP9D M1ACS 0.00 770.00 New Centrex Customized Common Block UEP9D M1ACC 0.00 770.00 NAR Establishment Charge, Per Occasion UEP9D URECA 0.00 85.00 Additional Non-Recurring Charges (NRC) | | |
| Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center UEP9D 1PQWP 0.65 Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.65 Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot UEP9D 1PQWQ 0.65 Feature Activation on D-4 Channel Bank WATS Loop Slot UEP9D 1PQWQ 0.65 Non-Recurring Charges (NRC) Conversion - Existing Platform Switch-As-Is with allowed changes, per port UEP9D USAC2 10.00 10.00 New Centrex Standard Common Block UEP9D M1ACS 0.00 770.00 New Centrex Customized Common Block UEP9D M1ACC 0.00 770.00 NAR Establishment Charge, Per Occasion UEP9D URECA 0.00 85.00 Additional Non-Recurring Charges (NRC) | | |
| Different Wire Center | | |
| Feature Activation on D-4 Channel Bank Private Line Loop Slot UEP9D 1PQWV 0.65 | | |
| Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot UEP9D 1PQWQ 0.65 | - + + | |
| Feature Activation on D-4 Channel Bank Tije Line/Trunk Loop Slot UEP9D 1PQWQ 0.65 | | |
| Feature Activation on D-4 Channel Bank WATS Loop Slot | -+ | |
| Feature Activation on D-4 Channel Bank WATS Loop Slot | | |
| Non-Recurring Charges (NRC) | - - | |
| Conversion - Existing Platform Switch-As-Is with allowed changes, per port UEP9D USAC2 10.00 10.00 | | |
| Der port | | |
| New Centrex Customized Common Block UEP9D M1ACC 0.00 770.00 NAR Establishment Charge, Per Occasion UEP9D URECA 0.00 85.00 Additional Non-Recurring Charges (NRC) UEP9D URECA 0.00 85.00 | <u> </u> | |
| NAR Establishment Charge, Per Occasion UEP9D URECA 0.00 85.00 Additional Non-Recurring Charges (NRC) Image: Charge of the ch | | |
| Additional Non-Recurring Charges (NRC) | | |
| | | |
| Miscellaneous Rate Element, Tag Loop at End Use Premise UEP9D URETL 8.33 0.83 | | |
| | | |
| Miscellaneous Rate Element, Tag Design Loop at End Use Premise UEP9D URETN 11.20 1.10 | | |

| SERVICES - | North Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | | |
|--|---|--|--|----------------|----------------|------------------|------------------|------------------|-----------------------|-------------------|--|---|---|---|---|---|----------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | Incremental Charge - Manual Svc Order vs. Electronic- | |
| | | | | | | | Name | | Name | Discourse | | | 1st | Add'l | Disc 1st | Disc Add'l | |
| | | | | | | Rec | Nonred First | arring Add'l | Nonrecurring First | Add'I | SOMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN | |
| Note 1 | Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | İ | | | 7144 | 1 | 7144 | 0020 | 00 | 00.12.11 | 00.12.11 | 00.00 | 00 | |
| | - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | | |
| | Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | | |
| | LE LOCAL SWITCHING PORTS | | - | | | | | | | | | | | | | | |
| DS0 W | HOLESALE LOCAL SWITCHING PORTS Exchange Ports - 2-Wire DID Port | - | | UEPSP | UEPP2 | 32.12 | 424.81 | 288.40 | | | - | | | | | | |
| | Subsequent Activity | - | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Exchange Ports - 2-Wire ISDN Port (See Note1and 2 Below.) | | | UEPTX, UEPSX | U1PMA | 50.00 | 200.00 | 130.00 | | | | | | | | | |
| | All Features Offered | | | UEPTX, UEPSX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | Wholesale Exchange Ports - 2-Wire ISDN Port Channel Profiles | <u></u> | | UEPTX, UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | <u> </u> | | | | | |
| | : Transmission/usage charges associated with POTS circuit solds: Access to B Channel or D Channel Packet capabilities will be | | | | | | | | | | | | LISINGS PAGE | et Process | | | |
| | HOLESALE LOCAL SWITCHING PORTS WITH REMOTE CALL | | | | isiness nequ | lest Flocess. Re | ates for the pac | ket capabilities | will be determ | lileu via tile Bo | ila riue key | uest/New D | usiness Reque | SI FIOCESS. | | | |
| | E CALL FORWARDING SERVICE - (Residence) | 1 | | | | | | | | | | | | | | | |
| | Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 9.19 | 33.56 | 11.97 | | | | | | | | | |
| | Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 9.19 | 33.56 | 11.97 | | | | | | | | | |
| \vdash | Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE UERTR | 9.19 | 33.56 33.56 | 11.97 | | ļ | 1 | | <u> </u> | | | | |
| Non Po | Remote Call Forwarding Service, IntraLATA - Res curring (Residence) | - | | UEPVR | UERTR | 9.19 | 33.56 | 11.97 | | | - | | | | | | |
| Non-Ke | Remote Call Forwarding Service - Conversion - Switch-as-is | - | | UEPVR | USAC2 | | 10.00 | 10.00 | | | | | | | | | |
| | Remote Call Forwarding Service - Conversion with allowed | | | 02. *** | CONCE | | 10.00 | 10.00 | | | | | | | | | |
| | change (PIC and LPIC) | | | UEPVR | USACC | | 10.00 | 10.00 | | | | | | | | | |
| REMOT | E CALL FORWARDING - (Business) | | | | | | | | | | | | | | | | |
| | Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 12.19 | 53.56 | 22.15 | | | | | | | | | |
| | Remote Call Forwarding Service, Local Calling - Bus Remote Call Forwarding Service, InterLATA - Bus | - | - | UEPVB | UERLC | 12.19 12.19 | 53.56 | 22.15 | | | | | | | - | | |
| | Remote Call Forwarding Service, InterLATA - Bus Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB UEPVB | UERTE UERTR | 12.19 | 53.56 53.56 | 22.15 22.15 | | | | | | | | | |
| | Remote Call Forwarding Service Expanded and Exception Local | | | OLI VB | OLIVIN | 12.19 | 33.30 | 22.10 | | | | | | | | | |
| | Calling | | | UEPVB | UERVJ | 12.19 | 53.56 | 22.15 | | | | | | | | | |
| Non-Re | curring (Business) | | | | | | | | | | | | | | | | |
| | Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVB | USAC2 | | 10.00 | 10.00 | | | | | | | | | |
| | Remote Call Forwarding Service - Conversion with allowed | | | LIEDVD | 110400 | | 40.00 | 40.00 | | | | | | | | | |
| DO1 WHOLES | change (PIC and LPIC) LE LOCAL SWITCHING PORTS | | | UEPVB | USACC | | 10.00 | 10.00 | | | | | | | | | |
| | NGE PORT RATES | - | | | | | | | | | | | | | | | |
| - LXGIII | | | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 Below.) | | | UEPEX | UEPEX | 380.00 | 1,000.00 | 900.00 | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 | | | | | | | | | | | | | | | | |
| | Locator Capability (See Note1and 2 Below.) | | | UEPEX | UEPEX | 380.00 | 1,000.00 | 900.00 | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 Below.) | | 1 | UEPDX | UEPDX | 380.00 | 1,000.00 | 900.00 | | | | 1 | | | | | |
| | Physical Collocation - DS1 Cross-Connects | 1 | | UEPEX UEPDX | PE1P1 | 2.34 | 71.02 | 51.08 | | | 1 | | | | | | |
| | Virtual collocation - cross-connect per DS1 | | | UEPEX UEPDX | CNC1X | 0.97 | 71.02 | 51.08 | | | | | | | | | |
| Detaile | E911 with Locator Capability (required with UEPEX port) | | | | | | | | | | | | | | | | |
| _ | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability | | | LIEBEY | | | | J | | | | 1 | | | | | |
| \vdash | - Initial Profile Establishment per CLEC per State | ! | - | UEPEX | UEP1A | 0.00 | 1,802.00 | | | - | | | | | | | |
| 1 1 | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability - Subsequent Profile Changes, Additions, Deletions | | 1 | UEPEX | UEP1B | 0.00 | 174.99 | J | | | | 1 | | | | | |
| New or | Additional PRI Telephone Numbers | † | | OLI LA | JLI ID | 0.00 | 174.39 | | | | † | | | | | | |
| 1 200 | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability | | | | | | | | | | | | | | | | |
| 1 1 | 2-way Telephone Numbers, per number in E911 profile [New or | | | | | | | | | | | | | | | | |
| \vdash | Additional] | <u> </u> | | UEPEX | UEP1C | | 1.17 | 1.17 | | | ļ | | | | | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator Capability | | | | | | | J | | | | | | | | | |
| | Outdial Telephone Numbers, per number in E911 profile [New or Additional] | | | UEPEX | UEP1D | | 28.17 | 28.17 | | | | | | | | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone | † | | OLI LA | OLI ID | | 20.17 | 20.17 | | | † | | | | | | |
| | Numbers - Inward Data Only Option [New or Additional] | | | UEPDX | UEP1E | 0.00 | 1.17 | 1.17 | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] | | | | | | | | | 1 | İ | | | | | | |
| | Inward Tel Numbers [Customer Testing Purposes] | | | UEPEX | PR7ZT | 0.00 | 56.33 | 56.33 | | | ļ | | | | | | |
| INTERI | ACE (Provsioning Only) | _ | | LIEBEY | DD=4:: | | | | | | 1 | | | | | | |
| \vdash | Voice/Data | - | - | UEPEX | PR71V | 0.00 | 0.00 | 0.00 | | - | } | - | | | | | |
| \vdash | Digital Data Inward Data | + | - | UEPEX UEPDX | PR71D PR71E | 0.00 | 0.00 | 0.00 | | | | - | | | | | - |
| $\overline{}$ | IIIWalu Dald | | | UEPDA | ILK/ IF | 0.00 | 0.00 | 0.00 | | 1 | 1 | l | 1 | L | l | | |

| SEKVICES | - North Carolina | | | | | | | | | | | | | Att: 1 Exh: A | | | | |
|----------|---|--|--|------------|-----------|----------------|--|------------------|------------------|----------------|-----------------|---|---|--|---|---|---|-------------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | В | cs | usoc | | N | RATES(\$) | Nonce | Discourse | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | <u> </u> | | - | | | ļ | Rec | | curring | Nonrecurring | | 001150 | 001111 | | Rates(\$) | 0011111 | 001111 | ₩ |
| | 1.1111 | | | | | ļ | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | + |
| New c | or Additional Channel | | _ | | | | | | | | | | | | | | | ₩— |
| | New or Additional - Voice/Data "B" Channel | | _ | UEPEX | | PR7BV | 0.00 | 36.92 | | | | | | | | | | — |
| | New or Additional - Digital Data "B" Channel | | | UEPEX | | PR7BF | 0.00 | 36.92 | | | | | | | | | | ↓ |
| | New or Additional Inward Data "B" Channel | | | UEPDX | | PR7BD | 0.00 | 36.92 | | | | | | | | | | ↓ |
| | New or Additional Useage Sensitive Voice Data "B" Channel | | | UEPEX | | PR7BS | 0.00 | | | | | | | | | | | ↓ |
| | New or Additional Useage Sensitive Digital Data "B" Channel | | | UEPEX | | PR7BU | 0.00 | | | | | | | | | | | ↓ |
| | New or Additional PRI "D" Channel | | | UEPEX | | PR7EX | 0.00 | 36.92 | | | | | | | | | | ↓ |
| CALL | TYPES | | | | | | 1 | | | | | | | | | | | ↓ |
| | Inward | | | UEPEX | UEPDX | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | | ↓ |
| | Outward | | | UEPEX | | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | | ↓ |
| | Two-way | | | UEPEX | | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | | ↓ |
| | 1: Transmission/usage charges associated with POTS circuit s | | | | | | | | | | | | | L | | | | ↓ |
| | 2: Access to B Channel or D Channel Packet capabilities will be | availabl | e only | through Bl | FR/New Bu | ısiness Requ | est Process. R | ates for the pac | ket capabilities | will be determ | ined via the Bo | na Fide Req | uest/New B | usiness Reque | est Process. | | | ↓ |
| | SALE LOCAL PLATFORM SERVICE | ! | - | | | | | | | | | | | | | | | ₩ |
| | /holesale Local Platform Service-Direct Inward Dialing (DID) | <u> </u> | _ | | | ļ | | | | | | | ļ | | | | | ₩ |
| DS0 L | oop Rates | L | | | | ļ | 1 | | | | | | | | | | | ↓ |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | | 1 | UEPPX | | UECD1 | 8.85 | | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | L | 2 | UEPPX | | UECD1 | 15.68 | | | | | | | | | | | ↓ |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | | 3 | UEPPX | | UECD1 | 24.96 | | | | | | | | | | | ↓ |
| DS0 P | ort Rates | | | | | | | | | | | | | | | | | |
| ullet | Exchange Ports - 2-Wire DID Port | | | UEPPX | | UEPD1 | 32.12 | 424.81 | 288.40 | | | | | | | | | |
| NONR | ECURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | | | |
| ı I | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Existing | | | | | | | | | | | | | | | | | |
| | Platform - Switch-As-Is | | | UEPPX | | USAC1 | | 10.00 | 10.00 | | | | | | | | | |
| | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion with | 1 | | | | | | | | | | | | | | | | T |
| | AT&T Allowable Changes | | | UEPPX | | USA1C | | 10.00 | 10.00 | | | | | | | | | |
| ADDIT | IONAL NRCs | | | | | | | | | | | | | | | | | |
| | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 53.49 | | | | | | | | | | T |
| | Miscellaneous Rate Element, Tag Designed Loop at End User | | | | | | | | | | | | ĺ | | | | | 1 |
| ı l | Premise | | | UEPPX | | URETN | | 11.20 | 1.10 | | | | | | | | | |
| Telepi | none Number/Trunk Group Establisment Charges | | | | | İ | | | | | | | ĺ | | | | | |
| | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | ĺ | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group of | | | | | | 1 | | | | | | | | | | | 1 |
| ı l | 20 DID Numbers | | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | | † |
| | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | | † |
| DS0 V | /holesale Local Platform Service - ISDN/Basic Rate ISDN (ISDN/E | BRI) | | | | | 1 | | | | İ | Ì | | | | | | 1 |
| | /holesale Local Voice Service Platform Rates | Ι΄ | | | | | 1 | | | | ĺ | | | | | | | 1 |
| ISDN | Loop Rates | 1 | | | | | 1 | | | | ĺ | | | | | | | 1 |
| | 2-Wire ISDN Digital Grade Loop - Zone 1 | 1 | 1 | UEPPB | UEPPR | USL2X | 14.47 | | | | İ | Ì | | | | | | 1 |
| | | i – | Ė | <u> </u> | | | 1 | | | | İ | | i | i | | | | 1 |
| ı l | 2-Wire ISDN Digital Grade Loop - Zone 2 | 1 | 2 | UEPPB | UEPPR | USL2X | 25.64 | | | | 1 | 1 | 1 | | | | | 1 |
| i İ | 2-Wire ISDN Digital Grade Loop - Zone 3 | 1 | 3 | UEPPB | UEPPR | USL2X | 40.81 | | | | ĺ | | | | | | | 1 |
| ISDN | Port Rates | 1 | | | | | 1 | | | | İ | | | | | | | 1 |
| | Exchange Port - 2-Wire ISDN Line Side Port | i – | | UEPPR | | UEPPR | 50.00 | 425.00 | 285.00 | | İ | | i | i | | | | 1 |
| <i></i> | Exchange Port - 2-Wire ISDN Line Side Port | t e | | UEPPB | | UEPPB | 50.00 | 425.00 | 285.00 | | İ | | | i | | | | † |
| NONF | ECURRING CHARGES - Existing Platform | t | † | | | 1 | 22.00 | ::.00 | | | | | | | | | | † |
| 1 | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port - | i – | | | | | 1 | | | | i e | | | | | | | _ |
| | Conversion - | | | UEPPB | UEPPR | USACB | 0.00 | 90.00 | 65.00 | | | | | | | | | |
| ADDIT | IONAL NRCs | 1 | | | | 7 | 1.00 | 22.00 | 22.00 | | İ | Ì | | | | | | 1 |
| 7.2511 | Miscellaneous Rate Element, Tag Designed Loop at End User | i – | | | | | İ | | | | İ | | i | i | | | | 1 |
| | Premise | | | UEPPB | UEPPR | URETN | 1 | 11.20 | 1.10 | | | | | | | | | 1 |
| - | Miscellaneous Rate Element, Tag Loop at End User Premise | t | | UEPPB | UEPPR | URETL | † | 8.33 | 0.83 | | i e | | | | | | | T |
| B-CH | ANNEL USER PROFILE ACCESS: | t | | 52.10 | 0L. 1 IX | J / L | | 0.00 | 0.00 | | | † | | | | | | |
| 5 0117 | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | i | — | | | | | | t |
| 1 | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | l | | | | | + |
| | | 1 | 1 | | | | | | | | | | | | | | | + |
| | | 1 | | LIEDDD | LIEDDD | HIMICC | | | | | | | | | | | | |
| B-Cu/ | CSD | · MS 2 T | ENI) | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | | + |
| | CSD ANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS SO | C,MS, & 1 | ΓN) | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | | \vdash |
| | CSD | C,MS, & 1 | ΓN) | | UEPPR | U1UCC U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | | |

| SERVICES - | - North Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | J | |
|------------|---|----------|---------|-------------------------|----------------|------------------|--------------------|-----------------|--|--|--------------|------------|----------------|---------------|----------------|-------------|--|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental | |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - | l |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- | |
| 1 | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | |
| | | | | | | | Nonred | urrina | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| | | | | | | | 101 | 71441 | 101 | 7.00. | 0020 | 00 | 0011211 | 00 | 00.12.11 | 00.112.114 | |
| | All Vertical Features - One per Channel B User Profile- All States | | | UEPPB UEPPR | UEPVF | 3.40 | 0.00 | 0.00 | | | | | | | | | |
| INTER | OFFICE CHANNEL MILEAGE | | | | | | | | | | | | | | | | |
| | Interoffice Channel mileage each, including first mile and facilities | | | | | | | | | | | | | | | | |
| | termination | | | UEPPB UEPPR | M1GNC M1GNM | 18.0282 | 137.48 | 52.58 0.00 | | | 1 | | | | | | - |
| | Interoffice Channel mileage each, additional mile ALE LOCAL PLATFORM SERVICE | | | UEPPB UEPPR | MIGNIM | 0.0282 | 0.00 | 0.00 | | - | - | | | | | | |
| | llowing Terms and Conditions apply to DS1 Wholesale Local Pla | tform Se | rvice · | | | | | | | | 1 | | | | | | |
| > For N | lew Install scenarios the Nonrecurring charges are listed in the F | irst and | Additio | nal NRC columns for | each Port U | ISOC. For Exist | ing Platform sc | enarios, the No | nrecurring cha | rges are listed | in the NRC - | Conversion | s section. Add | ditional NRCs | may apply also | and are | |
| | rized accordingly. | | | | | | | | | | | | | | ,, | | |
| >> End | d Office and Tandem Switching Usage and Wholesale Common | Transpo | rt Usaç | ge rates in the Port se | ection of this | rate exhibit sha | II apply to all DS | 0 Wholesale L | ocal Platform S | ervices. | | | | | | | |
| DS1 WI | holesale Local Platform Service - ISDN/Primary Rate ISDN (ISDN | I/PRI) | | | | | | • | | | | | | | | | |
| DS1 Lo | pop Rates | oxdot | | | | ļ | | | | | | | | | | | |
| . | AW DC4 Digital Loop/AW ICDN DC4 Digital Trimb Bort 74 | | 4 | UEPPP | USL4P | 168.00 | | | | I | | 1 | | | | | 1 |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 1 | \vdash | | UEPPP | UOL4P | 168.00 | | | | | | - | | | | | \vdash |
| . | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 2 | | 2 | UEPPP | USL4P | 175.00 | | | | I | | 1 | | | | | 1 |
| | | | | | | 1.5.00 | | | İ | 1 | | | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 3 | L | 3 | UEPPP | USL4P | 180.00 | <u> </u> | | | <u> </u> | L | <u> </u> | | | | | |
| DS1 Pc | ort Rate | | | | | | | · | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPP | UEPPP | 380.00 | 1,200.00 | 1,000.00 | | | | | | | | | |
| NONRE | ECURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - Conversion - Switch-As-Is | | | UEPPP | USACP | 0.00 | 500.00 | 500.00 | | | | | | | | | |
| ADDIT | CONVERSION - SWITCH-AS-IS IONAL NRCs | \vdash | | OLFFF | USAUP | 0.00 | 500.00 | 500.00 | | t | | | | | | | |
| ADDITI | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | 1 | | | | 1 | 1 | | | | | | |
| | Subsequent Inward/2-Way Tel Nos - (NC Only) | | | UEPPP | PR7TG | | 1.17 | 1.17 | | | | | | | | | |
| | 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent | | | | | | | | | | | | | | | | |
| | Activity Outward tel nos. (NC only) | | | UEPPP | PR7TP | | 28.17 | 28.17 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | ==== | =0.00 | | | | | | | | | |
| INTER | Subsequent Inward Telephone Numbers FACE (Provsioning Only) | | | UEPPP | PR7ZT | 1 | 56.33 | 56.33 | | - | | | | | | | |
| | Voice/Data | \vdash | | UEPPP | PR71V | 0.00 | | | | - | + | | | | | | - |
| | Digital Data | | | UEPPP | PR71D | 0.00 | | | | 1 | 1 | | | | | | |
| | Inward Data | | | UEPPP | PR71E | 0.00 | | | | | | | | | | | |
| | Additional "B" Channel | | | | | | | | | | | | | | | | |
| | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 36.92 | | | | | | | | | | |
| | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | 36.92 | | | | | | | | | | |
| CALL T | New or Additional Inward Data B Channel | \vdash | | UEPPP | PR7BD | 0.00 | 36.92 | | | | | | | | | | \vdash |
| | Inward | | | UEPPP | PR7C1 | 0.00 | | | | | <u> </u> | | | | | | |
| - | Outward | | | UEPPP | PR7CO | 0.00 | | | 1 | t | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | | | | | | | | | | | |
| | fice Channel Mileage | | | | | | | _ | | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 53.44 | 217.17 | 163.75 | | | | | | | | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 19.08 | | | | - | | | | | | | |
| | holesale Local Platform Service - 4-wire DDITS | \vdash | | | | + | | | - | | <u> </u> | | | | | | - |
| | holesale Local Platform Service Rates | \vdash | | | <u> </u> | + | | | - | | - | - | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | USLDC | 168.00 | | | | † | † | | | | | | \vdash |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPDC | USLDC | 175.00 | | | İ | 1 | 1 | İ | | | | | Ì |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPDC | USLDC | 180.00 | | | | | | | | | | | |
| | ort Rate | | | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 330.00 | 1,100.00 | 900.00 | | - | | | | | | | |
| | ECURRING CHARGES - Existing Platform | \vdash | | | | + | | | - | | <u> </u> | | | | | | - |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Switch-As-Is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | 1 | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | | | OLI DO | 03AC4 | + | 500.00 | 500.00 | | | | | | | | | |
| | Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | 1 | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | | | | | 1 | 222,00 | 222.00 | | 1 | <u> </u> | <u> </u> | | | | | |
| | Conversion with Change | <u> </u> | | UEPDC | USAWB | | 500.00 | 500.00 | | | <u> </u> | | | | | | L |
| | IONAL NRCs | | | | | | | - | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | . 7 | | | | | | | | | | | | | | | |

| | North Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | | |
|-------------------|---|--|--|--|--|---------------------------------------|--------|-----------|--------------|-------|---|---|--|--|---|---|--|
| ATEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | | curring | Nonrecurring | | 1 | | | Rates(\$) | | | Ь |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | Ь |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 28.81 | 28.81 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 28.81 | 28.81 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 28.81 | 28.81 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 28.81 | 28.81 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 28.81 | 28.81 | | | | | | | | | |
| BIPOL/ | AR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | | |
| - | B8ZS -Superframe Format | 1 | | UEPDC | CCOSF | | 0.001 | 615.00S | | | | | | | | | Щ_ |
| | B8ZS - Extended Superframe Format | <u> </u> | | UEPDC | CCOEF | | 0.001 | 615.00S | | | ļ | ļ | | | | | Ь— |
| Alterna | te Mark Inversion | | <u> </u> | LIEDDO | 140005 | - | 2.5- | 0.5- | | | <u> </u> | - | | | | | \vdash |
| - | AMI -Superframe Format | | _ | UEPDC | MCOSF | | 0.00 | 0.00 | | | <u> </u> | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | | — |
| I elepno | one Number/Trunk Group Establisment Charges | | 1 | UEPDC | UDTGX | 0.00 | | | | | - | | | | | | ⊢ — |
| -+- | Telephone Number for 2-Way Trunk Group Telephone Number for 1-Way Outward Trunk Group | + | | UEPDC | UDTGY | 0.00 | | | - | | | - | | - | | - | ├ |
| -+- | Telephone Number for 1-Way Inward Trunk Group Without DID | + | | UEPDC | UDTGZ | 0.00 | | | - | | | - | | - | | - | ├ |
| - | DID Numbers, Establish Trunk Group and Provide First Group of | | | | | | | 0.00 | | | | | | | | | |
| | 20 DID Numbers DID Numbers for each Group of 20 DID Numbers | | | UEPDC UEPDC | NDZ ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | | ├ |
| | DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number | | | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | - | | | | | | |
| -+- | Reserve Non-Consecutive DID Nos. | + | | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | - | | | - | | - | | - | |
| | Reserve DID Numbers | + | 1 | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | 1 | | | | | | ┼ |
| Dedica | ted DS1 (Interoffice Channel Mileage) - FX/FCO for DDITS | † | | OLI DC | INDV | 0.00 | 0.00 | 0.00 | | | † | | | | | | |
| - Doulous | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities Termination) | | | UEPDC | 1LNO1 | 53.44 | 217.17 | 163.75 | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 19.08 | 0.00 | 0.00 | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 19.08 | 0.00 | 0.00 | | | | | | | | | |
| -+- | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | † | | OLI DO | TENOD | 10.00 | 0.00 | 0.00 | | | † | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 19.08 | 0.00 | 0.00 | | | | | | | | | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | | |
| | holesale Local Platform Service - 4-WIRE DS1 LOOP WITH CHA | | ATION | WITH PORT | | | | | | | | | | | | | |
| | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activa | | | | | | | | | | | | | | | | <u> </u> |
| | m can have various rate combinations based on type and numb | per of po | rts use | d | | | | | | | | | | | | | ↓ |
| DS1 Lo | | | _ | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | | | | | | | ₩ |
| -+- | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | - | | | | | | ├ |
| _ | 4-Wire DS1 Loop - Zone 2 4-Wire DS1 Loop - Zone 3 | | 2 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | <u> </u> | | | | | | \vdash |
| DSO C | hannelization Capacities (D4 Channel Bank Configurations) | | - | OLI WIO | UULDU | 100.00 | 0.00 | 0.00 | | | † | | | | | | \vdash |
| 200 01 | 24 DSO Channel Capacity - 1 per DS1 | 1 | | UEPMG | VUM24 | 123.06 | 0.00 | 0.00 | | | 1 | | | | | | \vdash |
| - | 48 DSO Channel Capacity - 1 per 2 DS1s | t – | t — | UEPMG | VUM48 | 246.12 | 0.00 | 0.00 | | | † | | | | | | t |
| 1 | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 492.24 | 0.00 | 0.00 | | | i – | i | i | | | | <u> </u> |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 738.36 | 0.00 | 0.00 | | | | | | | | | |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 984.48 | 0.00 | 0.00 | | | | | | | | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 1,230.60 | 0.00 | 0.00 | | | | | | | | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | 1 | | UEPMG | VUM28 | 1,476.72 | 0.00 | 0.00 | | | | | | | | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | 1 | | UEPMG | VUM38 | 1,968.96 | 0.00 | 0.00 | | | | | | | | | — |
| | | 1 | 1 | UEPMG | VUM4O | 2,461.20 | 0.00 | 0.00 | | | ļ | ļ | | | | | Ь— |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | _ | | | 2,953.44 | 0.00 | 0.00 | | 1 | 1 | ı | 1 | | | | 1 |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | | | | , | | + | | | | | | _ |
| | 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,445.68 | 0.00 | 0.00 | | | | | | | | | |
| Non-Re | 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s curring Charges (NRC) Associated with 4-Wire DS1 Loop with | | iztion v | UEPMG vith Port - Conversion | VUM67 on Charge Bas | 3,445.68 ed on a System | 0.00 | | | | | | | | | | |
| Non-Re A Minim | 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity -1 per 28 DS1s curring Charges (NRC) Associated with 4-Wire DS1 Loop with 1 num System configuration is One (1) DS1, One (1) D4 Channel B | ank, and | iztion v | UEPMG with Port - Conversion 24 DSO Ports with | VUM67 on Charge Bas Feature Activa | 3,445.68 ed on a System ations. | 0.00 | | | | | | | | | | |
| Non-Re A Minim | 576 DS0 Channel Capacity -1 per 24 DS1s 672 DS0 Channel Capacity - 1 per 28 DS1s curring Charges (NRC) Associated with 4-Wire DS1 Loop with | ank, and | iztion v | UEPMG with Port - Conversion 24 DSO Ports with | VUM67 on Charge Bas Feature Activa | 3,445.68 ed on a System ations. | 0.00 | | | | | | | | | | |

| 0ED\"0E6 | North Constinue | | | | | | | | | | | | I | | | | 1 |
|--|--|--|------------|--|----------------|-------------------|----------------|-------------------|-----------------------|----------------|--|--|-------------------------|-------------------------|-------------------------|-------------------------|--|
| SERVICES - | North Carolina | 1 | | | | 1 | | | | | la a : | Ia a : | Att: 1 Exh: A | | | | |
| | | | | | | | | | | | Svc Order Submitted | | Incremental Charge - | Incremental Charge - | Incremental Charge - | Incremental Charge - | |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc | |
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. | |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l | |
| \vdash | | | ₩ | | | | | | N | Di | | | 000 | D-1(A) | | | |
| | | - | + | | - | Rec | First | curring Add'l | Nonrecurring First | Add'I | SOMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN | |
| System | Additions Where Platform Currently Exists and New Installation | is. | +- | - | 1 | | FIISL | Auu i | FIISL | Add I | SOIVIEC | SOWAN | SOWAN | SOWAN | JOWAN | JOWAN | |
| 9,0.0 | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea | Ĭ | † | | | | | | | | | | | | | | |
| | Activation - | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | | | | | | | |
| | 8 Zero Substitution | | | | | | | | | | | | | | | | |
| | Clear Channel Capability Format, superframe - Subsequent Activity | 1 | | | | | | | | | | | | | | | |
| | Only Clear Channel Capability Format - Extended Superframe - | | — | UEPMG | CCOSF | 0.00 | 0.001 | 615.00S | | | | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.001 | 615.00S | | | | | | | | | |
| | te Mark Inversion (AMI) | | +- | OLI WO | COOL | 0.00 | 0.001 | 010.000 | | | | | | | | | |
| | Superframe Format | | † | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | ge Ports Associated with 4-Wire DS1 Loop with Channelization | with Po | rt | | | | | | | | | | | | | | |
| Exchan | ge Ports | | ₩ | | <u> </u> | ļ | | | | | | 1 | | | | | |
| | Line Side Combination Channelized DRY Trunk Dod. Dunings | 1 | | UEPPX | UEPCX | 12.18 | 0.00 | 0.00 | | | 1 | | | | | | |
| | Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | | +- | UEPPX | UEPOX | 12.18 | 0.00 | 0.00 | | | | | | | | | |
| | End did distributed i DA Harit of Dusiness | | \vdash | | 021 07 | 12.10 | 3.00 | 0.00 | | | | | | | | | |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 12.18 | 0.00 | 0.00 | | | 1 | | | | | | 1 |
| | 2-Wire Trunk Side Channelized DID Trunk Port | | | UEPPX | UEPDM | 32.12 | 0.00 | 0.00 | | | | | | | | | |
| Feature | Activations - Loop Concentration | | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | | |
| | Bank | | + | UEPPX | 1PQWM | 0.65 | 53.56 | 18.13 | | | | | | | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in D4 Bank | | | UEPPX | 1PQWU | 0.65 | 424.81 | 288.40 | | | | | | | | | |
| Telenho | one Number/ Group Establishment Charges for DID Service | | + | UEFFX | IFQWU | 0.05 | 424.01 | 200.40 | | 1 | | | | | | | |
| | DID Trunk Termination (1 per Port) | | † | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | | 1 | UEPPX | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Non-Consecutive DID Numbers - per number | | ↓ | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Reserve Non-Consecutive DID Numbers | | + | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Reserve DID Numbers RES - Vertical and Optional | | + | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | witching Features Offered with Line Side Ports Only | | +- | | | | | | | | | | | | | | |
| | All Features Available | | t | UEPPX | UEPVF | 3.40 | 0.00 | 0.00 | | | | | | | | | |
| | ICE SYNC TEST (COST) | | 1 | | 1 | | | | | | | | | | | | |
| | OST rates are applicable for Central Office Line Sharing & Line | Splitting | ginam | naintenance mode on | ly. Not applic | able for Remote | Site Line Shar | ing & Line Splitt | ing | | | | | | | | |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - | | | | | | | | | | | | | | | | |
| | Basic State Country But 15 Miles I I I I I I I I I I I I I I I I I I I | | + | ļ | | | 25.00 | | | | | | | | | | |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - Overtime | | | | | | 30.00 | | | | 1 | | | | | | 1 |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - | | t | | | 1 | 30.00 | | | | | t | | | | | |
| 1 1 | Premium | 1 | | | | | 40.00 | | | | 1 | | | | | | |
| | NG FRAME CONNECTION SERVICE | | | | | | | | | | | | | | | | |
| WHOLESALE S | ELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR- | LCC) | lacksquare | | | | | | | | | | | | | | |
| ' | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | | | | | | | | | | | |
| DS0 Whalaaria | Switch Local Platform Service With E911 Call Locator Capability | - | ₩ | | <u> </u> | | 272.08 | 162.49 | 33.48 | 16.74 | - | 1 | | | | | - |
| | Local Platform Service With E911 Call Locator Capability owing contidions apply to DS0 Wholesale Local Platform Servic | With F | E911 C | all Locator Canability | | | | | | | - | | | | | | |
| | Office and Tandem Switching Usage and Wholesale Common T | | | | | ate exhibit shall | apply to the W | nolesale I ocal P | Platform Service | e With F911 Ca | II Locator C | apability | | | | | |
| | lew Installation scenarios the Nonrecurring charges are listed in | | | | | | | | | | | | rrently Combin | ed section. A | dditional NRC | s may apply | |
| | d are categorized accordingly. | | | | | | , - 5 | | | J g-5 u. | | 2 34 | , | | | | |
| | nolesale Local Platform Service (BUS - PBX) With DID and E911 | Call Loc | cator C | apability | | | | | _ | | | | | | | | |
| | op Rates | ļ | 4 | <u> </u> | | ļ | | | | ļ | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | - | 1 | UEPRW | UEPLX | 10.75 | - | | | . | | - | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | ├ | 3 | UEPRW UEPRW | UEPLX | 19.05 30.33 | | | | | | - | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | | 1 | UEPRW | UECD1 | 8.85 | - | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | | 2 | UEPRW | UECD1 | 15.68 | | | | | | | | | | | - |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | l – | 3 | UEPRW | UECD1 | 24.96 | | | | İ | | | | | | | |
| | Voice Grade Line Port Rates (BUS - PBX) | | Ť | 1 | | 230 | l | | | İ | İ | 1 | | | | | 1 |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPRW | UEPPC | 12.28 | 53.56 | 18.13 | | | | | | | | | |
| | Line Side Outward PBX Trunk Port - Bus | 1 | 1 | UEPRW | UEPPO | 12.28 | 53.56 | 18.13 | | | 1 | 1 | | | | | |
| \vdash | | | +- | | | | | | | | | | | | | | |
| | Line Side Odward PBX Trunk Port - Bus Line Side Incoming PBX Trunk Port - Bus 2-Wire Voice PBX LD Terminal Ports | | 二 | UEPRW UEPRW | UEPP1 UEPLD | 12.28 | 53.56 53.56 | 18.13 18.13 | | | | | | | | | |

| SERVICES - | North Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | | 1 |
|--------------|--|--|--|----------------|----------------|--|----------------|----------------|--------------|-------|--|---|--|--|---|---|--------------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | - | - | | | Rec | Nonrec | | Nonrecurring | | 001450 | 0011411 | | Rates(\$) | 001111 | 001441 | ⊢ |
| | O Wine Valley O Way Combination DDV Harry Dark | 1 | - | HEDDW | LIEDYA | 40.00 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | ⊢ |
| | 2-Wire Voice 2-Way Combination PBX Usage Port 2-Wire Voice PBX Toll Terminal Hotel Ports | + | | UEPRW UEPRW | UEPXA UEPXB | 12.28 | 53.56 | 18.13 18.13 | | | + | - | | | | | \vdash |
| | 2-Wire Voice PBX LD DDD Terminal Port | | | UEPRW | UEPXC | 12.28 12.28 | 53.56 53.56 | 18.13 | | | + | | | | | | \vdash |
| - | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPRW | UEPXD | 12.28 | 53.56 | 18.13 | | | + | | | | | | \vdash |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | _ | | UEPRW | UEPXE | 12.28 | 53.56 | 18.13 | | | 1 | | | | | | ┢ |
| | 2-Wire Voice 1-Way Outgoing PBX Measured Port | 1 | 1 | UEPRW | UEPXS | 12.28 | 53.56 | 18.13 | | | | | | | | | \vdash |
| Port Ra | | | | 02.1111 | OLI XO | 12.20 | 00.00 | 10.10 | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPRW | UEPD1 | 32.12 | 424.81 | 288.40 | | | | | 40.18 | 9.45 | | | |
| | ALL LOCATOR CAPABILITY | | | | | | | | | | 1 | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - Initial Profile Establishment, Per CLEC End-User | | | UEPRW | URE9A | 0.00 | 1,804.00 | | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | LIEDDW | LIDEOD | 0.00 | 475.04 | | | | | | | | | | İ |
| Tolork | Subsequent Profile Changes, Additions/Deletions one Number/Trunk Group Establisment Charges For DID Number | ore with | E011 C | UEPRW | URE9B | 0.00 | 175.21 | | | | | | | | | | \vdash |
| ı elepho | DID Trunk Termination (One Per Port) | ers with | ESIT C | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | + | | | | | | \vdash |
| + | DID Trunk Termination (One Per Port) DID Numbers, Establish Trunk Group and Provide First Group of | | + | OLFRVV | וטאו | 0.00 | 0.00 | 0.00 | | | + | | | | | | \vdash |
| | 20 DID Numbers | | | UEPRW | NDZ | 1.326 | 0.00 | 0.00 | | | | | | | | | 1 |
| | Additional DID Numbers for each Group of 20 DID Numbers | 1 | t | UEPRW | ND4 | 1.326 | 0.00 | 0.00 | | | 1 | | | | | | \vdash |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | 1 | t | UEPRW | ND5 | 0.0663 | 0.00 | 0.00 | | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| | Reserve DID Numbers | | 1 | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | 1 | | | | | | |
| FEATU | | | | | | | | | | | 1 | | | | | | |
| | All Features Offered | | | UEPRW | UEPVF | 3.40 | 0.00 | 0.00 | | | | | 40.18 | 9.45 | | | |
| NONRE | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPRW | USAC2 | | 10.00 | 10.00 | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | | | |
| | Change | | | UEPRW | USACC | | 10.00 | 10.00 | | | | | | | | | |
| ADDITIO | DNAL NRCs | | | | | | | | | | | | | | | | ــــــ |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPRW | USAS2 | | 0.00 | 0.00 | | | | | | | | | |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | | | <u> </u> |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | | | | | İ |
| | Miscellaneous Rate Element, Tag Loop at End User Premise | 1 | | UEPRW | URETL | | 8.33 | 0.83 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 | \vdash |
| OFF/ON | PREMISES EXTENSION CHANNELS | | | OLI KW | OKLIL | | 0.55 | 0.00 | | | | | 20.34 | 12.70 | 0.00 | 0.00 | \vdash |
| 011701 | Local Channel Voice grade, per termination | | 1 | UEPRW | P2JHX | 14.97 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | 0.00 | 0.00 | ┢ |
| | Local Channel Voice grade, per termination | 1 | 2 | UEPRW | P2JHX | 25.93 | 142.97 | 106.56 | | | | | 26.94 | 12.76 | 0.00 | 0.00 | |
| | Local Channel Voice grade, per termination | | 3 | UEPRW | P2JHX | 40.81 | 142.97 | 106.56 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 | |
| | Non-Wire Direct Serve Channel Voice Grade | 1 | 1 | UEPRW | SDD2X | 14.62 | 252.06 | 109.08 | | | | | 26.94 | 12.76 | 0.00 | 0.00 | |
| | Non-Wire Direct Serve Channel Voice Grade | | 2 | UEPRW | SDD2X | 23.86 | 126.03 | 54.54 | | | 1 | | 26.94 | 12.76 | 0.00 | 0.00 | |
| | Non-Wire Direct Serve Channel Voice Grade | | 3 | UEPRW | SDD2X | 36.40 | 126.03 | 54.54 | | | | | 26.94 | 12.76 | 0.00 | 0.00 | |
| INTERO | PFFICE TRANSPORT | | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPRW | U1TV2 | 18.00 | 137.48 | 52.58 | | | | | 38.07 | 38.07 | | | |
| 21 Wholocolo | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile Local Platform Service With E911 Call Locator Capability | | | UEPRW | U1TVM | 0.0125 | 0.00 | 0.00 | | | | | | | | | |
| | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | PORT | t | + | + | | | | | | † | | | | | | \vdash |
| | op Rates | 1 | t | <u> </u> | 1 | | | | | | 1 | | | | | | \vdash |
| 1.2.20 | 4-Wire DS1 Digital Loop - Zone 1 | 1 | 1 | UEPPN | USL4P | 168.00 | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPPN | USL4P | 175.00 | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPPN | USL4P | 180.00 | | | | | | | | | | | |
| DS1 Po | | | | | | | | | | | | | | | | | $oxed{oxed}$ |
| | Exchange Ports - 4-Wire ISDN DS1 Port | | | UEPPN | UEPPN | 380.00 | 1,200.00 | 1,000.00 | | | | | | | | | — |
| E911 C | ALL LOCATOR CAPABILITY | | <u> </u> | 1 | 1 | | | | | | | | | | | | ـــــ |
| | Miscellaneous Rate Element, E911 Call Locator Capability - Initial Profile Establishment, Per CLEC End-User | | | UEPPN | URE9A | 0.00 | 1,804.00 | | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | 1 | | HEDDNI | LIDECT | | ,== 0. | | | | 1 | 1 | | | | | 1 |
| | Subsequent Profile Changes, Additions/Deletions | 1 | <u> </u> | UEPPN | URE9B | 0.00 | 175.21 | | | | - | ļ | | | | | ₩ |
| NONRE | CURRING CHARGES - Existing Platform | - | - | 1 | 1 | | | | | | - | | | | | | \vdash |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | LIEPPN | USACP | 0.00 | 500.00 | 500.00 | | | | | | | | | 1 |
| | Conversion -Switch-As-Is | 1 | 1 | UEPPIN | IUSACP | 0.00 | | ລບບ.ບ() | | | | | | ì | | | 1 |

| | North Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | | |
|-----------|--|----------|----------|----------------|----------------|--------|----------|-----------|--------------|--|--|---|--|--|---|---|--------------|
| CATEGORY | RATE ELEMENTS | Interim | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates(\$) | | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | \perp |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - Subsequent Inward/2-Way Tel Nos - (NC Only) | | | UEPPN | PR7TG | 0.0663 | 1.17 | 1.17 | | | | | | | | | $oxed{oxed}$ |
| | 4-Wire DS1 Loop/4-Wire ISDN Digital Trunk Port - Subsequent Activity Outward tel nos. (NC only) | | | UEPPN | PR7TP | 0.0663 | 28.17 | 28.17 | | | | | | | | | $oxed{oxed}$ |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers | | | UEPPN | PR7ZT | 0.0663 | 56.33 | 56.33 | | | | | | | | | ↓ |
| INTERF | FACE (Provsioning Only) | - | - | UEPPN | PR71V | 0.00 | | | | | 1 | | | | | | ₩ |
| | Voice/Data | | | | | 0.00 | | | | | 1 | | | | | | \leftarrow |
| | Digital Data | | | UEPPN | PR71D | 0.00 | | | | | 1 | | | | | | \leftarrow |
| | Inward Data | | | UEPPN | PR71E | 0.00 | | | | | ļ | | | | | | +— |
| | Additional "B" Channel | | | LIEDON | DD3D1 | 0.00 | | | | | ļ | | | | | | +— |
| | New or Additional - Voice/Data B Channel | | _ | UEPPN | PR7BV | 0.00 | 36.92 | | | | | | | | | | — |
| | New or Additional - Digital Data B Channel | | - | UEPPN | PR7BF | 0.00 | 36.92 | | | - | - | | | | | | + |
| | New or Additional Inward Data B Channel | - | - | UEPPN | PR7BD | 0.00 | 36.92 | | | | + | | | | | | + |
| CALL T | | - | - | LIEDDNI | DD704 | 0.00 | | | | | + | | | | | | +- |
| | Inward | - | - | UEPPN | PR7C1 | 0.00 | | | | | + | | | | | | +- |
| | Outward | | - | UEPPN | PR7CO | 0.00 | | | | - | - | | | | | | + |
| | Two-way | | - | UEPPN | PR7CC | 0.00 | | | | - | - | | | | | | + |
| Interoffi | ice Channel Mileage | - | - | LIEDDNI | 41.514.5 | 53.44 | 047.17 | 400 == | | | + | | | | | | +- |
| | Fixed Each Including First Mile | | _ | UEPPN | 1LN1A | | 217.17 | 163.75 | | | | | | | | | — |
| | Each Airline-Fractional Additional Mile | | | UEPPN | 1LN1B | 19.08 | | | | | | | | | | | — |
| | DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | | | | | | | | | | | | | | — |
| | op Rates | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | USLDC | 168.00 | | | | | 1 | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPDC | USLDC | 175.00 | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPDC | USLDC | 180.00 | | | | | | | | | | | |
| | rt Rates | | | | | | | | | | | | | | | | |
| | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 330.00 | 1,100.00 | 900.00 | | | | | | | | | |
| NONRE | CURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Switch-as-is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination - Conversion with Change - Trunk | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | | |
| E911 C/ | ALL LOCATOR CAPABILITY | | | | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - Initial Profile Establishment, Per CLEC End-User | | | UEPDB | URE9A | 0.00 | 1,804.00 | | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - Subsequent Profile Changes, Additions/Deletions | | | UEPDB | URE9B | 0.00 | 175.21 | | | | | | | | | | |
| | ONAL NRCs | | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDB | UDTTA | | 28.81 | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDB | UDTTB | | 28.81 | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel Activation/Chan Inward Trunk w/out DID | | | UEPDB | UDTTC | | 28.81 | | | | | | | | | | _ |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDB | UDTTD | | 28.81 | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan Activation / Chan - 2-Way DID w User Trans | | | UEPDB | UDTTE | | 28.81 | | | | | | | | | | <u> </u> |
| | AR 8 ZERO SUBSTITUTION | | - | LIEDDO | 00005 | | 0.001 | 045.000 | | 1 | 1 | | | | | | + |
| | B8ZS -Superframe Format | - | - | UEPDC | CCOSF | | | 615.00S | | | 1 | | | | | | + |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.001 | 615.00S | | | + | | | | | ļ | ₩ |
| | te Mark Inversion | | | LIEBBO | | | | | | . | | | | | | | ₩ |
| | AMI -Superframe Format | | — | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | | ₩ |
| 1 ' | AMI - Extended SuperFrame Format | | Ļ. | UEPDC | МСОРО | | 0.00 | 0.00 | | | - | | | | | | ₩ |
| | one Number/Trunk Group Establisment Charges And Charges F | or DID N | lumber | | | | | | | | 1 | | | | | | ₩ |
| Telepho | Telephone Number for 2-Way Trunk Group | 1 | | UEPDB | UDTGX | 0.00 | | | | | 1 | | | | | | ₩ |
| Telepho | | | | | | | | | | | | | | | | | |
| Telepho | Telephone Number for 1-Way Outward Trunk Group | | | UEPDB | UDTGY | 0.00 | | | | | | | | | | | ₩ |
| Telepho | Telephone Number for 1-Way Outward Trunk Group Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDB UEPDB | UDTGY UDTGZ | 0.00 | | | | | | | | | | | 士 |
| Telepho | Telephone Number for 1-Way Outward Trunk Group | | | | | | 0.00 | 0.00 | | | | | | | | | + |

| KVICES - | North Carolina | | | 1 | 1 | | | | | | | | Att: 1 Exh: A | | | | ₩ |
|------------------|--|--|----------|---------------------|-----------------|----------|---------|-----------|--------------|-------|--|---|--|--|---|---|----------|
| TEGORY | RATE ELEMENTS | Interim | Zone | всѕ | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | | | | | | | | | | Disc 1st | Disc Add I | L |
| | | | | | | Rec | | curring | Nonrecurring | | | | | Rates(\$) | | | ┖ |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | L |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDB | ND5 | 0.0663 | 0.00 | 0.00 | | | | | | | | | ╄ |
| | Reserve Non-Consecutive DID numbers | | | UEPDB | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | | ╄ |
| | Reserve DID Numbers | | | UEPDB | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | | ╄ |
| FX/FCO | o for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | | ╄ |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | LIEBBO | | =0.44 | 0.17.17 | 400 75 | | | | | | | | | |
| _ | Termination) | | _ | UEPDC | 1LNO1 | 53.44 | 217.17 | 163.75 | | | | | | | | | ╄ |
| | Interesting Change Miles and Additional Lands are said and Consider | | | UEPDC | 41.010.4 | 40.00 | 0.00 | 0.00 | | | | | | | | | |
| _ | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 19.08 | 0.00 | 0.00 | | | <u> </u> | | | | | | ⊬ |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | UEPDC | 41.000 | 0.00 | 0.00 | 0.00 | | | | | | | | | |
| _ | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | <u> </u> | | | | | | ⊬ |
| | Interestina Observat Milesens Adultina de la comunita de Official | | | LIEDDO | 41 NOD | 40.00 | 0.00 | 0.00 | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | - | - | UEPDC | 1LNOB | 19.08 | 0.00 | 0.00 | | | 1 | | | | | | ⊢ |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | 1 | | UEPDC | 41.000 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | | Ī |
| + | Termination) | ! | - | UEPUC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | + | | | | | - | ⊢ |
| | Intereffice Channel Milegge Additional rate new mile 25: | 1 | | UEPDC | 1LNOC | 19.08 | 0.00 | 0.00 | | | 1 | | | | | | 1 |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles nal Rates | ! | - | UEPUC | ILINUC | 19.08 | 0.00 | 0.00 | | | + | | | | | - | ⊢ |
| | | ! | - | UEPDC | CTG | 0.00 | | | | | + | | | | | - | ⊢ |
| | Central Office Termininating Point DS1 LOOP WITH CHANNELIZATION WITH PORT WITH CALL | LOCAT | JB C41 | | CIG | 0.00 | | | | | + | | | | | - | ⊢ |
| | is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Activa | | JK CAI | FIDILII T | + | | | | | | + | | | | | - | ⊢ |
| | m can have various rate combinations based on type and numb | | -to | | - | | | | | | | | | | | | ⊬ |
| DS1 Lo | | er or poi | rts use | a I | _ | | | | | | - | | | | | | ⊬ |
| | 4-Wire DS1 Loop - Zone 1 | - | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | | | | | | | ⊬ |
| | | | 2 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | <u> </u> | | | | | | ₽ |
| | 4-Wire DS1 Loop - Zone 2 | | | | | | | | | | <u> </u> | | | | | | ⊬ |
| | 4-Wire DS1 Loop - Zone 3 | | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | <u> </u> | | | | | | ⊬ |
| | nannelization Capacities (D4 Channel Bank Configurations) | | | UEPMG | VUM24 | 123.06 | 2.00 | 0.00 | | | <u> </u> | | | | | | ₽ |
| | 24 DSO Channel Capacity - 1 per DS1 48 DSO Channel Capacity - 1 per 2 DS1s | - | - | UEPMG | VUM24 VUM48 | 246.12 | 0.00 | 0.00 | | | | | | | | | ⊬ |
| | | - | - | UEPMG | VUM96 | | | | | | | | | | | | ⊬ |
| | 96 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM14 | 492.24 | 0.00 | 0.00 | | | <u> </u> | | | | | | ₽ |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | | | | 738.36 | 0.00 | | | | <u> </u> | | | | | | ₽ |
| | 192 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 984.48 | 0.00 | 0.00 | | | <u> </u> | | | | | | ₽ |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 1,230.60 | 0.00 | 0.00 | | | <u> </u> | | | | | | ⊬ |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 1,476.72 | 0.00 | 0.00 | | | <u> </u> | | | | | | ⊬ |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,968.96 | 0.00 | 0.00 | | | | | | | | | ╄ |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 2,461.20 | 0.00 | 0.00 | | | | | | | | | ╄ |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 2,953.44 | 0.00 | 0.00 | | | | | | | | | ╄ |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,445.68 | 0.00 | 0.00 | | | | | | | | | ╄ |
| | curring Charges (NRC) Associated with 4-Wire DS1 Loop with (| | | | | | | | | | | | | | | | ╄ |
| | num System configuration is One (1) DS1, One (1) D4 Channel B | | | | | | | | | | 1 | | | | | | ⊬ |
| Multiple | s of this configuration functioning as one are considered Add'l a | itter the | mınımı | ım system configura | ation is counte | α. | | | | | | | | | | - | ⊢ |
| | NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes | | | UEPMG | USAC4 | 0.00 | 250.00 | 20.00 | | | | | | | | | 1 |
| Cumte | | | - | UEPNIG | USAC4 | 0.00 | 350.00 | ∠0.00 | | | | | | | | | ⊢ |
| System | Additions Where Platform Currently Exists and New Installation 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea | io I | - | | + | | | | | | + | | | | | - | ⊢ |
| | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | 1 | | | | | | l |
| Dinate | | ! | - | UEPING | V UIVID4 | 0.00 | 850.00 | 485.00 | | | + | | | | | - | ⊢ |
| Dipolar | 8 Zero Substitution | 1 | - | | + | | | | | | + | | | | | - | ⊢ |
| | Clear Channel Capability Format, superframe - Subsequent Activity Only | 1 | | UEPMG | CCOSF | 0.00 | 0.001 | 615.00S | | | 1 | | | | | | 1 |
| + | | - | - | UEPIVIG | CCOSF | 0.00 | 0.001 | 010.000 | | | 1 | | | | | - | ⊢ |
| | Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.001 | 615.00S | | | 1 | | | | | | l |
| A 4 a = 10 - 1 | te Mark Inversion (AMI) | ! | - | UEPING | CCOEF | 0.00 | 0.001 | 010.000 | | | + | | | | | - | ⊢ |
| Aiternat | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | 1 | | + | | | | | | \vdash |
| 1 | Extended Superframe Format | - | \vdash | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | | | ⊢ |
| | ge Ports Associated with 4-Wire DS1 Loop with Channelization | with Po | rt | 021 1910 | IVIOOI O | 0.00 | 0.00 | 0.00 | | | t | | | | | | H |
| | ge Ports | ., 0 | i i | | + | | | | | | t | | | | | | H |
| LAUIdii | go. 0.00 | | | | + | | | | | | t | | | | | | H |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPRW | UEPCX | 12.18 | 0.00 | 0.00 | | | 1 | | | | | | l |
| | Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | | | UEPRW | UEPOX | 12.18 | 0.00 | 0.00 | - | | + | | | | | | \vdash |
| | Eine Side Sutward Charmenzed ("DA TIUM FUIL" DUSINESS | | | OLI IVVV | OLI OA | 12.10 | 0.00 | 0.00 | - | | + | | | | | | \vdash |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPRW | UEP1X | 12.18 | 0.00 | 0.00 | | | 1 | | | | | | 1 |
| + | | - | - | UEPRW | UEPDM | 32.12 | 0.00 | 0.00 | | | | | | | | — | + |
| | 2-Wire Trunk Side Channelized DID Trunk Port | - | - | OLFRW | OEFDIVI | 32.12 | 0.00 | 0.00 | | | | | | | | — | + |
| reature | Activations - Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 | — | - | | + | | | | | | 1 | | | - | | | \vdash |
| | | | | | | | | | | | | | | | | | |

| SERVICES - North Carolina | | | | | | | | | | | | | Att: 1 Exh: A | | | | |
|----------------------------|---|----------|--------|-------|-------|--|----------|-----------|--|--|-------|---|--|--|---|---|---------------|
| TEGORY | RATE ELEMENTS | Interim | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l | |
| | | | | | | D | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN | |
| Feature (Service) Acti | vation for each Trunk Port Terminated in D4 | | | | | | | | 1 | | 1 | ĺ | | | | | |
| Bank | | | | UEPRW | 1PQWU | 0.65 | 424.81 | 288.40 | | | | | | | | | ĺ |
| E911 CALL LOCATOR CAPA | ABILITY | | | | | | | | | | | | | | | | |
| | lement, E911 Call Locator Capability - Initial | | | | | | | | | | | | | | | | ĺ |
| Profile Establishment | | | | UEPRW | URE9A | 0.00 | 1,804.00 | | | | | | | | | | Щ. |
| | lement, E911 Call Locator Capability - | | | | | | | | | | | | | | | | í |
| | nanges, Additions/Deletions | | | UEPRW | URE9B | 0.00 | 175.21 | | | | | | | | | | Ш |
| | oup Establisment Charges For DID Numb | ers with | E911 C | | | | | | | | | | | | | | Ш |
| DID Trunk Terminatio | | | | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | | ullet |
| | sh Trunk Group and Provide First Group of | | | | | 1 | | | | | 1 | | | | | | í |
| 20 DID Numbers | | | | UEPRW | NDZ | 1.326 | 0.00 | 0.00 | | | | | | | | | ш |
| | ers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1.326 | 0.00 | 0.00 | | | | | | | | | ــــــ |
| | onsecutive DID Numbers , Per Number | | | UEPRW | ND5 | 0.0663 | 0.00 | 0.00 | | | | | | | | | ــــــ |
| Reserve Non-Consec | | | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | | \leftarrow |
| Reserve DID Number | | | | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | | \leftarrow |
| FEATURES - Vertical and Op | | | | | | | | | | | 1 | | | | | | \leftarrow |
| | fered with Line Side Ports Only | | | | | | | | | | 1 | | | | | | \leftarrow |
| All Features Available | | _ | | UEPRW | UEPVF | 3.40 | 0.00 | 0.00 | | | | | | | | | \leftarrow |
| UF/ADUF/CMDS | | _ | | | | | | | | | | | | | | | \vdash |
| ACCESS DAILY USAGE FILE | | _ | | | | | | | | | | | | | | | \vdash |
| ADUF: Message Pro | cessing, per message | | | | _ | 0.01435 | | | | | | | | | | | \leftarrow |
| | ssion (CONNECT:DIRECT), per message | | | | | 0.00018 | | | | | | | | | | | |
| OPTIONAL DAILY USAGE F | | | | | | | | | | | | | | | | | ₩ |
| ODUF: Recording, po | | | | | | 0.000028 | | | | | | | | | | | ₩ |
| | cessing, per message | | | | | 0.004101 | | | | | 1 | | | | | | \vdash |
| ODUF: Message Pro | cessing, per Magnetic Tape provisioned | | | | | 54.61 | | | | | | | | | | | \leftarrow |
| | | | | | | | | | | | | | | | | | í |
| | ssion (CONNECT:DIRECT), per message | _ | | | | 0.00015 | | | | | | | | | | | \leftarrow |
| | ISTRIBUTION SERVICE (CMDS) | + | 1 | | | 0.55 | | | | | + | 1 | | | | | |
| CMDS: Message Pro | cessing, per message | + | 1 | | | 0.004 | | | | | + | 1 | | | | | |
| OMBO, Bat. 7 | ii (CONNECT DIDECT) | | | | | 0.001 | | | | | 1 | | | | | | í |
| ACCESS TEN DIGIT SCREENIN | ission (CONNECT:DIRECT), per message | + | 1 | 1 | + | 0.001 | | | | - | + | 1 | | | | | |
| | AT&T SWA 8XX Toll Free Dialing Ten Digit | + | 1 | 1 | + | | | | | - | + | 1 | | | | | |
| | 1 800 Number Delivery per query | | | | | 0.004 | | | | | 1 | | | | | | í |
| | 1 800 Number Delivery per query AT&T SWA 8XX Toll Free Dialing Screening | | 1 | - | + | 0.004 | | | - | - | + | - | - | - | - | | — |
| | per Delivery for 800 Numbers with Optional | ' | | | | 1 | | | | | 1 | | | | | | í |
| | Call handling and Destination Features per | | | | | 1 | | | | | 1 | | | | | | í |
| query | Can nanuming and Destination realtires per | | | | | 0.0045 | 23.82 | 2.73 | | | 1 | | | | | | í |
| | AT&T SWA 8XX Toll Free Dialing Ten Digit | + | 1 | 1 | + | 0.0045 | 23.02 | 2.13 | | | + | | | | | | _ |
| | POTS Number Delivery per query | | | | | 0.0040 | 8.01 | 0.96 | | | 1 | | | | | | í |
| | AT&T SWA 8XX Toll Free Dialing Ten Digit | + | t | + | + | 0.0040 | 0.01 | 0.30 | t | | + | t | | | | | $\overline{}$ |
| | POTS Number delivery for 800 Numbers | | | | | 1 | | | | | 1 | | | | | | í |
| | Feature,i.e., Call Handling and Destination | | | | | 1 | | | | | 1 | | | | | | l |
| Features per query | catalo,o., oan Harlaning and Destination | | | | | 0.0045 | 5.63 | | | 1 | 1 | 1 | l | l | l | | i |
| li eatures per query | | | 1 | 1 | | 0.0040 | 5.05 | | | | 1 | | · | · | · | | _ |

| SERV | ICFS - | South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---------------------------|---|--|--|------------------------|--------------|----------|----------|-----------|--|------------|-----------|-----------|--|-------------|-------------|-------------|
| SERV | ICES - | South Carolina | | 1 | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| 071121 | | | m | | 200 | 0000 | | | | | | per LSR | perLSK | | | | |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | 71441 | 1 01 | 71441 | 0020 | | | | 00 | 00 |
| SERVI | CE DATE | ADVANCEMENT (A.K.A EXPEDITE) CHARGE | | t | | | | | | | | | | | | | |
| | | The Expedite charge will be maintained commensurate with | BellSou | ith's FC | C No.1 Tariff. Section | n 5 as appli | cable. | | | | | | | | | | |
| | | , , , , , , , , , , , , , , , , , , , | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, | | | | | | | | | | | | |
| | | | | | U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| 1 | | | 1 | | UC1CC, UC1CL, | | | | | I | | 1 | 1 | | | | |
| 1 | | | 1 | | UC1DC, UC1DL, | | | | | I | | 1 | 1 | | | | |
| 1 | | | 1 | | UC1EC, UC1EL, | | | | | I | | 1 | 1 | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, | | | | | | | | | | | | |
| | | | | | ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | | | | U1TUB, U1TUA, | | | | | | | | | | | | |
| | | | | | NTCVG, NTCUD, | | | | | | | | | | | | |
| | | Expedite Charge per Circuit or Line Assignable USOC, per Day | | | NTCD1 | SDASP | | 200.00 | | | | | | | | | |
| ORDE | RMODIF | ICATION CHARGE | | | | | | | | | | | | | | | |
| | $ldsymbol{ldsymbol{eta}}$ | Order Modification Charge (OMC) | | | | | | 26.21 | 0.00 | 0.00 | 0.00 | | | | | | |
| <u> </u> | | Order Modification Additional Dispatch Charge (OMCAD) | <u> </u> | ļ | | | | 150.00 | 0.00 | 0.00 | 0.00 | | ļ | ļ | | | |
| LOCA | SERVIC | E REQUEST (LSR) ORDERING CHARGE | <u> </u> | ļ | | | | | | ļ | | | ļ | ļ | | | |
| | | Electronic Service Order Charge, Per Local Service Request | | | | | | | | 1 | | | | | | | |
| | | (LSR) | ļ | <u> </u> | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | ļ | | | |
| 1 | | | 1 | | | | | | | | | 1 | 1 | | | | |
| | IFOF | Manual Service Order Charge, Per Local Service Request (LSR) | ! | ! | | SOMAN | | 15.69 | 0.00 | 1.97 | 0.00 | | ļ | . | ļ | | |
| LINE | | TION DATA BASE ACCESS (LIDB) | ! | ! | | | 0.0000 | | | - | | | ļ | . | ļ | | |
| <u> </u> | | LIDB Common Transport Per Query | ! | ! | 001/ | DI IN II 4 | 0.0003 | | | - | | | ļ | . | ļ | | |
| | \vdash | LIDB Validation Per Query | ├ | <u> </u> | OQV | BHML1 | 0.035378 | 04.00 | | 40.40 | | - | | - | 1 | | |
| DD AT | | LIDB Originating Point Code Establishment or Change RECTORY ASSISTANCE | - | 1 | OQV | NRBPX | | 91.00 | | 42.18 | | | | | - | | |
| BRAN | | | 1 | | | | | | | | | | | - | | | |
| - | racility | Based CLEC Recording and Provisioning of DA Custom Branded | - | | | | | | | | | | | - | - | | |
| 1 | | | 1 | | AMT | CBADA | | 3,000.00 | 3,000.00 | I | | 1 | 1 | | | | |
| - | | Announcement | 1 | | AIVI I | CBADA | | 3,000.00 | 3,000.00 | | | | | - | | | |
| 1 | | Loading of Custom Branded Announcement per Switch per OCN | 1 | | AMT | CBADC | | 1,170.00 | 1,170.00 | I | | 1 | 1 | | | | |
| - | Wholes | ale CLEC | | | /NVI I | CDADC | | 1,170.00 | 1,170.00 | | | - | | | | | |
| - | vviioles | Recording of DA Custom Branded Announcement | 1 | | | | | 3,000.00 | 3,000.00 | | | | | - | | | |
| — | \vdash | Loading of DA Custom Branded Announcement per Switch per | - | | | | | 3,000.00 | 3,000.00 | | | | - | - | 1 | | |
| | | CON Custom Branded Announcement per Switch per OCN | | | | | | 1,170.00 | 1,170.00 | 1 | | | | | | | |
| — | Unbron | ding via OLNS for Wholesale CLEC | - | | | | | 1,170.00 | 1,170.00 | | | | - | - | 1 | | |
| - | Unpran | Loading of DA per OCN (1 OCN per Order) | | | | | | 420.00 | 420.00 | | | - | | | | | |
| - | \vdash | Loading of DA per OCN (1 OCN per Order) Loading of DA per Switch per OCN | | | | | | 16.00 | 16.00 | | | - | | | | | |
| | | Loading of DA per Ownor per OON | <u> </u> | 1 | | | | 10.00 | 10.00 | 1 | | i | L | L | 1 | | |

| SERVICES | - South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|---|---------|------|-------|-------|------|----------|-----------|--|------------|-----------|-----------|---------------|-------------|-------------|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Imton: | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - (1) | | | per LSK | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 1st | Addi | DISC 1St | DISC Add I |
| | | | | | | р | Nonrec | urring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| DIRECTORY | ASSISTANCE SERVICES | i – | | | | | | | | | | | | | | |
| DIRE | CTORY ASSISTANCE ACCESS SERVICE | i | | | | | | | | | | | | | | |
| | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.31 | | | | | | | | Î | | |
| DIRE | CTORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I | DACC) | | | | | | | | | | | | | | |
| | Directory Assistance Call Completion Access Service (DACC), | | | | | | | | | | | | | Î | | |
| | Per Call Attempt | | | | | 0.10 | | | | | | | | | | |
| BRANDING - | OPERATOR CALL PROCESSING | | | | | | | | | | | | | Î | | |
| Facil | ty based CLEC | | | | | | | | | | | | | Î | | |
| | Recording of Custom Branded OA Announcement | | | AMT | CBAOS | | 7,000.00 | 7,000.00 | | | | | | Î | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| | per OCN | <u></u> | | AMT | CBAOL | | 500.00 | 500.00 | <u> </u> | | | | | <u> </u> | <u> </u> | |
| Who | esale CLEC | | | | | | | | | | | | | | | |
| | Recording of Custom Branded OA Announcement | | | | | | 7,000.00 | 7,000.00 | İ | | | | | | | |
| | Loading of Custom Branded OA Announcement per shelf/NAV | | | | | | | | | | | | | | | |
| 1 1 | per OCN | 1 | 1 | | | | 500.00 | 500.00 | | | | | | | I | |
| Unbr | anding via OLNS for Wholesale CLEC | Ì | | | | | | | | | | | | | | |
| | Loading of OA per OCN (Regional) | i – | | | | | 1,200.00 | 1,200.00 | | | | | | | | |
| INWARD OP | ERATOR SERVICES | i – | | | | | | · | | | | | | | | |
| | Inward Operator Services - Verification, Per Minute | | | | | 1.15 | | | | | | | | | | |
| | Inward Operator Services - Verification and Emergency Interrupt | i – | | | | | | | | | | | | | | |
| | - Per Minute | | | | | 1.15 | | | | | | | | | | |
| OPERATOR | CALL PROCESSING | i – | | | | | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using BST | i – | | | | | | | | | | | | | | |
| | LIDB | | | | | 1.20 | | | | | | | | | | |
| | Oper. Call Processing - Oper. Provided, Per Min Using | | | | | | | | | | | | | | | |
| | Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using BST | i | | | | | | | | | | | | | | |
| | LIDB | | | | | 0.20 | | | | | | | | | | |
| | Oper. Call Processing - Fully Automated, per Call - Using | i – | | | | | | | | | | | | | | |
| | Foreign LIDB | | | | | 0.20 | | | | | | | | | | |
| CALLING NA | ME (CNAM) SERVICE | | | | | | | | | | | | | Î | | |
| | CNAM Service, per line | | | UEPFB | N1ACR | 2.11 | | | | | | | | Î | | |
| | CNAM Service, per line | | | UEPBX | N1ACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSB | N1ACR | 2.11 | | | | | | | | Î | | |
| | CNAM Service, per line | | | UEPFP | N1ACR | 2.11 | | | | | | | | Î | | |
| | CNAM Service, per line | | | UEPSP | N1ACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPPX | N1ACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSR | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPFR | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPRX | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPPR | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPVR | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPFB | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPBX | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSB | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPRG | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSE | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPFP | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSP | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPPX | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPVB | NXMCR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSR | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPFR | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPRX | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPFB | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPBX | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPFP | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPRG | NXMMN | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSE | NXMMN | 2.11 | | | | | | | | | | |

| ATE ELEMENTS Interior RATE ELEMENTS Interior RATE ELEMENTS Interior RATE ELEMENTS Interior RATE ELEMENTS Interior RATE ELEMENTS Interior RATE ELEMENTS Interior RATE ELEMENTS RATE ELEMENTS Interior RATE ELEMENTS RA | SERVICES - | South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|--|----------|--------|----------------------|----------------|------------------|------------------|---------------|----------------|----------------|--|-------------|----------------|---------------|--------------|--|
| ATECONY RATE ELEMENTS PART Some BEG USG PATE(1) PATE Some Some South | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| ### CATEGORY RAYE ELEMENTS ### Sone | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| Second S | | | Interi | _ | | | | | | | | | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| No. | CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | | | | Order vs. |
| CAMA Service, part line | | | | | | | | | | | | | | | | | Electronic- |
| March Marc | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| CHANG Service, per line | | | | | | | D | Nonre | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| COMM Service, per line | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| CHAM Service, par fire | | | | | | | | | | | | | | | | | L |
| CAMAS Server, part Ins | | | | | | | | | | | | | | | | | |
| CANA Service, per line | | | | | | | | | | | | | | | | | — |
| DANK Serotes, per line | | | | - | | | | | | | | 1 | | | | | |
| CAMA Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | | CNAM Service, per line | | | UEPSP | NXECR | 2.11 | | | | | | | | | | |
| CNAM Service, part line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | | | | | | | | | | | | | | | | | |
| CNAM Service, per line | \vdash | | 1 | | | | | | | | | <u> </u> | | ļ | | | |
| CNMM Service, per line | \vdash | | - | | | | | | | | | | | | | | |
| CNAMI Service, per line | \vdash | | - | | | | | - | - | - | - | 1 | | - | | - | |
| DSS WHOLESALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | | | |
| Ser New Install scenarios the Nonrecurring charges are listed in the First and Additional NRC columns for each Port USOC. For Existing Platform scenarios, the Nonrecurring charges are listed in the NRC - Conversions section. Additional NRC amy also and are categorized accordingly. Page 10 | DS0 WHOLES | | | | OLITA | Noncir | 2.11 | | | | | | | | | | |
| - End Office and Tandem Switching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to the Wholesale Access Line Service except for the Coin Service which has a flat rate usage charge (USOC: UIDSWHOLESALE LOCAL SWITCHIND PORTS - (Rep) Subsequent Ports - 2-Wire Analog Line Port with Caller ID - Res. UEPSR UEPRC 8.65 34.08 15.34 0.00 0.00 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 8.65 34.08 15.34 0.00 0.00 Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. UEPSR UEPRC 8.65 34.08 15.34 0.00 0.00 Exchange Ports - 2-Wire VID Sc evented local deling parity UEPSR UEPRC 8.65 34.08 15.34 0.00 0.00 Exchange Ports - 2-Wire VID School Control Area Calling port With Caller ID - Res. UEPSR UEPAL 8.65 34.08 15.34 0.00 0.00 Exchange Ports - 2-Wire VID School Cardina Area Calling port UEPSR UEPAL 8.65 34.08 15.34 0.00 0.00 Exchange Ports - 2-Wire VID School Cardina Residence Dailing Pin without Caller ID UEPSR UEPAL 8.65 34.08 15.34 0.00 0.00 Exchange Ports - 2-Wire VID School Cardina Residence Dailing Pin without Caller ID UEPSR UEPAL 8.65 34.08 15.34 0.00 0.00 Exchange Ports - 2-Wire VID School Cardina Residence Area UEPSR | | | e First | and Ad | ditional NRC colum | ns for each l | Port USOC. For | r Existing Platf | orm scenarios | , the Nonrecur | ring charges a | re listed in | the NRC - C | onversions se | ection. Addit | ional NRCs m | ay apply |
| DSS WHOLESALE LOCAL SWITCHING PORTS - (Res) | | | | | | | | • | | | | | | | | | |
| DSS WHOLESALE LOCAL SWITCHING PORTS - (Res) | | | | | | | | | | | | | | | | | |
| Exchange Ports - 2-Wire Analog Line Port Res. | | | Transp | ort Us | age rates in the Por | t section of t | his rate exhibit | shall apply to | the Wholesale | Access Line S | ervice except | for the Coir | Service wh | ich has a flat | rate usage c | narge (USOC: | URECU). |
| Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. Exchange Ports - 2-Wire Viral SSC extended local daling party Port with Caller ID - Res. Exchange Ports - 2-Wire Viral SSC extended local daling party Port with Caller ID - Res. Exchange Ports - 2-Wire Viral South Carolina Area Calling port with Caller ID - Res. South Carolina Area Calling port with Caller ID - Res. South Carolina Area Calling port UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAU 8.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR 3.65 34.08 1 | DS0 W | | | | | | | | | | | | | | | | L |
| Exchange Ports - 2-Wire VG SC extended local dialing parity UEPSR UEPSR UEPAU 8.65 34.08 15.34 0.00 0.0 | | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 8.65 | 34.08 | 15.34 | 0.00 | 0.00 | | | | | | |
| Exchange Ports - 2-Wire VG SC extended local dialing party | | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | | | UEPSR | UEPRC | 8.65 | 34.08 | 15.34 | 0.00 | 0.00 | | | | | | |
| Port with Caller ID - Res. | | | | | UEPSR | UEPRO | 8.65 | 34.08 | 15.34 | 0.00 | 0.00 | | | | | | |
| Exchange Ports - 2-Wire VG South Carolina Area Calling port UEPSR UEPAJ 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAJ 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAJ 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAJ 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAJ 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAJ 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAJ 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAJ 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAJ 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAJ 8.65 34.08 15.34 0.00 0.00 UEPSR UEPAJ 8.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR 8.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR 8.65 34.08 15.34 0.00 0.00 UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR UEPSR 8.65 34.08 15.34 0.00 0.00 UEPSR UEPS | | | | | LIEDOD | LIEDALI | 9.65 | 24.00 | 15 24 | 0.00 | 0.00 | | | | | | |
| With Caller ID - Res (LWB) | | | | | OLFSK | ULFAU | 0.03 | 34.00 | 13.34 | 0.00 | 0.00 | | | | | | |
| Dr. (LUM) | | with Caller ID - Res (LW8) | | | UEPSR | UEPAJ | 8.65 | 34.08 | 15.34 | 0.00 | 0.00 | | | | | | |
| Plan without Caller ID | | ID (LUM) | | | UEPSR | UEPAP | 8.65 | 34.08 | 15.34 | 0.00 | 0.00 | | | | | | |
| Calling Plan without Caller ID capability UEPSR | | Plan without Caller ID | | | UEPSR | UEPWL | 8.65 | 34.08 | 15.34 | 0.00 | 0.00 | | | | | | |
| 2-Wire voice Low Usage Line Port without Caller ID Capability UEPSR UEPRT 8.65 34.08 15.34 0.00 0.00 | | | | | LIEDSD | LIEDDS | 0 65 | 24.00 | 15.24 | 0.00 | 0.00 | | | | | | 1 |
| FEATURES | | | | | | | | | | | | | | | | | |
| All Available Vertical Features | FEATU | | l | | | J=: //! | 0.00 | 34.50 | 10.04 | 5.50 | 3.30 | | | | 1 | 1 | |
| Physical Expanded Interconnection Two Wire Cross Connect, Provisioning UEPSR PE1R2 0.0341 12.32 11.83 | | All Available Vertical Features | | | UEPSR | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| Provisioning | Cross | | | | | | | | | | | | | | | | |
| Virtual Collocation - Two Wire Cross Connect, Provisioning | | | | | | L | | | | | | | | | | | 1 |
| Non-Recurring Charges UEPSR USAS2 0.00 0.00 0.00 UEPSR USASC UEPSR USASC 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR USASC 0.00 0.00 UEPSR UEP | \vdash | | . | - | | | | | | - | - | <u> </u> | | | - | . | |
| 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent UEPSR USAS2 0.00 0. | Non D | | | | UEPSK | VE1K2 | 0.0317 | 12.32 | 11.83 | | | | | - | | | |
| Subsequent Activity | NON-R | | - | | LIEPSR | USAS2 | 1 | 0.00 | 0.00 | | | | - | | | - | |
| DS0 WHOLESALE LOCAL SWITCHING PORTS - (PBX) UEPSE UEPRD 11.65 54.53 22.15 0.00 0.00 0.00 0.00 | | | | | | | 0.00 | | | | | 1 | | | | | |
| 2-Wire VG 2-Way PBX Trunk - Res | DS0 W | | | | | | 5.50 | 3.50 | 5.50 | | | 1 | | | İ | İ | |
| 2-Wire VG Line Side Outward PBX Trunk - Bus UEPSP UEPPO 11.65 54.53 22.15 0.00 0.00 | | 2-Wire VG 2-Way PBX Trunk - Res | | | | | | | 22.15 | | | | | | | | |
| 2-Wire VG Line Side Incoming PBX Trunk - Bus | | | | | | | | | | | | | | | | | |
| 2-Wire Analog Long Distance Terminal PBX Trunk - Bus UEPSP UEPLD 11.65 54.53 22.15 0.00 0.00 | | | | | | | | | | | | | | | | | |
| 2-Wire Voice PBX LD Terminal Ports UEPSP UEPLD 11.65 54.53 22.15 0.00 0.00 0.00 | \vdash | | ļ | | | | | | | | | ļ | | | | | |
| 2-Wire Vice 2-Way PBX Usage Port UEPSP UEPXA 11.65 54.53 22.15 0.00 0.00 0.00 | | | - | | | | | | | | | | | | | | |
| 2-Wire Voice PBX Toll Terminal Hotel Ports UEPSP UEPXB 11.65 54.53 22.15 0.00 0.00 | \vdash | | 1 | | | | | | | | | | - | - | | - | |
| 2-Wire Voice PBX LD DDD Terminals Port UEPSP UEPXC 11.65 54.53 22.15 0.00 0.00 | | | - | | | | | | | | | 1 | | - | | - | |
| 2-Wire Voice PBX LD Terminal Switchboard Port UEPSP UEPXD 11.65 54.53 22.15 0.00 0.00 0.00 | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | İ | İ | |
| | | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPSP | UEPXE | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | | | | 1 | 1 | |

| SERVICES | S - South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|-------------|--|---------------|----------------|--------|--------|-----------|--------------|-------|--|---|--|---|----------|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice 2-Way PBX Hotel/Hospital Economy Administrative Calling Port | | | UEPSP | UEPXL | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | | | | | | ĺ |
| | 2-Wire Voice 2-Way PBX Hotel/Hospital Economy Room Calling | | | UEPSP | UEPXL | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | | | | | | - |
| | Port | | | UEPSP | UEPXM | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | | | | | | ĺ |
| | 2-Wire Voice 1-Way Outgoing PBX Hotel/Hospital Discount | | | | | | | | | | | | | | | |
| | Room Calling Port | | | UEPSP | UEPXO | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | | | | | | |
| | 2-Wire Voice 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | | | | | | |
| | O.M. Veles O.M. DDV O. H. O. H. A. Blood Diversity | | | LIEDOD | LIEDVE | 44.05 | 54.50 | 00.45 | 0.00 | 0.00 | | | | | | ĺ |
| | 2-Wire Voice 2-Way PBX South Carolina Area Plus Calling Port TURES | - | | UEPSP | UEPXT | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | | | | | | |
| FEA | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| Cros | ss Connects | | <u> </u> | OLI OI OLI OL | OLI VI | 0.04 | 0.00 | 0.00 | | | | | | | | |
| | Physical Expanded Interconnection Two Wire Cross Connect, | 1 | | | | | | | | | | | | | | |
| | Provsioning | | ļ | UEPSP | PE1R2 | 0.0341 | 12.32 | 11.83 | | | | | | | | 1 |
| | Virtual Collocation - Two Wire Cross Connect, Provisioning | | <u> </u> | UEPSP | VE1R2 | 0.0317 | 12.32 | 11.83 | | | | | | | | |
| Non | Recurring Charges | | | UEPSP | 110400 | | 0.00 | 0.00 | | | | | | | | —— |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity | | | UEPSP | USAS2 USASC | 0.00 | 0.00 | 0.00 | | | | | | | | - |
| DS0 | LOCAL WHOLESALE SWITCHING PORTS - (Coin) | | | OLFSF | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | | | | | | | | |
| | Blocking (SC) | | | UEP2C | UEPSD | 11.65 | 54.53 | 22.15 | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| | 900, 1+DDD (SC) | | <u> </u> | UEP2C | UEPSA | 11.65 | 54.53 | 22.15 | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | LIEBOO | LIEDOLI | 44.05 | 54.50 | 00.45 | | | | | | | | ĺ |
| | (SC) 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; | | | UEP2C | UEPSH | 11.65 | 54.53 | 22.15 | | | | | | | | - |
| | with Dialing Parity (SC) | | | UEP2C | UEPSC | 11.65 | 54.53 | 22.15 | | | | | | | | ĺ |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900, | | | | | | 2.100 | | | | | | | | | |
| | 1+DDD, 011+, and Local (SC) | | | UEP2C | UEPCC | 11.65 | 54.53 | 22.15 | | | | | | | | |
| | 2-Wire Coin 2-W Oper Screen & Blocking: 900, 1+DDD, 011+ & | | | _ | | | | | | | | | | | | |
| | Local; Enhanced Calling OPT 3YV (SC) | | | UEP2C | UEPCE | 11.65 | 54.53 | 22.15 | | | | | | | | —— |
| | 2-Wire Coin 2-W Oper Screen & Block: 900, 1+DDD, 011+, & Local; Enhanced Calling OPT AP7 (SC) | | | UEP2C | UEPCF | 11.65 | 54.53 | 22.15 | | | | | | | | ĺ |
| | 2-Wire Coin Outward without Blocking and without Operator | | | ULFZU | OLFGI | 11.05 | 34.33 | 22.13 | | | | | | | | |
| | Screening (SC) | | | UEP2C | UEPSG | 11.65 | 54.53 | 22.15 | | | | | | | | ĺ |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | 1 | | | | | | | | | | | | | | |
| | (SC) | | <u> </u> | UEP2C | UEPSF | 11.65 | 54.53 | 22.15 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: 011, 900, 1+DDD (SC) | | | UEP2C | UEPSJ | 11.65 | 54.53 | 22.15 | | | | | | | | İ |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | 1 | <u> </u> | UEP2C | UEPSJ | 11.00 | 54.53 | 22.15 | | | | | | | | |
| | 900, 1+DDD, 011+, and Local (SC) | | | UEP2C | UEPCM | 11.65 | 54.53 | 22.15 | | | | | | | | 1 |
| | 2-Wire Coin Out Oper Screen & Block: 900, 1+DDD, 011+, & | | | | | | 2.100 | | | | | | | | | |
| | Local ; w/ Enhanced Call OPT 3YW (SC) | | | UEP2C | UEPCP | 11.65 | 54.53 | 22.15 | | | | | | | | |
| | 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | <u> </u> | UEP2C | UEPCK | 11.65 | 54.53 | 22.15 | | | | | | | | |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except LA) | | | UEP2C | UEPCR | 11.65 | 54.53 | 22.15 | | | | | | | | ĺ |
| Coir | Usage | 1 | <u> </u> | UEP2C | UEPCR | 11.00 | 54.53 | 22.15 | | | | | | | | |
| COII | - Coage | | | | + | | | | | | | | | | | <u> </u> |
| | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | | 1 | UEP2C | URECU | 5.50 | | | | | | | | | | 1 |
| Cros | s Connects | | | | | | | | | | | | | | | |
| | Physical Expanded Interconnection Two Wire Cross Connect, | | | | L | | | | | | | | | | | 1 |
| | Provisioning | <u> </u> | <u> </u> | UEP2C | PE1R2 | 0.0341 | 12.32 | 11.83 | | | | | | | | |
| Non | Virtual Collocation - Two Wire Cross Connect, Provisioning -Recurring Charges | 1 | 1 | UEP2C | VE1R2 | 0.0317 | 12.32 | 11.83 | | | - | | | | | |
| INOII | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | 1 | | UEP2C | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | 1 | t | | 3002 | | 0.00 | 0.00 | 1 | | | | | | | |
| | Premise | | <u> </u> | UEP2C | URETL | | 8.33 | 0.83 | | | | | | | | |
| | E LOCAL CIRCUIT SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |
| End | Office Switching (Port Usage) | | <u> </u> | | | | | | | | | | | | | |

| SERVICES | - South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|--|----------|----------------------|---------------|--|----------------|----------------|--|----------------|--|-------------|---------------|----------------|-------------|--|
| | | | | | | I | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | Imton: | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | DISC 1St | Disc Add I |
| | | | | | | Rec | Nonre | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | End Office Switching Function, Per MOU | | | | | 0.0010519 | | | | | | | | | | |
| <u> </u> | End Office Trunk Port - Shared, Per MOU | | | | | 0.0002136 | | | | | | | | | | |
| Tand | em Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| | Tandem Switching Function Per MOU | | - | | | 0.0001634 | | | | | | | | | | + |
| Mold | Tandem Trunk Port - Shared, Per MOU ed Factor: 30.30% of the Tandem Rate | <u> </u> | <u> </u> | | + | 0.0002863 | | | - | | - | | | | | — |
| Ivieid | Tandem Switching Function Per MOU (Melded) | 1 | | | + | 0.00004951 | | | - | | 1 | | | | | — |
| | Tandem Trunk Port - Shared, Per MOU (Melded) | | | | + | 0.00004931 | | | | | | | | | | |
| Whol | esale Common Transport | 1 | | | + | 0.000000143 | | | | | | | | | | — |
| | Common Transport - Per Mile. Per MOU | | | | | 0.0000045 | | | | | 1 | | | | | |
| | Common Transport - Facilities Termination Per MOU | i – | † | | 1 | 0.0004095 | | | 1 | | | | | | | |
| DS0 WHOLE | SALE LOCAL PLATFORM SERVICE | l | | | 1 | | | | t | | | | | | | |
| | New Install scenarios the Nonrecurring charges are listed in the | ne First | and Ad | ditional NRC colum | ns for each F | ort USOC. For | Existing Platf | orm scenarios | , the Nonrecur | ring charges a | re listed in t | he NRC - C | onversions se | ection. Additi | onal NRCs m | ay apply |
| | and are categorized accordingly. | | | | | | · · | | | | | | | | | |
| | <u> </u> | | | | | | | | | | | | | | | |
| > End | Office and Tandem Switching Usage and Wholesale Common | Transp | ort Usa | ge rates in the Port | section of th | is rate exhibit | shall apply to | DS0 Wholesale | Local Platforn | n Service exce | pt for the C | oin Service | which has a f | lat rate usage | charge (USO | C: URECU). |
| DSO | WHOLESALE LOCAL PLATFORM SERVICE (Residence) | 1 | | | | | | | | | | | | | <u> </u> | |
| DS0 I | oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPRX | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRX | UEPLX | 20.38 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 26.04 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice port - residence | | | UEPRX | UEPRL | 8.13 | 34.08 | 15.34 | | | | | | | | |
| | 2-Wire voice port with Caller ID - res | | | UEPRX | UEPRC | 8.13 | 34.08 | 15.34 | | | | | | | | |
| | 2-Wire voice port outgoing only - res | | | UEPRX | UEPRO | 8.13 | 34.08 | 15.34 | | | | | | | | |
| | 2-Wire voice South Carolina extended local dialing parity port | | | | 1 | | | | | | | | | | | l . |
| | with Caller ID - res | | | UEPRX | UEPAU | 8.13 | 34.08 | 15.34 | | | | | | | | |
| | 2 Mine visite Court Courties Asso Collins and with College | | | UEPRX | UEPAJ | 0.40 | 24.00 | 45.04 | | | | | | | | 1 |
| | 2-Wire voice South Carolina Area Calling port with Caller ID - res 2-Wire voice res, low usage line port with Caller ID | 1 | | UEPRX | UEPAJ | 8.13 8.13 | 34.08 34.08 | 15.34 15.34 | - | | | | | | | |
| | 2-Wire voice Low Usage Line Port with Caller ID Capability | 1 | | UEPRX | UEPRT | 8.13 | 34.08 | 15.34 | - | | 1 | | | | | — |
| | 2-Wire Voice South Carolina Residence Dialing Plan without | | | ULFKX | OLFKI | 0.13 | 34.00 | 13.34 | | | | | | | | |
| | Caller ID | | | UEPRX | UEPWL | 8.13 | 34.08 | 15.34 | | | | | | | | 1 |
| | 2-Wire voice South Carolina Area Calling Port without Caller ID | | | OLITOR | OLI WE | 0.10 | 04.00 | 10.04 | | | 1 | | | | | |
| | Capability | | | UEPRX | UEPRS | 8.13 | 34.08 | 15.34 | 1 | | | | | | | 1 |
| | All Features Offered | t | | UEPRX | UEPVF | 3.04 | 0.00 | 0.00 | 1 | İ | | | | | | |
| NON | RECURRING CHARGES - Conversions | | | | | | 0.00 | 0.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is | i | | UEPRX | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop / Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| | change | | | UEPRX | USACC | | 10.00 | 10.00 | | | | | | | | l . |
| | 2-Wire Voice Grade Loop / Line Port Platform - Installation | | | | | | | | | | | | | | | |
| | Charge at QuickService location - Not Conversion of Existing | | | | | | | | | | | | | | | l . |
| | Service | | | UEPRX | URECC | | 10.00 | | | | | | | | | |
| ADDI | TIONAL NRCs | <u> </u> | | | 1 | L | | | L | | | | | | | |
| | NRC - 2-Wire Voice Grade Loop/Line Port Platform - | | | | | | | | | | | | | | | l . |
| $\vdash \vdash \vdash$ | Subsequent | <u> </u> | ļ | UEPRX | USAS2 | - | 0.00 | 0.00 | - | - | - | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | 1 | | HEDDY | LIDET | I | 0.00 | 0.00 | I | | | 1 | | | | 1 |
| ln al-d | Premise | | - | UEPRX | URETL | | 8.33 | 0.83 | | | | | | | | |
| insia | e Wire Maintenance Inside Wire Maintenance Plan | | - | UEPRX | SEQ1X | 4.50 | | | | | | | | | | |
| OEE/ | ON PREMISES EXTENSION CHANNELS | | - | OLFIVA | SLUIA | 4.50 | | | | | | | | | | |
| UFF/ | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPRX | UEAEN | 14.94 | 37.92 | 17.62 | + | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | † | 2 | UEPRX | UEAEN | 21.39 | 37.92 | 17.62 | t | | - | - | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Non-Design | 1 | 3 | UEPRX | UEAEN | 26.72 | 37.92 | 17.62 | I | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Nort-Besign | | 1 | UEPRX | UEAED | 16.68 | 105.98 | 68.43 | + | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Design | † | 2 | UEPRX | UEAED | 23.13 | 105.98 | 68.43 | <u> </u> | | | | | | | |
| | 2 Wire Analog Voice Grade Extension Loop – Design | t | 3 | UEPRX | UEAED | 28.46 | 105.98 | 68.43 | 1 | İ | | | | | | |
| INTE | ROFFICE TRANSPORT | l | | | | | | 22.10 | t | | | | | | | |
| I I I I | | 1 | | | | | | | | | <u> </u> | | | | | |

| CATEGORY RATE ELEMENTS Inter | | | | Att: 1 Exh: A | l | | | | | | | | | | | VICES - South Carolina |
|--|---|-------------------------------|---|---|-----------------------|-------------------|-------|-------|-------|-------|--------|-------|----------|----------|----------|--|
| No. Prince Address SOME SOM | remental Incren charge - Char inual Svc Manua rder vs. Orde ectronic- Disc 1st Disc 1 | Charge Manual S Order v | Charge - Manual Svc Order vs. Electronic- Add'l | Charge - Manual Svc Order vs. Electronic- 1st | Submitted Manually | Submitted Elec | | | | | | USOC | BCS | Zone | | EGORY RATE ELEMENTS |
| Internation Transport - Dedicated - 2 Wine Voce Gross - Pacific Internation In | | | | | | | | | | | Rec | | | | | |
| Termination | SOMAN SOM | SOMA | SOMAN | SOMAN | SOMAN | SOMEC | Add'l | First | Add'l | First | 1100 | | | | | |
| Interoffice Transport - Rediction of 2- Wile Volvas Grade - Per Mile 189 PER STATE - REDICTION 189 PER STATE | | | | | | | | | | | | | | | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility |
| UF FRACE LOCAL PLATFORM SERVICE (Res-PBX) UFFNC UTFNC 0.00 0 | | | | | | | | | 27.47 | 40.63 | 24.30 | U1TV2 | UEPRX | | | |
| DSS WINGLESALE LOCAL PLATFORM SERVICE (Res-PDX) | | | | | | | | | | | | | | | | |
| D88 Loop Rates | | | | | | | | | 0.00 | 0.00 | 0.0167 | U1TVM | UEPRX | | | |
| 2-Wire Voice Grade Loop (EU. 1 - Zone 1 1 UEPRG UEPLX 13.76 | | | | | | | | | | | | | | | | |
| 2-Wive Voice Crade Loop (St. 1) - Zone 2 2 UEPRG UEPLX 20.08 | | | | | | | | | | | | | | | | |
| Swite Vision Carlos Loop (Rt. 1) - Zone 3 3 UEPRG UEPLX Zo.04 | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Line Port Rates (RES - PBX) | | | | | | | | | | | | | | | | |
| EAVINE vising 2/Wing PRAT Trank Prof. Fee (E. 11/2005) UEPRG UEP | | | | | | | | | | | 26.04 | UEPLX | UEPRG | 3 | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 |
| FATURES A Feature Offered | | | | | | | | | | | | | | | | |
| All Features Offreed UEPPR S.04 | | | | | | | | | 22.15 | 54.53 | 11.13 | UEPRD | UEPRG | | | |
| NOMECURRING CHARGES - Conversions | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Log/ Line Port Platform - Switch-As-la UEPRG USACC 10.00 10.00 | | | | | | | | | | | 3.04 | UEPVF | UEPRG | | | |
| 2-Wire Voce Grade Log/ Line Port Platform - Switch with Change UEPRG USACC 10.00 10.00 | | | | | | | | | | | | | | | | |
| Change | | | | | | | | | 10.00 | 10.00 | | USAC2 | UEPRG | | | |
| ADDITIONAL NRC6 2-Niw Voice Grade Loop/ Line Port Platform - Subsequent UEPRG USAS2 0.00 0.00 | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop Line Stor Port Platform - Subsequent VEPRG Very Voice Grade Loop Line Stor Port Platform - Non Installar - Subsequent Activity - Change/Rearrange Multiline Hunt Group 0.00 0.00 14,64 16,65 16,05 1 | | | | | | | | | 10.00 | 10.00 | | USACC | UEPRG | | | |
| 2 Wire Lopp/Line Side Port Platform - Non feature - Subsequent | | | | | | | | | | | | | | | | |
| Activity- Nonceuring | | | | | | | | | 0.00 | 0.00 | | USAS2 | UEPRG | | | |
| PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | | | | | | | | | | | |
| Group | | | | | | | | | 0.00 | 0.00 | | | | | | |
| Unbundled Miscellaneous Rate Element, Tag Loop at End User UEPRG URETL 8.33 0.83 | | | | | | | | | | | | | | | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt |
| Premise | | | | | | | | | 14.64 | 14.64 | | | | | | |
| DFFON PREMISES EXTENSION CHANNELS Local Channel Voice grade, per termination 1 UEPRG P2JHX 16.68 105.98 68.43 | | | | | | | | | | | | | | | | Unbundled Miscellaneous Rate Element, Tag Loop at End Use |
| Local Channel Voice grade, per termination 1 UEPRG P2JHX 16.68 105.98 68.43 | | | | | | | | | 0.83 | 8.33 | | URETL | UEPRG | | | |
| Local Channel Voice grade, per termination 2 UEPRG P2JHX 23.13 105.98 68.43 | | | | | | | | | | | | | | | | |
| Local Channel Voice grade, per termination 3 UEPRG P2JHX 28.46 105.98 68.43 | | | | | | | | | | | | | | 1 | | Local Channel Voice grade, per termination |
| Non-Wire Direct Serve Channel Voice Grade | | | | | | | | | | | | | | 2 | | |
| Non-Wire Direct Serve Channel Voice Grade | | | | | | | | | | | | | | 3 | | |
| Non-Wire Direct Serve Channel Voice Grade 3 UEPRG SDD2X 29.58 65.94 31.03 | | | | | | | | | | | | | | | | Non-Wire Direct Serve Channel Voice Grade |
| Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPRG U1TV2 24.30 40.63 27.47 | | | | | | | | | | | | | | _ | | |
| Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPRG | | | | | | | | | 31.03 | 65.94 | 29.58 | SDD2X | UEPRG | 3 | | |
| Termination | | | | | | | | | | | | | | | | |
| Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile or Fra | | | | | | | | | | | | | | | | |
| UEPRG | | | | | | | | | 27.47 | 40.63 | 24.30 | U1TV2 | UEPRG | | | |
| DS0 WHOLESALE LOCAL PLATFORM SERVICE (Bus-PBX) DS0 Loop Rates DS0 Lo | | | | | | | | | | | | | | | | |
| DS0 Loop Rates | | | | | | | | | 0.00 | 0.00 | 0.0167 | U1TVM | UEPRG | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 2 2 UEPPX UEPLX 20.38 2-Wire Voice Grade Line Port Rates (BUS - PBX) Line Side Combination 2-Way PBX Trunk Port - Bus Line Side Outward PBX Trunk Port - Bus Line Side Incoming PBX Trunk Port - Bus UEPPX UEPPC 11.13 54.53 22.15 Line Side Incoming PBX Trunk Port - Bus UEPPX UEPPO 11.13 54.53 22.15 Line Side Incoming PBX Trunk Port - Bus UEPPX UEPPO 11.13 54.53 22.15 Line Side Incoming PBX Trunk Port - Bus UEPPX UEPPD 11.13 54.53 22.15 Line Side Incoming PBX Trunk Port - Bus UEPPX UEPPD 11.13 54.53 22.15 2-Wire Voice PBX LD Terminal Ports UEPPX UEPX UEPX UEPX 11.13 54.53 22.15 2-Wire Voice PBX LD Terminal Hotel Ports UEPPX UEPX UEPX UEPX 11.13 54.53 22.15 2-Wire Voice PBX LD Terminal Switchboard Port UEPPX UEPX UEPX 11.13 54.53 22.15 2-Wire Voice PBX LD Terminal Switchboard Port UEPPX UEPX UEPX 11.13 54.53 22.15 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port UEPPX UEPX UEPX 11.13 54.53 22.15 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port UEPPX UEPX 11.13 54.53 22.15 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port UEPPX UEPX 11.13 54.53 22.15 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port UEPPX UEPX 11.13 54.53 22.15 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port UEPPX UEPX 11.13 54.53 22.15 2-Wire Voice 2-Way PBX South Carolina Area Plus Calling Port UEPPX UEPX 11.13 54.53 22.15 2-Wire Voice 2-Way PBX South Carolina Area Plus Calling Port UEPPX UEPX UEPX 11.13 54.53 22.15 2-Wire Voice 2-Way PBX South Carolina Area Plus Calling Port UEPPX UEPX UEPX 11.13 54.53 22.15 | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL 1) - Zone 3 3 UEPPX UEPLX 26.04 | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | _ | | |
| Line Side Combination 2-Way PBX Trunk Port - Bus UEPPX UEPPC 11.13 54.53 22.15 | | | | | | | | | | | 26.04 | UEPLX | UEPPX | 3 | | |
| Line Side Outward PBX Trunk Port - Bus | | | | | | | | | | | | | | | | |
| Line Side Incoming PBX Trunk Port - Bus | | | | | | | | | | | | | | | | |
| 2-Wire Voice PBX LD Terminal Ports | | | ļ | | | | | | | | | | | <u> </u> | ļ | |
| 2-Wire Voice 2-Way Combination PBX Usage Port UEPPX UEPXA 11.13 54.53 22.15 | \longrightarrow | | ļ | | | | | | | | | | | | ļ | |
| 2-Wire Voice PBX Toll Terminal Hotel Ports | | + | | | | | | | | | | | | <u> </u> | <u> </u> | |
| 2-Wire Voice PBX LD DDD Terminals Port UEPPX UEPXC 11.13 54.53 22.15 | | | ļ | | | | | | | | | | | | ļ | |
| 2-Wire Voice PBX LD Terminal Switchboard Port UEPPX UEPX 11.13 54.53 22.15 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port UEPPX UEPX 11.13 54.53 22.15 2-Wire Voice 2-Way PBX South Carolina Area Plus Calling Port UEPX UEPXT 11.13 54.53 22.15 FEATURES | | + | | | | | | | | | | | | <u> </u> | <u> </u> | |
| 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port UEPPX UEPX 11.13 54.53 22.15 2-Wire Voice 2-Way PBX South Carolina Area Plus Calling Port UEPX UEPXT 11.13 54.53 22.15 FEATURES | | + | | | | | | | | | | | | <u> </u> | <u> </u> | |
| 2-Wire Voice 2-Way PBX South Carolina Area Plus Calling Port UEPPX UEPXT 11.13 54.53 22.15 FEATURES | | + | | | | | | | | | | | | <u> </u> | <u> </u> | |
| FEATURES | | + | | | | | | | 22.15 | 54.53 | 11.13 | UEPXE | UEPPX | <u> </u> | <u> </u> | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port |
| FEATURES | | 1 | | | | | | | | | | LIED. | HEDDY | | 1 | O MEN AND O MAN DRIVE AND A STATE OF THE STA |
| | | + | | | | | | | 22.15 | 54.53 | 11.13 | UEPXT | UEPPX | L | ļ | |
| | | | | | | | | | | | | Lues: | LIEBBY . | <u> </u> | ļ | |
| | | + | | | | | | | 0.00 | 0.00 | 3.04 | UEPVF | UEPPX | <u> </u> | <u> </u> | All Features Offered |
| NONRECURRING CHARGES - Conversions 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is UEPPX USAC2 10.00 10.00 | | + | | | | | | | | | | | | L | <u> </u> | |

| SERVICES | S - South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|--|--|----------------|----------------|----------------|--------|-----------|--------------|------------|---|------------------------|---------------|-----------|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted | Incremental | | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | 1 | | | | B | Nonrec | curring | Nonrecurring | Disconnect | | l . | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| ADD | Change TIONAL NRCs | ļ | | UEPPX | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADD | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | <u> </u> | - | UEPPX | USAS2 | | 0.00 | 0.00 | 1 | | | | | | | |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | OLITA | 00/102 | | 0.00 | 0.00 | | | | | | | | |
| | Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| \vdash | Group Unbundled Miscellaneous Rate Element, Tag Loop at End User | ļ | | | | | 7.34 | 7.34 | | | | | | | | 1 |
| | Premise | | | UEPPX | URETL | | 8.33 | 0.83 | | | | | | | | I |
| OFF/ | ON PREMISES EXTENSION CHANNELS | <u> </u> | | OLITA | OKETE | | 0.00 | 0.00 | | | | | | | | |
| | Local Channel Voice grade, per termination | | 1 | UEPPX | P2JHX | 16.68 | 105.98 | 68.43 | | | | | | | | |
| | Local Channel Voice grade, per termination | | 2 | UEPPX | P2JHX | 23.13 | 105.98 | 68.43 | | | | | | | | |
| | Local Channel Voice grade, per termination | | 3 | UEPPX | P2JHX | 28.46 | 105.98 | 68.43 | | | | | | | | |
| \vdash | Non-Wire Direct Serve Channel Voice Grade | | 1 | UEPPX | SDD2X | 17.74 | 131.88 | 62.06 | | | | | | | | |
| \vdash | Non-Wire Direct Serve Channel Voice Grade | . | 3 | UEPPX UEPPX | SDD2X | 25.16 29.58 | 65.94 | 31.03 | | | ļ | | | | | |
| INTE | Non-Wire Direct Serve Channel Voice Grade | <u> </u> | 3 | UEPPX | SDD2X | 29.58 | 65.94 | 31.03 | 1 | | | | | | | |
| INTE | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | 1 | 1 | | + | | | | | | | | | | | |
| | Termination | | | UEPPX | U1TV2 | 24.30 | 40.63 | 27.47 | | | | | | | | ı |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | 1 | | OLI I X | 01112 | 21.00 | 10.00 | 2 | | | | | | | | |
| | or Fraction Mile | | | UEPPX | U1TVM | 0.0167 | 0.00 | 0.00 | | | | | | | | I |
| | WHOLESALE LOCAL PLATFORM SERVICE (Coin) | | | | | | | | | | | | | | | |
| DS0 | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 13.76 | | | | | ļ | | | | | |
| - | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | ļ | 3 | UEPCO UEPCO | UEPLX UEPLX | 20.38 26.04 | | | | | 1 | | | | | 1 |
| 2-Wi | re Voice Grade Line Port Rates (Coin) | 1 | 3 | UEPCO | UEPLA | 20.04 | | | | | 1 | | | | | |
| 2-441 | 2-Wire Coin 2-Way without Operator Screening and without | | 1 | | + | | | | | | | | | | | |
| | Blocking (SC) | | | UEPCO | UEPSD | 11.13 | 54.53 | 22.15 | | | | | | | | I |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | | | | | | | | | | | | | |
| \vdash | 900, 1+DDD (AL, KY, LA, MS, SC) | ļ | ļ | UEPCO | UEPRA | 11.13 | 54.53 | 22.15 | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | LIEDOO | LIEDOA | 44.40 | 54.50 | 00.45 | | | | | | | | ı |
| | 900, 1+DDD (SC) | <u> </u> | - | UEPCO | UEPSA | 11.13 | 54.53 | 22.15 | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (SC) | 1 | | UEPCO | UEPSH | 11.13 | 54.53 | 22.15 | | | | | | | | l |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking; | 1 | | 02, 00 | JE1 311 | 11.13 | 54.55 | 22.13 | | | 1 | | | | | |
| | with Dialing Parity (SC) | 1 | | UEPCO | UEPSC | 11.13 | 54.53 | 22.15 | | | | | | | | l |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900, | | | | | | | | | | | | | | | |
| | 1+DDD, 011+, and Local (SC) | ļ | 1 | UEPCO | UEPCC | 11.13 | 54.53 | 22.15 | | | ļ | | | | | |
| | 2-Wire Coin 2-W Oper Screen & Blocking: 900, 1+DDD, 011+ & | | | LIEBCO | LIEDCE | 44.40 | E4 E0 | 22.45 | | | | | | | | l |
| | Local; Enhanced Calling OPT 3YV (SC) 2-Wire Coin 2-W Oper Screen & Block: 900, 1+DDD, 011+, & | | | UEPCO | UEPCE | 11.13 | 54.53 | 22.15 | + | | 1 | | | | | |
| | Local; Enhanced Calling OPT AP7 (SC) | | | UEPCO | UEPCF | 11.13 | 54.53 | 22.15 | | | | | | | | l |
| | 2-Wire Coin Outward without Blocking and without Operator | † | | | | 0 | 200 | | | | | | | İ | | |
| | Screening (SC) | | | UEPCO | UEPSG | 11.13 | 54.53 | 22.15 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking | | | | | | | | | | | | | | | |
| | (SC) | ļ | 1 | UEPCO | UEPSF | 11.13 | 54.53 | 22.15 | | | ļ | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | 1 | | LIEDCO | UEPSJ | 44.40 | 5450 | 00.45 | | | | | | | | l |
| \vdash | 011, 900, 1+DDD (SC) 2-Wire Coin Outward with Operator Screening and Blocking: | 1 | 1 | UEPCO | UEPSJ | 11.13 | 54.53 | 22.15 | | | } | - | | | | |
| | 900, 1+DDD, 011+, and Local (SC) | 1 | | UEPCO | UEPCM | 11.13 | 54.53 | 22.15 | | | | | | | | l |
| | 2-Wire Coin Out Oper Screen & Block: 900, 1+DDD, 011+, & | † | | | 32. 3 | | 000 | 22.10 | | | | | | İ | | |
| | Local ; w/ Enhanced Call OPT 3YW (SC) | 1 | | UEPCO | UEPCP | 11.13 | 54.53 | 22.15 | | | | | | | | l |
| | 2-Wire 2-Way Smartline with 900 (all states except LA) | | | UEPCO | UEPCK | 11.13 | 54.53 | 22.15 | | _ | | | | | | |
| \vdash | 2-Wire Coin Outward Smartline with 900 (all states except LA) | | | UEPCO | UEPCR | 11.13 | 54.53 | 22.15 | | | | | | | | |
| Coin | Usage | . | 1 | | 1 | | | | | | ļ | | | ! | | |
| 1 1 | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) | 1 | | UEPCO | URECU | 5.50 | | | | | | 1 | | | | l |
| | 1200 milotosaio Locai i iationii Service (Colli) Osage (Flat Rate) | 1 | <u> </u> | 021 00 | UNLUU | 5.50 | | | | | | L | | L | | |

| ATTEMPT RATE LEARNIS HAND RATE LEARNIS HAND RATE LEARNIS HAND ROSS DOS DUST PATENTS RATE LEARNIS HAND ROSS DOS DUST PATENTS RATE LEARNIS HAND ROSS DUST PATENTS RATE LEARNIS HAND ROSS DUST PATENTS RATE LEARNIS HAND ROSS DUST PATENTS ROSS | SERVICES - | South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|-------------|--|--|----------|--------|----------|--------|--------|-----------|--|----------|--|---------|---------------|--|-------------|-------------|
| ATTEMPS | OLIVIOES - | | | 1 | | 1 1 | | | | | | Svc Order | | | | Incremental | Incremental |
| RATE ELEMENTS March | | | 1 | | | | | | | | | | | | | | |
| ACTION ALTO ALTO ALTO ALTO ALTO ALTO ALTO ALTO | | | | | | | | | | | | | | | | | |
| Second Column Second Colum | CATEGORY | RATE ELEMENTS | | Zone | BCS | USOC | | | RATES(\$) | | | 1 | , | | | | |
| Second Company Seco | | | m | | | | | | ., | | | per Lor | per Lor | | | | |
| Modern Commission | | | | | | | | | | | | | | | | | |
| MONE Print April Source SOMAN SOMA | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| SPINIS CARGAS - Conventions | | | | | | | Pec | | | | | | | | | | |
| Service Name Control Long Lange Part Patients - Selective Will Service | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Average Control Long Land Part Professor Search with Lepton Lepto | NONR | | | | | | | | | | | | | | | | |
| Charge C | | | | | UEPCO | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| ADDITIONAL MICES | | | | | | | | | | | | | | | | | 1 |
| Description | | | | | UEPCO | USACC | | 10.00 | 10.00 | | | | | | | | |
| Instruction Ministrations Associated and Service (PAFCO Res) VEPTO | ADDIT | | | | | | | | | | | | | | | | |
| Personal Color Proceedings | | | - | - | UEPCO | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| DSS UNIVERSITY DSS 1.0 | | | | | LIEDOO | LIDETI | | 0.00 | 0.00 | | | | | | | | 1 |
| Section Comment Comm | Den W | | | | UEPCO | UKETL | | 8.33 | 0.83 | - | | | | | | | |
| Every Verce Grade Long (Sep.) - zero 1 | | | | | | + | | | | | | - | | | | | |
| 2-Wire Voor Grade Loog (SL): - Zone 2 2 UEPFR UEC72 23.13 | D30 L0 | | | 1 | LIEPER | UECE2 | 16.69 | | | t | | H | | l | | | |
| 2-Wire Votes Grade Lange Tits Reg (Reg) | | | t | 2 | | | | | | t | | - | | | | | i |
| 2.Wire votor Grade Lime Port Rates (Reg) | | 2-Wire Voice Grade Loop (SL2) - Zone 3 | † | | | | | | | I | | | | | I | | |
| 2-Wire vacio port or legistrations UEPFR UEPRL 8.32 22000 145.00 | 2-Wire | | † | Ť | | 020.2 | 20.40 | | | I | | | | | I | | |
| 2-Wire voce port with Caller ID - res | | | | | UEPFR | UEPRL | 8.32 | 220.00 | 145.00 | <u> </u> | | | | | <u> </u> | | |
| 2-Wire vace prior autigrage only - res UEPR U | | | | | | | | | | | | | | | | | |
| 2-Wire valor South Carolina detended local disting party port with Caller ID - with Calle | | | | | | | | | | | | | | | | | |
| Wiff Caller ID - res | | | | | | | | | | | | | | | | | |
| 2-Wire votes South Carolina Area Calling port with Callier ID UEPR | | | | | UEPFR | UEPAU | 8.32 | 220.00 | 145.00 | | | | | | | | 1 |
| 2-Wire voice res, low usage line port with Caller ID capability UEPFR UEPRT 8.32 220.00 145.00 | | 2-Wire voice South Carolina Area Calling port with Caller ID - | | | | | | | | | | | | | | | |
| 2-Wire voice res, low usage line port without Caller ID capability 2-Wire Voice South Cardina Residence Daling Plan without Caller ID UEPFR UEPWL 8.32 220.00 145.00 | | res | | | UEPFR | UEPAJ | 8.32 | 220.00 | 145.00 | | | | | | | | 1 |
| 2-Wire Voice South Carolina Residence Dialing Plan without Caller D UEPFR UEPWL 8.32 220.00 145.00 | | 2-Wire voice res, low usage line port with Caller ID | | | UEPFR | UEPAP | 8.32 | 220.00 | 145.00 | | | | | | | | i |
| 2-Wire Voice South Carolina Residence Dialing Plan without Caller D UEPFR UEPWL 8.32 220.00 145.00 | | | | | | | | | | | | | | | | | 1 |
| Caller ID | | | | | UEPFR | UEPRT | 8.32 | 220.00 | 145.00 | | | | | | | | I |
| 2-Wire voice South Carolina Area Calling Port without Caller ID UEPFR UEPRS 8.32 220.0 145.00 | | | | | | | | | | | | | | | | | 1 |
| Capability | | | | | UEPFR | UEPWL | 8.32 | 220.00 | 145.00 | | | | | | | | |
| Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility UEPFR UITVZ 19.44 40.63 27.47 | | | | | | | | | | | | | | | | | 1 |
| Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination UEPR | | | | | UEPFR | UEPRS | 8.32 | 220.00 | 145.00 | | | | | | | | |
| Termination UEPFR UTTV2 | INTER | | | | | | | | | | | | | | | | |
| Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile UEPFR 1L5XX 0.0134 | | | | | LIEDED | 11477.00 | 40.44 | 40.00 | 07.47 | | | | | | | | 1 |
| OF Fraction Mile UEPFR UEPFR UEPFR USAC2 UEPFR UEPFR USAC2 UEPFR U | | | | | UEPFR | U11V2 | 19.44 | 40.63 | 27.47 | - | | | | | | | |
| FEATURES | | | | | LIEDED | 11 5 7 7 | 0.0124 | | | | | | | | | | 1 |
| All Features Offered | EEATI | | | | UEPFR | ILSAA | 0.0134 | | | | | - | | | | | |
| NONRECURRING CHARGES (NRCs) - CONVERSIONS 2-Wire Loop / Dedicated (D Transport / 2 Wire Line Port Platform Conversion - Switch-sairs UEPFR USAC2 10.00 1 | FLATO | | 1 | | LIEDED | HEDVE | 3.04 | 0.00 | 0.00 | - | | 1 | | | - | | |
| 2-Wire Loop Dedicated O Transport / 2 Wire Line Port Platform UEPFR USACC 10.00 10.00 | NONE | | | | OLFIK | OLF VI | 3.04 | 0.00 | 0.00 | | | 1 | | | | | |
| Conversion - Switch-Basis | INOINI | | t | † | | + - | | | | I | | | | | I | | |
| 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | 1 | | UEPFR | USAC2 | | 10.00 | 10.00 | 1 | | | | | 1 | | 1 |
| Conversion - Switch-With-Change | | | | | | | | | .0.50 | <u> </u> | | | | | <u> </u> | | |
| ADDITIONAL NRCS | | | | | UEPFR | USACC | | 10.00 | 10.00 | 1 | | | | | 1 | | 1 |
| 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform - Subsequent Activity UEPFR USAS2 0.00 | ADDIT | | i – | | | | | | | | | | | | | | |
| Subsequent Activity | | | | | | 1 | | | | | | | | | | | |
| End User Premise | | - Subsequent Activity | <u></u> | L | UEPFR | USAS2 | l | 0.00 | 0.00 | <u> </u> | <u></u> | <u></u> | | <u></u> | <u> </u> | | 1 |
| DS0 Log Rates | | | | | | | | | | | | | | | | | |
| DS0 Loop Rates | | | | | UEPFR | URETN | | 11.24 | 1.10 | | | | | | | | |
| 2-Wire Voice Grade Loop (SL2) - Zone 1 | | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL2) - Zone 2 2 UEPFB UECF2 23.13 | DS0 Lo | | | | | | | | | | | | | | | | |
| 2-Wire Voice Grade Loop (SL2) - Zone 3 3 UEPFB UECF2 28.46 | | | | 1 | | | | | | L | | | | | L | | |
| 2-Wire voice Grade Line Port (Bus) UEPFB UEPBL 11.32 220.00 145.00 UEPFB UEPBC 11.32 220.00 145.00 UEPFB UEPBC U | \vdash | | ļ | | | | | | | 1 | | | | | 1 | | |
| 2-Wire voice port without Caller ID - bus | <u> </u> | | ļ | 3 | UEPFB | UECF2 | 28.46 | | | ļ | | | | | ļ | | 1 |
| 2-Wire voice port with Caller + E484 ID - bus | 2-Wire | | - | ļ | LIEDED | LIEDE: | 44.00 | | | - | - | - | | | - | | |
| 2-Wire voice port outgoing only - bus UEPFB UEPBO 11.32 220.00 145.00 2-Wire voice Grade South Carolina extended local dialing parity port with Caller ID - bus UEPFB UEPAZ 11.32 220.00 145.00 2-Wire voice incoming only port with Caller ID - Bus 2-Wire voice South Carolina Bus Area Calling Port with Caller 2-Wire voice South Carolina Bus Area Calling Port with Caller | \vdash | | _ | _ | | | | | | - | | | | | - | | |
| 2-Wire voice Grade South Carolina extended local dialing parity port with Caller ID - bus 2-Wire voice incoming only port with Caller ID - Bus 2-Wire voice South Carolina Bus Area Calling Port with Caller DEPFB UEPAZ 11.32 220.00 145.00 | \vdash | | - | ļ | | | | | | - | - | - | | | - | | |
| Port with Caller ID - bus UEPFB UEPAZ 11.32 220.00 145.00 | \vdash | | ! | - | UERLR | OFFRO | 11.32 | 220.00 | 145.00 | | - | | | | | | |
| 2-Wire voice incoming only port with Caller ID - Bus UEPFB UEPB1 11.32 220.00 145.00 UEPB1 5-Wire voice South Carolina Bus Area Calling Port with Caller | | | 1 | | LIEDED | LIEDAZ | 44.00 | 200.00 | 445.00 | I | | | | | I | | 1 |
| 2-Wire voice South Carolina Bus Area Calling Port with Caller | | | + | + | | | | | | | | - | | | | | |
| | \vdash | | | - | ULFFD | UEPBI | 11.32 | 220.00 | 145.00 | | | | | | + | | |
| | | ID | 1 | | UEPFB | UEPAB | 11.32 | 220.00 | 145.00 | I | | | | | I | | 1 |

| SERVICES | - South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|-------------|----------|----------------|----------------|----------------|------------------|------------------|-------|--------------|----------|---|--|-----------|---|--------------|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrec | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | IXEC | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice South Carolina Business Dialing Plan without | | | | | | | | | | | | | | | |
| | Caller ID | | | UEPFB | UEPWM | 11.32 | 220.00 | 145.00 | | | _ | | | | | |
| | 2-Wire voice incoming only port without Caller ID capability | | | UEPFB | UEPBE | 11.32 | 220.00 | 145.00 | | | _ | | | | | |
| INTE | ROFFICE TRANSPORT | | - | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPFB | U1TV2 | 19.44 | 40.63 | 27.47 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.0134 | | | | | | | | | | |
| FEAT | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CONVERSIONS | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | | | | | | |
| | - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | | | | | | |
| | - Conversion - Switch-With-Change | | | UEPFB | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | _ | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | l | | | | | | | | | | | | |
| | End User Premise | | | UEPFB | URETN | | 11.24 | 1.10 | | | | | | | | |
| | WHOLESALE LOCAL PLATFORM SERVICE (FX/FCO PBX) | | | | | | | | | | | | | | | |
| DS0 I | Loop Rates | | | | | | | | | | _ | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 16.68 | | | | | _ | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 23.13 | | | | | | | | | | |
| 0.140 | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 28.46 | | | | | | | | | | |
| 2-Wir | re Voice Grade Line Port Rates (BUS - PBX) | | - | UEPFP | UEPPC | 44.00 | 205.00 | 475.00 | | | 1 | | | | | 1 |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | - | | | 11.32 | 285.00 | 175.00 | | | - | | | | | |
| | Line Side Outward PBX Trunk Port - Bus Line Side Incoming PBX Trunk Port - Bus | | | UEPFP UEPFP | UEPPO UEPP1 | 11.32 11.32 | 285.00 285.00 | 175.00 175.00 | | | + | | | | | |
| | 2-Wire Voice PBX LD Terminal Ports | | | UEPFP | UEPLD | 11.32 | 285.00 | 175.00 | | | - | | | | | † |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 11.32 | 285.00 | 175.00 | | | - | | | | | † |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | 1 | UEPFP | UEPXB | 11.32 | 285.00 | 175.00 | | | + | | | | - | 1 |
| | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 11.32 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice PBX LD DDD Terminal Switchboard Port | | | UEPFP | UEPXD | 11.32 | 285.00 | 175.00 | | | + | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | 1 | UEPFP | UEPXE | 11.32 | 285.00 | 175.00 | | | 1 | | | | | † |
| | 2 WHO VOICE TEXTED TOTALINIAL OWNORDS GIVE TO ST | | 1 | CLITI | OLI AL | 11.02 | 200.00 | 170.00 | | | 1 | | | | | † |
| | 2-Wire Voice 2-Way PBX South Carolina Area Plus Calling Port | | | UEPFP | UEPXT | 11.32 | 285.00 | 175.00 | | | | | | | | |
| INTE | ROFFICE TRANSPORT | | | 02 | 02.70 | 11.02 | 200.00 | 170.00 | | | | | | | | İ |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | l | 1 | 1 | | | | 1 | |
| 1 | Termination | | | UEPFP | U1TV2 | 19.44 | 40.63 | 27.47 | | | 1 | | | | I | 1 |
| İ | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | | | | | | 1 | | | | | | |
| | or Fraction Mile | | | UEPFP | 1L5XX | 0.0134 | | | | | 1 | | | | 1 | |
| FEAT | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFP | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CONVERSIONS | | | UEPFP | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | | | | | | |
| | - Conversion - Switch-as-is | | | UEPFP | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | 1 | | | | _ | |
| | - Conversion - Switch-With-Change | | <u> </u> | UEPFP | USACC | | 10.00 | 10.00 | | ļ | 1 | | | | L | |
| ADDI | TIONAL NRCs | | | L | | | | | | | | | | | L | <u> </u> |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port (PBX) | | | l | | | | | | | | | | | I | |
| | Platform - Subsequent Activity | | <u> </u> | UEPFP | USAS2 | 0.00 | 0.00 | 0.00 | | ļ | 1 | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | 1 | | | | | | | 1 | | | | 1 | |
| | Group | | | | _ | | 7.34 | 7.34 | | | | | | | ļ | <u> </u> |
| 1 | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | | | | | | | 1 | | | | I | |
| | End User Premise | | | UEPFP | URETN | | 11.24 | 1.10 | | ļ | 1 | | | | L | |
| | SALE LOCAL SWITCHING PORTS | | 1 | 1 | 1 | | | | 1 | | 1 | 1 | | | 1 | 1 |

> End Office and Tandem Switching Usage and Wholesale Common Transport Usage rates in the Port section of this rate exhibit shall apply to the Wholesale Access Line Service except for the Coin Service which has a flat rate usage charge (USOC: URECU).

also and are categorized accordingly.

Version: 2Q07 MBR - SLC 06/04/07

| SERV | ICES - | South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|--|---------|--|----------------------|--|-----------------|------------------|---------------|----------------|----------------|--|--------------|--|--|-------------|--|
| | | | | l | | | 1 | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | | | |
| | | | | | | | | | | | | 1 | | | Charge - | Charge - | Charge - |
| CATEO | ODV | RATE ELEMENTS | Interi | 7 | BCS | USOC | | | RATES(\$) | | | Elec | Manually | | Manual Svc | | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USUC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | Rec | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DS0 W | HOLESALE LOCAL SWITCHING PORTS - (Bus) | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | | 1 | | | | | | i e | | 1 | | | |
| | | Bus | | | UEPSB | UEPBL | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | | | | | | |
| - | | Exchange Ports - 2-Wire VG Line Port with port with | | | OLI OD | OLI DE | 11.00 | 04.00 | 22.10 | 0.00 | 0.00 | 1 | | | | | |
| | | Caller+E484 ID - Bus. | | | UEPSB | UEPBC | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | | | | | | |
| | - | Callel+E404 ID - Bus. | | - | UEFOD | UEPBC | 11.00 | 34.33 | 22.13 | 0.00 | 0.00 | - | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | ļ | UEPSB | UEPBO | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | | | | | | |
| | | Exchange Ports - 2-Wire VG SC extended local dialing parity | | | | | | | | | | | | | | | |
| | | Port with Caller ID - Bus. | | | UEPSB | UEPAZ | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | | | | | | |
| | | Exhange Ports - 2-Wire VG incoming only port with Caller ID - | | | | | | | | | | | | | | | |
| | Ш. | Bus | | Ш. | UEPSB | UEPB1 | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | <u> </u> | <u> </u> | <u> </u> | <u> </u> | | <u> </u> |
| | ľ | Exchange Ports - 2-Wire VG South Carolina Bus Area Calling | | | | | | | | | | | | | | | |
| 1 | 1 | Port with Caller ID - Bus (LMB) | | 1 | UEPSB | UEPAB | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | 1 | 1 | 1 | l | | l |
| | | Exchange Ports - 2-Wire Voice South Carolina Business Dialing | | | | | | 200 | | 2.00 | 5.00 | 1 | 1 | t | i | | t |
| 1 | 1 | Plan without Caller ID | | 1 | UEPSB | UEPWM | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | 1 | | 1 | 1 | | 1 |
| | 1 | | | 1 | OLFOD | OLF WIVI | 11.05 | 34.33 | 22.13 | 0.00 | 0.00 | + | † | | | | |
| 1 | 1 | Exchange Ports - 2-Wire Voice South Carolina Business Area | | 1 | UEPSB | UEPBB | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | 1 | 1 | 1 | l | | l |
| | | Calling Port without Caller ID | | - | | | | | | | | | ļ | ļ | | | |
| | | 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 11.65 | 54.53 | 22.15 | 0.00 | 0.00 | 1 | | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSB | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| | Cross | Connects | | | | | | | | | | | | | | | |
| | | Physical Expanded Interconnection Two Wire Cross Connect, | | | | | | | | | | | | | | | |
| | | Provsioning | | | UEPSB | PE1R2 | 0.0341 | 12.32 | 11.83 | | | | | | | | |
| | | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSB | VE1R2 | 0.0317 | 12.32 | 11.83 | | | 1 | 1 | 1 | | | |
| | | ecurring Charges | | - | 02. 05 | V = 11 LE | 0.0011 | 12.02 | 11100 | | | 1 | | | | | |
| | NOII-IC | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | <u> </u> | UEPSB | USAS2 | | 0.00 | 0.00 | | | 1 | 1 | | | | |
| - | - | | | - | | | 0.00 | | 0.00 | | | - | | | | | |
| 200111 | | Subsequent Activity | | - | UEPSB | USASC | 0.00 | 0.00 | 0.00 | | | | ļ | ļ | | | |
| DS0 W | | ALE LOCAL PLATFORM SERVICE | | | | | | | | | | | | | | | |
| | | lew Install scenarios the Nonrecurring charges are listed in the | e First | and Ad | ditional NRC colum | ns for each F | Port USOC. For | Existing Platf | orm scenarios | , the Nonrecur | ring charges a | re listed in | the NRC - C | onversions se | ection. Additi | onal NRCs m | ay apply |
| | also an | d are categorized accordingly. | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | > End | Office and Tandem Switching Usage and Wholesale Common | Transp | ort Usa | ge rates in the Port | section of th | is rate exhibit | shall apply to I | DS0 Wholesale | Local Platforn | n Service exce | pt for the C | oin Service | which has a f | lat rate usage | charge (USC | C: URECU). |
| | | HOLESALE LOCAL PLATFORM SERVICE (Business) | | | | | | | | | | 1 | | | 1 | _ <u> </u> | <u> </u> |
| | | op Rates | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 13.76 | | | | | † | 1 | † | | | |
| - | | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 20.38 | | | | | 1 | | | | | |
| - | - | | | | | | | | | | | | | - | - | | - |
| - | 0.147 | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPBX | UEPLX | 26.04 | | | | | | 1 | | - | | ! |
| <u> </u> | ∠-wire | Voice Grade Line Port (Bus) | | - | LIEDDY | LIEDE: | | | | | | ! | | | - | | ļ |
| | | 2-Wire voice port without Caller ID - bus | | | UEPBX | UEPBL | 11.13 | 54.53 | 22.15 | | | ļ | ļ | | | | |
| | | 2-Wire voice port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 11.13 | 54.53 | 22.15 | | | ļ | | | | | |
| | | 2-Wire voice port outgoing only - bus | | | UEPBX | UEPBO | 11.13 | 54.53 | 22.15 | | | | | | | | |
| | | 2-Wire voice South Carolina extended local dialing parity port | | | | | | | | | | | | | | | |
| 1 | 1 | with Caller ID - bus | | 1 | UEPBX | UEPAZ | 11.13 | 54.53 | 22.15 | 1 | | 1 | | 1 | 1 | | 1 |
| | | | | | | | | | | | | | | | | | |
| 1 | 1 | 2-Wire voice South Carolina Bus Area Calling Port with Caller ID | | 1 | UEPBX | UEPAB | 11.13 | 54.53 | 22.15 | 1 | | 1 | | 1 | 1 | | 1 |
| | | 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPBX | UEPBE | 11.13 | 54.53 | 22.15 | | | 1 | 1 | 1 | i e | | t |
| | t | 2-Wire voice South Carolina Business Dialing Plan without | | t | | J. J. | 11.15 | 04.00 | 22.10 | | | 1 | 1 | 1 | i | | i |
| 1 | 1 | Caller ID | | 1 | UEPBX | UEPWM | 11.13 | 54.53 | 22.15 | 1 | | 1 | | 1 | 1 | | 1 |
| - | | | | + | ULPDA | DEFVVIVI | 11.13 | 54.53 | 22.15 | | | | 1 | 1 | | | |
| 1 | | 2-Wire voice South Carolina Business Area Calling Port without | | | LIEDDY | LIEBES | | | | | | | | | | | |
| L | | Caller ID Capability | | | UEPBX | UEPBB | 11.13 | 54.53 | 22.15 | | | ļ | ļ | | | | |
| | FEATU | | | | | | | | | | | ļ | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| | NONRE | CURRING CHARGES - Conversions | | | | | | | | | | | | | | | |
| | ľ | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPBX | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 1 | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | 1 | | | | | | | | i e | | | İ | | i |
| 1 | 1 | Change | | 1 | UEPBX | USACC | | 10.00 | 10.00 | 1 | | 1 | | 1 | 1 | | 1 |
| | ΔΠΟΙΤΙ | ONAL NRCs | | t | | 3000 | | 10.00 | 10.00 | | | 1 | 1 | 1 | i | | i |
| - | APPITI | NRC - 2-Wire Voice Grade Loop/Line Port Platform - | | | | | | | | | | | 1 | | | | |
| 1 | 1 | | | 1 | UEPBX | USAS2 | | 0.00 | 0.00 | 1 | | 1 | | 1 | 1 | | 1 |
| | | Subsequent | | 1 | UEFBX | USASZ | | 0.00 | 0.00 | | | i | 1 | 1 | į . | | |

| SERV | ICES - | South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|--|--|--|----------------------|-----------------|--|-----------------|--------------|------------------------|----------------|----------|------------|---------------|---------------|--|--|
| | | | | | 1 | | | | | | Svc (| Order S | | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | | | Manual Svc | Manual Svc | Manual Svc | |
| CATE | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | per | LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | ļ | | | | | | | | | | |
| | | | | | | - | Rec | Nonrec | | Nonrecurring Disco | | 450 I | 001111 | | Rates(\$) | 001111 | 001441 |
| - | - | University of Misseller cover Data Floresate Tax Loop at Find Uses | | | | + | - | First | Add'l | First Ad | d'i SON | /IEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPBX | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Incido | Wire Maintenance | | | UEPBA | UKETL | 1 | 0.33 | 0.63 | | 1 | | | | | | |
| | moide | Inside Wire Maintenance Plan | | | UEPBX | SEQ1X | 4.50 | | | | | | | | | | |
| | OFF/O | N PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPBX | UEAEN | 14.94 | 37.92 | 17.62 | | | | | | | | |
| | 1 | 2 Wire Analog Voice Grade Extension Loop - Non-Design | | 2 | UEPBX | UEAEN | 21.39 | 37.92 | 17.62 | | | | | | | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPBX | UEAEN | 26.72 | 37.92 | 17.62 | | | | | | | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Design | | 1 | UEPBX | UEAED | 16.68 | 105.98 | 68.43 | | | | | | | | |
| | | 2 Wire Analog Voice Grade Extension Loop – Design | | 2 | UEPBX | UEAED | 23.13 | 105.98 | 68.43 | | | | | | | | |
| | | 2 Wire Analog Voice Grade Extension Loop - Design | | 3 | UEPBX | UEAED | 28.46 | 105.98 | 68.43 | | | | | | | | |
| | INTER | OFFICE TRANSPORT | | - | - | + | | | | | | | | | | - | \vdash |
| 1 | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPBX | U1TV2 | 24.30 | 40.63 | 27.47 | | | | | | | | |
| | - | | | | UEPBX | U11V2 | 24.30 | 40.63 | 27.47 | | | | | | | | |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile or Fraction Mile | | | UEPBX | U1TVM | 0.0167 | 0.00 | 0.00 | | | | | | | | |
| DS0 W | HOLES | ALE LOCAL PLATFORM SERVICE - CENTREX | | | UEPBA | UTTVIVI | 0.0167 | 0.00 | 0.00 | | 1 | | | | | | |
| 200 11 | | lowing DS0 Wholesale Local Platform Service - CENTREX rate | es shall | apply | to the elements ind | icated accord | lance with the f | ollowing criter | ea: | | | | | | | | |
| | | lew Install scenarios the Nonrecurring charges are listed in th | | | | | | | | the Nonrecurring cha | rges are liste | ed in th | e NRC - Co | onversions se | ection. Addit | ional NRCs m | av apply |
| | | nd are categorized accordingly. | | | | | | | | , . | | | | | | | ,, |
| | | Office and Tandem Switching Usage and Wholesale Commo | n Trans | port U | sage rates in the Po | rt section of t | this rate exhibit | shall apply to | the DS0 Whol | esale Local Platform S | Service - CEN | TREX | | | I | | |
| | | HOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN | | | | | | | | | | | | | | | |
| | 5ESS S | SWITCH (Valid in All States) | | | | | | | | | | | | | | | |
| | Loop F | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | | UEP95 | UECS1 | 13.76 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | | UEP95 | UECS1 | 20.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | | UEP95 | UECS1 | 26.04 | | | | | | | | | | |
| - | ļ | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | - | 1 | UEP95 UEP95 | UECS2 | 16.68 23.13 | | | | | | | | | | |
| - | 1 | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | | | UEP95 | UECS2 UECS2 | 23.13 | | | | | | | | | | - |
| | The fo | llowing port rates are effective as specified | | 3 | OLF 95 | ULC32 | 20.40 | | | | 1 | | | | | | |
| | All Sta | | | | | + | | | | | | | | | | | — |
| | 7 0 | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 1 | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP95 | UEPYH | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | | Center)2 Basic Local Area | | | UEP95 | UEPYM | 11.13 | 95.16 | 49.62 | | | | | | | | |
| 1 | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOS | LIEDY | | | | | | | | | | | |
| | 1 | Term - Basic Local Area | | - | UEP95 | UEPYZ | 11.13 | 95.16 | 49.62 | | | | | | | - | \vdash |
| 1 | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | LIEDOE | UEPY9 | 11 10 | 40.00 | 27.74 | | | | | | | | |
| — | | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | - | UEP95 | UEF 19 | 11.13 | 40.36 | 27.74 | | | -+ | | | | | |
| | | Basic Local Area | | | UEP95 | UEPY2 | 11.13 | 40.36 | 27.74 | | | | | | | | |
| - | AL. KY | , LA, MS, SC, & TN Only | - | | 021 00 | JE1 12 | 11.13 | 70.50 | 21.14 | | | | | | | | |
| | 7.2, 11. | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 1 | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 11.13 | 40.36 | 27.74 | | | | | | İ | | |
| | 1 | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | 1 | | UEP95 | UEPQH | 11.13 | 40.36 | 27.74 | | | | | | | 1 | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | 1 | | | İ | | | | | | | |
| | | Center)2 | | | UEP95 | UEPQM | 11.13 | 95.16 | 49.62 | | | | | | | | |
| 1 | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | П | | | | | |
| | 1 | Term | | | UEP95 | UEPQZ | 11.13 | 95.16 | 49.62 | | | | | | ļ | ļ | |
| | | L.,,, ,, , , , , , , , , , , , , , , , , | | | | | | | | | | | | | | | |
| <u> </u> | 1 | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 1 | 2-Wire Voice Grade Port Terminated on 800 Service Term | | - | UEP95 | UEPQ2 | 11.13 | 40.36 | 27.74 | | | | | | | - | \vdash |
| - | Local | Switching Centrex Intercom Funtionality, per port | - | - | UEP95 | URECS | 0.7996 | | | | | -+ | | | - | | |
| - | Feature | 7.1 | | - | 05590 | UKEUS | 0.7996 | - | | | | -+ | | | | | |
| | reature | All Standard Features Offered, per port | | | UEP95 | UEPVF | 3.04 | | | | | -+ | - | | | | |
| | | prin otanidaru i daturda Ondrou, per port | | | OL1 30 | OL: VI | 3.04 | | | l l | | | | | L | 1 | |

| SERVICE | S - S | South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--------|--|--|--|----------------|----------------|----------------|--------|---------------------------------------|--|-------------|---|---|--|--|---|---|
| CATEGOR | Υ | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | | Nonrec | urrina | Nonrecurring | Disconnect | | | oss | Rates(\$) | 1 | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | All Select Features Offered, per port | | | UEP95 | UEPVS | 0.00 | 406.42 | | | | | | | | | |
| | | All Centrex Control Features Offered, per port | | | UEP95 | UEPVC | 3.04 | | | | | | | | | | |
| NA | RS | | | | | | | | | | | | | | | | |
| | | Network Access Register - Combination | | | UEP95 | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Network Access Register - Indial | | | UEP95 | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| BA:- | | Network Access Register - Outdial aneous Terminations | | 1 | UEP95 | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | 1 | |
| | | Trunk Side | | | | + | | | | | | | | | | | |
| 2-0, | | Trunk Side Terminations, each | | | UEP95 | CEND6 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | | | | - | |
| 4-W | | Digital (1.544 Megabits) | | | 02. 00 | 02.150 | 0.00 | | 10.70 | 00.00 | 0 | | | | | | |
| | | DS1 Circuit Terminations, each | 1 | | UEP95 | M1HD1 | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | | | | | |
| | | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 14.51 | | | | | | | | | |
| Inte | | ce Channel Mileage - 2-Wire | | | | | | | · · · · · · · · · · · · · · · · · · · | | · · · · · · | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBM | 0.0167 | | | L | | | | | | | |
| | | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | - | | + | | | | | | | | | - | 1 | 1 |
| D4 | | nnel Bank Feature Activations Feature Activation on D-4 Channel Bank Centrex Loop Slot | - | | UEP95 | 1PQWS | 0.56 | | | + | | | | | | | 1 |
| | | realure Activation on D-4 Channel Bank Centrex Loop Stot | | | UEP95 | IPQWS | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | 02. 00 | 4.1.5 | 0.00 | | | † † | | | | | | t | <u> </u> |
| | | Slot | | | UEP95 | 1PQW7 | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | | Different Wire Center | | | UEP95 | 1PQWP | 0.56 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | UEP95 | 1PQWV | 0.56 | | | - | | | | | | - | |
| | | Slot | | | UEP95 | 1PQWQ | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.56 | | | + + | | | | | | - | |
| No | | curring Charges (NRC) | | | | | | | | † † | | | | | | t | |
| - | | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP95 | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | | 770.00 | | | | | | | | | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | | 770.00 | | | | | | | | | |
| ├ | | NAR Establishment Charge, Per Occasion | | | UEP95 | URECA | | 85.00 | | | | | | | | | |
| Add | | nal Non-Recurring Charges (NRC) | - | - | UEP95 | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Loop at End Use Premise Miscellaneous Rate Element, Tag Design Loop at End Use | 1 | | OLF90 | UKEIL | | 8.33 | 0.83 | | | 1 | | | 1 | | |
| | | Premise | 1 | | UEP95 | URETN | | 11.24 | 1.10 | | | | | | | I | |
| DM | | SWITCH (Valid in All States) | l | | 1 | | | + | 0 | | | | | | 1 | 1 | |
| | op Ra | | | | | | | | | | | | | | <u> </u> | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEP9D | UECS1 | 13.76 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEP9D | UECS1 | 20.38 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEP9D | UECS1 | 26.04 | | | ↓ | | | | | ļ | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 | ļ | 1 | UEP9D | UECS2 | 16.68 | | | | | | | | | | 1 |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 2-Wire Voice Grade Loop (SL 2) - Zone 3 | - | 3 | UEP9D UEP9D | UECS2 UECS2 | 23.13 28.46 | | | | | | | | | | 1 |
| Do: | rt Rat | | 1 | 3 | OFLAD | UEUSZ | ∠8.46 | - | | | | 1 | | | 1 | | + |
| | | owing port rates are effective as specified | | | | + | | | | | | | | | | | 1 |
| | State | | l | | 1 | | | | | | | | | | 1 | 1 | 1 |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 11.13 | 40.36 | 27.74 | | | | | | <u> </u> | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYB | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local | 1 | | l | | | | | I T | | | | | | _ | |
| \vdash | | Area | | - | UEP9D | UEPYC | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local Area | | | UEP9D | UEPYD | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | 1 | | 02.1 00 | OLI ID | 11.13 | 70.00 | 21.14 | | | 1 | | | | † | |
| | 1. | Area | I | Ì | UEP9D | UEPYE | 11.13 | 40.36 | 27.74 | 1 | | I | 1 | | 1 | 1 | 1 |

| | South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|--|-------------|--|----------------|----------------|----------------|----------------|----------------|--------------|-------|--|---|---|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | 10 Mg 1/1 0 1 D 1/0 1 (5D0 M5/10) 0 D 1 1 | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local Area | | | UEP9D | UEPYF | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | UEF9D | UEPTF | 11.13 | 40.36 | 21.14 | | | | | | | <u> </u> | |
| | Area | | | UEP9D | UEPYG | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | | | | |
| | Area | | - | UEP9D | UEPYT | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local Area | | | UEP9D | UEPYU | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | OLI OD | OLI 10 | 11.10 | 40.00 | 27.17 | | | | | | | | |
| | Area | | | UEP9D | UEPYV | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local | | | | | | | | | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | | UEP9D | UEPY3 | 11.13 | 40.36 | 27.74 | | | | | | | - | |
| . [| Area | | | UEP9D | UEPYH | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | | 02. 03 | 02 | | 10.00 | 2, | | | | | | | | |
| | Indication))3 Basic Local Area | | | UEP9D | UEPYW | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | LIEDOD | HEDV | 44.40 | 40.00 | 07 | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | - | UEP9D | UEPYJ | 11.13 | 40.36 | 27.74 | | | | | | | 1 | |
| | 2 Basic Local Area | | | UEP9D | UEPYM | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | 02.05 | 02 | | 10.00 | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYO | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | | 40.00 | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPYP | 11.13 | 95.16 | 49.62 | | | | | | | - | |
| | Basic Local Area | | | UEP9D | UEPYQ | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPYR | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | LIEDOD | LIEDVO | 44.40 | 05.40 | 40.00 | | | | | | | | |
| | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPYS | 11.13 | 95.16 | 49.62 | 1 | | | | | | - | |
| | Basic Local Area | | | UEP9D | UEPY4 | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 Basic Local Area | | | UEP9D | UEPY6 | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEF9D | UEPTO | 11.13 | 95.16 | 49.02 | | | | | | | <u> </u> | |
| | Basic Local Area | | | UEP9D | UEPY7 | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | <u> </u> | UEP9D | UEPYZ | 11.13 | 95.16 | 49.62 | | | <u> </u> | | | | | |
| . [| 2-Wire Voice Grade Port terminated in on Megalink or equivalent Basic Local Area | | | UEP9D | UEPY9 | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | 02.1 30 | JLI 13 | 11.13 | 70.30 | 21.14 | | | | | | | | |
| | Local Area | | <u> </u> | UEP9D | UEPY2 | 11.13 | 40.36 | 27.74 | | | | | | | | |
| AL, KY | Y, LA, MS, SC, & TN Only | | | LIEDAD | LIEBS: | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) 2-Wire Voice Grade Port (Centrex 800 termination) | | - | UEP9D UEP9D | UEPQA UEPQB | 11.13 | 40.36 40.36 | 27.74 | 1 | | 1 | | | | - | 1 |
| | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | 1 | UEP9D UEP9D | UEPQB | 11.13 11.13 | 40.36 | 27.74 27.74 | 1 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 11.13 | 40.36 | 27.74 | | | <u> </u> | | | | <u> </u> | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | - | UEP9D UEP9D | UEPQG UEPQT | 11.13 11.13 | 40.36 40.36 | 27.74 27.74 | 1 | | 1 | | | | | |
| -+- | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 | | | UEP9D | UEPQI | 11.13 | 40.36 | 27.74 | | | - | | | | - | - |
| -+ | 2-Wire Voice Grade Port (Centrex / EBS-M5206)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D | UEPQV | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | UEP9D | UEPQ3 | 11.13 | 40.36 | 27.74 | 1 | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID) | | | UEP9D | UEPQH | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | _ | | 1 | | | | | _ | 1 | 1 | | | | 1 | _ |

| SFRV | ICFS - | South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---------|---|----------|------|----------------|----------------|--------------|--------|-----------|--------------|--------------|-----------|-----------|---------------|-------------|-------------|-------------|
| OLIV | OLO | Court Garonna | | | | 1 | 1 | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | to read | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | - (17 | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Add I | DISC ISI | DISC Add I |
| | | | | | | Ī | Dee | Nonrec | urring | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | | | UEP9D | UEPQJ | 11.13 | 40.36 | 27.74 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | | | | | | | | | | |
| | | 2 | | | UEP9D | UEPQM | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | UEP9D | UEPQQ | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPQR | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | | | | | | | | | | | | 1 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPQS | 11.13 | 95.16 | 49.62 | | ļ | | | | | | |
| | | | | | l | l | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | | | | | | | | | | | | 1 | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | UEP9D | UEPQ7 | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | | Term | | | UEP9D | UEPQZ | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 11.13 | 95.16 | 49.62 | | | | | | | | |
| | Local 8 | Switching | | | LIEDAD | | 0.7000 | | | | | | | | | | |
| - | F 1 | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.7996 | | | | | | | | | | |
| - | Feature | | | | LIEDOD | LIED) /E | 0.04 | | | | | | | | | | |
| - | | All Standard Features Offered, per port | | | UEP9D | UEPVF | 3.04 | 400.40 | | | | | | | | | |
| | | All Select Features Offered, per port | | | UEP9D UEP9D | UEPVS UEPVC | 0.00 3.04 | 406.42 | | | | - | | | | | |
| | NARS | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 3.04 | | | | | | | | | | |
| | NAKS | Network Access Register - Combination | | | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Network Access Register - Combination Network Access Register - Inward | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| | | Network Access Register - Inward Network Access Register - Outdial | | | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | - | | | | | |
| - | Missoll | aneous Terminations | | | OLF 9D | UARUX | 0.00 | 0.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| - | | Trunk Side | | | | + | | | | | | | | | | | |
| - | 2-44116 | Trunk Side Terminations, each | | | UEP9D | CEND6 | 8.86 | 119.57 | 18.78 | 60.03 | 3.77 | | | | | | |
| — | 4-Wire | Digital (1.544 Megabits) | | | 02100 | JE1400 | 0.00 | 113.57 | 10.70 | 00.03 | 5.77 | - | | | | | |
| — | | DS1 Circuit Terminations, each | - | | UEP9D | M1HD1 | 73.62 | 202.47 | 95.90 | 72.75 | 2.47 | | | | | | |
| | | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 14.51 | 00.00 | . 2.70 | 2.47 | | | | | | |
| | Interof | fice Channel Mileage - 2-Wire | | | | | 0.00 | 14.01 | | | 1 | | | | | | |
| | | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 24.30 | 40.63 | 27.47 | 16.77 | 6.91 | | | | | | |
| | | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBM | 0.0167 | | | | 1 | 1 | | | 1 | | |
| | Feature | Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | İ | | | | | İ | İ | | | | | |
| | | innel Bank Feature Activations | | | | 1 | | | | | ĺ | | | | | | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.56 | | | | | | | | | | |
| | | · | | | | | | | | | | | | | | | |
| | <u></u> | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | <u></u> | | UEP9D | 1PQW6 | 0.56 | | | | <u> </u> | <u> </u> | | | <u> </u> | | |
| | | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| L | L | Slot | L | L | UEP9D | 1PQW7 | 0.56 | | | | <u> </u> | | | | <u> </u> | <u> </u> | |
| | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| L | L | Different Wire Center | L | L | UEP9D | 1PQWP | 0.56 | | | | <u> </u> | | | | <u> </u> | <u> </u> | <u> </u> |
| | | | | | | | | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP9D | 1PQWQ | 0.56 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.56 | | | | | | | | | | |
| | Non-Re | ecurring Charges (NRC) | | | | | | | | | | | | | | | |

| SER | /ICES - | South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|-----------|---|----------|--|-----------------------|----------------|--|--------------------|----------------|------------------|--|--|-------------|---------------|--|-------------|-------------|
| <u> </u> | | Joann Jaronna | | 1 | I | 1 | | | | | | Svc Order | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | | | | |
| 1 | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| CATE | CODV | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CAIL | GORT | RATE ELEMENTS | m | Zone | 603 | 0300 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| - | | | | | | | <u> </u> | Nonrec | urrina | Monroourrin | g Disconnect | | | 000 | Rates(\$) | | <u> </u> |
| - | + | | | | | | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | | SOMAN | SOMAN | SOMAN |
| - | + | Conversion Friedrich Blatform Creitale As In with allowed | | | | | | FIRST | Addi | FIRST | Addi | SOWIEC | SUMAN | SUMAN | SOWAN | SUMAN | SUMAN |
| | | Conversion - Existing Platform Switch-As-Is with allowed | | | UEP9D | USAC2 | | 10.00 | 10.00 | | | | | | | | ł |
| - | + | changes, per port New Centrex Standard Common Block | | | UEP9D | M1ACS | | 770.00 | 10.00 | | | | | | | | |
| - | + | | | | | | | | | | | | | | | | |
| - | + | New Centrex Customized Common Block NAR Establishment Charge, Per Occasion | | | UEP9D UEP9D | M1ACC URECA | | 770.00 85.00 | | | | | | | | | |
| - | A 4 324 | | | | UEP9D | URECA | | 85.00 | | | | | | | | | |
| - | Additio | onal Non-Recurring Charges (NRC) | | | LIEDOD | LIDETI | | 0.00 | 0.00 | | | | | | | | |
| - | + | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP9D | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Design Loop at End Use | | | LIEBAB | | | | | | | | | | | | i |
| | | Premise | | | UEP9D | URETN | | 11.24 | 1.10 | | | | | | | | |
| | | - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | | 2 - Requres Interoffice Channel Mileage | | | | 1 | | | | | | | | | | | |
| L | | - Requires Specific Customer Premises Equipment | | <u> </u> | | _ | | | | | | ļ | | | ļ | | - |
| DS0 V | | ALE LOCAL SWITCHING PORTS | | L | | 1 | | | | | | ļ | | | | | |
| | DS0 W | HOLESALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPSP | UEPP2 | 27.06 | 425.55 | 187.21 | | | | | | | | |
| | | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports - 2-Wire ISDN Port (See Note1and 2 Below.) | | | UEPTX, UEPSX | U1PMA | 50.00 | 200.00 | 130.00 | | | | | | | | l . |
| | | All Features Offered | | | UEPTX, UEPSX | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | i |
| | | Wholesale Exchange Ports - 2-Wire ISDN Port Channel | | | | | | | | | | | | | | | í |
| | | Profiles | | | UEPTX, UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | | | | | | | | ł |
| | NOTE | 1: Transmission/usage charges associated with POTS circuit | switche | ed usaç | ge will also apply to | circuit switc | hed voice and/o | or circuit switc | hed data trans | mission by B- | Channels asso | ciated with | 2-wire ISDN | ports. | | | i T |
| | NOTE | 2: Access to B Channel or D Channel Packet capabilities will I | be avail | lable or | nly through BFR/Ne | w Business I | Request Proces | s. Rates for th | e packet capa | bilities will be | determined via | the Bona F | ide Reques | t/New Busine | ss Request P | rocess. | i T |
| | DS0 W | HOLESALE LOCAL SWITCHING PORTS WITH REMOTE CALL | FORW | ARDING | G CAPABILITY | | | | • | | | | | | | | i T |
| | REMO | TE CALL FORWARDING SERVICE - (Residence) | | | | | | | | | | | | | | | |
| | 1 | Remote Call Forwarding Service, Area Calling, Res | | | UEPVR | UERAC | 8.65 | 34.08 | 15.34 | | | | | | | | |
| | 1 | Remote Call Forwarding Service, Local Calling - Res | | | UEPVR | UERLC | 8.65 | 34.08 | 15.34 | | | | | | | | |
| | 1 | Remote Call Forwarding Service, InterLATA - Res | | | UEPVR | UERTE | 8.65 | 34.08 | 15.34 | | | | | | | | |
| | 1 | Remote Call Forwarding Service, IntraLATA - Res | | | UEPVR | UERTR | 8.65 | 34.08 | 15.34 | | | | | | | | |
| | Non-R | ecurring (Residence) | | | | | | | | | | | | | | | · |
| | | Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVR | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 1 | Remote Call Forwarding Service - Conversion with allowed | | | | | | | | | | | | | | | |
| | | change (PIC and LPIC) | | | UEPVR | USACC | | 10.00 | 10.00 | | | | | | | | ł |
| | REMO | TE CALL FORWARDING - (Business) | | t | | | | | | | | | | | | | |
| | 1120 | Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 11.65 | 54.53 | 22.15 | | | | | | | | ſ |
| | 1 | Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB | UERLC | 11.65 | 54.53 | 22.15 | | | | | | | | ſ |
| | + | Remote Call Forwarding Service, InterLATA - Bus | | 1 | UEPVB | UERTE | 11.65 | 54.53 | 22.15 | | | | | | | | |
| | + | Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB | UERTR | 11.65 | 54.53 | 22.15 | | | | | | | | |
| | + | Remote Call Forwarding Service Expanded and Exception Local | | | OLI VD | OLIVIN | 11.00 | 34.33 | 22.10 | | | | | | | | |
| 1 | 1 | Calling | 1 | | UEPVB | UERVJ | 11.65 | 54.53 | 22.15 | | I | 1 | | | | | 1 |
| | Non B | ecurring (Business) | - | | OLI VD | JEINVJ | 11.00 | J 4 .J3 | 22.13 | | | | | | | | |
| - | NOII-R | Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVB | USAC2 | | 10.00 | 10.00 | - | | - | | | - | | |
| - | + | | | - | UEFVB | USACZ | | 10.00 | 10.00 | | | | | | | | |
| | | Remote Call Forwarding Service - Conversion with allowed | | | LIED) (D | 110400 | | 40.00 | 40.00 | | | | | | | | i |
| 504.14 | // IOI FO | change (PIC and LPIC) | | | UEPVB | USACC | | 10.00 | 10.00 | | | | | | | | |
| DS1 V | | ALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | |
| | EXCH | ANGE PORT RATES | | | | | | | | | | | | | | | |
| 1 | 1 | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | | HEDEV | LIEDEN | | 4 600 0- | | | 1 | | | | | | 1 |
| <u> </u> | 1 | Below.) | | 1 | UEPEX | UEPEX | 423.00 | 1,000.00 | 900.00 | | - | | | | . | | |
| | | Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 | | | | | | | | | | | | | | | i |
| L | 1 | Locator Capability (See Note1and 2 Below.) | | ļ | UEPEX | UEPEX | 423.00 | 1,000.00 | 900.00 | | ļ | ļ | | | | | |
| | 1 | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | | | 1 | | | | | 1 | | | | | | 1 |
| | 1 | Below.) | | | UEPDX | UEPDX | 423.00 | 1,000.00 | 900.00 | | ļ | | | | | | ļ |
| | | Physical Collocation - DS1 Cross-Connects | | | UEPEX UEPDX | PE1P1 | 1.12 | 22.08 | 15.96 | | | | | | | | _ |
| | | Virtual collocation - cross-connect per DS1 | | | UEPEX UEPDX | CNC1X | 1.12 | 22.08 | 15.96 | | | | | | | | |
| | Detaile | ed E911 with Locator Capability (required with UEPEX port) | | | | | | | | | | | | | | | |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | | | | | | | | | | _ | i |
| L | | Capability - Initial Profile Establishment per CLEC per State | | L_ | UEPEX | UEP1A | 0.00 | 1,808.00 | | <u> </u> | <u> </u> | <u> </u> | | | <u> </u> | | <u> </u> |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | | | | | | | | | | | 1 |
| 1 | 1 | Capability - Subsequent Profile Changes, Additions, Deletions | 1 | | UEPEX | UEP1B | 0.00 | 175.53 | | 1 | I | l | | | 1 | | 1 |
| | New o | r Additional PRI Telephone Numbers | | 1 | Ì | 1 | | | | | 1 | ĺ | | | ĺ | | 1 |
| | | • *** | | | | | | | | | | | | | | | |

| SER\ | ICES - | South Carolina | | | | | | | | | | | | | Att: 1 Exh: A | | | - |
|--|--|---|--|--|-------------|--------------|----------------|--|------------------|---------------|-----------------|-----------------|--|-------------|---------------|--|-------------|--|
| | | | 1 | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | 1 | | | | | | | | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | В | CS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | - () | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | 151 | Auu | DISC 1St | DISC Add I |
| | | | | | | | | Rec | Nonrec | urring | Nonrecurrin | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | | | | | | | | | | | | |
| | | Capability 2-way Telephone Numbers, per number in E911 | | | | | | | | | | | | | | | | |
| | | profile [New or Additional] | | | UEPEX | | UEP1C | 0.0698 | 0.49 | 0.49 | | | | | | | | |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | | | | | | | | | | | | |
| | | Capability - Outdial Telephone Numbers, per number in E911 | | | | | | | | | | | | | | | | |
| | | profile [New or Additional] | | | UEPEX | | UEP1D | 0.0698 | 11.54 | 11.54 | | | | | | | | ļ |
| | | Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone | | | LIEDDY | | LIED4E | 0.00 | 0.40 | 0.40 | | | | | | | | |
| | | Numbers - Inward Data Only Option [New or Additional] | | | UEPDX | | UEP1E | 0.00 | 0.49 | 0.49 | | | | | | | | ļ |
| | | Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] | | | HEDEV | | DD777 | 0.00 | 00.07 | 00.07 | | | | | | | | |
| | INTER | Inward Tel Numbers [Customer Testing Purposes] | <u> </u> | 1 | UEPEX | | PR7ZT | 0.00 | 23.07 | 23.07 | | + | - | | | | | |
| | INTER | FACE (Provsioning Only) | <u> </u> | 1 | UEPEX | | PR71V | 0.00 | 0.00 | 0.00 | | + | - | | | | | |
| | 1 | Voice/Data | | | | | PR71V PR71D | | | 0.00 | | + | 1 | | - | | - | |
| <u> </u> | | Digital Data | | ├ | UEPEX | | | 0.00 | 0.00 | | - | + | | | | | - | 1 |
| <u> </u> | Nove | Inward Data | | ├ | UEPDX | | PR71E | 0.00 | 0.00 | 0.00 | - | + | | | | | - | 1 |
| | New or | Additional Channel New or Additional - Voice/Data "B" Channel | | 1 | UEPEX | | PR7BV | 0.00 | 14.56 | | | + | <u> </u> | | | | | |
| | 1 | | <u> </u> | 1 | UEPEX | | PR7BF | 0.00 | 14.56 | | | + | - | | | | | |
| | | New or Additional - Digital Data "B" Channel | | | UEPDX | | PR7BD | 0.00 | 14.56 | | | + | - | | | | | + |
| - | | New or Additional Inward Data "B" Channel | | | | | | | 14.56 | | | 1 | 1 | | | | | |
| - | | New or Additional Useage Sensitive Voice Data "B" Channel | | | UEPEX | | PR7BS | 0.00 | | | | 1 | 1 | | | | | |
| <u> </u> | | New or Additional Useage Sensitive Digital Data "B" Channel New or Additional PRI "D" Channel | 1 | 1 | UEPEX | | PR7BU PR7EX | 0.00 | 14.56 | | | - | | | | | | - |
| | CALL | | | | UEPEX | | PR/EX | 0.00 | 14.56 | | | + | - | | | | | + |
| - | CALL | Inward | <u> </u> | - | UEPEX | HEDDY | PR7C1 | 0.00 | 0.00 | 0.00 | | + | - | | | - | | - |
| - | 1 | Outward | <u> </u> | - | UEPEX | ULFDX | PR7CO | 0.00 | 0.00 | 0.00 | | + | - | | | - | | - |
| - | 1 | Two-way | 1 | - | UEPEX | | PR7CC | 0.00 | 0.00 | 0.00 | | + | 1 | | | - | | - |
| | NOTE | 1: Transmission/usage charges associated with POTS circuit | ewitche | nd Hear | | o annly to | | | | | mission by R. | Channels asso | ciated with | 2-wire ISDN | l norte | | | - |
| | | 2: Access to B Channel or D Channel Packet capabilities will | | | | | | | | | | | | | | ss Request P | rocess. | † |
| DSO V | | ALE LOCAL PLATFORM SERVICE | l avail | T C | lly tilloug | III DI IUITO | Businessi | l | o. Itales for th | с раскет вара | l lines will be | T determined vi | T TO BOILD I | lac reques | Dusine | - Nequest I | | † |
| | | holesale Local Platform Service-Direct Inward Dialing (DID) | | | | | 1 | | | | | + | 1 | | | | | † |
| | | pop Rates | | | | | | | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | | 1 | UEPPX | | UECD1 | 16.68 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | | 2 | UEPPX | | UECD1 | 23.13 | | | | | | | | | | |
| | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | i – | 3 | UEPPX | | UECD1 | 28.46 | | | | | | | | | | |
| | DS0 Po | ort Rates | | | | | | | | | | | | | | | | |
| | i | Exchange Ports - 2-Wire DID Port | i | 1 | UEPPX | | UEPD1 | 27.06 | 425.55 | 187.21 | | | | | | | | |
| | NONR | CURRING CHARGES - Existing Platform | i | 1 | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Existing | | | | | ĺ | | | | | | ĺ | | | | | |
| | | Platform - Switch-As-Is | | | UEPPX | | USAC1 | | 10.00 | 10.00 | | | | | | | | |
| | | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | | | | | | | | | | | | | | |
| | | with AT&T Allowable Changes | | | UEPPX | | USA1C | | 10.00 | 10.00 | | | | | | | | |
| | ADDIT | ONAL NRCs | | | | | | | | | | | | | | | | |
| | | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | | | UEPPX | | USAS1 | | 26.84 | | | | | | | | | |
| | | Miscellaneous Rate Element, Tag Designed Loop at End User | | | | | | | | | | | | | | | | |
| | | Premise | | | UEPPX | | URETN | | 11.24 | 1.10 | | | | | | | | |
| | Teleph | one Number/Trunk Group Establisment Charges | | | | | | | | | | | | | | | | |
| | ļ | DID Trunk Termination (One Per Port) | ļ | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | ļ | 1 | | | | ļ | ļ | ļ |
| | 1 | DID Numbers, Establish Trunk Group and Provide First Group | 1 | | | | | | | | | 1 | | | | I | | |
| | ļ | of 20 DID Numbers | ļ | | UEPPX | | NDZ | 0.00 | 0.00 | 0.00 | ļ | 1 | | | | ļ | ļ | ļ |
| | ļ | Additional DID Numbers for each Group of 20 DID Numbers | ļ | ļ | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | 1 | ļ | | | | | <u> </u> |
| | <u> </u> | DID Numbers, Non- consecutive DID Numbers , Per Number | <u> </u> | ļ | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | 1 | <u> </u> | | | | | _ |
| | ļ | Reserve Non-Consecutive DID numbers | ļ | 1 | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | + | | | | - | | |
| | D00 ::: | Reserve DID Numbers | | 1 | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | - | + | | | | - | | ├ |
| | | holesale Local Platform Service - ISDN/Basic Rate ISDN (ISDN | I/BKI) | <u> </u> | _ | | | ļ | | | | + | 1 | | | - | | |
| <u> </u> | | holesale Local Voice Service Platform Rates | ! | <u> </u> | - | | | | | | | + | | | | | | |
| - | ISDN L | oop Rates | ! | - | LIEDDD | LIEDDE | LICL OY | 04.00 | | | | + | | | | | | |
| | ! | 2-Wire ISDN Digital Grade Loop - Zone 1 | ! | 1 | UEPPB | UEPPR | USL2X | 21.90 | | | | + | | | | | | |
| 1 | 1 | 2 Wire ISDN Digital Crade Loop - Zone 2 | 1 | 2 | LIEDDD | UEPPR | USL2X | 20.04 | | | | 1 | | | | I | | |
| <u> </u> | | 2-Wire ISDN Digital Grade Loop - Zone 2 | | | UEPPB | | | 29.64 35.27 | | | - | + | | | | | - | 1 |
| | 1 | 2-Wire ISDN Digital Grade Loop - Zone 3 | L | 3 | UEPPB | UEPPR | USLZX | 35.27 | | | l | 1 | 1 | 1 | | 1 | l | |

| SERVICES | S - South Carolina | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---|--|--|-------------|-------------|---------------|------------------|-----------------------|---------------|-----------------|----------------|--|--------------|---------------|----------------|-------------|--|
| | | | | | | | | | | | | Svc Order | | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | | | |
| CATEGORY | RATE ELEMENTS | Interi | Zone | В | CS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | .,, | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonrec | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| ISDN | N Port Rates | | | | | | | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | 1 | | UEPPR | | UEPPR | 50.00 | 425.00 | 285.00 | | | | | | | | |
| Nov | Exchange Port - 2-Wire ISDN Line Side Port IRECURRING CHARGES - Existing Platform | 1 | | UEPPB | | UEPPB | 50.00 | 425.00 | 285.00 | | | | | | | | |
| NON | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port - | <u> </u> | 1 | | | | | | | | | - | | | | | |
| | Conversion - | | | LIEDDD | UEPPR | USACB | 0.00 | 90.00 | 65.00 | | | | | | | | |
| ADD | OITIONAL NRCs | | 1 | OLFFB | ULFFR | USACB | 0.00 | 90.00 | 03.00 | | | † | | | | | |
| ADD | Miscellaneous Rate Element, Tag Designed Loop at End User | 1 | 1 | 1 | | | | | | | | 1 | | | | | |
| | Premise | | | UEPPB | UEPPR | URETN | | 11.24 | 1.10 | | | | | | | | |
| | Miscellaneous Rate Element, Tag Loop at End User Premise | <u> </u> | | UEPPB | UEPPR | URETL | | 8.33 | 0.83 | | | † | | | | | |
| B-CI | HANNEL USER PROFILE ACCESS: | 1 | | <u> </u> | | 1 | | 2.20 | 2.30 | | İ | | | | l | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | | | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| B-Cl | HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, 8 | k TN) | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | ļ | ļ | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | ļ | ļ | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| USE | R TERMINAL PROFILE | 1 | | | | | | | | | | | | | | | |
| VED | User Terminal Profile (EWSD only) TICAL FEATURES | <u> </u> | 1 | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| VER | All Vertical Features - One per Channel B User Profile- All | | | | | | | | | | | . | | | | | |
| | States | | | UEPPB | UEPPR | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | 1 |
| INTE | EROFFICE CHANNEL MILEAGE | ! | 1 | OLFFB | ULFFR | OLF VI | 3.04 | 0.00 | 0.00 | | | 1 | | | | | \vdash |
| 11112 | Interoffice Channel mileage each, including first mile and | <u> </u> | 1 | | | | | | | | | † | | | | | |
| | facilities termination | | | UEPPB | UEPPR | M1GNC | 24.30 | 40.63 | 27.47 | | | | | | | | 1 |
| | Interoffice Channel mileage each, additional mile | 1 | | | UEPPR | M1GNM | 0.0167 | 0.00 | 0.00 | | | İ | | | | | |
| | SALE LOCAL PLATFORM SERVICE | | | | | | i | | | | | | | | | | |
| The | following Terms and Conditions apply to DS1 Wholesale Local | Platforr | n Servi | ce: | | | | | | | | | | | | | |
| > Fo | r New Install scenarios the Nonrecurring charges are listed in the | ne First | and Ad | Iditional N | IRC colum | ns for each F | ort USOC. For | Existing Platf | orm scenarios | , the Nonrecur | ring charges a | re listed in | the NRC - Co | onversions se | ection. Additi | onal NRCs m | ay apply |
| | and are categorized accordingly. | | | | | | | | | | | | | | | | |
| | End Office and Tandem Switching Usage and Wholesale Commo | | | sage rates | s in the Po | rt section of | this rate exhibi | t shall apply to | all DS0 Whol | esale Local Pla | atform Service | s. | | | | | |
| | Wholesale Local Platform Service - ISDN/Primary Rate ISDN (IS | DN/PRI) | ļ | ļ | | | | | | | | | | | | | |
| DS1 | Loop Rates | ļ | ļ | ļ | | | | | | | | | | | | | |
| | AND DOA District and AND IODAL DOA District Tourist Doals - Tourist | | | LIEDDD | | 1101 4D | 400.00 | | | | | | | | | | 1 |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 1 | <u> </u> | 1 | UEPPP | | USL4P | 168.00 | | | | | 1 | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 2 | | 2 | UEPPP | | USL4P | 175.00 | | | | | | | | | | 1 |
| \vdash | TTV DOT DIGITAL LOOP/4VV IODIA DOT DIGITAL TRUTK POIT - ZOTIE Z | 1 | - | ULFFF | | UUL4F | 175.00 | | | | 1 | } | | | | | |
| | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 3 | | 3 | UEPPP | | USL4P | 180.00 | | | | | | | | | | 1 |
| DS1 | Port Rate | t | Ť | J=: 1 1 | | 302.1 | 100.00 | | | | | 1 | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port | t | | UEPPP | | UEPPP | 423.00 | 1,200.00 | 1,000.00 | | İ | | | | İ | | |
| NON | IRECURRING CHARGES - Existing Platform | | | Ì | | 1 | | | | | | İ | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | | |
| | Conversion -Switch-As-Is | | | UEPPP | | USACP | 0.00 | 500.00 | 500.00 | | | | | <u> </u> | <u> </u> | | 1 |
| ADD | ITIONAL NRCs | | | | | | | | | | | | | | | | |
| 1 1 | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | | | | | | | | | | | | | | | | 1 |
| \vdash | Inward/two way Telephone Numbers (except NC) | ļ | | UEPPP | | PR7TF | | 0.9822 | | | ļ | | | | | | 1 |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | LIEBSS | | DDZTO | | 00.00 | 20.00 | | | | | | | | 1 |
| \vdash | Outward Tel Numbers (All States except NC) | ! | 1 | UEPPP | | PR7TO | | 23.02 | 23.02 | | | ļ | | | | | \vdash |
| | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Telephone Numbers | 1 | | UEPPP | | PR7ZT | | 46.05 | 46.05 | | | | | | | | 1 |
| INTE | ERFACE (Provsioning Only) | | 1 | UEPPP | | rr/41 | | 46.05 | 40.05 | | 1 | } | | | | | |
| INTE | Voice/Data | | 1 | UEPPP | | PR71V | 0.00 | 0.00 | 0.00 | | 1 | } | | | | | |
| | Digital Data | | | UEPPP | | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Inward Data | t | 1 | UEPPP | | PR71E | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| New | or Additional "B" Channel | t | | J=. 11 | | | 0.00 | 0.00 | 0.00 | | 1 | | | | | | |
| 1.3. | New or Additional - Voice/Data B Channel | 1 | | UEPPP | | PR7BV | 0.00 | 40.00 | | | İ | | | | l | | |
| | New or Additional - Digital Data B Channel | | 1 | UEPPP | | PR7BF | 0.00 | 40.00 | | | | | | | | | |
| | | | • | | | | | | | | | • | | | | | - |

| CALL | - South Carolina RATE ELEMENTS New or Additional Inward Data B Channel TYPES Inward Outward | Interi m | Zone | BCS | USOC | | | | | | Submitted | Svc Order Submitted | | Incremental Charge - | Charge - | Incremental Charge - |
|-------------|---|--|--|---------|--------|--------|----------|-----------|--------------|------------|--|------------------------|-------------|-------------------------|-------------|-------------------------|
| CALL | New or Additional Inward Data B Channel TYPES Inward | | Zone | BCS | usoc | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | |
| CALL | New or Additional Inward Data B Channel TYPES Inward | | Zone | BCS | usoc | | | | | | | | | | | |
| CALL | New or Additional Inward Data B Channel TYPES Inward | | Zone | BCS | USOC | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| Interd | TYPES Inward | m | | | | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| Interd | TYPES Inward | | | | | | | - () | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| Interd | TYPES Inward | | | | 1 | | | | | | | | | | | |
| Interd | TYPES Inward | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| Interd | TYPES Inward | | | | | _ | Nonred | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| Interd | TYPES Inward | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Interd | TYPES Inward | | 1 | UEPPP | PR7BD | 0.00 | 40.00 | | 1 | | | | | | | |
| Interd | Inward | | 1 | | | | | | | | | | | | | |
| | | t - | 1 | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | | | UEPPP | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | office Channel Mileage | | | 02 | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 76.68 | 89.47 | 81.99 | | | | | | | | |
| | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 20.45 | 00.11 | 01.00 | | | | | | | | |
| DS1 | Wholesale Local Platform Service - 4-wire DDITS | | 1 | OLITI | ILIVID | 20.40 | | | | | | | | | | |
| | Wholesale Local Platform Service Rates | † | + | | + | | | | | | | | | | | |
| | Loop Rates | | 1 | | + | | | | | | | | | | | |
| 10011 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | USLDC | 168.00 | | | | | | | | | | |
| \vdash | 4-Wire DS1 Digital Loop - Zone 2 | t | 2 | UEPDC | USLDC | 175.00 | | | | | | | | | | i |
| | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPDC | USLDC | 180.00 | | | | | | | | | | |
| De4 | Port Rate | 1 | - | 021 00 | JULDO | 100.00 | | | | | - | | | | | |
| 10311 | 4-Wire DDITS Digital Trunk Port | | 1 | UEPDC | UDD1T | 373.00 | 1.100.00 | 900.00 | | | | | | | | |
| NON | RECURRING CHARGES - Existing Platform | <u> </u> | + | UEPDC | ווטטט | 373.00 | 1,100.00 | 900.00 | | | - | | | | | |
| NON | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | <u> </u> | + | | + | | | | | | - | | | | | |
| | Switch-As-Is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | | ı |
| | | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | | | LIEDDO | | | 500.00 | 500.00 | | | | | | | | 1 |
| \vdash | Conversion with DS1 Changes | | _ | UEPDC | USAWA | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | | | | | | =00.00 | =00.00 | | | | | | | | 1 |
| | Conversion with Change | | ļ | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | |
| ADDI | TIONAL NRCs | | ļ | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | 1 |
| \vdash | Subsequent Channel Activation/Chan - 2-Way Trunk | | ļ | UEPDC | UDTTA | | 14.51 | 14.51 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | 1 |
| \vdash | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 14.51 | 14.51 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | 1 |
| \vdash | Activation/Chan Inward Trunk w/out DID | | | UEPDC | UDTTC | | 14.51 | 14.51 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | ı |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 14.51 | 14.51 | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | 1 |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 14.51 | 14.51 | | | | | | | | 1 |
| BIPO | LAR 8 ZERO SUBSTITUTION | | | | | | | | | | | | | | | 1 |
| | B8ZS -Superframe Format | | | UEPDC | CCOSF | | | 605.00S | | | | | | | | 1 |
| | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.001 | 605.00S | | | | | | | | |
| Alter | nate Mark Inversion | | | | | | | | | | | | | | | |
| | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | <u> </u> | | | | | | | |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Teler | hone Number/Trunk Group Establisment Charges | | | | | | | | <u> </u> | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | l i | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | 1 | UEPDC | UDTGZ | 0.00 | | | | | | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | 1 | | | | | | | i i | | ĺ | 1 | | | | |
| 1 1 | of 20 DID Numbers | 1 | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | ı |
| | DID Numbers for each Group of 20 DID Numbers | 1 | 1 | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | i – | 1 | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | i | | İ | i | | | | · |
| | Reserve Non-Consecutive DID Nos. | † | 1 | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| | Reserve DID Numbers | l | 1 | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Dedi | cated DS1 (Interoffice Channel Mileage) - FX/FCO for DDITS | l | 1 | | | 0.00 | 5.50 | 0.00 | | | | <u> </u> | | | | |
| Deut | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | l | | | _ | | | | | | † | | | | | |
| 1 1 | Termination) | 1 | | UEPDC | 1LNO1 | 76.68 | 89.47 | 81.99 | | | | | | | | ı |
| \vdash | Tommadon) | | | 02.1 00 | 121101 | 70.00 | 03.47 | 01.35 | | | | | | | | |
| 1 1 | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | 1 | | UEPDC | 1LNOA | 20.45 | 0.00 | 0.00 | | | | | | | | ı |
| \vdash | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | 1 | 1 | OLFDO | ILINUA | 20.45 | 0.00 | 0.00 | | | - | | | | | |
| | Termination) | 1 | 1 | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | 1 | | | | | ı |
| \vdash | Interoffice Channel Mileage - Additional rate per mile - 9-25 | 1 | 1 | OLFDO | ILINUZ | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| 1 1 | miles | | 1 | UEPDC | 1LNOB | 20.45 | 0.00 | 0.00 |] | | I |] | | | | 1 |

| SERVICES | - South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---|--|--|--------|---|---|---|--|--|--------------|------------|---|---|--|---|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonre | curring | Nonrecurring | Disconnect | | | | Rates(\$) | • | • |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Little Control Miles of Additional Additiona | | | LIEDDO | 41.1100 | 00.45 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles Central Office Termininating Point | ļ | 1 | UEPDC UEPDC | 1LNOC CTG | 20.45 | 0.00 | 0.00 | | | | | | | | |
| DS1 V | Central Office Termininating Point Vholesale Local Platform Service - 4-WIRE DS1 LOOP WITH CH | IANNEI | IZATIO | | CIG | 0.00 | | | | | | | | | | |
| | m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | I WITH OKT | + | | | | | | | | | | | |
| | tem can have various rate combinations based on type and nu | | | used | 1 | | | | | | | | | | | |
| DS1 L | | | ĺ | | | | | | | | | | | | | |
| İ | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 2 | | 2 | UEPMG | USLDC | 175.00 | | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 3 | ļ | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | | |
| DSO (| Channelization Capacities (D4 Channel Bank Configurations) | ļ | | LIEDMO | 1,4,15,40,4 | 00.70 | 0.00 | 0.00 | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | ! | - | UEPMG | VUM24 VUM48 | 82.78 | 0.00 | 0.00 | | | | | | | - | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s 96 DSO Channel Capacity -1per 4 DS1s | 1 | - | UEPMG UEPMG | VUM48 VUM96 | 165.56 331.12 | 0.00 | 0.00 | | | | | | | - | |
| - | 144 DS0 Channel Capacity - 1 per 6 DS1s | | 1 | UEPMG | VUM14 | 496.68 | 0.00 | 0.00 | | | | | | | | |
| - | 192 DS0 Channel Capacity -1 per 8 DS1s | 1 | 1 | UEPMG | VUM19 | 662.24 | 0.00 | 0.00 | | | | | | | | |
| 1 | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 827.80 | 0.00 | 0.00 | | | | | | | | |
| | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 993.36 | 0.00 | 0.00 | | | | | | | | |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1,324.48 | 0.00 | 0.00 | | | | | | | | |
| | 480 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 1,655.60 | 0.00 | 0.00 | | | | | | | | |
| | 576 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 1,986.72 | 0.00 | 0.00 | | | | | | | | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,317.84 | 0.00 | 0.00 | | | | | | | | |
| | | | | | <u> </u> | | | 0.00 | | | | | | | | |
| | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop wit | | | | | Based on a Sy | | 0.00 | | | | | | | | |
| A Min | imum System configuration is One (1) DS1, One (1) D4 Channe | el Bank, | and U | p To 24 DSO Ports | with Feature A | Based on a Sy | | 0.00 | | | | | | | | |
| A Min | imum System configuration is One (1) DS1, One (1) D4 Channe oles of this configuration functioning as one are considered A | el Bank, | and U | p To 24 DSO Ports | with Feature A | Based on a Sy | | 0.00 | | | | | | | | |
| A Min | imum System configuration is One (1) DS1, One (1) D4 Channe oles of this configuration functioning as one are considered Ac NRC - Conversion (Currently Combined) with or without AT&T | el Bank, | and U | p To 24 DSO Ports ninimum system co | with Feature A | Based on a Sy activations. counted. | rstem | | | | | | | | | |
| A Min Multij | imum System configuration is One (1) DS1, One (1) D4 Channe oles of this configuration functioning as one are considered A | el Bank, dd'l afte | and U | p To 24 DSO Ports | with Feature A | Based on a Sy | | 20.00 | | | | | | | | |
| A Min Multij | imum System configuration is One (1) DS1, One (1) D4 Channe oles of this configuration functioning as one are considered Ar NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes | el Bank, dd'l afte | and U | p To 24 DSO Ports ninimum system co | with Feature A | Based on a Sy activations. counted. | rstem | | | | | | | | | |
| A Min Multip Syste | himum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered A NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - | el Bank, dd'l afte | and U | p To 24 DSO Ports ninimum system co | with Feature A | Based on a Sy activations. counted. | rstem | | | | | | | | | |
| A Min Multip Syste | imum System configuration is One (1) DS1, One (1) D4 Channeles of this configuration functioning as one are considered At NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution | el Bank, dd'l afte | and U | p To 24 DSO Ports ninimum system co UEPMG | with Feature A onfiguration is USAC4 | Based on a Sy activations. counted. | 350.00 | 20.00 | | | | | | | | |
| A Min Multip Syste | imum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered At NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - are 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent | el Bank, dd'l afte | and U | D TO 24 DSO Ports DINIMUM SYSTEM CO UEPMG UEPMG | with Feature A onfiguration is USAC4 VUMD4 | Based on a Systematical Based | 350.00 850.00 | 20.00 | | | | | | | | |
| A Min Multip Syste | imum System configuration is One (1) DS1, One (1) D4 Channe clos of this configuration functioning as one are considered At NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installar 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only | el Bank, dd'l afte | and U | p To 24 DSO Ports ninimum system co UEPMG | with Feature A onfiguration is USAC4 | Based on a Sy activations. counted. | 350.00 850.00 | 20.00 | | | | | | | | |
| A Min Multip Syste | limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered A NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - | el Bank, dd'l afte | and U | p To 24 DSO Ports ininimum system co UEPMG UEPMG UEPMG | with Feature A onfiguration is USAC4 VUMD4 CCOSF | Based on a Systematics of the system of the | 350.00 850.00 | 20.00 485.00 605.00S | | | | | | | | |
| A Min Multij Syste | imum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered At NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | el Bank, dd'l afte | and U | D TO 24 DSO Ports DINIMUM SYSTEM CO UEPMG UEPMG | with Feature A onfiguration is USAC4 VUMD4 | Based on a Systematical Based | 350.00 850.00 | 20.00 | | | | | | | | |
| A Min Multij Syste | imum System configuration is One (1) DS1, One (1) D4 Channe coles of this configuration functioning as one are considered At NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installar 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | el Bank, dd'l afte | and U | p To 24 DSO Ports ininimum system co UEPMG UEPMG UEPMG UEPMG | with Feature A onfiguration is USAC4 VUMD4 CCOSF CCOEF | Based on a Syctivations. counted. 0.00 0.00 0.00 0.00 | 350.00 850.00 0.001 | 20.00 485.00 605.00S | | | | | | | | |
| A Min Multij Syste | imum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered At NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only | el Bank, dd'l afte | and U | p To 24 DSO Ports ininimum system co UEPMG UEPMG UEPMG | with Feature A onfiguration is USAC4 VUMD4 CCOSF | Based on a Systematics of the system of the | 350.00 850.00 | 20.00 485.00 605.00S | | | | | | | | |
| A Min Multi | limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered A NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installar 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only atte Mark Inversion (AMI) Superframe Format | el Bank, dd'l afte | and U | p To 24 DSO Ports ininimum system co UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG | with Feature A onfiguration is USAC4 VUMD4 CCOSF CCOEF MCOSF | Based on a Syctivations. counted. 0.00 0.00 0.00 0.00 0.00 | 350.00 850.00 0.001 | 20.00 485.00 605.00S 605.00S | | | | | | | | |
| A Min Multi Syste Bipol Alterr | imum System configuration is One (1) DS1, One (1) D4 Channelles of this configuration functioning as one are considered Ar NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format | el Bank, dd'l afte | and U | p To 24 DSO Ports ininimum system co UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG | with Feature A onfiguration is USAC4 VUMD4 CCOSF CCOEF MCOSF | Based on a Syctivations. counted. 0.00 0.00 0.00 0.00 0.00 | 350.00 850.00 0.001 | 20.00 485.00 605.00S 605.00S | | | | | | | | |
| A Min Multi Syste Bipol Alterr | imum System configuration is One (1) DS1, One (1) D4 Channe ples of this configuration functioning as one are considered A NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installar 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Subsequent Activity Only Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization ange Ports | el Bank, dd'l afte | and U | p To 24 DSO Ports ininimum system co UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG | with Feature A onfiguration is USAC4 VUMD4 CCOSF CCOEF MCOSF MCOPO | 0.00 0.00 0.00 0.00 0.00 0.00 | 350.00 850.00 0.001 0.001 | 20.00 485.00 605.00S 605.00S | | | | | | | | |
| A Min Multi Syste Bipol Alterr | imum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered Af NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only sate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizationage Ports Line Side Combination Channelized PBX Trunk Port - Business | el Bank, dd'l afte | and U | D TO 24 DSO Ports ininimum system co UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG | with Feature A prinfiguration is USAC4 VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 350.00 850.00 0.001 0.001 0.000 | 20.00 485.00 605.00S 605.00S 0.00 0.00 | | | | | | | | |
| A Min Multi Syste Bipol Alterr | imum System configuration is One (1) DS1, One (1) D4 Channe ples of this configuration functioning as one are considered A NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installar 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Subsequent Activity Only Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelization ange Ports | el Bank, dd'l afte | and U | p To 24 DSO Ports ininimum system co UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG | with Feature A onfiguration is USAC4 VUMD4 CCOSF CCOEF MCOSF MCOPO | 0.00 0.00 0.00 0.00 0.00 0.00 | 350.00 850.00 0.001 0.001 | 20.00 485.00 605.00S 605.00S | | | | | | | | |
| A Min Multi Syste Bipol Alterr | Limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered A NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only sate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business | el Bank, dd'l afte | and U | P TO 24 DSO Ports inimum system co UEPMG | 350.00 850.00 0.001 0.000 0.000 0.000 0.000 | 20.00 485.00 605.00S 605.00S 0.00 0.00 | | | | | | | | |
| A Min Multi Syste Bipol Alterr | Limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered At NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installar 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only late Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID | el Bank, dd'l afte | and U | UEPMG | 350.00 850.00 0.001 0.001 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 20.00 485.00 605.00S 605.00S 0.00 0.00 0.00 | | | | | | | | |
| A Min Multij Syste Bipol Alterr Excha | Limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered At NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installar 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port runk DID 2-Wire Trunk Side Channelized DID Trunk Port | el Bank, dd'l afte | and U | P TO 24 DSO Ports inimum system co UEPMG | 350.00 850.00 0.001 0.000 0.000 0.000 0.000 | 20.00 485.00 605.00S 605.00S 0.00 0.00 | | | | | | | | |
| A Min Multij Syste Bipol Alterr Excha | Limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered At NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installar 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only late Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID | el Bank, dd'l afte | and U | UEPMG | 350.00 850.00 0.001 0.001 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 20.00 485.00 605.00S 605.00S 0.00 0.00 0.00 | | | | | | | | |
| A Min Multij Syste Bipol Alterr Excha | Limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered A NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only subsequent Activity Only Superframe Format Extended Superframe Format Ex | el Bank, dd'l afte | and U | UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPMG UEPPMG UEPPMC UEPPX UEPPX UEPPX | with Feature A prinfiguration is USAC4 VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEP1X | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.11.65 11.65 | 350.00 850.00 0.001 0.001 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 20.00 485.00 605.00S 605.00S 0.00 0.00 0.00 | | | | | | | | |
| A Min Multij Syste Bipol Alterr Excha | Limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered A NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - are 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Superframe Format Extended Superframe Format F | el Bank, dd'l afte | and U | D TO 24 DSO Ports Ininimum system co UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX | with Feature Anninguration is USAC4 VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 350.00 850.00 0.001 0.000 0.000 0.000 0.000 54.53 | 20.00 485.00 605.00S 605.00S 0.00 0.00 0.00 0.00 22.15 | | | | | | | | |
| A Min Multij Syste Bipol Alterr Excha | Limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered A NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - are 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only ate Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Channelized DID Trunk Port re Activations - Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank | el Bank, dd'l afte | and U | P TO 24 DSO Ports inimum system co UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMC UEPMC UEPMC UEPMC UEPMC UEPMC UEPMC UEPMC UEPMC UEPPX UEPPX UEPPX UEPPX | with Feature A prinfiguration is USAC4 VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDX UEPDM | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 350.00 850.00 0.001 0.001 0.00 0.00 0.00 0.00 0.00 0.00 0.00 | 20.00 485.00 605.00S 605.00S 0.00 0.00 0.00 0.00 | | | | | | | | |
| A Min Multij Syste Bipol Alterr Excha | Limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered At NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installar 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only Subsequent Activity Only Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Extended Superframe Format Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Channelized DID Trunk Port Feature (Service) Activation for each Line Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank hone Number/ Group Establishment Charges for DID Service | el Bank, dd'l afte | and U | D TO 24 DSO Ports Inimum system co UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMS UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX | with Feature Anniguration is USAC4 VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM 1PQWU | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 350.00 850.00 0.001 0.001 0.00 0.00 0.00 0.00 54.53 | 20.00 485.00 605.00S 605.00S 0.00 0.00 0.00 0.00 22.15 187.21 | | | | | | | | |
| A Min Multij Syste Bipol Alterr Excha | Limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered A NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installar 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - are 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only atte Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Hone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) | el Bank, dd'l afte | and U | D TO 24 DSO Ports inimum system co UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMS UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX | with Feature A printinguration is USAC4 VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM 1PQWU NDT | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 350.00 850.00 0.001 0.000 0.000 0.000 0.000 54.53 425.55 | 20.00 485.00 605.00S 0.00 0.00 0.00 0.00 22.15 187.21 | | | | | | | | |
| A Min Multi Syste Bipol Alterr Exche Exche | Limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered A NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installar 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - ar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only atte Mark Inversion (AMI) Superframe Format Extended Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Inward Only Channelized PBX Trunk Port without DID 2-Wire Trunk Side Channelized DID Trunk Port re Activations - Loop Concentration Feature (Service) Activation for each Line Port Terminated in D4 Bank hone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) Estab Trk Grp and Provide 1st 20 DID Nos. (FL,GA, NC,& SC) | el Bank, dd'l afte | and U | P TO 24 DSO PORTS INITIMEM SYSTEM CO UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX | with Feature A printinguration is USAC4 VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM 1PQWU NDT NDZ | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 350.00 850.00 0.001 0.000 0.000 0.000 0.000 54.53 425.55 | 20.00 485.00 605.00S 0.00 0.00 0.00 0.00 22.15 187.21 0.00 0.00 | | | | | | | | |
| A Min Multi Syste Bipol Alterr Exche Exche | Limum System configuration is One (1) DS1, One (1) D4 Channeloles of this configuration functioning as one are considered A NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes m Additions Where Platform Currently Exists and New Installar 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - are 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - Subsequent Activity Only atte Mark Inversion (AMI) Superframe Format Extended Superframe Format ange Ports Associated with 4-Wire DS1 Loop with Channelizati ange Ports Line Side Combination Channelized PBX Trunk Port - Business Line Side Outward Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port rouses Line Side Inward Only Channelized PBX Trunk Port Terminated in D4 Bank Feature (Service) Activation for each Trunk Port Terminated in D4 Bank Hone Number/ Group Establishment Charges for DID Service DID Trunk Termination (1 per Port) | el Bank, dd'l afte | and U | D TO 24 DSO Ports inimum system co UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMG UEPMS UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX UEPPX | with Feature A printinguration is USAC4 VUMD4 CCOSF CCOEF MCOSF MCOPO UEPCX UEPOX UEPDM 1PQWM 1PQWU NDT | 0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0 | 350.00 850.00 0.001 0.000 0.000 0.000 0.000 54.53 425.55 | 20.00 485.00 605.00S 0.00 0.00 0.00 0.00 22.15 187.21 | | | | | | | | |

| SERVICES - | South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---------------|--|--|---------|-----------------------|----------------|------------------|----------------|----------------|----------------|--------------|--|-------------|---------------|---------------|-------------|---------------|
| OLKVIOLO | | 1 | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | "" | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| <u> </u> | | <u> </u> | | | | 1 | Nonred | curring | Nonrecurring | Disconnect | | | 220 | Rates(\$) | | |
| | | 1 | | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | Reserve DID Numbers | 1 | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | 11130 | Auu i | JOINEC | JOINAIN | JONAN | JOINAIN | JONIAN | JOWIAN |
| FEATU | IRES - Vertical and Optional | | | | | 0.00 | | | | | | | | | | |
| Local S | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPPX | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| | FICE SYNC TEST (COST) | | | | | | | | | | | | | | | |
| Note: (| COST rates are applicable for Central Office Line Sharing & Li | ine Split | ting in | a maintenance mod | de only. Not a | applicable for R | emote Site Lin | e Sharing & L | ine Splitting | | | | | | | |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - Basic | | | | | | 25.00 | | | | | | | | | ı I |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - | 1 | | | 1 | | 23.00 | | | | 1 | | | | | |
| | Overtime | | | | | | 30.00 | | | | | | | | | ı l |
| | Central Office Sync Test (COST) - Per 15 Minute Increments - | i | | | İ | | | | | | | | | | | |
| | Premium | ļ | | | | | 40.00 | | | | | | | | | |
| | NG FRAME CONNECTION SERVICE | | | | | | | | | | | | | | | \Box |
| WHOLESALE S | SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR | R-LCC) | | | 1 | | | | | | | | | | | |
| | Selective Routing Per Unique Line Class Code Per Request Per | | | | | | 000.40 | 000.40 | 00.40 | 00.40 | | | | | | i l |
| DS0 Wholosald | Switch E Local Platform Service With E911 Call Locator Capability | <u> </u> | | | + | | 229.19 | 229.19 | 38.18 | 38.18 | | | | | | |
| | llowing contidions apply to DS0 Wholesale Local Platform Se | rvice W | ith F91 | I Call I ocator Cana | hility. | | | | | | | | | | | |
| > End | Office and Tandem Switching Usage and Wholesale Commor | n Transı | ort Us | age rates in the Port | t section of t | his rate exhibit | shall apply to | the Wholesale | Local Platform | Service With | E911 Call L | ocator Capa | ability. | | | |
| | New Installation scenarios the Nonrecurring charges are listed | | | | | | | | | | | | | ntly Combined | section. Ad | ditional |
| NRCs r | may apply also and are categorized accordingly. | | | | | | | - | | | | | | - | | |
| DS0 W | holesale Local Platform Service (BUS - PBX) With DID and E9 | 11 Call I | ocator | Capability | | | | | | | | | | | | |
| DS0 Lo | pop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | ļ | 1 | UEPRW | UEPLX | 13.76 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | 1 | 3 | UEPRW | UEPLX | 20.38 26.04 | | | | | - | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 3 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | 1 | 3 | UEPRW UEPRW | UECD1 | 16.68 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | 1 | 2 | UEPRW | UECD1 | 23.13 | | | | | | | | | | |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | | 3 | UEPRW | UECD1 | 28.46 | | | | | | | | | | |
| 2-Wire | Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPRW | UEPPC | 11.13 | 54.53 | 22.15 | | | | | | | | |
| | Line Side Outward PBX Trunk Port - Bus | | | UEPRW | UEPPO | 11.13 | 54.53 | 22.15 | | | | | | | | |
| | Line Side Incoming PBX Trunk Port - Bus | | | UEPRW | UEPP1 | 11.13 | 54.53 | 22.15 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Ports 2-Wire Voice 2-Way Combination PBX Usage Port | <u> </u> | | UEPRW UEPRW | UEPLD UEPXA | 11.13 11.13 | 54.53 54.53 | 22.15 22.15 | | | | | | | | \vdash |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | 1 | | UEPRW | UEPXB | 11.13 | 54.53 | 22.15 | | | 1 | | | | | $\overline{}$ |
| | 2-Wire Voice PBX LD DDD Terminals Port | 1 | | UEPRW | UEPXC | 11.13 | 54.53 | 22.15 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPRW | UEPXD | 11.13 | 54.53 | 22.15 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPRW | UEPXE | 11.13 | 54.53 | 22.15 | | | | | | | | $\overline{}$ |
| | | | | | | | | | | | | | | | | , —— |
| <u> </u> | 2-Wire Voice 2-Way PBX South Carolina Area Plus Calling Port | | | UEPRW | UEPXT | 11.13 | 54.53 | 22.15 | | | 1 | | | | | |
| Port Ra | ate -DID Exchange Ports - 2-Wire DID Port | | | UEPRW | UEPD1 | 27.06 | 425.55 | 187.21 | | | 1 | | | | | |
| F911 C | EALL LOCATOR CAPABILITY | 1 | | OLFINW | OLFDI | 21.00 | 420.00 | 101.21 | | | | | | | | |
| 23110 | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | + | + | | | | | - | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | 1 | | UEPRW | URE9A | 0.00 | 1,805.00 | | | | | 1 | | | | , ! |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | i | | | | | | | |
| | Subsequent Profile Changes, Additions/Deletions | | | UEPRW | URE9B | 0.00 | 175.28 | | | | | | | | | |
| Teleph | one Number/Trunk Group Establisment Charges For DID Num | nbers w | th E91 | | | | | | | | | | | | | |
| \vdash | DID Trunk Termination (One Per Port) | . | | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | 1 | | UEPRW | NDZ | 1.328 | 0.00 | 0.00 | | | | 1 | | | | , l |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1.328 | 0.00 | 0.00 | | | - | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | 1 | | UEPRW | ND5 | 0.0664 | 0.00 | 0.00 | | | <u> </u> | | | | | |
| | Reserve Non-Consecutive DID numbers | t | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FEATU | | | | | | | | _ | | | | | | | | |
| | All Features Offered | ļ | | UEPRW | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | |
| NONRE | ECURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | l | l | | | | |

| CATEGORY RATE LEMENTS Many Zone BCS USOG RATES(S) Security Charge | SERV | ICES - | South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|----------|----------|--|----------|--|----------|---------|--------|----------|-----------|--|------------|-------------------|-----------------------|--|--|-------------------------------------|-------------------------|
| Note Part | | | | | Zone | BCS | USOC | | | RATES(\$) | | | Submitted Elec | Submitted Manually | Incremental Charge - Manual Svc Order vs. | Incremental Charge - Manual Svc Order vs. | Charge - Manual Svc Order vs. | Manual Svc Order vs. |
| No. | | | | | | | | | | | | | | | | | | Disc Add'l |
| No. | | 1 | | | | | | | Nonrec | curring | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| Commonwealth Comm | | 1 | | | | | | Rec | | | | | SOMEC | SOMAN | | | SOMAN | SOMAN |
| Change C | | | | | | UEPRW | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| ADDITIONAL NICCE | | | | | | | | | 40.00 | 40.00 | | | | | | | | , ! |
| SAME Vision Group Logo Large Puri Puri Publishine - Subsequent 1 Very Publishine - Subsequent 1 Very Publishine - Very Publishin | | ADDIT | | ļ | | UEPRW | USACC | | 10.00 | 10.00 | | | | | | | | |
| 2 Virse Long-Line Siles For Firsten: Not Instance: Silescopied | | ADDITI | | | | HEPRW | LISAS2 | | 0.00 | 0.00 | | | | | | | | |
| Couple C | | | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent Activity- Nonrecurring | | | 02 | 00/102 | | | | | | | | | | | |
| Miscelanacous Robe Ecement, Tig Looke 2 and User Provises SEPRIV URE 1, | | | | | | | | | | | | | | | | | | 1 |
| Defroy Results SEXTRINGION CHANNELS | | ļ | | | | LIEBBIA. | LIBET | | | | | | | | | | | |
| Local Chronom Votos grade, per termination 1 UEPRW P2-JHK 16.08 16 | - | OEE/O | | - | | UEPRW | UREIL | | 8.33 | 0.83 | | | | | | | | —— |
| Load Channel Voice grade, per termination 2 UEPRW P2.PK 23:13 105.88 88.45 | | OF F/OI | | 1 | 1 | UFPRW | P2.IHX | 16.68 | 105 98 | 68 43 | | | | | | | | |
| Local Channel Victor grade, per termination 3 UEPRW P2JAK 28.66 105.88 88.45 | | t | | | | | | | | | 1 | | | | | | | |
| Non-Wire Diest Serve Chained Votor Grade 2 UEPRIV SDD2X 25.16 65.94 31.03 | | | Local Channel Voice grade, per termination | | 3 | UEPRW | P2JHX | 28.46 | 105.98 | 68.43 | | | | | | | | |
| Nac-Wire Detert Server Channel Varies Grante 3 0FPRW SDD2X 29.68 65.94 31.03 | | | | | | | | | | | | | | | | | | |
| INTEROPPICE TRANSPORT | | ļ | | ļ | | | | | | | | | | | | | | |
| Instruction Transport - Dedicated - 2 Wire Voice Grade - Perillity Termination UEPRW UTIV2 | | INTER | | | 3 | UEPRVV | SDDZX | 29.58 | 65.94 | 31.03 | | | | | | | | |
| Termination USPRW U1TVZ 24.30 40.68 27.47 | | IIII | | | | | | | | | | | | | | | | |
| OF Fraction Mile OF Fraction | | | | | | UEPRW | U1TV2 | 24.30 | 40.63 | 27.47 | | | | | | | | i |
| A-WIRE DST DIGITAL LOOP WITH 4-WIRE ISDN DST DIGITAL TRUNK PORT | | | or Fraction Mile | | | UEPRW | U1TVM | 0.0167 | 0.00 | 0.00 | | | | | | | | |
| DS1 Loop Rates | DS1 W | | | | | | | | | | | | | | | | | |
| 4-Wire DST Digital Loop - Zone 1 | | | | K POR I | - | | - | | | | | | | | | | | |
| 4-Wire DST Digital Loop - Zone 3 | | DSTEC | | - | 1 | LIEPPN | USI 4P | 168.00 | | | | | | | | | | |
| 4-Wire DST Digital Locor - Zone 3 3 UEPPN USLAP 180.00 | | | | | 2 | | | | | | | | | | | | | |
| Exchange Ports - 4-Wire ISIN DS1 Port UEPPN | | | | | 3 | | USL4P | 180.00 | | | | | | | | | | |
| E911 CALL LOCATOR CAPABILITY | | DS1 Pc | | | | | | | | | | | | | | | | |
| Miscellaneous Rate Element, E911 Call Locator Capability - | | F044 0 | | | | UEPPN | UEPPN | 423.00 | 1,200.00 | 1,000.00 | | | | | | | | —— |
| Initial Profile Establishment, Per CLEC End-User UEPPN URE9 | | E911 C | | - | | | + | | | | | | | | | | | |
| Subsequent Profile Changes, Additions/Deletions UEPPN URE9B 0.00 175.28 | | | Initial Profile Establishment, Per CLEC End-User | | | UEPPN | URE9A | 0.00 | 1,805.00 | | | | | | | | | |
| 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port | | | | | | UEPPN | URE9B | 0.00 | 175.28 | | | | | | | | | i |
| Conversion - Switch-As-Is | | NONRE | | | | | | | | | | | | | | | | |
| ADDITIONAL NRCs and E911 Call Locator Capability Telephone Number Recurring Charges 4-Wire DS1 Loop/4-W ISDN Digit Tirk Port - Subsqt Actry- | | | | | | LIEDDN | LICACE | 0.00 | F00.00 | 500.00 | | | | | | | | l |
| 4-Wire DS1 Loop/4-W ISDN Digital Trunk Port - Subsqt Activy- Inward/Iwo way Tel Nos. (except NC) | - | ADDIT | | nher Re | curring | | USACP | 0.00 | 500.00 | 500.00 | 1 | | | | | | | |
| Inward/two way Tel Nos. (except NC) | — | APPITI | | | | ui goo | | | | | 1 | | | | | | | i |
| Outward Tel Numbers (All States except NC) | | | Inward/two way Tel Nos. (except NC) | | | UEPPN | PR7TF | 0.0664 | 0.49 | 0.49 | | | | | | | | |
| A-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - Subsequent Inward Tel Numbers UEPPN PR7ZT 0.0664 23.07 | | | | | | LIEDDA | DDTTO | 0.000. | 44 | 44 | | | | | | | | l |
| Subsequent Inward Tel Numbers | | - | | - | - | UEPPN | PK/10 | 0.0664 | 11.54 | 11.54 | | | | | | | | |
| INTERFACE (Provisioning Only) | | | | | | UEPPN | PR7ZT | 0.0664 | 23.07 | 23 07 | | | | | | | | l |
| Voice/Data UEPPN PR71V 0.00 | | INTER | | | | | | 0.0004 | 20.01 | | | | | | | | | i |
| New or Additional "B" Channel | | | Voice/Data | | | | | | | | | | | | | | | |
| New or Additional - Voice/Data B Channel | | | | | | | | | | | | | | | | | | |
| New or Additional - Voice/Data B Channel | | Now or | | | - | UEPPN | PK/1E | 0.00 | 0.00 | 0.00 | + | | | | | | | |
| New or Additional - Digital Data B Channel | - | 146M OL | | | | UEPPN | PR7BV | 0.00 | 40 00 | | + | | | | | | | |
| New or Additional Inward Data B Channel | | | | | | | | | | | 1 | | | | | | | i |
| Inward | | | New or Additional Inward Data B Channel | | | | | | | | | | | | | | | i |
| Outward UEPPN PR7CO 0.00 | | CALL | | | | | | | | | | | | | | | | |
| Two-way | - | | | | - | | | | | | | | | | | | | |
| Interoffice Channel Mileage | - | - | | | - | | | | | | + | | | | | | | |
| | — | Interof | | | | OLI I IV | 1 11/00 | 0.00 | 0.00 | 0.00 | 1 | | | | | | | i |
| | | 1 | Fixed Each Including First Mile | | | UEPPN | 1LN1A | 76.68 | 89.47 | 81.99 | | | | | | | | |

| SERVICES | - South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------------------|--|----------|--|--------|--------|-----------|----------|-----------|-------------|--------------|-----------|-----------|---------------|--|-------------|-------------|
| <u> </u> | - Court Guronna | | | 1 | 1 | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - () | | | per Lor | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | 1 | | Nonre | curring | Nonrecurrin | g Disconnect | † | l | OSS | Rates(\$) | | |
| - | | | | | 1 | Rec | First | Add'l | First | Add'I | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| \vdash | Each Airline-Fractional Additional Mile | | 1 | UEPPN | 1LN1B | 20.45 | 11100 | Addi | 11130 | Auui | COME | COMPAR | COMPAR | COMPAR | COMPAR | COMPAR |
| 4-WII | RE DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | | | CEITIN | TEITIE | 20.40 | | | | | † | 1 | | | | |
| | Loop Rates | | 1 | | | | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | USLDC | 168.00 | | | | | | | | | | |
| | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPDC | USLDC | 175.00 | | | | 1 | | | | | | |
| - | 4-Wire DS1 Digital Loop - Zone 2 | | 3 | UEPDC | USLDC | 180.00 | | | | 1 | | | | | | |
| DS1 | Port Rates | | 3 | OLFDC | USLDC | 180.00 | | | | 1 | | | | | | |
| D311 | 4-Wire DDITS Digital Trunk Port | 1 | | UEPDC | UDD1T | 373.00 | 1.100.00 | 900.00 | | 1 | † | | | | | |
| NON | RECURRING CHARGES - Existing Platform | - | - | OLFDC | ODDII | 373.00 | 1,100.00 | 900.00 | | | - | | | | | |
| NON | | - | | | + | | | | | | - | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | LIEDDO | 110404 | | 500.00 | 500.00 | | | | | | | | |
| \vdash | - Switch-as-is | | - | UEPDC | USAC4 | | 500.00 | 500.00 | | | ļ | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | =00.00 | = | | | | | | | | |
| \vdash | - Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | | | | | | | |
| | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | - Conversion with Change - Trunk | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | | | | |
| E911 | CALL LOCATOR CAPABILITY | | | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | | | UEPDB | URE9A | 0.00 | 1,805.00 | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | Subsequent Profile Changes, Additions/Deletions | | | UEPDB | URE9B | 0.00 | 175.28 | | | | | | | | | |
| ADDI | ITIONAL NRCs | | | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | | | | | | | | | | | | | |
| | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDB | UDTTA | | 14.51 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| | Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDB | UDTTB | | 14.51 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | İ | | | | | |
| | Activation/Chan Inward Trunk w/out DID | | | UEPDB | UDTTC | | 14.51 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | Activation Per Chan - Inward Trunk with DID | | | UEPDB | UDTTD | | 14.51 | | | | | | | | | |
| | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | 1 | 02. 00 | 05115 | | | | | | | | | | | |
| | Activation / Chan - 2-Way DID w User Trans | | | UEPDB | UDTTE | | 14.51 | | | | | | | | | |
| RIPO | DLAR 8 ZERO SUBSTITUTION | | | OLI DD | ODITE | | 14.51 | | | | | | | | | |
| Bii 0 | B8ZS -Superframe Format | | - | UEPDC | CCOSF | | 0.001 | 605.00S | | | | | | | | |
| \vdash | B8ZS - Extended Superframe Format | 1 | | UEPDC | CCOEF | | | 605.00S | | 1 | † | | | | | |
| Altor | nate Mark Inversion | - | - | OLFDC | CCOLI | | 0.001 | 003.003 | | | - | - | | - | | |
| Aiteri | AMI -Superframe Format | - | - | UEPDC | MCOSF | | 0.00 | 0.00 | | | - | | | | | |
| \vdash | | - | | | | | | | | | - | | | | | |
| T.1 | AMI - Extended SuperFrame Format | Ear D' | D Nove | UEPDC | MCOPO | abilita / | 0.00 | 0.00 | | 1 | <u> </u> | | | | | - |
| relep | chone Number/Trunk Group Establisment Charges And Charges | s FOR DI | Num ט | | | | | | | 1 | 1 | | | - | | |
| $\vdash \vdash \vdash$ | Telephone Number for 2-Way Trunk Group | - | <u> </u> | UEPDB | UDTGX | 0.00 | | | | 1 | 1 | | | - | | |
| \vdash | Telephone Number for 1-Way Outward Trunk Group | | 1 | UEPDB | UDTGY | 0.00 | | | | ļ | ļ | ļ | | | | |
| \vdash | Telephone Number for 1-Way Inward Trunk Group Without DID | | 1 | UEPDB | UDTGZ | 0.00 | | | | ļ | ļ | ļ | | | | |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | 1 | | |
| \longrightarrow | of 20 DID Numbers | <u> </u> | ļ | UEPDB | NDZ | 1.328 | 0.00 | 0.00 | | | ļ | ļ | | ļ | | ļ |
| \square | Additional DID Numbers for each Group of 20 DID Numbers | <u> </u> | ļ | UEPDB | ND4 | 1.328 | 0.00 | 0.00 | | | | ļ | | ļ | | ļ |
| $\sqcup \sqcup \sqcup$ | DID Numbers, Non- consecutive DID Numbers , Per Number | | L | UEPDB | ND5 | 0.0664 | 0.00 | 0.00 | | | | <u> </u> | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPDB | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDB | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FX/F | CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | <u> </u> | <u></u> | UEPDC | 1LNO1 | 76.68 | 89.47 | 81.99 | | | | | | | | <u> </u> |
| | | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | 1 | | UEPDC | 1LNOA | 20.45 | 0.00 | 0.00 | | | | 1 | | 1 | | l |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | 1 | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | 1 | | 1 | | l |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | 1 | İ | | | | | | 1 | | 1 | | | | ĺ |
| 1 1 | miles | 1 | | UEPDC | 1LNOB | 20.45 | 0.00 | 0.00 | | | | 1 | | 1 | | l |
| | | t | 1 | 1 | 1 | | | | | 1 | 1 | i | | 1 | | |
| | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | | | | | | | | | | | | | |

| SERVICES | S - S | South Carolina | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------------|----------|---|--|--|-------------------|----------------|----------|--|-----------|--|---------|--------------|--|--|-------------|-------------|
| | | Tan. Jaronna | | | | 1 | | | | | Svc Ord | er Svc Order | 1 | | Incremental | Incremental |
| | | | 1 | | | 1 | | | | | Submitt | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | Manual Svc |
| CATEGORY | , | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | , | | | | |
| | | | m | | 200 | 0000 | | | 101120(4) | | per LS | R per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | \dashv | | | | | + | | Nonre | urring | Nonrecurring Discon | nect | _1 | oss | Rates(\$) | I. | I . |
| | \dashv | | | | | + | Rec | First | Add'l | First Add | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | \dashv | | | | | + | | 11130 | Auu i | Tilot Auc | 1 JOINE | JONAN | JONIAN | JONIAN | JOHAN | JOHIAN |
| | ١, | nteroffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 20.45 | 0.00 | 0.00 | | | | | | | |
| ٨٨٨ | | nteronice Charmer Mileage - Additional rate per mile - 25+ miles | - | - | UEPDC | ILINOC | 20.45 | 0.00 | 0.00 | | | + | - | + | | |
| Add | | | - | - | LIEDDO | CTC | 0.00 | | | | | | | | | |
| | | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | |
| | | DS1 LOOP WITH CHANNELIZATION WITH PORT WITH CALL | | | PIBILITY | | | | | | | | | | | |
| | | s 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | | | | | | | | | | | | |
| | | n can have various rate combinations based on type and nu | mber of | ports | ised | | | | | | | | | | | |
| DS1 | Loo | | | | | | | | | | | | | | | |
| | | -Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | | | | | |
| | | -Wire DS1 Loop - Zone 2 | | 2 | UEPMG | USLDC | 175.00 | | 0.00 | | | | | | | |
| | | l-Wire DS1 Loop - Zone 3 | | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | |
| DSC | | annelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | |
| | | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 82.78 | 0.00 | 0.00 | | | | | | | |
| | 4 | 8 DSO Channel Capacity - 1 per 2 DS1s | | | UEPMG | VUM48 | 165.56 | 0.00 | 0.00 | | | | | | | |
| ı | 9 | 6 DSO Channel Capacity -1per 4 DS1s | | | UEPMG | VUM96 | 331.12 | 0.00 | 0.00 | | | | | | | |
| 1 | | 44 DS0 Channel Capacity - 1 per 6 DS1s | | | UEPMG | VUM14 | 496.68 | 0.00 | 0.00 | | 1 | 1 | | 1 | | |
| | | 92 DS0 Channel Capacity -1 per 8 DS1s | | | UEPMG | VUM19 | 662.24 | 0.00 | 0.00 | | | | 1 | 1 | 1 | 1 |
| | | 240 DS0 Channel Capacity - 1 per 10 DS1s | | | UEPMG | VUM2O | 827.80 | 0.00 | 0.00 | | | | | | | |
| | | 288 DS0 Channel Capacity - 1 per 12 DS1s | | | UEPMG | VUM28 | 993.36 | 0.00 | 0.00 | | | | | | | |
| | | 884 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM38 | 1.324.48 | | 0.00 | | | + | | 1 | | |
| | | 80 DS0 Channel Capacity - 1 per 20 DS1s | | | UEPMG | VUM4O | 1,655.60 | 0.00 | 0.00 | | | | | | | |
| | | i76 DS0 Channel Capacity -1 per 24 DS1s | | | UEPMG | VUM57 | 1,986.72 | 0.00 | 0.00 | | | + | | 1 | | |
| | | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 2,317.84 | 0.00 | 0.00 | | | + | | + | | |
| Non | | curring Charges (NRC) Associated with 4-Wire DS1 Loop wit | h Chanr | oliztio | | | | | 0.00 | | | + | - | + | | |
| | | um System configuration is One (1) DS1, One (1) D4 Channe | | | | | | /Stelli | | | | _ | | | | |
| | | | | | | | | | | | | | | | | |
| Mul | | s of this configuration functioning as one are considered Ad | da'i arte | r tne m | inimum system coi | ntiguration is | countea. | | | | | | | | | |
| | | NRC - Conversion (Currently Combined) with or without AT&T | | | | | | | | | | | | | | |
| | | Allowed Changes | <u> </u> | | UEPMG | USAC4 | 0.00 | 350.00 | 20.00 | | | | | | | |
| Syst | | Additions Where Platform Currently Exists and New Installa | tions | | | | | | | | | | | | | |
| | | DS1/D4 Channel Bank - Add NRC for each Port and Assoc | | | | | | | | | | | | | | |
| | | ea Activation - | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | | _ | | 1 | | |
| Bipo | | 3 Zero Substitution | | | | _ | | | | | | | | | | |
| | | Clear Channel Capability Format, superframe - Subsequent | | | | | | | | | | | | | | |
| | | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.001 | 605.00S | | | | | | | |
| | | Clear Channel Capability Format - Extended Superframe - | | | | | | | | | | | | | | |
| | | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.001 | 605.00S | | | | | | | |
| Alte | ernate | Mark Inversion (AMI) | | | | | | | | | | | | | | |
| | | Superframe Format | | | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | | | | | | |
| | | Extended Superframe Format | | | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | | | | | | |
| Excl | hang | e Ports Associated with 4-Wire DS1 Loop with Channelizati | on with | Port | | | | | | | | | | | | |
| | | e Ports | | | | | | | | | | | | | | |
| | Т | | | | | | | | | | | 1 | | | | |
| | L | ine Side Combination Channelized PBX Trunk Port - Business | 1 | 1 | UEPRW | UEPCX | 11.65 | 0.00 | 0.00 | | | | I | I | | 1 |
| <u> </u> | | ine Side Outward Channelized PBX Trunk Port - Business | 1 | | UEPRW | UEPOX | 11.65 | 0.00 | 0.00 | | | 1 | 1 | İ | İ | İ |
| <u> </u> | -1 | | 1 | | | | ,,, | 1 | | | | 1 | 1 | İ | İ | İ |
| | - h | ine Side Inward Only Channelized PBX Trunk Port without DID | 1 | 1 | UEPRW | UEP1X | 11.65 | 0.00 | 0.00 | | | | I | I | | 1 |
| | | 2-Wire Trunk Side Channelized DID Trunk Port | | 1 | UEPRW | UEPDM | 27.06 | 0.00 | 0.00 | | | 1 | 1 | † | | |
| Feat | | Activations - Loop Concentration | † | t | | J J.v. | 27.50 | 0.00 | 0.00 | | | 1 | † | † | | 1 |
| , Jai | | eature (Service) Activation for each Line Port Terminated in D4 | t e | l – | | + | | t | | + | | + | t | + | | |
| | | Bank | | | UEPRW | 1PQWM | 0.70 | 54.53 | 22.15 | | | | 1 | 1 | | |
| - 1 | | Feature (Service) Activation for each Trunk Port Terminated in | | | OLI INVV | II Ø VVIVI | 0.70 | 34.33 | 22.15 | 1 | | + | | + | | |
| | | Partial (Service) Activation for each Trunk Port Terminated in | 1 | 1 | UEPRW | 1PQWU | 0.70 | 425.55 | 187.21 | | | | I | I | | 1 |
| E04 | | LL LOCATOR CAPABILITY | | | OLPKVV | IFQVVU | 0.70 | 420.05 | 187.21 | | | + | | | | - |
| E91 | | | - | - | | + | | | | | | + | | + | | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | LIEDDW | LIDECA | 0.00 | 4 005 00 | | | | | 1 | 1 | | |
| | | nitial Profile Establishment, Per CLEC End-User | - | - | UEPRW | URE9A | 0.00 | 1,805.00 | | | | - | - | + | - | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | 1 | 1 | LIEDDW | LIDECT | | | | | | | I | I | | 1 |
| | | Subsequent Profile Changes, Additions/Deletions | <u>. </u> | 1. 50: | UEPRW | URE9B | 0.00 | 175.28 | | | | - | - | + | | |
| rele | | ne Number/Trunk Group Establisment Charges For DID Num | npers wi | tn E91 | | | | | | | | | | | | |
| | | OID Trunk Termination (One Per Port) | l | | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | | l | 1 | | |

| SERVICES - | South Carolina | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------------|--|--------|--|-------|-------|-----------|--------|-----------|----------------|-------|-----------|-----------|--|-------------|--|-------------|
| | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intori | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | po. zo.t | po. 20.1 | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | 151 | Addi | DISC ISL | DISC Add I |
| | | | | | | Rec | Nonrec | | Nonrecurring I | | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DID Numbers, Establish Trunk Group and Provide First Group | | | | | | | | | | | | | | | |
| | of 20 DID Numbers | | | UEPRW | NDZ | 1.328 | 0.00 | 0.00 | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1.328 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPRW | ND5 | 0.0664 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | RES - Vertical and Optional | | | | | | | | | | | | | | | |
| | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| İ | All Features Available | | | UEPRW | UEPVF | 3.04 | 0.00 | 0.00 | | | | | | | | Î |
| ODUF/ADUF/C | MDS | | | | | | | | | | | | | | | Î |
| ACCES | S DAILY USAGE FILE (ADUF) | | | | | | | | | | | | | | | |
| | ADUF: Message Processing, per message | | | | | 0.008061 | Ì | | | | | | | | | |
| | 5.1 | | | | | | Ì | | | | | | | | | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00017 | | | | | | | | | | |
| | NAL DAILY USAGE FILE (ODUF) | | t | | | | | | | | i e | | | | | |
| | ODUF: Recording, per message | | | | | 0.0000150 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | | 0.004704 | | | | | | | | | | |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | | 48.87 | | | | | | | | | | |
| | Dor. Message Fredessing, per Magnette Pape previsioned | | | | | 40.07 | | | | | † | | | | | |
| | ODUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00015 | | | | | | | | | | |
| | ALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | _ | | + | 0.00013 | | | | | <u> </u> | | | | | |
| | CMDS: Message Processing, per message | | | | | 0.004 | | | | | | 1 | | | | |
| — + — | l livessage Frocessing, per message | - | | | | 0.004 | | | | | 1 | † | | | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.001 | | | | | | | | | | |
| | TEN DIGIT SCREENING | | | | | 0.001 | | | | | - | - | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit | | | | | | | | | | - | - | | | | |
| | | | | | | 0.004 | | | | | | | | | | |
| - | Screening service with 800 Number Delivery per query Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing | - | | | | 0.004 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Screening service with 800 Number Delivery for 800 Numbers | | | | | | | | | | | | | | | |
| | with Optional Complex Feature, i.e., Call handling and | | | | | | | | | | | | | | | |
| | Destination Features per query | | 1 | | _ | 0.0045 | 5.95 | 0.81 | 4.58 | 0.54 | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit | l | | | | | | | | | | | | | | |
| | Screening service with POTS Number Delivery per query | ļ | | | | 0.0045 | | | | | | 1 | 1 | | 1 | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit | l | | | | | | | | | | | | | | |
| 1 1 | Screening service with POTS Number delivery for 800 Numbers | l | | | | | | | | | 1 | | | | | |
| | with Optional Complex Feature,i.e., Call Handling and | l | | | | | | | | | | | | | | |
| | Destination Features per query | | | | | 0.03741 | | | | | | | | | | |

| | | _ | | | | | | | | | | | | | | | |
|----------|----------|--|----------|--|-------------------------------------|--------------|----------|--------------|-----------|--------------|------------|-----------|---------|---------------|-------------|-------------|-------------|
| SERV | ICES - | Tennessee | | | • | | | | | | | | | Att: 1 Exh: A | , | | |
| | | | | | | | | | | | | | | Incremental | | Incremental | |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| CATE | ODV | RATE ELEMENTS | Interi | 7 | BCS | usoc | | | DATEC(¢) | | | Elec | | Manual Svc | Manual Svc | | Manual Svc |
| CATE | OKT | RATE ELEMENTS | m | Zone | всэ | USUC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | 1 | | | <u> </u> | | | | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | L |
| | | | | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | | |
| SERVI | | ADVANCEMENT (A.K.A EXPEDITE) CHARGE | | | | | | | | | | | | | | | |
| | NOTE: | The Expedite charge will be maintained commensurate with | BellSou | ıth's FC | | n 5 as appli | cable. | | | | | | | | | | |
| | | | | | UAL, UEANL, UCL, | | | | | | | | | | | | |
| | | | | | UEF, UDF, UEQ, | | | | | | | | | | | | |
| | | | | | UDL, UENTW, UDN, | | | | | | | | | | | | |
| | | | | | UEA, UHL, ULC, | | | | | | | | | | | | |
| | | | | | USL, U1T12, U1T48, U1TD1, U1TD3, | | | | | | | | | | | | |
| | | | | | U1TDX, U1TO3, | | | | | | | | | | | | |
| | | | | | U1TS1, U1TVX, | | | | | | | | | | | | |
| | | | | | UC1BC, UC1BL, | | | | | | | | | | | | |
| | | | | | UC1CC, UC1CL, | | | | | | | | | | | | |
| | | | | | UC1DC, UC1DL, | | | | | | | | | | | | |
| | | | | | UC1EC, UC1EL, | | | | | | | | | | | | |
| | | | | | UC1FC, UC1FL, | | | | | | | | | | | | |
| | | | | | UC1GC, UC1GL, | | | | | | | | | | | | |
| | | | | | UC1HC, UC1HL, | | | | | | | | | | | | |
| | | | | | UDL12, UDL48, | | | | | | | | | | | | |
| | | | | | UDLO3, UDLSX, | | | | | | | | | | | | |
| | | | | | UE3, ULD12, | | | | | | | | | | | | |
| | | | | | ULD48, ULDD1, | | | | | | | | | | | | |
| | | | | | ULDD3, ULDDX, ULDO3, ULDS1, | | | | | | | | | | | | |
| | | | | | ULDVX, UNC1X, | | | | | | | | | | | | |
| | | | | | UNC3X, UNCDX, | | | | | | | | | | | | |
| | | | | | UNCNX, UNCSX, | | | | | | | | | | | | |
| | | | | | UNCVX, UNLD1, | | | | | | | | | | | | |
| | | | | | UNLD3, UXTD1, | | | | | | | | | | | | |
| | | | | | UXTD3, UXTS1, | | | | | | | | | | | | |
| | | | | | U1TUC, U1TUD, | | | | | | | | | | | | |
| | | | | | U1TUB, U1TUA, | | | | | | | | | | | | |
| | | | | | NTCVG, NTCUD, | | | | | | | | | | | | |
| | | Expedite Charge per Circuit or Line Assignable USOC, per Day | | | NTCD1 | SDASP | | 200.00 | | | | | | | | | |
| ORDE | MODIF | ICATION CHARGE | | | | | | | | | | | | | | | |
| | | Order Modification Charge (OMC) | | | | | | 26.21 | 0.00 | 0.00 | 0.00 | | | | | | |
| 1.0041 | 050)/// | Order Modification Additional Dispatch Charge (OMCAD) | | | | | | 150.00 | 0.00 | 0.00 | 0.00 | | | | | | |
| LUCAL | SEKVI(| CE REQUEST (LSR) ORDERING CHARGE Electronic Service Order Charge, Per Local Service Request | | <u> </u> | | | | | | | | | | | - | | |
| 1 | | (LSR) | | | | SOMEC | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| I INF II | IFORM A | TION DATA BASE ACCESS (LIDB) | | 1 | | JOIVILO | | 3.50 | 0.00 | 3.50 | 0.00 | | | | | | |
| -1/4E II | | LIDB Common Transport Per Query | t | | | | 0.0003 | | | | | † | 1 | | 1 | | |
| | | LIDB Validation Per Query | | 1 | OQV | BHML1 | 0.035378 | | | İ | İ | | | | İ | | |
| | | LIDB Originating Point Code Establishment or Change | | 1 | OQV | NRBPX | | 91.00 | | | | İ | İ | | | | |
| BRANI | ING - D | RECTORY ASSISTANCE | | | | | | | | | | | | | | | |
| | Facility | Based CLEC | | | | | | | | | | | | _ | | | |
| | | Recording and Provisioning of DA Custom Branded | | | | | | | | | | | | | | | |
| <u> </u> | | Announcement | | | AMT | CBADA | | 3,000.00 | 3,000.00 | 7.03 | 7.03 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Loading of Custom Branded Announcement per Switch per | | | | 00.00 | | | | | | | | | | | |
| <u> </u> | 14/1. | OCN | | 1 | AMT | CBADC | ļ | 1,170.00 | 1,170.00 | | | | | 20.35 | 10.54 | | |
| - | Wholes | ale CLEC | - | | | | 1 | 2 000 00 | 2 000 00 | 7.00 | 7.00 | - | | 20.25 | 40.54 | 40.00 | 4.40 |
| - | | Recording of DA Custom Branded Announcement Loading of DA Custom Branded Announcement per Switch per | - | 1 | | | 1 | 3,000.00 | 3,000.00 | 7.03 | 7.03 | - | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | OCN | | | | | | 1,170.00 | 1,170.00 | | | | | 20.35 | 10.54 | | |
| - | Unhran | ding via OLNS for Wholesale CLEC | 1 | | | | 1 | 1,170.00 | 1,170.00 | | | | | 20.35 | 10.34 | | |
| — | | Loading of DA per OCN (1 OCN per Order) | | | | | + | 420.00 | 420.00 | | | | | 20.35 | 10.54 | | |
| — | | Loading of DA per Switch per OCN | | 1 | | | | 16.00 | 16.00 | | | | | 20.35 | 10.54 | | |
| DIREC | TORY AS | SSISTANCE SERVICES | 1 | i i | | | | | | | | İ | İ | | 1 | | |
| | | ORY ASSISTANCE ACCESS SERVICE | | 1 | | | | | | | | | | | 1 | | |
| | | | | | | | | | | | _ | | | | | | |

| SERV | ICES - | Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|----------|---|--|--|----------------|----------------|--------------|--|-----------|--|-------|--|-----------|---------------|--|--------------|--------------|
| 32 | | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Instant | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | Disc 1st | DISC Add I |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Directory Assistance Access Service Calls, Charge Per Call | | | | | 0.295 | | | | | | | | | | |
| | DIRECT | TORY ASSISTANCE CALL COMPLETION ACCESS SERVICE (I | DACC) | | | | 0.31 | | | | | | | | | | |
| | | Directory Assistance Call Completion Access Service (DACC), | | | | | | | | | | | | | | | |
| | | Per Call Attempt PERATOR CALL PROCESSING | | | | | 0.10 | | | | | | | | | | |
| | | based CLEC | | - | | + | | | | | | | | | - | | |
| - | Facility | Recording of Custom Branded OA Announcement | | + | AMT | CBAOS | | 7,000.00 | 7,000.00 | 7.03 | 7.03 | - | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | + | AIVII | CDAUS | | 7,000.00 | 7,000.00 | 7.03 | 7.03 | 1 | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | per OCN | | | AMT | CBAOL | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | | |
| | | sale CLEC | | 1 | 7 4411 | OBNOL | | 000.00 | 000.00 | | | | | 10.00 | 10.00 | | |
| | | Recording of Custom Branded OA Announcement | † | | | + | | 7.000.00 | 7,000.00 | | | | | 19.99 | 19.99 | 19.99 | 19.99 |
| | | Loading of Custom Branded OA Announcement per shelf/NAV | | | | 1 | 1 | .,500.00 | .,555.50 | | | | | 10.00 | 10.00 | 10.00 | 10.99 |
| | | per OCN | | 1 | | 1 | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | | |
| | | ding via OLNS for Wholesale CLEC | | † | | 1 | i | 222.00 | | | | | | | 12.00 | i | |
| | | Loading of OA per OCN (Regional) | | 1 | | 1 | İ | 1,200.00 | 1,200.00 | | | | | 19.99 | 19.99 | İ | |
| INWAR | | ATOR SERVICES | | | | | | , , , , , | , | | | | | | | | |
| | | Inward Operator Services - Verification, Per Minute | | | | | 1.15 | | | | | | | | | | |
| | | Inward Operator Services - Verification and Emergency Interrupt | | | | | | | | | | | | | | | |
| | | - Per Minute | | | | | 1.15 | | | | | | | | | | |
| OPERA | TOR CA | ALL PROCESSING | | | | | | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using BST | | | | | | | | | | | | | | | |
| | | LIDB | | | | | 1.20 | | | | | | | | | | |
| | | Oper. Call Processing - Oper. Provided, Per Min Using | | | | | | | | | | | | | | | |
| | | Foreign LIDB | | | | | 1.24 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using BST | | | | | | | | | | | | | | | |
| | | LIDB | | | | | 0.20 | | | | | | | | | | |
| | | Oper. Call Processing - Fully Automated, per Call - Using | | | | | 0.00 | | | | | | | | | | |
| CALLIN | IC NAM | Foreign LIDB E (CNAM) SERVICE | | - | | 1 | 0.20 | | | | | | | | | | |
| CALLIN | IG NAW | CNAM Service, per line | | - | UEPFB | N1ACR | 2.11 | | | | | | | | - | | |
| | | CNAM Service, per line CNAM Service, per line | | + | UEPBX | N1ACR | 2.11 | | | | | 1 | | | | | |
| | | CNAM Service, per line | | + | UEPSB | N1ACR | 2.11 | | | | | | | | 1 | 1 | |
| | | CNAM Service, per line | | 1 | UEPFP | N1ACR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | 1 | UEPSP | N1ACR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPPX | N1ACR | 2.11 | | | | | 1 | | | | | |
| | | CNAM Service, per line | | | UEPSR | NXMCR | 2.11 | | | 1 | | | | | | | İ |
| | | CNAM Service, per line | | 1 | UEPFR | NXMCR | 2.11 | | | | | | | | İ | İ | 1 |
| | | CNAM Service, per line | | 1 | UEPRX | NXMCR | 2.11 | | | i i | | | | | | | |
| | | CNAM Service, per line | | 1 | UEPPR | NXMCR | 2.11 | | | i i | | | | | | | |
| | | CNAM Service, per line | | | UEPFB | NXMCR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPBX | NXMCR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPSB | NXMCR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPRG | NXMCR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPSE | NXMCR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | | UEPFP | NXMCR | 2.11 | | · · | | | | | | | | |
| | | CNAM Service, per line | | <u> </u> | UEPSP | NXMCR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | 1 | UEPPX | NXMCR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | 1 | UEPVB | NXMCR | 2.11 | | | | | | | | | | |
| | | CNAM Service, per line | | <u> </u> | UEPFB | NXMMN | 2.11 | | | | | | | | | | |
| <u> </u> | | CNAM Service, per line | | 1 | UEPBX | NXMMN | 2.11 | | | | | | | | | | |
| <u> </u> | | CNAM Service, per line | - | - | UEPSB | NXMMN | 2.11 | | | | | - | | | - | - | 1 |
| \vdash | | CNAM Service, per line | - | + | UEPFP | NXMMN | 2.11 | | | | | 1 | | | | | 1 |
| \vdash | | CNAM Service, per line CNAM Service, per line | - | + | UEPSP UEPPX | NXMMN NXMMN | 2.11 | | | | | 1 | | | | | 1 |
| \vdash | | CNAM Service, per line CNAM Service, per line | - | + | UEPFB | NXECR | 2.11 2.11 | | | | | - | | - | | | 1 |
| \vdash | — | CNAM Service, per line CNAM Service, per line | - | + | UEPFB | NXECR | 2.11 | | | | | | | | | | 1 |
| | | CNAM Service, per line | | + | UEPVB | NXECR | 2.11 | | | | | | | | | | 1 |
| \vdash | | CNAM Service, per line | - | † | UEPSB | NXECR | 2.11 | | | | | - | | | | | |
| 1 | | CNAM Service, per line | | + | UEPFP | NXECR | 2.11 | | | | | 1 | | | | | |

| SERVICES - | Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|------------|---|-------------|------|----------------|----------------|----------------|----------------|----------------|-------|------------|--|--|---|---|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | | Disconnect | | | | Rates(\$) | | |
| | lovenia i | | | | 10/E0D | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | CNAM Service, per line CNAM Service, per line | | | UEPSP UEPPX | NXECR NXECR | 2.11 | | | | | | | | - | - | ├ |
| | CNAM Service, per line CNAM Service, per line | | | UEPFB | NCACR | 2.11 | | | | | 1 | ł | | 1 | 1 | + |
| | CNAM Service, per line | | | UEPBX | NCACR | 2.11 | | | | | | | | - | | + |
| | CNAM Service, per line | | | UEPSB | NCACR | 2.11 | | | | | 1 | İ | | t | | † |
| | CNAM Service, per line | | | UEPFP | NCACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPSP | NCACR | 2.11 | | | | | | | | | | |
| | CNAM Service, per line | | | UEPPX | NCACR | 2.11 | | | | | | | | | | |
| | ALE LOCAL SWITCHING PORTS New Install scenarios the Nonrecurring charges are listed in the | | L., | | L | | <u> </u> | | l | <u> </u> | L | | | L | | |
| also a | nd are categorized accordingly. Office and Tandem Switching Usage and Wholesale Common | | | | | | | | | | | | | | | |
| D30 W | Exchange Ports - 2-Wire Analog Line Port- Res. | | | UEPSR | UEPRL | 8.89 | 34.86 | 15.12 | 0.00 | 0.00 | 1 | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire Analog Line Port with Caller ID - Res. | _ | | UEPSR | UEPRC | 8.89 | 34.86 | 15.12 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire Analog Line Port outgoing only - Res. | | | UEPSR | UEPRO | 8.89 | 34.86 | 15.12 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG TN extended local dialing parity Port with Caller ID - Res. | | | UEPSR | UEPAQ | 8.89 | 34.86 | 15.12 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Exchange Ports - 2-Wire VG Tennessee Area Plus with Caller ID - Res (AC7) Exchange Ports - 2-Wire VG Tennessee Area Calling port with | | | UEPSR | UEPAH | 8.89 | 34.86 | 15.12 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Caller ID - Res (F2R) Exchange Ports - 2-Wire VG Tennessee Area Calling port with Caller ID - Res (F2R) Exchange Ports - 2-Wire VG Tennessee Area Calling port with | | | UEPSR | UEPAK | 8.89 | 34.86 | 15.12 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Caller ID - Res (TACER) Exchange Ports - 2-Wire VG Tennessee Area Calling port with | | | UEPSR | UEPAL | 8.89 | 34.86 | 15.12 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Caller ID - Res (TACSR) Exchange Ports - 2-Wire VG Tennessee Area Calling port with | | | UEPSR | UEPAM | 8.89 | 34.86 | 15.12 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Caller ID - Res (1MF2X) Exchange Ports - 2-Wire VG Tennessee Area Calling port with | | | UEPSR | UEPAN | 8.89 | 34.86 | 15.12 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | Caller ID - Res (2MR) Exchange Ports - 2-Wire VG res, low usage line port with Caller | | | UEPSR | UEPAO | 8.89 | 34.86 | 15.12 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | ID (LUM) Exchange Port - 2-Wire VG Tennessee Residence Dialing Plan | | | UEPSR | UEPAP | 8.89 | 34.86 | 15.12 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | without Caller ID Exchange Port - 2-Wire VG Tennessee Residence Area Plus | | | UEPSR | UEPWN | 8.89 | 34.86 | 15.12 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.4 |
| | without Caller ID 2-Wire voice Low Usage Line Port without Caller ID Capability | | | UEPSR UEPSR | UEPRR UEPRT | 8.89 8.89 | 34.86 34.86 | 15.12 15.12 | 0.00 | 0.00 | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 1.4 |
| FEATU | | | | LIEDOD | LIEDVE | 0.00 | 0.00 | 0.00 | - | - | <u> </u> | - | 1 | | | |
| Cross | All Available Vertical Features Connects | | | UEPSR | UEPVF | 0.00 | 0.00 | 0.00 | 1 | - | 1 | - | 1 | | | + |
| Cross | Physical Expanded Interconnection Two Wire Cross Connect, Provsioning | | | UEPSR | PE1R2 | 0.033 | 33.82 | 31.92 | | | | | | | | |
| Non-R | Virtual Collocation - Two Wire Cross Connect, Provisioning ecurring Charges | | | UEPSR | VE1R2 | 0.57 | 11.62 | 9.90 | | | | | | | | |
| 1 | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSR | USAS2 | 0.00 | 0.00 | 0.00 | | l | | Ì | | 1 | 1 | 1 |
| | Subsequent Activity | | | UEPSR | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| DS0 W | HOLESALE LOCAL SWITCHING PORTS - (PBX) | | | | | | | | | | | | | | | |
| | 2-Wire VG 2-Way PBX Trunk - Res | | | UEPSE | UEPRD | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | ļ | | 20.35 | 10.54 | 13.32 | 1.4 |
| | 2-Wire VG Line Side 2-Way PBX Trunk - Bus | | - | UEPSP UEPSP | UEPPC UEPPO | 11.79 11.79 | 49.14 49.14 | 26.04 26.04 | 0.00 | 0.00 | | ļ | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | |
| | 2-Wire VG Line Side Outward PBX Trunk - Bus 2-Wire VG Line Side Incoming PBX Trunk - Bus | | | UEPSP UEPSP | UEPPO UEPP1 | 11.79 11.79 | 49.14 49.14 | 26.04 26.04 | 0.00 | 0.00 | 1 | - | 20.35 | | 13.32 13.32 | |
| | 2-Wire VG Line Side Incoming PBX Trunk - Bus 2-Wire Analog Long Distance Terminal PBX Trunk - Bus | | | UEPSP | UEPLD | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | - | 20.35 | 10.54 | 13.32 | 1. |
| | 2-Wire Analog TN 2-Way Calling Plan PBX Trunk - Bus | | | UEPSP | UEPT2 | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1. |
| | 2-Wire TN Outward Calling Plan PBX Trunk - Bus | | | UEPSP | UEPTO | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | 1 | | 20.35 | 10.54 | 13.32 | 1. |
| | 2-Wire Voice PBX LD Terminal Ports | | | UEPSP | UEPLD | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | |
| | 2-Wire Voice 2-Way PBX Tennessee Calling Port | | | UEPSP | UEPT2 | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | 1 | 20.35 | 10.54 | 13.32 | |

| | Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------------|---|-------------|------|----------------|-------|----------------|--|----------------|--------------|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | + | | Nonrecurring | | Nonrecurring | Disconnect | | | OSS | Rates(\$) | 1 | |
| | | | 1 | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| - | 2-Wire Voice 1-Way Outgoing PBX Tennessee Calling Port | | | UEPSP | UEPTO | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Vice 2-Way PBX Usage Port | | | UEPSP | UEPXA | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPSP | UEPXB | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice PBX LD DDD Terminals Port | | ļ | UEPSP | UEPXC | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPSP | UEPXD | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port 2-Wire Voice 2-Way PBX Hotel/Hospital Economy | | | UEPSP | UEPXE | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Administrative Calling Port 2-Wire Voice 2-Way PBX Hotel/Hospital Economy Room Calling | | | UEPSP | UEPXL | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Port | | | UEPSP | UEPXM | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-W Voice 1-Way Out PBX Hotel/Hospital Economy Administrative Calling Port TN Calling Port | | | UEPSP | UEPXN | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| \bot | 2-Wire Voice 1-Way Outgoing PBX Hotel/Hospital Discount Room Calling Port | | | UEPSP | UEPXO | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports, PBX Trunk Combination, Collierville and Memphis Local Calling Plan | | | UEPSP | UEPA6 | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports, PBX Trunk Combination, first trunk, Collierville and Memphis Local Calling Plan | | | UEPSP | UEPA7 | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Voice 1-Way Outgoing PBX Measured Port | | | UEPSP | UEPXS | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| \longrightarrow | 2-Wire Voice PBX Collierville and Memphis Calling Port | | | UEPSP | UEPXU | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| FEATU | 2-Wire Voice 2-Way PBX Tennessee RegionServ Calling Port | | | UEPSP | UEPXV | 11.79 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| FEAT | All Available Vertical Features | | | UEPSP UEPSE | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Cross | Connects | | | 02. 0. 02. 02 | 02 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Physical Expanded Interconnection Two Wire Cross Connect, | | | | | | | | | | | | | | | |
| | Provsioning | | | UEPSP | PE1R2 | 0.033 | 33.82 | 31.92 | | | | | | | | |
| | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEPSP | VE1R2 | 0.57 | 11.62 | 9.90 | | | | | | | | |
| Non-R | ecurring Charges | | | UEPSP | USAS2 | | 0.00 | 0.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | | | - | |
| DS0 I | OCAL WHOLESALE SWITCHING PORTS - (Coin) | | 1 | ULFSF | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 2002 | 2-Wire Coin 2-Way without Operator Screening and without Blocking (TN) | | | UEP2C | UEPTB | 11.89 | 49.14 | 26.04 | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, 900, 1+DDD (NC, TN) | | | UEP2C | UEPRP | 11.89 | 49.14 | 26.04 | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking (TN) | | | UEP2C | UEPTA | 11.89 | 49.14 | 26.04 | | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900, 1+DDD, 011+, and Local (NC, TN) | | | UEP2C | UEPCA | 11.89 | 49.14 | 26.04 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and 011 Blocking (TN) | | | UEP2C | UEPTC | 11.89 | 49.14 | 26.04 | | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | | | | | | | | | | | | | |
| | 900, 1+DDD, 011+, and Local (TN) 2-Wire 2-Way Smartline with 900/976 (all states except LA) | | | UEP2C UEP2C | UEPOT | 11.89 11.89 | 49.14 49.14 | 26.04 26.04 | | | | | 30.89 | 7.03 | 0.00 | 0.00 |
| | 2-Wire Coin Outward Smartline with 900/976 (all states except | | | | | | | | | | | | | | | |
| Coin U | LA) | | - | UEP2C | UEPCR | 11.89 | 49.14 | 26.04 | | | - | - | 30.89 | 7.03 | 0.00 | 0.00 |
| Com C | Joaye | | | | + - | | | | | | | | | | - | |
| Cross | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) Connects | | | UEP2C | URECU | 5.50 | | | | | | | | | | |
| CIUSS | Physical Expanded Interconnection Two Wire Cross Connect, | | | | + - | | | | | | | | | | - | |
| | Provsioning | | | UEP2C | PE1R2 | 0.033 | 33.82 | 31.92 | | | | | | | | |
| | Virtual Collocation - Two Wire Cross Connect, Provisioning | | | UEP2C | VE1R2 | 0.57 | 11.62 | 9.90 | | | | | | | | |
| Non-R | ecurring Charges | | | | | _ | | | | | | | | | | |
| - | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEP2C | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEP2C | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | LOCAL CIRCUIT SWITCHING, PORT USAGE | | | | | | | | | | | | | | | |

| SERV | ICES - | Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------------|---------------------------------------|---|----------|----------|----------------------|---------------|------------------|------------------|----------------|--|----------------|--|--|---------------|----------------|-------------|-------------|
| <u>OLITT</u> | .020 | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | Submitted | | Charge - | Charge - | Charge - |
| | | | Instant | | | | | | | | | Elec | Manually | | Manual Svc | Manual Svc | |
| CATE | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | Disc ist | Disc Auu i |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | _ | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | _ | End Office Switching Function, Per MOU | | | | | 0.0008041 | | | | | | | | | | |
| | Tander | n Switching (Port Usage) (Local or Access Tandem) | | | | | | | | | | | | | | | |
| - | Moldos | Tandem Switching Function Per MOU Factor: 38.90% of the Tandem Rate | | <u> </u> | | | 0.0009778 | | | | | + | 1 | | | | |
| - | weided | Tandem Switching Function Per MOU (Melded) | | <u> </u> | | - | 0.000380364 | | | | | + | 1 | | | | |
| | Whole | sale Common Transport | | | | | 0.000380304 | | | | | + | | | | | |
| | · · · · · · · · · · · · · · · · · · · | Common Transport - Per Mile, Per MOU | | | | | 0.0000064 | | | | | 1 | 1 | | | | |
| | | Common Transport - Facilities Termination Per MOU | | | | | 0.0003871 | | | | | | | | | | |
| DS0 W | HOLES | ALE LOCAL PLATFORM SERVICE | | | | | | | | | | | | | | | |
| | > For N | lew Install scenarios the Nonrecurring charges are listed in th | e First | and Ad | ditional NRC colum | ns for each I | Port USOC. Fo | r Existing Platf | orm scenarios | , the Nonrecuri | ring charges a | re listed in | the NRC - C | onversions se | ection. Additi | onal NRCs m | ay apply |
| | also ar | nd are categorized accordingly. | | | | | | _ | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | Office and Tandem Switching Usage and Wholesale Common | Transp | ort Usa | ge rates in the Port | section of th | nis rate exhibit | shall apply to I | DS0 Wholesale | Local Platforn | n Service exce | ept for the C | oin Service | which has a f | lat rate usage | charge (USC | C: URECU). |
| | | HOLESALE LOCAL PLATFORM SERVICE (Residence) | | | | | | | | | | | | | | | |
| | DS0 Lo | pop Rates | | | | | | | | | | | | | | | |
| <u> </u> | | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | | UEPRX | UEPLX | 12.48 | | | | | | | | | | |
| <u> </u> | 1 | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | | UEPRX | UEPLX | 16.31 | | | | | 1 | ļ | | | | |
| | 0.140 | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRX | UEPLX | 21.32 | | | | | 1 | | | | | |
| | 2-Wire | Voice Grade Line Port (Res) | | | UEPRX | UEPRL | 8.70 | 34.86 | 45.40 | | | 1 | | | | | |
| - | 1 | 2-Wire voice port - residence 2-Wire voice port with Caller ID - res | | <u> </u> | UEPRX | UEPRC | 8.70 | 34.86 | 15.12 | | | 1 | - | | | | |
| - | 1 | 2-Wire voice port outgoing only - res | | <u> </u> | UEPRX | UEPRO | 8.70 | 34.86 | 15.12 15.12 | | | + | 1 | | | | |
| - | 1 | 2-Wire voice Fort outgoing only - les 2-Wire voice Tennessee extended local dialing parity port with | | 1 | UEPKA | UEPRO | 0.70 | 34.00 | 15.12 | | | 1 | 1 | | | | |
| | | Caller ID - res | | | UEPRX | UEPAQ | 8.70 | 34.86 | 15.12 | | | | | | | | |
| | | 2-Wire voice Tennessee Area Plus with Caller ID - res | | | UEPRX | UEPAH | 8.70 | 34.86 | 15.12 | | | | | | | | |
| | | 2-Wire voice Tennessee Area Calling port with Caller ID - res | | | UEPRX | UEPAK | 8.70 | 34.86 | 15.12 | | | | | | | | |
| | 1 | 2-Wire voice Tennessee Area Calling port with Caller ID - res | | i | UEPRX | UEPAL | 8.70 | 34.86 | 15.12 | | | | | | | | |
| | | 2-Wire voice Tennessee Area Calling port with Caller ID - res | | | UEPRX | UEPAM | 8.70 | 34.86 | 15.12 | | | | | | | | |
| | | 2-Wire voice Tennessee Area Calling port with Caller ID - res | | | UEPRX | UEPAN | 8.70 | 34.86 | 15.12 | | | | | | | | |
| | | 2-Wire voice Tennessee Area Calling port with Caller ID - res | | | UEPRX | UEPAO | 8.70 | 34.86 | 15.12 | | | | | | | | |
| | | 2-Wire voice res, low usage line port with Caller ID | | | UEPRX | UEPAP | 8.70 | 34.86 | 15.12 | | | _ | | | | | |
| | 1 | 2-Wire voice Low Usage Line Port without Caller ID Capability | | | UEPRX | UEPRT | 8.70 | 34.86 | 15.12 | | | | | | | | |
| | | 2-Wire Voice Tennessee Residence Dialing Plan without Caller ID | | | UEPRX | LIEDWA | 8.70 | 34.86 | 45.40 | | | | | | | | |
| - | 1 | 2-Wire voice Tennessee Area Plus Port without Caller ID | | | UEPRA | UEPWN | 8.70 | 34.86 | 15.12 | | | - | - | | | | |
| | | Capability | | | UEPRX | UEPRR | 8.70 | 34.86 | 15.12 | | | 1 | | | | | |
| | FEATU | | | 1 | UEPKA | UEPKK | 0.70 | 34.00 | 15.12 | | | 1 | 1 | | | | |
| - | ILAIO | All Features Offered | | <u> </u> | UEPRX | UEPVF | 0.00 | | | | | + | 1 | 30.89 | 7.03 | | |
| — | NONRE | ECURRING CHARGES - Conversions | l | † | | J 71 | 0.30 | | | | | † | | 00.00 | 7.55 | | |
| | | 2-Wire Voice Grade Loop / Line Port Platform - Switch-as-is | | 1 | UEPRX | USAC2 | İ | 10.00 | 10.00 | | | † | | | | İ | |
| | | 2-Wire Voice Grade Loop / Line Port Platform - Switch with | | | | | | | | | | | | | | | |
| L | | change | | <u> </u> | UEPRX | USACC | | 10.00 | 10.00 | | | | | | | | |
| | | 2-Wire Voice Grade Loop / Line Port Platform - Installation | | | | | | | | | | | | | | l | |
| 1 | | Charge at QuickService location - Not Conversion of Existing | | | | | | | | | | 1 | | | | | |
| <u> </u> | L | Service | | <u> </u> | UEPRX | URECC | ļ | 10.00 | | | | | ļ | | ļ | | |
| <u> </u> | ADDIT | ONAL NRCs | | 1 | | | | | | <u> </u> | | | 1 | | ļ | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Platform - | | | LIEDDY | 116460 | 0.00 | 0.00 | 0.00 |] | | 1 | | | | | |
| - | 1 | Subsequent Unbundled Miscellaneous Rate Element, Tag Loop at End User | | 1 | UEPRX | USAS2 | 0.00 | 0.00 | 0.00 | | - | | | - | | | - |
| | | Premise | | | UEPRX | URETL | | 8.33 | 0.83 |] | | 1 | | 20.35 | 10.54 | 13.32 | 13.32 |
| \vdash | Inside | Wire Maintenance | H | t | OLI IXX | JINETE | 1 | 0.33 | 0.03 | | | + | | 20.35 | 10.34 | 13.32 | 13.32 |
| H | maide | Inside Wire Maintenance Plan | - | t | UEPRX | SEQ1X | 4.50 | | | | | + | | 1 | | | |
| | OFF/O | N PREMISES EXTENSION CHANNELS | | t - | 02.700 | 02017 | 7.50 | | | | | | | | | | |
| | 1 | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | UEPRX | UEAEN | 11.74 | 31.99 | 20.02 | | | | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| | 1 | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | | UEPRX | UEAEN | 17.59 | 31.99 | 20.02 | | | † | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 3 | UEPRX | UEAEN | 29.37 | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Analog Voice Grade Extension Loop – Design | | 1 | UEPRX | UEAED | 14.74 | 75.06 | 48.20 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Analog Voice Grade Extension Loop – Design | | 2 | UEPRX | UEAED | 22.08 | 75.06 | 48.20 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Analog Voice Grade Extension Loop – Design | 1 | 3 | UEPRX | UEAED | 36.87 | 75.06 | 48.20 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |

| SERVICES | - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|---|--|----------|----------------|----------------|----------------|----------------|----------------|--|------------|---|---|---------------|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | _ | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility Termination | | | UEPRX | U1TV2 | 18.58 | 55.39 | 17.37 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | l | | | | | | | | | | | |
| D001 | or Fraction Mile | | | UEPRX | U1TVM | 0.0174 | 0.00 | 0.00 | | | | | | | | ļ |
| | VHOLESALE LOCAL PLATFORM SERVICE (Res-PBX) | | 1 | | | | | | | | | | | | 1 | <u> </u> |
| D20 I | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPRG | UEPLX | 12.48 | | | | | | | | | | - |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 2 | UEPRG | UEPLX | 16.31 | | | | | | | | | - | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | | 3 | UEPRG | UEPLX | 21.32 | | | | | | | | | 1 | - |
| 2-Wir | e Voice Grade Line Port Rates (RES - PBX) | | - | ULFRG | OLFLX | 21.32 | | | | | | | | | - | + |
| | 2-Wire voice 2-Way PBX Trunk Port - Res (E: 1/1/2005) | | | UEPRG | UEPRD | 11.70 | 49.14 | 26.04 | | | | | | | | |
| FEAT | URES | i e | | 1 | 1 | | .5 | 20.04 | 1 | | | | | İ | 1 | 1 |
| | All Features Offered | | | UEPRG | UEPVF | 0.00 | | | | | | | | | t | |
| NON | RECURRING CHARGES - Conversions | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPRG | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | i | | | | | | | | | |
| | Change | | | UEPRG | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADDI | TIONAL NRCs | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPRG | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | | |
| | PBX Subsequent Activity - Change/Rearrange Multiline Hunt Group | | | | | | 14.64 | 14.64 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPRG | URETL | | 8.33 | 0.83 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| OFF/ | ON PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | | |
| | Local Channel Voice grade, per termination | | 1 | UEPRG | P2JHX | 14.74 | 75.06 | 48.20 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Local Channel Voice grade, per termination | | 2 | UEPRG | P2JHX | 22.08 | 75.06 | 48.20 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Local Channel Voice grade, per termination | | 3 | UEPRG | P2JHX | 36.87 | 75.06 | 48.20 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Non-Wire Direct Serve Channel Voice Grade | | SW | UEPRG | SDD2X | 10.02 | 148.84 | 112.34 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| INTE | ROFFICE TRANSPORT Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | 1 |
| | Termination Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | UEPRG | U1TV2 | 18.58 | 55.39 | 17.37 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | or Fraction Mile | | | UEPRG | U1TVM | 0.0174 | 0.00 | 0.00 | | | | | | | | |
| DS0 \ | NHOLESALE LOCAL PLATFORM SERVICE (Bus-PBX) | | | | | | | | | | | | | | | |
| DS0 I | oop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 | | 1 | UEPPX | UEPLX | 12.48 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 | | 2 | UEPPX | UEPLX | 16.31 | | | <u> </u> | | | | | ļ | 1 | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 | ļ | 3 | UEPPX | UEPLX | 21.32 | | | 1 | | | | | | | _ |
| 2-Wir | e Voice Grade Line Port Rates (BUS - PBX) | | - | LIEDDY | LIEDDO | 44.70 | 40.44 | 20.04 | | | | | | | | ļ |
| \vdash | Line Side Combination 2-Way PBX Trunk Port - Bus Line Side Outward PBX Trunk Port - Bus | | - | UEPPX UEPPX | UEPPC UEPPO | 11.70 | 49.14 | 26.04 26.04 | | | | | | . | | |
| \vdash | | | - | | | 11.70 11.70 | 49.14 49.14 | | + + | | | | | | | |
| | Line Side Incoming PBX Trunk Port - Bus 2-Wire Voice PBX LD Terminal Ports | ! | + | UEPPX UEPPX | UEPP1 UEPLD | 11.70 | 49.14 49.14 | 26.04 26.04 | + | | | | | | | |
| — | 2-Wire Voice PBX LD Terminal Ports 2-Wire Voice 2-Way Combination PBX Tennessee Calling Port | | 1 | UEPPX | UEPLD UEPT2 | 11.70 | 49.14 | 26.04 | + + | | | | | | | + |
| | 2-Wire Voice 1-Way Outgoing PBX Tennessee Calling Port | - | † | UEPPX | UEPTO | 11.70 | 49.14 | 26.04 | + + | | - | | | | - | † |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | - | † | UEPPX | UEPXA | 11.70 | 49.14 | 26.04 | + + | | - | | | | - | † |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPPX | UEPXB | 11.70 | 49.14 | 26.04 | † † | | | | | | <u> </u> | |
| | 2-Wire Voice PBX LD DDD Terminals Port | i e | | UEPPX | UEPXC | 11.70 | 49.14 | 26.04 | 1 | | | | | İ | 1 | 1 |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPPX | UEPXD | 11.70 | 49.14 | 26.04 | | | | | | 1 | | 1 |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPPX | UEPXE | 11.70 | 49.14 | 26.04 | | | | | | | | |
| | 2-Wire Voice 1-W Out PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port TN | | | UEPPX | UEPXN | 11.70 | 49.14 | 26.04 | | | | | | | | |
| | 2-Wire Voice PBX Collierville and Memphis Calling Port | | | UEPPX | UEPXU | 11.70 | 49.14 | 26.04 | | | | | | | | |
| | 2-Wire Voice 2-Way PBX Tennessee RegionServ Callling Port | ļ | | UEPPX | UEPXV | 11.70 | 49.14 | 26.04 | . | | | | | ļ | 1 | |
| | 2-Wire Voice Tennessee PBX 2-Way Combo Each Additional Trunk Collierville and Memphis Local Calling Plan | | | UEPPX | UEPA6 | 11.70 | 49.14 | 26.04 | | | | | | | | |

| SERVICES | - Tennessee | | | | | | | | | | | Att: 1 Exh: A | | | |
|-----------|---|-------------|--|--------|--------|--------|--------------|-----------|--|-------|---|---|---|---|----------|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Manually per LSR | Charge - Manual Svc Order vs. Electronic- 1st | Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Charge - |
| | | | | | | Rec | Nonrecurring | | Nonrecurring Disconnect | | | | Rates(\$) | | |
| | DDVOW OF THE | | _ | | | | First | Add'l | First Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| ı l | 2-Wire Voice Tennessee PBX 2-Way Combo First Trunk | | | LIEDDY | LIEDAZ | 44.70 | 40.44 | 20.04 | | | | | | | |
| EEAT | Collierville and Memphis Local Calling Plan URES | | | UEPPX | UEPA7 | 11.70 | 49.14 | 26.04 | | - | | | | | |
| FLAT | All Features Offered | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | + | | | | | |
| NONE | ECURRING CHARGES - Conversions | | | 02.1.7 | 02. 11 | 0.00 | 0.00 | 0.00 | | 1 | 1 | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | | UEPPX | USAC2 | | 10.00 | 10.00 | | 1 | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | | | | | | | | | |
| | Change | | | UEPPX | USACC | | 10.00 | 10.00 | | | | | | | |
| ADDI | TONAL NRCs | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPPX | USAS2 | 0.00 | 0.00 | 0.00 | | 1 | | | | | |
| | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | | | | 0.00 | 0.00 | | | | | | | |
| + | Activity- Nonrecurring PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | + - | | 0.00 | 0.00 | | + | 1 | | - | | |
| | Group | | | | | | 14.64 | 14.64 | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | + | | 14.04 | 17.04 | | 1 | 1 | 1 | 1 | | |
| | Premise | | | UEPPX | URETL | | 8.33 | 0.83 | | | | | | | |
| OFF/0 | ON PREMISES EXTENSION CHANNELS | | | | | | | | | | | | | | |
| | Local Channel Voice grade, per termination | | | UEPPX | P2JHX | 14.74 | 75.06 | 48.20 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Local Channel Voice grade, per termination | | | UEPPX | P2JHX | 22.08 | 75.06 | 48.20 | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | Local Channel Voice grade, per termination | | 3 | UEPPX | P2JHX | 36.87 | 75.06 | 48.20 | | | ļ | 20.35 | 10.54 | 13.32 | 13.32 |
| INTER | Non-Wire Direct Serve Channel Voice Grade | | SW | UEPPX | SDD2X | 10.02 | 148.84 | 112.34 | | - | | 20.35 | 10.54 | 13.32 | 13.32 |
| INTER | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | + + + - + | 1 | 1 | | | | |
| | Termination | | | UEPPX | U1TV2 | 18.58 | 55.39 | 17.37 | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | 02.1.7 | 01112 | 10.00 | 00.00 | | | 1 | | 20.00 | 21.00 | 0.00 | 10.01 |
| | or Fraction Mile | | | UEPPX | U1TVM | 0.0174 | 0.00 | 0.00 | | | | | | | |
| | /HOLESALE LOCAL PLATFORM SERVICE (Coin) | | | | | | | | | | | | | | |
| DS0 L | oop Rates | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPCO | UEPLX | 12.48 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPCO | UEPLX | 16.31 | | | | 1 | | | | | |
| 2 Win | 2-Wire Voice Grade Loop (SL1) - Zone 3 e Voice Grade Line Port Rates (Coin) | | 3 | UEPCO | UEPLX | 21.32 | | | | - | | | | | |
| 2-9911 | 2-Wire Coin 2-Way without Operator Screening and without | | | | | | | | + + + - + | 1 | 1 | | | | |
| | Blocking (TN) | | | UEPCO | UEPTB | 11.70 | 49.14 | 26.04 | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 011, | | | 02. 00 | 025 | | | 20.01 | | 1 | | | | | |
| | 900, 1+DDD (NC, TN) | | | UEPCO | UEPRP | 11.70 | 49.14 | 26.04 | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and 011 Blocking | | | | | | | | | | | | | | |
| | (TN) | | | UEPCO | UEPTA | 11.70 | 49.14 | 26.04 | | | | | | | |
| | 2-Wire Coin 2-Way with Operator Screening and Blocking: 900, | | | | | | | | | | | | | | |
| - | 1+DDD, 011+, and Local (NC, TN) | | - | UEPCO | UEPCA | 11.70 | 49.14 | 26.04 | | - | | | | | |
| 1 | 2-Wire Coin Outward with Operator Screening and 011 Blocking (TN) | | | UEPCO | UEPTC | 11.70 | 49.14 | 26.04 | | | | | | | |
| | 2-Wire Coin Outward with Operator Screening and Blocking: | | | OLI GO | OLF IC | 11.70 | 45.14 | 20.04 | | | | | | | |
| 1 | 900, 1+DDD, 011+, and Local (TN) | | | UEPCO | UEPOT | 11.70 | 49.14 | 26.04 | | | | | | | |
| | 2-Wire 2-Way Smartline with 900 (all states except LA) | | | UEPCO | UEPCK | 11.70 | | 26.04 | | | | 30.89 | 7.03 | 0.00 | 0.00 |
| | 2-Wire Coin Outward Smartline with 900 (all states except LA) | | | UEPCO | UEPCR | 11.70 | | 26.04 | | | | 30.89 | 7.03 | 0.00 | 0.00 |
| Coin | Jsage | | | | | | | | | | | | | | |
| | DOOM(stoods to set Blog(see C. 1. (O.1)) | | | LIEBOO | LIDEC: | | | | | | | | | | |
| Neve | DS0 Wholesale Local Platform Service (Coin) Usage (Flat Rate) ECURRING CHARGES - Conversions | | - | UEPCO | URECU | 5.50 | 1 | | | 1 | ļ | | . | | |
| NONE | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | | - | UEPCO | USAC2 | | 10.00 | 10.00 | | | | | | | |
| + | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-is 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | OLFOO | USAUZ | | 10.00 | 10.00 | | + | 1 | | | | |
| 1 | Change | | | UEPCO | USACC | | 10.00 | 10.00 | | | | | | | |
| ADDI | TONAL NRCs | | † | | | | 12.00 | | | | | İ | İ | | |
| | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPCO | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | | | | | | | | | | | | |
| | Premise | | | UEPCO | URETL | | 8.33 | 0.83 | | | | | | | <u> </u> |
| | /HOLESALE LOCAL PLATFORM SERVICE (FX/FCO Res) | | | | | | | | | 1 | | | | | ļ |
| DS0 L | oop Rates | | <u> </u> | | | | | | l L | 1 | <u> </u> | | | | L |

| SERVICES | - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|----------|----------|-------------|---------|--------|--------------|-----------|--|------------|-----------|--|---------------|-------------|-------------|-------------|
| 2271020 | | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | Inter' | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | - () | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFR | UECF2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFR | UECF2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFR | UECF2 | 28.28 | | | | | | | | | | |
| 2-Wir | e Voice Grade Line Port Rates (Res) | | | | | | | | | | | | | | | |
| | 2-Wire voice port - residence | | | UEPFR | UEPRL | 8.70 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice port with Caller ID - res | | | UEPFR | UEPRC | 8.70 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice port outgoing only - res | | | UEPFR | UEPRO | 8.70 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice Tennessee extended local dialing parity port with | | | | | | | | | | | | | | | |
| | Caller ID - res | | | UEPFR | UEPAQ | 8.70 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice Tennessee Area Plus with Caller ID - res | | | UEPFR | UEPAH | 8.70 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice Tennessee Area Calling port with Caller ID - res | 1 | 1 | UEPFR | UEPAK | 8.70 | 220.00 | 145.00 | † † | | | | | İ | | |
| | 2-Wire voice Tennessee Area Calling port with Caller ID - res | 1 | 1 | UEPFR | UEPAL | 8.70 | 220.00 | 145.00 | † † | | | | | İ | | |
| | 2-Wire voice Tennessee Area Calling port with Caller ID - res | İ | | UEPFR | UEPAM | 8.70 | 220.00 | 145.00 | 1 | | | | | | | |
| | 2-Wire voice Tennessee Area Calling port with Caller ID - res | | | UEPFR | UEPAN | 8.70 | 220.00 | 145.00 | † † | | | | | İ | | |
| | 2-Wire voice Tennessee Area Calling port with Caller ID - res | | t | UEPFR | UEPAO | 8.70 | 220.00 | 145.00 | † † | | | | | i | | |
| | 2-Wire voice res, low usage line port with Caller ID | | t | UEPFR | UEPAP | 8.70 | 220.00 | 145.00 | † † | | | | | i | | |
| | | | t | _ ····· | 1 | 50 | | 0.50 | † † | | | | | i | | |
| | 2-Wire voice res, low usage line port without Caller ID capabilty | | | UEPFR | UEPRT | 8.70 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire Voice Tennessee Residence Dialing Plan without Caller | | | | | | | | | | | | | | | |
| | ID | | | UEPFR | UEPWN | 8.70 | 220.00 | 145.00 | | | | | | | | |
| | 2-Wire voice Tennessee Area Plus Port without Caller ID | | | 02 | 02 | 0.70 | 220.00 | 1 10.00 | | | | | | | | |
| | Capability | | | UEPFR | UEPRR | 8.70 | 220.00 | 145.00 | | | | | | | | |
| INTE | ROFFICE TRANSPORT | | | 02 | 02.74.4 | 0.70 | 220.00 | 1 10.00 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | + | | | | | | | 1 | | | | |
| | Termination | | | UEPFR | U1TV2 | 18.58 | 55.39 | 17.37 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OLITIK | 011172 | 10.00 | 00.00 | 17.07 | | | | | 20.00 | 21.00 | 0.00 | 10.04 |
| | or Fraction Mile | | | UEPFR | 1L5XX | 0.0174 | | | | | | | | | | |
| FFAT | TURES | | | 02 | 120701 | 0.0171 | | | | | | | | | | |
| 1 | All Features Offered | | | UEPFR | UEPVF | 0.00 | | | | | | 1 | | | | |
| NON | RECURRING CHARGES (NRCs) - CONVERSIONS | | | 02 | 02 | 0.00 | | | | | | | | | | |
| 1.0 | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | | | | | | |
| | - Conversion - Switch-as-is | | | UEPFR | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | 02 | 00/102 | | 10.00 | 10.00 | | | | | | | | |
| | - Conversion - Switch-With-Change | | | UEPFR | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADDI | TIONAL NRCs | | | 02 | 00/100 | | 10.00 | 10.00 | | | | | | | | |
| 7.22. | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | | | | | | | | | | | | | |
| | - Subsequent Activity | | | UEPFR | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | 02 | 00/102 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | End User Premise | 1 | 1 | UEPFR | URETN | | 11.23 | 1.10 | 1 | | | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| DSn | WHOLESALE LOCAL PLATFORM SERVICE (FX/FCO Bus) | t | t | | | | 20 | 0 | † † | | | | | 12.01 | 12.02 | |
| | Loop Rates | | t | İ | 1 | | | | † † | | | | | i | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFB | UECF2 | 16.56 | 1 | | † † | | | | | i | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFB | UECF2 | 21.63 | | | † † | | | | | İ | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | † | 3 | UEPFB | UECF2 | 28.28 | | | 1 | | | | | i | | |
| 2-Wir | e Voice Grade Line Port (Bus) | t | Ť | | | | | | † † | | | | | i | | |
| | 2-Wire voice port without Caller ID - bus | | t | UEPFB | UEPBL | 11.70 | 220.00 | 145.00 | † † | | | | | i | | |
| | 2-Wire voice port with Caller + E484 ID - bus | t | t | UEPFB | UEPBC | 11.70 | 220.00 | 145.00 | † † | | | | | i | | |
| | 2-Wire voice port outgoing only - bus | | t | UEPFB | UEPBO | 11.70 | 220.00 | 145.00 | † † | | | | | i | | |
| | 2-Wire voice Grade Tennessee extended local dialing parity | † | | | 1 | | 220.00 | 0.50 | 1 | | | | | i | | |
| | port with Caller ID - bus | 1 | 1 | UEPFB | UEPAV | 11.70 | 220.00 | 145.00 | | | | 1 | | | | |
| | 2-Wire voice incoming only port with Caller ID - Bus | <u> </u> | <u> </u> | UEPFB | UEPB1 | 11.70 | 220.00 | 145.00 | 1 | | | | | 1 | | |
| | 2-Wire voice Tennessee Bus 2-Way Area Calling Port Economy | t | t | | | 0 | 223.00 | 0.00 | † † | | | | | i | | |
| | Option | 1 | 1 | UEPFB | UEPAC | 11.70 | 220.00 | 145.00 | 1 | | | 1 | | | | |
| | 2-Wire voice Tennessee Bus 2-Way Area Calling Port Standard | † | | | | | 220.00 | 0.50 | † † | | | | | i | | |
| | Option | 1 | 1 | UEPFB | UEPAD | 11.70 | 220.00 | 145.00 | | | | 1 | | | | |
| | 2-Wire voice Tennessee Bus 2-Way Collierville and Memphis | | | J 1 D | CLI /ID | 11.70 | 220.00 | 1-10.00 | 1 | | | | | | | |
| | Local Calling Port | 1 | 1 | UEPFB | UEPAE | 11.70 | 220.00 | 145.00 | 1 | | | 1 | | | | |
| | | + | \vdash | l - · · · - | | 0 | | 0.50 | | | | | | | | |
| | 2-Wire Voice Tennessee Business Dialing Plan without Caller | | | | | | | | | | | | | | | |

| SERVICES | - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|--|--|---------|----------|--------|--|------------------|--|--------|-----------|-----------|---------------|-------------|-------------|-------------|
| SERVICES | - Termessee | I | | | 1 | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | | | | | | |
| CATEGORI | KATE ELEMENTO | m | 20116 | ВОО | 0000 | | | KATEO(ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| — | | - | - | | | | Nonrecurring | | Nonrecurring Disc | annoot | | | 000 | Rates(\$) | | |
| - | | - | - | | _ | Rec | First | Add'l | | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| \vdash | Tananasa Isurasi Callian illa and Massakia Lacal Callina Blac | _ | - | UEPFB | UEPB2 | 11.70 | 220.00 | | FIRST A | 4001 | SOMEC | SUMAN | SUMAN | SUMAN | SUMAN | SUMAN |
| - | Tennessee Inward Collierville and Memphis Local Calling Plan | - | - | UEPFB | UEPB3 | 11.70 | 220.00 | 145.00 145.00 | | | | | | | | |
| \vdash | Tennessee 2-Way Collierville and Memphis Local Calling Plan | _ | - | | | | | | | | | | | | | |
| INITE | 2-Wire voice incoming only port without Caller ID capability | | | UEPFB | UEPBE | 11.70 | 220.00 | 145.00 | | | | | | | | |
| INTE | ROFFICE TRANSPORT | | | | | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | LIEDED | 11477.60 | 40.50 | 55.00 | 47.07 | | | | | 00.05 | 04.00 | 0.00 | 40.54 |
| | Termination | - | - | UEPFB | U1TV2 | 18.58 | 55.39 | 17.37 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | | 41 =>04 | | | | | | | | | | | |
| | or Fraction Mile | | | UEPFB | 1L5XX | 0.0174 | | | | | | | | | | |
| FEA | TURES | | | | | | | | | | | | | | | |
| | All Features Offered | | | UEPFB | UEPVF | 0.00 | | | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CONVERSIONS | | | | | | | | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | l l | | | | | | | | | | | | | | |
| | - Conversion - Switch-as-is | | | UEPFB | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | · | | | | | | | | | | | | | | |
| | - Conversion - Switch-With-Change | | | UEPFB | USACC | | 10.00 | 10.00 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | | | | | | | | | | | | |
| | End User Premise | | | UEPFB | URETN | | 11.23 | 1.10 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | WHOLESALE LOCAL PLATFORM SERVICE (FX/FCO PBX) | | | | | | | | | | | | | | | |
| DS0 | Loop Rates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 1 | | 1 | UEPFP | UECF2 | 16.56 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 2 | | 2 | UEPFP | UECF2 | 21.63 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL2) - Zone 3 | | 3 | UEPFP | UECF2 | 28.28 | | | | | | | | | | |
| 2-Wii | re Voice Grade Line Port Rates (BUS - PBX) | | | | | | | | | | | | | | | |
| | Line Side Combination 2-Way PBX Trunk Port - Bus | | | UEPFP | UEPPC | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | Line Side Outward PBX Trunk Port - Bus | | | UEPFP | UEPPO | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | Line Side Incoming PBX Trunk Port - Bus | | | UEPFP | UEPP1 | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Ports | | | UEPFP | UEPLD | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | | | | | | | ĺ | | | | | | | | | |
| | 2-Wire Voice 2-Way Combination PBX Tennessee Calling Port | | | UEPFP | UEPT2 | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice 1-Way Outgoing PBX Tennessee Calling Port | | | UEPFP | UEPTO | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice 2-Way Combination PBX Usage Port | | | UEPFP | UEPXA | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice PBX Toll Terminal Hotel Ports | | | UEPFP | UEPXB | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPFP | UEPXC | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPFP | UEPXD | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPFP | UEPXE | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice 1W Out PBX Hotel/Hospital Economy | | | | | | | | | | | | | | | |
| | Administrative Calling Port TN Calling Port | | | UEPFP | UEPXN | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice PBX Collierville and Memphis Calling Port | | | UEPFP | UEPXU | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | 2-Wire Voice 2-Way PBX Tennessee RegionServ Callling Port | | | UEPFP | UEPXV | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | Tennessee PBX 2-Way Combo Each Additional Trunk | | | | | | | | | | | | | | | |
| | Collierville and Memphis Local Calling Plan | 1 | 1 | UEPFP | UEPA6 | 11.70 | 285.00 | 175.00 | | | | | | | | |
| | Tennessee PBX 2-Way Combo First Trunk Collierville and | t | t | | | | | | | | | | | | | |
| | Memphis Local Calling Plan | 1 | 1 | UEPFP | UEPA7 | 11.70 | 285.00 | 175.00 | | | | | | | | |
| INTE | ROFFICE TRANSPORT | † | <u> </u> | - ** | 7 | | | | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | | | | | | | | | | | | | | |
| | Termination | | | UEPFP | U1TV2 | 18.58 | 55.39 | 17.37 | | | | | | | | |
| | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OLITI | OTTVE | 10.00 | 00.00 | 17.07 | | | | | | | | |
| | or Fraction Mile | | | UEPFP | 1L5XX | 0.0174 | | | | | | | | | | |
| FFAT | TURES | | | <u></u> | ILUAN | 3.0174 | | | | | | | | | | |
| | All Features Offered | | | UEPFP | UEPVF | 0.00 | | | | | | | | | | |
| NON | RECURRING CHARGES (NRCs) - CONVERSIONS | | | UEPFP | JLI VI | 0.00 | | | | | | | | | | |
| INOM | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | | | <u></u> | 1 | | | | | | | | | | | |
| | - Conversion - Switch-as-is | 1 | 1 | UEPFP | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| \vdash | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port Platform | 1 | | OLITE | UUAUZ | | 10.00 | 10.00 | | | | | | | | |
| | | Ί | 1 | LIEDED | LIEACC | | 10.00 | 10.00 | | | | | | | | |
| ABB | - Conversion - Switch-With-Change | + | + | UEPFP | USACC | | 10.00 | 10.00 | | | | | | | | |
| ADDI | 2-Wire Loop / Dedicated IO Transport / 2 Wire Line Port (PBX) | | + | | + | | | | | | | | | | | |
| | Platform - Subsequent Activity | | | UEPFP | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| \Box | Frationii - Subsequent Activity | | | ULFFF | USASZ | 0.00 | 0.00 | 0.00 | I | | | | | I . | | |

| SERV | ICES - | Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|----------|--|---------|--|-----------------------|------------------|------------------|------------------|-----------------|-----------------|-----------------|--|-------------|--|--|----------------|--|
| SLIV | - OLO | Tomicosco | | I | | 1 | I | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Add I | DISC ISI | DISC Add I |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | 1 |
| | | Group | | | | | | 14.64 | 14.64 | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Designed Loop at | | | | l | | | | | | | | | | | 1 |
| 200 1111 | | End User Premise | | | UEPFP | URETN | | 11.23 | 1.10 | | | | | | | | |
| DS0 WI | | ALE LOCAL SWITCHING PORTS | | L | | <u> </u> | | | | L | <u> </u> | 1 | | L | | | |
| | | New Install scenarios the Nonrecurring charges are listed in th | e First | and Ad | ditional NRC colum | ns for each F | ort USOC. Fo | r Existing Platt | orm scenarios | s, the Nonrecur | ring charges a | ire listed in | the NRC - C | onversions s | ection. Additi | onal NRCs m | ay apply |
| | also ar | nd are categorized accordingly. | | | | | | | | | | | | | | | |
| | l | | _ | | | | | | | | | | | | | | |
| - | > End | Office and Tandem Switching Usage and Wholesale Common (HOLESALE LOCAL SWITCHING PORTS - (Bus) | Transp | ort Us | age rates in the Port | t section of the | nis rate exhibit | shall apply to | the Wholesale | Access Line S | service except | for the Coir | Service wr | nich has a flat | rate usage cr | arge (USOC: | URECU). |
| - | DS0 W | | | - | | 1 | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire Analog Line Port without Caller ID - | | | UEPSB | UEPBL | 11.89 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 240 | | | UEPSB | UEPBL | 11.89 | 49.14 | 26.04 | 0.00 | 0.00 | - | - | 20.35 | 10.54 | 13.32 | 1.40 |
| 1 | 1 | Exchange Ports - 2-Wire VG Line Port with port with Caller+E484 ID - Bus. | | 1 | UEPSB | UEPBC | 11.89 | 49.14 | 26.04 | 0.00 | 0.00 | | 1 | 20.35 | 10.54 | 13.32 | 1.40 |
| — | | Caller+E404 ID - BUS. | | - | UEFSB | UEPBC | 11.89 | 49.14 | ∠0.04 | 0.00 | 0.00 | - | | ∠0.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire Analog Line Port outgoing only - Bus. | | | UEPSB | UEPBO | 11.89 | 9.93 | 9.19 | 3.66 | 2.92 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire VG TN extended local dialing parity | | | UEPOB | UEPBU | 11.09 | 9.93 | 9.19 | 3.00 | 2.92 | 1 | | 20.33 | 10.54 | 13.32 | 1.40 |
| | | Port with Caller ID - Bus. | | | UEPSB | UEPAV | 11.89 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exhange Ports - 2-Wire VG incoming only port with Caller ID - | | 1 | OLI OD | OLI AV | 11.03 | 43.14 | 20.04 | 0.00 | 0.00 | | | 20.55 | 10.54 | 10.02 | 1.40 |
| | | Bus | | | UEPSB | UEPB1 | 11.89 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire VG TN Bus 2-Way Area Calling Port | | 1 | OLI OD | OLI DI | 11.00 | 40.14 | 20.04 | 0.00 | 0.00 | | | 20.00 | 10.04 | 10.02 | 11.40 |
| | | Economy Option - Bus (TACC1) | | | UEPSB | UEPAC | 11.89 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire VG TN Bus 2-Way Area Calling Port | | | OLI OD | OLI 710 | 11.00 | 40.14 | 20.04 | 0.00 | 0.00 | 1 | | 20.00 | 10.04 | 10.02 | 1.40 |
| | | Standard Option - Bus (TACC2) | | | UEPSB | UEPAD | 11.89 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-W VG TN Bus 2-Way Collierville & Memphis | | | | | | | | | | | | | | | |
| | | Local Calling Port - Bus (B2F) | | | UEPSB | UEPAE | 11.89 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-W VG TN Bus 2-Way Collierville & Memphis | | | | | | | | | | | | | | | |
| | | Local Calling Port | | | UEPSB | UEPB2 | 11.89 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-W VG TN, Business Line Inward, Collierville | | | | | | | | | | | | ĺ | | | |
| | | & Memphis Local Calling Plan | | | UEPSB | UEPB3 | 11.89 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | Exchange Ports - 2-Wire Voice Tennessee Business Dialing | | | | | | | | | | | | | | | |
| | | Plan without Caller ID | | | UEPSB | UEPWO | 11.89 | 49.14 | 26.04 | 0.00 | 0.00 | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | | 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPSB | UEPBE | 11.89 | 49.14 | 26.04 | 0.00 | 0.00 | | | | | | |
| | FEATU | | | | | | | | | | | | | | | | |
| | | All Available Vertical Features | | | UEPSB | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | Cross | Connects | | | | | | | | | | | | | | | |
| | | Physical Expanded Interconnection Two Wire Cross Connect, | | | | DE 4 D 0 | | | | | | | | | | | 1 |
| - | | Provisioning | | | UEPSB | PE1R2 | 0.033 | 33.82 | 31.92 | | | 1 | | | | | |
| \vdash | Non D | Virtual Collocation - Two Wire Cross Connect, Provisioning ecurring Charges | | - | UEPSB | VE1R2 | 0.57 | 11.62 | 9.90 | | - | | | | | | |
| | NOTI-RE | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPSB | USAS2 | 0.00 | 0.00 | 0.00 | 1 | | | - | | + | | |
| - | | Subsequent Activity | | 1 | UEPSB | USASC | 0.00 | 0.00 | 0.00 | + | | 1 | - | | + | | |
| DS0 WI | HOLES | ALE LOCAL PLATFORM SERVICE | | | OLFOB | USASC | 0.00 | 0.00 | 0.00 | | | | | 1 | | | |
| D00 W | | New Install scenarios the Nonrecurring charges are listed in th | o Eirct | and Ad | ditional NPC colum | ne for each E | Part LISOC Fo | r Evicting Dlatf | orm coonarios | the Menrecur | ring charges s | ro listed in | the NPC - C | onvorcione e | oction Additi | anal NDCs m | av apply |
| | | nd are categorized accordingly. | e riisi | anu Au | uitional NKC colum | iis ioi eacii r | on usuc. Fo | Existing Flati | oriii scenarios | s, the Nonrecur | illig charges a | ire iisteu iii | ine NKC - C | Oliversions S | ection. Additi | Oliai NKCS III | ау арріу |
| - | aiso ai | id are categorized accordingly. | | | | | | | | | | | | | | | |
| | - End | Office and Tandem Switching Usage and Wholesale Common | Tranc- | om He- | as rates in the Dant | costion of the | io roto ovbibit | ahall annlu ta l | DCO Wholes-I | a Lagal Blaffa | n Comilao cue | nt for the C | ain Candes | which has - | flat rata un | abarga (IICO | C. LIBECTA |
| - | | (HOLESALE LOCAL PLATFORM SERVICE (Business) | папър | USE T | ge rates in the Port | Section of th | IS TALE EXHIBIT | энан арргу то і | U WITOTESAI | E LUCAI PIATION | ii Service exce | pulor the C | om service | willen has a | iiai raie usage | charge (USC | o. ukecuj. |
| | | pop Rates | | | | + | | | | 1 | | 1 | | | - | | |
| - | D30 L0 | 2-Wire Voice Grade Loop (SL1) - Zone 1 | | 1 | UEPBX | UEPLX | 12.48 | | | 1 | | | | | | | <u> </u> |
| - | | 2-Wire Voice Grade Loop (SL1) - Zone 1 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPBX | UEPLX | 16.31 | | | 1 | | | - | 1 | | | |
| - | - | 2-Wire Voice Grade Loop (SL1) - Zone 2 2-Wire Voice Grade Loop (SL1) - Zone 3 | | | UEPBX | UEPLX | 21.32 | | | | | | | | | | |
| - | 2-Wire | Voice Grade Line Port (Bus) | | | OLI DA | OLI LA | 21.32 | | | † | | | | | + | | <u> </u> |
| | _ ****** | 2-Wire voice port without Caller ID - bus | | † | UEPBX | UEPBL | 11.70 | 49.14 | 26.04 | 1 | | | - | | I | | |
| | | 2-Wire voice port with Caller + E484 ID - bus | | | UEPBX | UEPBC | 11.70 | 49.14 | 26.04 | 1 | | | | 1 | <u> </u> | | |
| | | 2-Wire voice port with datier 1 2-0-13 Bus | | | UEPBX | UEPBO | 11.70 | 49.14 | 26.04 | 1 | | 1 | | | <u> </u> | | |
| | | 2-Wire voice Tennessee extended local dialing parity port with | | | | 1 | | | 20.54 | 1 | | | | 1 | <u> </u> | | |
| 1 | 1 | Caller ID - bus | | | UEPBX | UEPAV | 11.70 | 49.14 | 26.04 | | | | | | I | | 1 |
| | | 2-Wire voice incoming only port with Caller ID - Bus | | t | UEPBX | UEPB1 | 11.70 | 49.14 | 26.04 | İ | i | | | i | i e | | |
| | | | | • | | ,, | 0 | | 20.04 | | | | | | | | |

| SERVIC | ES - | Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|--------|---|----------|---------|-----------------------|------------------|-----------------|-------------------|----------------|--|---------------|----------------|-------------|----------------|----------------|-----------------|----------------|
| | | | | 1 | | | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incrementa |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Into: | | İ | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Sv |
| CATEGO | RY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lor | per Loix | Electronic- | Electronic- | Electronic- | Electronic |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | 151 | Addi | DISC 1St | DISC Add I |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring D | | | | | Rates(\$) | | |
| | | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire voice Tennessee Bus 2-Way Area Calling Port Economy | | | | | | | | | | | | | | | |
| | | Option | | | UEPBX | UEPAC | 11.70 | 49.14 | 26.04 | | | | | | | | |
| | | 2-Wire voice Tennessee Bus 2-Way Area Calling Port Standard | | | | | | | | | | | | | | | |
| | | Option | | | UEPBX | UEPAD | 11.70 | 49.14 | 26.04 | | | | | | | | |
| | | 2-Wire voice Tennessee Bus 2-Way Collierville and Memphis | | | | | | | | 1 | | | | | | | |
| | | Local Calling Port (B2F) | | | UEPBX | UEPAE | 11.70 | 49.14 | 26.04 | | | | | | | | |
| | | 2-Wire voice Incoming Only Port without Caller ID Capability | | | UEPBX | UEPBE | 11.70 | 49.14 | 26.04 | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| | | 2-Wire voice Tennessee Business Dialing Plan without Caller ID | | | UEPBX | UEPWO | 11.70 | 49.14 | 26.04 | | | | | | | | |
| F | EATU | | | | | ļ | | | | | | | | | | | |
| | | All Features Offered | | | UEPBX | UEPVF | 0.00 | | | | | | | | | | |
| | IONRE | CURRING CHARGES - Conversions | | | LIEBBY . | | | 10.00 | 10.00 | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | <u> </u> | 1 | UEPBX | USAC2 | | 10.00 | 10.00 | | | | | | - | - | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | | | | | | 40.00 | 40.00 | | | | | | | | |
| | | Change | | | UEPBX | USACC | | 10.00 | 10.00 | | | | | | | | |
| | | ONAL NRCs | | | | | | | | <u> </u> | | | | | | | |
| | | NRC - 2-Wire Voice Grade Loop/Line Port Platform - | | | HEDDY | 110400 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Subsequent | | | UEPBX | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Unbundled Miscellaneous Rate Element, Tag Loop at End User | | | LIEBBY | | | | | 1 | | | | | | | |
| | | Premise | | | UEPBX | URETL | | 8.33 | 0.83 | | | | | | | | |
| | | Wire Maintenance | | | HEDDY | 05047 | 4.50 | | | <u> </u> | | | | | | | |
| | | Inside Wire Maintenance Plan | | | UEPBX | SEQ1X | 4.50 | | | | | | | | | | |
| | JFF/Or | N PREMISES EXTENSION CHANNELS | | | UEPBX | UEAEN | 11.74 | 31.99 | 20.02 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | 2 Wire Analog Voice Grade Extension Loop – Non-Design | | 1 | | UEAEN | | | | | | | | | 10.54 | | |
| | | Wire Analog Voice Grade Extension Loop – Non-Design Wire Analog Voice Grade Extension Loop – Non-Design | | 2 | UEPBX UEPBX | UEAEN | 17.59 29.37 | 31.99 31.99 | 20.02 | | | - | | 20.35 20.35 | 10.54 | 13.32 13.32 | 13.32 |
| | | 2 Wire Analog Voice Grade Extension Loop – Non-Design 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPBX | UEAEN | 14.74 | 75.06 | 48.20 | | | - | | | 10.54 | 13.32 | |
| - | | 2 Wire Analog Voice Grade Extension Loop – Design 2 Wire Analog Voice Grade Extension Loop – Design | | 1 | UEPBX | UEAED | 22.08 | 75.06 | 48.20 | | | | | 20.35 20.35 | 10.54 | 13.32 | 13.32 13.32 |
| - | | 2 Wire Analog Voice Grade Extension Loop – Design | | 3 | UEPBX | UEAED | 36.87 | 75.06 | 48.20 | | | | | 20.35 | 10.54 | 13.32 | 13.32 |
| | | DFFICE TRANSPORT | | 3 | UEPBA | UEAED | 30.07 | 75.06 | 40.20 | - | | | | 20.33 | 10.54 | 13.32 | 13.3 |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Facility | | - | | - | | | | | | - | - | | - | | |
| | | Termination | | | UEPBX | U1TV2 | 18.58 | 55.39 | 17.37 | | | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | | Interoffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | | OLFBA | 01172 | 10.50 | 33.39 | 17.37 | | | | | 20.33 | 21.09 | 9.00 | 10.5 |
| | | or Fraction Mile | | | UEPBX | U1TVM | 0.0174 | 0.00 | 0.00 | | | | | | | | |
| DSU WH | | ALE LOCAL PLATFORM SERVICE - CENTREX | | | OLI DX | OTTVIVI | 0.0174 | 0.00 | 0.00 | | | | | | | | |
| | | lowing DS0 Wholesale Local Platform Service - CENTREX rate | e shall | anniv | to the elements inc | licated accord | ance with the | following criter | ea. | | | | | | | | |
| | | lew Install scenarios the Nonrecurring charges are listed in th | | | | | | | | the Nonrecurrin | n charnes a | re listed in t | the NRC - C | onversions s | ection Addit | ional NRCs m | av anniv |
| | | nd are categorized accordingly. | 011100 | una Au | iditional fitto colar | illis for caon i | 011 00000. 1 0 | Laisting Fluth | orm socnarios | , the Nomeounn | ig onal ges a | ic noted iii i | | 011701310113 3 | colloii. Addit | ionai ititos in | ay appiy |
| | | Office and Tandem Switching Usage and Wholesale Commor | n Trans | nort Us | sage rates in the Po | rt section of t | his rate exhibi | it shall apply to | the DS0 Who | lesale I ocal Platf | orm Service | - CENTREX | | I | | I | |
| | | HOLESALE LOCAL PLATFORM SERVICE - CENTREX BY CEN | | | | 1 | | 1 | | | 00. 1.00 | 1 | ì | | 1 | | |
| | | SWITCH - (Valid in AL,FL,GA,KY,LA,MS,&TN) | | 1 | | | | | | | | | | | | | |
| | oop R | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | 1 | UEP91 | UECS1 | 11.11 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | | 2 | UEP91 | UECS1 | 16.65 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP91 | UECS1 | 27.80 | | | † † | | | | | t | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 1 | UEP91 | UECS2 | 14.74 | | | † † | | | 1 | | İ | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 2 | UEP91 | UECS2 | 22.08 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP91 | UECS2 | 36.87 | | | | | | | | | | |
| F | | ates - Effective As Specified | | 1 | | | | | | | | | | | | | |
| | | tes (Except North Carolina and South Carolina) | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Área | | | UEP91 | UEPYA | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| f | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | _ | | | | | | |
| Í | | Area | l | | UEP91 | UEPYB | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | | Alea | | | | | 1 | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | | | | | UEP91 | UEPYH | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEP91 | UEPYH | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | | Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area C-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP91 UEP91 | UEPYH | 11.70 11.70 | 49.14 184.95 | 26.04 89.64 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |

| SERVICES | - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------------|---|-------------|--|----------------|----------------|--------|--------------|-----------|--|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| 1 | | | | | + | | Nonrecurring | | Nonrecurring | Disconnect | | l | oss | Rates(\$) | I. | 1 |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | 11130 | Addi | 11130 | Addi | COMILO | COMPAR | COMPAN | COMPAR | COMPAR | COMPAR |
| | - Basic Local Area | | | UEP91 | UEPY9 | 11.70 | 49.14 | 26.04 | 1 | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPY2 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| AL, K | Y, LA, MS, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP91 | UEPQA | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP91 | UEPQB | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP91 | UEPQH | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | 1 | | | | | | | |
| | Center)2 | | | UEP91 | UEPQM | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term | | | UEP91 | UEPQZ | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | |
| | | | | | | | | | 1 | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP91 | UEPQ9 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | L |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP91 | UEPQ2 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| Loca | Switching | | | | | | | | | | | | | | | |
| F | Centrex Intercom Funtionality, per port | | - | UEP91 | URECS | 0.6381 | | | - | | | | | | | |
| Featu | | | | UEP91 | LIED\/E | 0.00 | | | + | | - | | | | | |
| | All Standard Features Offered, per port All Select Features Offered, per port | | | UEP91 | UEPVF UEPVS | 0.00 | 433.78 | | + | | - | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP91 | UEPVS | 0.00 | 433.76 | | _ | | | | | | | |
| NARS | | | | UEF91 | UEFVC | 0.00 | | | + | | | | | | | - |
| INAIN | Network Access Register - Combination | | | UEP91 | UARCX | 0.00 | 0.00 | 0.00 | + + | | | | | | | |
| | Network Access Register - Indial | | 1 | UEP91 | UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Network Access Register - Outdial | | 1 | UEP91 | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Misco | ellaneous Terminations | | | 02. 0. | 0741071 | 0.00 | 0.00 | 0.00 | | | | | | | | 1 |
| | e Trunk Side | | | | 1 | | | | † † | | | | | | | 1 |
| | Trunk Side Terminations, each | | | UEP91 | CENA6 | 8.78 | 22.14 | 15.25 | | | | | 30.89 | 7.03 | | |
| Interd | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination - Voice Grade | | | UEP91 | M1GBC | 18.58 | 22.14 | 15.25 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP91 | M1GBM | 0.0174 | | | | | | | | | | |
| | re Activations (DS0) Centrex Loops on Channelized DS1 Servic | e | | | | | | | | | | | | | | |
| D4 CI | hannel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP91 | 1PQWS | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP91 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | OLI 31 | II QVV0 | 0.00 | | | | | | | | | | |
| | Slot | | | UEP91 | 1PQW7 | 0.66 | | | 1 | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP91 | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP91 | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop Slot | | | LIEDO4 | 4BOWO | 0.00 | | | 1 | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP91 UEP91 | 1PQWQ 1PQWA | 0.66 | | | + | | - | | | | | |
| Non | Recurring Charges (NRC) | | | UEF91 | IPQVVA | 0.66 | | | _ | | | | | | | |
| NOII- | Conversion - Existing Platform Switch-As-Is with allowed | | | | + | | | | + | | | | | | | - |
| 1 | changes, per port | | | UEP91 | USAC2 | | 10.00 | 10.00 | | | | | | | | 1 |
| | New Centrex Standard Common Block | | † | UEP91 | M1ACS | 0.00 | 770.00 | 10.00 | | | - | | | | | I |
| | New Centrex Customized Common Block | | | UEP91 | M1ACC | 0.00 | 770.00 | | | | | | | | | <u> </u> |
| | Secondary Block, per Block | | | UEP91 | M2CC1 | 0.00 | 80.00 | | | | | | | | İ | 1 |
| | NAR Establishment Charge, Per Occasion | | | UEP91 | URECA | | 85.00 | | | | | | | | | |
| Addit | tional Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP91 | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Unbundled Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP91 | URETN | | 11.23 | 1.10 | | | | | | | | |
| 5500 | SWITCH (Valid in All States) | - | | OCEAL | UKETN | | 11.23 | 1.10 | + | | - | | | | | |
| | | | | | | | - | | - | | | | | | | |
| | Rates | | | | | | | | | | | | | | | |

| ERVICES | - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---------|---|-------------|--|----------------|----------------|--------|--------------|-----------|--|--|--|-----------|--|--|--|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Charge - | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | | | | Dan | Nonrecurring | | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | | 2 | UEP95 | UECS1 | 16.65 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP95 | UECS1 | 27.80 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 1 | UEP95 | UECS2 | 14.74 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 2 | UEP95 | UECS2 | 22.08 | | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP95 | UECS2 | 36.87 | | | | | | | | | | |
| Port F | Rates | | | | | | | | | | | | | | Î | |
| | ollowing port rates are effective as specified | | | | | | | | | | | | | | | |
| All St | ates | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP95 | UEPYA | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPYB | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | | | | | | | | | | | | | |
| | Area | | | UEP95 | UEPYH | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 Basic Local Area | | | UEP95 | UEPYM | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP95 | UEPYZ | 11.70 | 49.14 | 89.64 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | - Basic Local Area | | | UEP95 | UEPY9 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP95 | UEPY2 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| AL, K | Y, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP95 | UEPQA | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP95 | UEPQB | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP95 | UEPQH | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | | |
| | Center)2 | | | UEP95 | UEPQM | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP95 | UEPQZ | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP95 | UEPQ9 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP95 | UEPQ2 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | GA Only | | | | | | | | | | | | | | | |
| Local | Switching | | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP95 | URECS | 0.6381 | | | | | | | | | | |
| Featu | | | | | | | | | | | | | | | | |
| _ | All Standard Features Offered, per port | | - | UEP95 | UEPVF | 0.00 | 100 =0 | | | | | | | | | |
| _ | All Select Features Offered, per port | | - | UEP95 | UEPVS | 0.00 | 433.78 | | | | | | | | | |
| NADO | All Centrex Control Features Offered, per port | | - | UEP95 | UEPVC | 0.00 | | | | | | | | | | |
| NARS | | | - | LIEDOE | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| _ | Network Access Register - Combination | | - | UEP95 | | 0.00 | 0.00 | 0.00 | | | | | | | | |
| _ | Network Access Register - Indial | | - | UEP95 UEP95 | UAR1X UAROX | 0.00 | 0.00 | 0.00 | | - | | | | | | |
| Minne | Network Access Register - Outdial Ilaneous Terminations | | - | UEP95 | UARUX | 0.00 | 0.00 | 0.00 | | | - | | | | | |
| | Trunk Side | | - | | | | | | | - | | | | | | |
| 2-9911 | | | | UEP95 | CEND6 | 8.78 | 47.75 | 47.01 | | | - | | 30.89 | 7.03 | | |
| /-1A/:= | Trunk Side Terminations, each e Digital (1.544 Megabits) | | | OFL,89 | CEINDO | 0.78 | 41.75 | 47.01 | | + | | | 30.89 | 1.03 | | |
| 4-4411 | DS1 Circuit Terminations, each | | - | UEP95 | M1HD1 | 35.74 | 75.93 | 38.15 | | | | | 30.89 | 7.03 | | |
| - | DS0 Channels Activated, each | | | UEP95 | M1HDO | 0.00 | 108.67 | 30.13 | | | H | | 30.89 | 7.03 | | |
| Interc | ffice Channel Mileage - 2-Wire | | | 021 00 | | 0.00 | 100.07 | | l | | H | | 30.03 | 7.03 | | |
| | Interoffice Channel Facilities Termination | | | UEP95 | M1GBC | 18.58 | 22.14 | 15.25 | | + | | | 20.35 | 21.09 | 9.80 | 10.5 |
| _ | Interoffice Channel mileage, per mile or fraction of mile | | | UEP95 | M1GBC | 0.0174 | 22.14 | 10.20 | | t | <u> </u> | | 20.00 | 21.09 | 3.00 | 10. |
| Featu | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | 0.5/11/ | 5.0174 | | | | t | | | | | i | |
| | annel Bank Feature Activations | | | | | | | | | 1 | | | | | i | |
| 1 | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP95 | 1PQWS | 0.66 | | | i | 1 | | | | i | i | |
| | | | | | 1 | | | | | t | | | | | İ | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP95 | 1PQW6 | 0.66 | J | | | 1 | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | ì | 1 | UEP95 | 1PQW7 | 0.66 | | | I | 1 | 1 | 1 | | 1 | 1 | i |

| SERVICE | ES - | Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-----------------|--------|--|--|----------|--------|----------|-------|--|-----------|--|-------|-----------|-----------|---------------|--|-------------|-------------|
| | | | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGOR | RY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | - | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| <u> </u> | - | | | | | | | Ta | | T. N | B' | | l | | D - ((A) | | |
| \vdash | - | | - | | | | Rec | Nonrecurring First | A -1 -111 | Nonrecurring First | | SOMEC | SOMAN | SOMAN | Rates(\$) SOMAN | SOMAN | SOMAN |
| - | | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | FIRST | Add'l | FIRST | Add'l | SOMEC | SUMAN | SOWAN | SOWAN | SUMAN | SUMAN |
| | | Different Wire Center | | | UEP95 | 1PQWP | 0.66 | | | | | | | | | | |
| | - | Different Wife Genter | | | OLI 93 | II QVVI | 0.00 | | | 1 | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP95 | 1PQWV | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | | Slot | | | UEP95 | 1PQWQ | 0.66 | | | | | | | | | | |
| | | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP95 | 1PQWA | 0.66 | | | | | | | | | | |
| No | n-Re | curring Charges (NRC) | | | | | | | | | | | | | | | |
| | | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | | changes, per port | | | UEP95 | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | | New Centrex Standard Common Block | | | UEP95 | M1ACS | 0.00 | 770.00 | | | | | | | | | |
| | | New Centrex Customized Common Block | | | UEP95 | M1ACC | 0.00 | 770.00 | | | | | | | | | |
| <u> </u> | 14154 | NAR Establishment Charge, Per Occasion | - | ļ | UEP95 | URECA | 0.00 | 85.00 | | | | | | | ļ | | |
| Ac | aitio | nal Non-Recurring Charges (NRC) | ! | - | LIEDOE | LIDETI | | 0.00 | 0.00 | | | ļ | | | | | |
| \vdash | - | Miscellaneous Rate Element, Tag Loop at End Use Premise Miscellaneous Rate Element, Tag Design Loop at End Use | 1 | - | UEP95 | URETL | | 8.33 | 0.83 | + | | | | - | | | |
| | | Premise | 1 | | UEP95 | URETN | | 11.23 | 1.10 | | | 1 | 1 | | | | |
| DI | /S10 | 0 SWITCH (Valid in All States) | | | UEF95 | UKETIN | | 11.23 | 1.10 | | | | | | | | |
| | | ates | | | | + | | | | | | | | | | | |
| | 10011 | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | 1 | UEP9D | UECS1 | 11.11 | | | 1 | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | | 2 | UEP9D | UECS1 | 16.65 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP9D | UECS1 | 27.80 | | | i i | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 1 | UEP9D | UECS2 | 14.74 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 2 | UEP9D | UECS2 | 22.08 | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP9D | UECS2 | 36.87 | | | | | | | | | | |
| | rt Ra | | | | | | | | | | | | | | | | |
| | | lowing port rates are effective as specified | | | | | | | | | | | | | | | |
| Al | I Stat | | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9D | UEPYA | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | | | | | | | | | | | | |
| \vdash | - | Area | - | | UEP9D | UEPYB | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3Basic Local Area | | | UEP9D | UEPYC | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | - | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3Basic Local | - | 1 | UEP9D | UEPTC | 11.70 | 49.14 | 20.04 | | | | | 30.09 | 7.03 | | |
| | | Area | | | UEP9D | UEPYD | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | - | 2-Wire Voice Grade Port (Centrex / EBS-M5209))3 Basic Local | | | OLI 3D | OLI ID | 11.70 | 43.14 | 20.04 | 1 | | | | 30.03 | 7.03 | | |
| | | Area | | | UEP9D | UEPYE | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5112))3 Basic Local | | | | | | | | i i | | | | | | | |
| | | Area | 1 | | UEP9D | UEPYF | 11.70 | 49.14 | 26.04 | | | 1 | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5312))3Basic Local | | | | | | | | | | | | | | | |
| | | Area | | | UEP9D | UEPYG | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5008))3 Basic Local | | | | | | | | | | | | l | | | |
| $\sqcup \sqcup$ | | Area | | | UEP9D | UEPYT | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5208))3 Basic Local | 1 | | | I | | | | | | 1 | 1 | l | _ | | |
| \vdash | | Area | _ | | UEP9D | UEPYU | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5216))3 Basic Local | | | LIEDOD | LIEDYA (| 44 =- | 40.4. | 00.01 | | | | | 00.00 | 7.00 | | |
| \vdash | - | Area 2 Wire Voice Grade Port (Contray / EBS M5316\)2 Pagic Local | 1 | - | UEP9D | UEPYV | 11.70 | 49.14 | 26.04 | + | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex / EBS-M5316))3 Basic Local Area | 1 | | UEP9D | UEPY3 | 11.70 | 49.14 | 26.04 | | | 1 | 1 | 30.89 | 7.03 | | |
| \vdash | - | 2-Wire Voice Grade Port (Centrex with Caller ID) Basic Local | | 1 | טבו שט | OLF 13 | 11.70 | 45.14 | 20.04 | | | | | 30.09 | 7.03 | | |
| | | Area | | | UEP9D | UEPYH | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| \vdash | - | 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | t | | 021 00 | JE: 111 | 11.70 | 70.14 | 20.04 | 1 | | | | 50.09 | 7.03 | | |
| | | Indication))3 Basic Local Area | 1 | | UEP9D | UEPYW | 11.70 | 49.14 | 26.04 | | | 1 | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication))3 | | | - | 1 | | | | | | | | | | | |
| | _ | Basic Local Area | <u> </u> | L | UEP9D | UEPYJ | 11.70 | 49.14 | 26.04 | | | <u></u> | <u></u> | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | | | | | | İ | | i | | | | | | | |
| | | 2 Basic Local Area | | | UEP9D | UEPYM | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | |
| | | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | | | | | | | | | | | | | |
| $oxed{oxed}$ | | Basic Local Area | <u> </u> | <u> </u> | UEP9D | UEPYO | 11.70 | 184.95 | 89.64 | | | l | <u> </u> | 30.89 | 7.03 | | |

| SERVICES | S - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|----------|----------|----------------|----------------|----------------|----------------|----------------|---------|--------------|--|-----------|----------------|--------------|-------------|-------------|
| SERVICE |) - Termessee | | | | | | | | | | Svc Order | Svc Order | | | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | Instant | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | p = = = = = = = = = = = = = = = = = = = | F | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | D130 131 | DISC Add I |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | | | | | | | | | | | | | ł ' |
| | Basic Local Area | | | UEP9D | UEPYP | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | | | LIEDAD | | | | | | | | | | | | í |
| | Basic Local Area | | | UEP9D | UEPYQ | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | | | UEP9D | UEPYR | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | í |
| - | Basic Local Area 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | | | UEP9D | UEPYR | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | |
| | Basic Local Area | | | UEP9D | UEPYS | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | í |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | OLF 9D | OLF 13 | 11.70 | 104.93 | 09.04 | | | 1 | | 30.09 | 7.03 | | |
| | Basic Local Area | | | UEP9D | UEPY4 | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | í |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | OLI 3D | OLI 14 | 11.70 | 104.33 | 03.04 | | | 1 | | 30.03 | 7.00 | | |
| | Basic Local Area | | | UEP9D | UEPY5 | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | í |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | 02.03 | 020 | | 101.00 | 00.01 | | | İ | | 00.00 | 7.00 | | |
| | Basic Local Area | | | UEP9D | UEPY6 | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | í |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | | | | | | | | | İ | | | | | |
| | Basic Local Area | | | UEP9D | UEPY7 | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | í |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term | | | UEP9D | UEPYZ | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | í |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | | | | | | | | | | | | | |
| | Basic Local Area | | | UEP9D | UEPY9 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | í |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term Basic | | | | | | | | | | | | | | | i T |
| | Local Area | | | UEP9D | UEPY2 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | <u> </u> |
| AL, | KY, LA, MS, SC, & TN Only | | | | | | | | | | | | | | | i . |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9D | UEPQA | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9D | UEPQB | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | <u> </u> |
| | 2-Wire Voice Grade Port (Centrex / EBS-PSET)3 | | | UEP9D | UEPQC | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5009)3 | | | UEP9D | UEPQD | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5209)3 | | | UEP9D | UEPQE | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5112)3 | | | UEP9D | UEPQF | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5312)3 | | | UEP9D | UEPQG | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | —— |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5008)3 | | | UEP9D | UEPQT | 11.70 | 49.14 | 26.04 | | | 1 | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5208)3 2-Wire Voice Grade Port (Centrex / EBS-M5216)3 | | | UEP9D UEP9D | UEPQU | 11.70 11.70 | 49.14 49.14 | 26.04 26.04 | | | - | | 30.89 30.89 | 7.03 7.03 | | |
| | | | | UEP9D | UEPQV UEPQ3 | 11.70 | 49.14 | 26.04 | | | - | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex / EBS-M5316)3 | | | | UEPQ3 | | | | | | - | | 30.89 | 7.03 | | |
| \vdash | 2-Wire Voice Grade Port (Centrex with Caller ID) 2-Wire Voice Grade Port (Centrex/Caller ID/Msg Wtg Lamp | | \vdash | UEP9D | UEPUH | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | Indication)3 | | | UEP9D | UEPQW | 11.70 | 49.14 | 26.04 | | | | 1 | 30.89 | 7.03 | | ł . |
| | 2-Wire Voice Grade Port (Centrex/Msg Wtg Lamp Indication)3 | - | \vdash | UEP9D | UEPQV | 11.70 | 49.14 | 26.04 | | 1 | | - | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center) | - | \vdash | 021 00 | JE1 40 | 11.70 | 70.14 | 20.04 | | 1 | | - | 30.09 | 7.03 | | |
| | 2 | | | UEP9D | UEPQM | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | į. |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-PSET)2, 3 | | | UEP9D | UEPQO | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | í |
| | | | | | | | | 22.01 | | | | | 22.00 | 1.00 | | (|
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5009)2, 3 | | | UEP9D | UEPQP | 11.70 | 184.95 | 89.64 | | | | 1 | 30.89 | 7.03 | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-5209)2, 3 | 1 | | UEP9D | UEPQQ | 11.70 | 184.95 | 89.64 | l | | | | 30.89 | 7.03 | | í Toronto |
| | , | | | | | | | | | | | | | | | í |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5112)2, 3 | <u></u> | <u> </u> | UEP9D | UEPQR | 11.70 | 184.95 | 89.64 | <u></u> | | | | 30.89 | 7.03 | | <u> </u> |
| | | | | | | | | | | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5312)2, 3 | <u></u> | <u> </u> | UEP9D | UEPQS | 11.70 | 184.95 | 89.64 | <u></u> | | | | 30.89 | 7.03 | | <u> </u> |
| | | | | | | | | | | | | | | | | ı ———— |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5008)2, 3 | | | UEP9D | UEPQ4 | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | <u> </u> |
| | | | | | | | | | l | | | | | | | 1 |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5208)2, 3 | | | UEP9D | UEPQ5 | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | |
| | | | | l | I I | | | | | | | 1 | | | | l . |
| | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5216)2, 3 | | | UEP9D | UEPQ6 | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | . |
| 1 1 | | | | l | 1 |] | | | | | | | | _ | | l . |
| \vdash | 2-Wire Voice Grade Port (Centrex/differ SWC /EBS-M5316)2, 3 | | \vdash | UEP9D | UEPQ7 | 11.70 | 184.95 | 89.64 | - | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | LIEDOD | LIEDO Z | 44.70 | 1010- | 00.01 | | | | | 00.00 | 7.00 | | l . |
| | Term | | | UEP9D | UEPQZ | 11.70 | 184.95 | 89.64 | | | 1 | l | 30.89 | 7.03 | | |

| SERVICES | - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|--|--|----------------|----------------|--------|-----------------|-----------|--|--------------|--|---|--|--|---|---|
| ATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Sv Order vs. Electronic Disc Add' |
| | | | 1 | | | Boo | Nonrecurring | | Nonrecurrin | g Disconnect | | • | oss | Rates(\$) | • | • |
| | | | 1 | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9D | UEPQ9 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP9D | UEPQ2 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| Loca | I Switching | | | | | | | | | | | | | | | <u> </u> |
| | Centrex Intercom Funtionality, per port | | | UEP9D | URECS | 0.6381 | | | | | | | | | | |
| Feat | | | | | | | | | | | | | | | | . |
| | All Standard Features Offered, per port | | | UEP9D UEP9D | UEPVF | 0.00 | 433.78 | | | | 1 | | | | | - |
| | All Select Features Offered, per port | | ļ | UEP9D | UEPVS UEPVC | 0.00 | 433.78 | | 1 | 1 | 1 | | | | 1 | |
| NAR | All Centrex Control Features Offered, per port | | | UEP9D | UEPVC | 0.00 | | | - | | | | | | - | |
| NAK | Network Access Register - Combination | | ├ | UEP9D | UARCX | 0.00 | 0.00 | 0.00 | | 1 | + | | | | | ├── |
| | Network Access Register - Indial | | | UEP9D | UAR1X | 0.00 | 0.00 | 0.00 | | <u> </u> | | | | | | |
| | Network Access Register - Outdial | 1 | † | UEP9D | UAROX | 0.00 | 0.00 | 0.00 | I | 1 | | | | | I | |
| Misc | ellaneous Terminations | | 1 | OLI OD | O/ II (O/(| 0.00 | 0.00 | 0.00 | | | + | | | | | |
| | re Trunk Side | | t | | | | | | 1 | İ | | | | İ | 1 | |
| | Trunk Side Terminations, each | l | i – | UEP9D | CEND6 | 8.78 | 22.14 | 15.25 | 1 | İ | 1 | | 30.89 | 7.03 | 1 | |
| 4-Wi | re Digital (1.544 Megabits) | | 1 | | | | | | | | | | | | | |
| | DS1 Circuit Terminations, each | | | UEP9D | M1HD1 | 35.74 | 75.93 | 38.15 | | | | | 30.89 | 7.03 | | |
| | DS0 Channels Activiated per Channel | | | UEP9D | M1HDO | 0.00 | 108.67 | | | | | | 30.89 | 7.03 | | |
| Inter | office Channel Mileage - 2-Wire | | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP9D | M1GBC | 18.58 | 22.14 | 15.25 | | | | | 20.35 | 21.09 | 9.80 | 10.5 |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9D | M1GBM | 0.0174 | | | | | | | | | | <u> </u> |
| | ure Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | ļ |
| D4 C | hannel Bank Feature Activations | | | | | | | | | | | | | | | . |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP9D | 1PQWS | 0.66 | | | | | | | | | | . |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9D | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop Slot | | | UEP9D | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9D | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9D | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | 1 | | | | | | | | | | | | | |
| | Slot | | | UEP9D | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9D | 1PQWA | 0.66 | | | | | | | | | | |
| Non- | Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| | changes, per port | | | UEP9D | USAC2 | | 10.00 | 10.00 | | | | | | | | . |
| | New Centrex Standard Common Block | | | UEP9D | M1ACS | 0.00 | 770.00 | | | | 1 | | | | | ļ |
| | New Centrex Customized Common Block | | 1 | UEP9D UEP9D | M1ACC URECA | 0.00 | 770.00 85.00 | | - | | + | | | - | | |
| A dd: | NAR Establishment Charge, Per Occasion tional Non-Recurring Charges (NRC) | | | UEP9D | URECA | 0.00 | 85.00 | | | | - | | | | | |
| Addi | Miscellaneous Rate Element, Tag Loop at End Use Premise | | - | UEP9D | URETL | | 8.33 | 0.83 | - | | + | | | | - | - |
| | Miscellaneous Rate Element, Tag Design Loop at End Use | | | | | | | | | | | | | | | |
| F14-0 | Premise | | <u> </u> | UEP9D | URETN | | 11.23 | 1.10 | | 1 | - | | | - | | ₩ |
| | D SWITCH (Valid in AL, FL, KY, LA, MS & TN) | | 1 | | | | | | - | | + | | | - | | |
| Loop | Pates [2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | - | 1 | UEP9E | UECS1 | 11.11 | | | - | - | 1 | | - | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | 2 | UEP9E | UECS1 | 16.65 | | | | 1 | | | | | t | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | - | 3 | UEP9E | UECS1 | 27.80 | | | | <u> </u> | + | | | | t | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | 1 | 1 | UEP9E | UECS2 | 14.74 | 1 | | I | 1 | | | | | I | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 2 | UEP9E | UECS2 | 22.08 | | | † | | | | | | <u> </u> | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | 1 | 3 | UEP9E | UECS2 | 36.87 | | | <u> </u> | 1 | | | | 1 | <u> </u> | |
| Port | Rates | | Ť | | | | | | 1 | İ | | | | İ | 1 | |
| | following port rates are effective as specified | l | i – | | 1 | | | | 1 | İ | 1 | | | İ | 1 | |
| | FL, KY, LA, MS, & TN only | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP9E | UEPYA | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |

| SERVICES | - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|---|-------------|--|----------------|----------------|--------|--|-----------|--|------------|---|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | Nonrecurring I | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local | | | | l | | | | 1 | | | | | | | |
| | Area 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local | | | UEP9E | UEPYB | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | Area | | | UEP9E | UEPYH | 11.70 | 49.14 | 26.04 | 1 | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | OLI OL | OLI III | 11.70 | 40.14 | 20.04 | | | | | 00.00 | 7.00 | | |
| | Center)2 Basic Local Area | | | UEP9E | UEPYM | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | | | | | | | | | | | | | |
| | Term - Basic Local Area | | | UEP9E | UEPYZ | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP9E | UEPY9 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | OLF 9L | OLF19 | 11.70 | 43.14 | 20.04 | | | | | 30.69 | 7.03 | | |
| | Basic Local Area | | | UEP9E | UEPY2 | 11.70 | 49.14 | 26.04 | 1 | | | | 30.89 | 7.03 | | |
| AL, K | Y, LA, MS, & TN Only | | | | | | | | İ | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP9E | UEPQA | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) | | | UEP9E | UEPQB | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | UEP9E | UEPQH | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| | Center)2 | | | UEP9E | UEPQM | 11.70 | 184.95 | 89.64 | 1 | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | OLI OL | OLI QIVI | 11.70 | 104.55 | 00.04 | | | | | 00.00 | 7.00 | | |
| | Term | | | UEP9E | UEPQZ | 11.70 | 184.95 | 89.64 | | | | | 30.89 | 7.03 | | |
| | | | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | | | UEP9E UEP9E | UEPQ9 UEPQ2 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 7.03 | | |
| Local | 2-Wire Voice Grade Port Terminated on 800 Service Term Switching | | | UEP9E | UEPQ2 | 11.70 | 49.14 | 26.04 | | | | | 30.89 | 7.03 | | |
| Local | Centrex Intercom Funtionality, per port | | | UEP9E | URECS | 0.6381 | | | + | | | | | | | |
| Featu | res Effective 1/1/2005 Region Wide | | | OLI OL | CILLOC | 0.0001 | 1 | | | | | | | | | |
| | All Standard Features Offered, per port | | | UEP9E | UEPVF | 0.00 | | | | | | | | | | |
| | All Select Features Offered, per port | | | UEP9E | UEPVS | 0.00 | 433.78 | | | | | | | | | |
| | All Centrex Control Features Offered, per port | | | UEP9E | UEPVC | 0.00 | | | | | | | | | | |
| NARS | | | | UEP9E | UARCX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Network Access Register - Combination Network Access Register - Indial | | | UEP9E UEP9E | UARCX UAR1X | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Network Access Register - Outdial | | | UEP9E | UAROX | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Misce | llaneous Terminations | | | | | | | | t t | | | | | | | |
| 2-Wire | Trunk Side | | | | | | | | | | | | | | | |
| | Trunk Side Terminations, each | | | UEP9E | CEND6 | 8.78 | 22.14 | 15.25 | | | | | 30.89 | 7.03 | | |
| 4-Wire | Digital (1.544 Megabits) | | | UEP9E | M1HD1 | 35.74 | 75.93 | 00.45 | | | | | 30.89 | 7.00 | | |
| | DS1 Circuit Terminations, each DS0 Channel Activated Per Channel | | | UEP9E | M1HD0 | 0.00 | 108.67 | 38.15 | | | | | 30.89 | 7.03 7.03 | | |
| Intero | ffice Channel Mileage - 2-Wire | | | 021 02 | | 0.00 | 100.07 | | | | | | 30.08 | 7.03 | | |
| | Interoffice Channel Facilities Termination | | | UEP9E | M1GBC | 18.58 | 22.14 | 15.25 | | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP9E | M1GBM | 0.0174 | | | | | | | | | | |
| | e Activations (DS0) Centrex Loops on Channelized DS1 Service | е | | | | | | | | | | | | | | |
| D4 Ch | annel Bank Feature Activations | | | | 100110 | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | + | UEP9E | 1PQWS | 0.66 | | | + | | - | | | | | |
| | Feature Activation on D-4 Channel Bank FX line Side Loop Slot | | | UEP9E | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | 0.00 | | | | | | | | | | |
| | Slot | | | UEP9E | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - Different Wire Center | | | UEP9E | 1PQWP | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP9E | 1PQWV | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Tjie Line/Trunk Loop | | | LIEDOE | 400000 | | | | | | | | | | | |
| | Slot Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP9E UEP9E | 1PQWQ 1PQWA | 0.66 | | | | | - | | | | | |
| Non-P | ecurring Charges (NRC) | | | OLFSE | IFQVVA | 0.06 | | | | | | | | | | |
| 14011-14 | Conversion - Existing Platform Switch-As-Is with allowed | | | | 1 | | | | | | | | | | | |
| | changes, per port | | 1 | UEP9E | USAC2 | | 10.00 | 10.00 | 1 | | 1 | | | | | |

| SERVICES - | Tennessee | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------------|---|-------------|--|----------------|----------------|----------------|----------------|----------------|--|--|-----------------------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | Svc Orde Submitted Elec per LSR | Submitted Manually | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Nonrecurring | | Nonrecurring Disconn | ect | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First Add | | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | New Centrex Standard Common Block | | | UEP9E | M1ACS | 0.00 | 770.00 | | | | | | | | |
| | New Centrex Customized Common Block | | | UEP9E | M1ACC | 0.00 | 770.00 | | | | | | | | |
| | NAR Establishment Charge, Per Occasion | | | UEP9E | URECA | 0.00 | 85.00 | | | | Ī | | | | |
| Additi | onal Non-Recurring Charges (NRC) | | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP9E | URETL | | 8.33 | 0.83 | | | | | | | |
| | Miscellaneous Rate Element, Tag Design Loop at End Use Premise | | | UEP9E | URETN | | 11.23 | 1.10 | | | | | | | |
| DCO S | WITCH (Valid in AL, KY, LA, MS, & TN) | | | UEP9E | UREIN | | 11.23 | 1.10 | | | + | | | | |
| Loop | | | | | - | | | | | | + | | | | |
| Соор | 2-Wire Voice Grade Loop (SL 1) - Zone 1 UECS1 | | 1 | UEP93 | UECS1 | 11.11 | | | | | | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 2 UECS1 | | 2 | UEP93 | UECS1 | 16.65 | | | | | 1 | | | | |
| | 2-Wire Voice Grade Loop (SL 1) - Zone 3 UECS1 | | 3 | UEP93 | UECS1 | 27.80 | | | | | | 1 | | | |
| 1 | 2-Wire Voice Grade Loop (SL 2) - Zone 1 UECS2 | | 1 | UEP93 | UECS2 | 14.74 | | | | | 1 | İ | İ | İ | İ |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 2 UECS2 | | 2 | UEP93 | UECS2 | 22.08 | | | | | 1 | | | | |
| | 2-Wire Voice Grade Loop (SL 2) - Zone 3 UECS2 | | 3 | UEP93 | UECS2 | 36.87 | i i | | | | | İ | l | l | l |
| Port R | ates | | | 1 | 1 | | | | | | | 1 | | | |
| The fo | llowing port rates are effective as specified | | | | | | | | | | Ī | | | | |
| AL, FL | ., KY, LA, MS, & TN only | | | | | | | | | | | | | | |
| | 2-Wire Voice Grade Port (Centrex) Basic Local Area | | | UEP93 | UEPYA | 11.70 | 49.14 | 26.04 | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination)Basic Local Area | | | UEP93 | UEPYB | 11.70 | 49.14 | 26.04 | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex with Caller ID)1Basic Local Area | | | UEP93 | UEPYH | 11.70 | 49.14 | 26.04 | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire Center)2 Basic Local Area | | | UEP93 | UEPYM | 11.70 | 184.95 | 89.64 | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service Term - Basic Local Area | | | UEP93 | UEPYZ | 11.70 | 49.14 | 26.04 | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port terminated in on Megalink or equivalent - Basic Local Area | | | UEP93 | UEPY9 | 11.70 | 49.14 | 26.04 | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term - | | | | | 44.00 | | | | | | | | | |
| | Basic Local Area | | | UEP93 | UEPY2 | 11.70 | 49.14 | 26.04 | | | | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex) | | | UEP93 | UEPQA | 11.70 | 49.14 | 26.04 | | | + | 30.89 | 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex 800 termination) 2-Wire Voice Grade Port (Centrex with Caller ID)1 | | | UEP93 UEP93 | UEPQB UEPQH | 11.70 11.70 | 49.14 49.14 | 26.04 26.04 | | | + | 30.89 30.89 | 7.03 7.03 | | |
| | 2-Wire Voice Grade Port (Centrex from diff Serving Wire | | | | | | | | | | | | | | |
| | Center)2 2-Wire Voice Grade Port, Diff Serving Wire Center - 800 Service | | | UEP93 | UEPQM | 11.70 | 184.95 | 89.64 | | | | 30.89 | 7.03 | | |
| | Term | | | UEP93 | UEPQZ | 11.70 | 184.95 | 89.64 | | | | 30.89 | 7.03 | | |
| l | 2-Wire Voice Grade Port terminated in on Megalink or equivalent | <u></u> | L | UEP93 | UEPQ9 | 11.70 | 49.14 | 26.04 | | | <u> </u> | 30.89 | 7.03 | <u></u> | <u> </u> |
| | 2-Wire Voice Grade Port Terminated on 800 Service Term | | | UEP93 | UEPQ2 | 11.70 | 49.14 | 26.04 | | | | 30.89 | 7.03 | | |
| Local | Switching | | | | | | | | | | | | | | |
| | Centrex Intercom Funtionality, per port | | | UEP93 | URECS | 0.6381 | | | | | | 30.89 | 7.03 | | |
| Featur | | | <u> </u> | LIEBOO | | | | | | | 1 | | | | |
| | All Standard Features Offered, per port | | <u> </u> | UEP93 | UEPVF | 0.00 | | | | | 1 | | - | | |
| NADO | All Centrex Control Features Offered, per port | | - | UEP93 | UEPVC | 0.00 | | | | | 1 | - | | | |
| NARS | Network Access Register - Combination | | | UEP93 | UARCX | 0.00 | 0.00 | 0.00 | | | + | | - | - | |
| + | Network Access Register - Combination Network Access Register - Indial | | \vdash | UEP93 | UARCX UAR1X | 0.00 | 0.00 | 0.00 | | - | + | 1 | | | |
| - | Network Access Register - Indial Network Access Register - Outdial | | | UEP93 | UAROX | 0.00 | 0.00 | 0.00 | | | 1 | | l | l | |
| Misce | laneous Terminations | | | 021 33 | CAROA | 0.00 | 0.00 | 0.00 | | | 1 | | | | |
| | Trunk Side | | | i e | 1 | | | | | | | 1 | | | |
| | Trunk Side Terminations, each | | | UEP93 | CEND6 | 8.78 | 22.14 | 15.25 | | | 1 | 30.89 | 7.03 | İ | |
| 4-Wire | Digital (1.544 Megabits) | | Ì | | | | | | | | | | | l | l |
| | DS1 Circuit Terminations, each | | | UEP93 | M1HD1 | 35.74 | 75.93 | 38.15 | | | | 30.89 | 7.03 | | |
| | DS0 Channels Activated, Per Channel | | | UEP93 | M1HDO | 0.00 | 108.67 | | | | | 30.89 | 7.03 | | |
| Intero | fice Channel Mileage - 2-Wire | | | | | | | | | | | | | | |
| | Interoffice Channel Facilities Termination | | | UEP93 | M1GBC | 18.58 | 22.14 | 15.25 | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | Interoffice Channel mileage, per mile or fraction of mile | | | UEP93 | M1GBM | 0.0174 | | | | | | | | | |

| | - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|---------------|--|----------|----------|----------------------------------|---|-------------------------|---|----------------------------------|--------------------|----------------|-------------|-------------|---|---|---|--------------------------------------|
| | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | 1 | 1 | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | l | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | usoc | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per LSK | per LSK | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | _ | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | | |
| | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Featu | re Activations (DS0) Centrex Loops on Channelized DS1 Service | e | | | | | | | | | | | | | | |
| D4 Ch | nannel Bank Feature Activations | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot | | | UEP93 | 1PQWS | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Line Side Loop Slot | | | UEP93 | 1PQW6 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank FX Trunk Side Loop | | | | | | | | | | | | | | | |
| | Slot | | | UEP93 | 1PQW7 | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Centrex Loop Slot - | | | | | | | | | | | | | | | |
| | Different Wire Center | | | UEP93 | 1PQWP | 0.66 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank Private Line Loop Slot | | | UEP93 | 1PQWV | 0.66 | | | | | | | | | <u> </u> | <u> </u> |
| | Feature Activation on D-4 Channel Bank Tie Line/Trunk Loop | | | | | | | | | | | | | | | |
| | Slot | <u></u> | | UEP93 | 1PQWQ | 0.66 | | | | | | | | | | |
| | Feature Activation on D-4 Channel Bank WATS Loop Slot | | | UEP93 | 1PQWA | 0.66 | | | | | | | | | | |
| Non-F | Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | Conversion - Existing Platform Switch-As-Is with allowed | | | | | | | | | | | | | | | |
| \sqsubseteq | changes, per port | | | UEP93 | USAC2 | | 10.00 | 10.00 | | | | | 30.89 | 7.03 | | |
| | New Centrex Standard Common Block | | | UEP93 | M1ACS | 0.00 | 770.00 | | | | | | 30.89 | 7.03 | | |
| | New Centrex Customized Common Block | | | UEP93 | M1ACC | 0.00 | 770.00 | | | | | | 30.89 | 7.03 | | |
| | NAR Establishment Charge, Per Occasion | | | UEP93 | URECA | | 85.00 | | | | | | 30.89 | 7.03 | | |
| Additi | ional Non-Recurring Charges (NRC) | | | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, Tag Loop at End Use Premise | | | UEP93 | URETL | | 8.33 | 0.83 | | | | | | | | |
| | Miscellaneous Rate Element, Tag Design Loop at End Use | | | | | | | | | | | | | | | |
| | Premise | | | UEP93 | URETN | | 11.23 | 1.10 | | | | | | | | |
| | 1 - Required Port for Centrex Control in 1AESS, 5ESS & EWSD | | | | | | | | | | | | | | | |
| | 2 - Requres Interoffice Channel Mileage | | | | | | | | | | | | | | | |
| | 3 - Requires Specific Customer Premises Equipment | | | | | | | | | | | | | | | |
| | SALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | |
| DS0 V | VHOLESALE LOCAL SWITCHING PORTS | | | | | | | | | | | | | | | |
| | Exchange Ports - 2-Wire DID Port | | | UEPSP | UEPP2 | 28.78 | 445.44 | 129.94 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| \vdash | Subsequent Activity | | | UEPSP | USASC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Exchange Ports - 2-Wire ISDN Port (See Note1and 2 Below.) | | _ | UEPTX, UEPSX | U1PMA | 50.00 | 200.00 | 130.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | All Features Offered | | | UEPTX, UEPSX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Wholesale Exchange Ports - 2-Wire ISDN Port Channel | | | | | | | | | | | | | | | |
| | Profiles | <u> </u> | <u> </u> | UEPTX, UEPSX | U1UMA | 0.00 | 0.00 | 0.00 | L | | | | | | | |
| NOTE | 1: Transmission/usage charges associated with POTS circuit | switch | ed usa | ge will also apply to | circuit switch | hed voice and/ | or circuit switc | hed data trans | smission by B-C | hannels asso | ciated with | 2-wire ISDN | l ports. | | | |
| | 2: Access to B Channel or D Channel Packet capabilities will | | | | W Business F | Request Proces | ss. Rates for th | e packet capa | bilities will be d | determined via | the Bona F | ide Reques | t/New Busine | ss Request P | rocess. | |
| | VHOLESALE LOCAL SWITCHING PORTS WITH REMOTE CALL | FORW | AKDIN | G CAPABILITY | | | | | | | | | | | | |
| REMO | DTE CALL FORWARDING SERVICE - (Residence) | ├ | - | LIED//D | LIEDAG | 0.00 | 04.00 | 45.40 | | | - | - | 00.0= | 10.51 | 10.00 | 1.00 |
| | Remote Call Forwarding Service, Area Calling, Res | ├ | - | UEPVR | UERAC UERLC | 8.89 | 34.86 | 15.12 | | | - | - | 20.35 | 10.54 | 13.32 | 1.40 |
| \vdash | Remote Call Forwarding Service, Local Calling - Res | ├ | - | UEPVR | | 8.89 | 34.86 | 15.12 | | | - | - | 20.35 | 10.54 | 13.32 | 1.40 |
| | Remote Call Forwarding Service, InterLATA - Res | ├ | - | UEPVR | UERTE | 8.89 | 34.86 | 15.12 | | | - | - | 20.35 | 10.54 | 13.32 | 1.40 |
| Alac P | Remote Call Forwarding Service, IntraLATA - Res | - | - | UEPVR | UERTR | 8.89 | 34.86 | 15.12 | | | - | - | 20.35 | 10.54 | 13.32 | 1.40 |
| Non-R | Recurring (Residence) | ! | 1 | LIEDVD | 110400 | - | 40.00 | 40.00 | 1 | | - | | 00.0= | 40 = 1 | 40.00 | 1 |
| | Remote Call Forwarding Service - Conversion - Switch-as-is | I | | UEPVR | USAC2 | | 10.00 | 10.00 | | | - | - | 20.35 | 10.54 | 13.32 | 1.40 |
| \vdash | | 1 | | | 1 | | i l | | 1 | | 1 | l | l | 1 | 1 | 1 |
| | Remote Call Forwarding Service - Conversion with allowed | | | LIEDVD | LICACO | | 40.00 | 40.00 | 1 | | | | 20.05 | 40.54 | 40.00 | 4 40 |
| DEMO | change (PIC and LPIC) | | | UEPVR | USACC | | 10.00 | 10.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| REMO | change (PIC and LPIC) DTE CALL FORWARDING - (Business) | | | | | 44.00 | | | | | | | | | | |
| REMO | change (PIC and LPIC) TE CALL FORWARDING - (Business) Remote Call Forwarding Service, Area Calling - Bus | | | UEPVB | UERAC | 11.89 | 49.14 | 26.04 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| REMC | change (PIC and LPIC) TE CALL FORWARDING - (Business) Remote Call Forwarding Service, Area Calling - Bus Remote Call Forwarding Service, Local Calling - Bus | | | UEPVB UEPVB | UERAC UERLC | 11.89 | 49.14 49.14 | 26.04 26.04 | | | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 | 1.40 1.40 |
| REMC | change (PIC and LPIC) TE CALL FORWARDING - (Business) Remote Call Forwarding Service, Area Calling - Bus Remote Call Forwarding Service, Local Calling - Bus Remote Call Forwarding Service, InterLATA - Bus | | | UEPVB UEPVB UEPVB | UERAC UERLC UERTE | 11.89 11.89 | 49.14 49.14 49.14 | 26.04 26.04 26.04 | | | | | 20.35 20.35 20.35 | 10.54 10.54 10.54 | 13.32 13.32 13.32 | 1.40 1.40 1.40 |
| REMC | change (PIC and LPIC) DTE CALL FORWARDING - (Business) Remote Call Forwarding Service, Area Calling - Bus Remote Call Forwarding Service, Local Calling - Bus Remote Call Forwarding Service, InterLATA - Bus Remote Call Forwarding Service, IntraLATA - Bus | | | UEPVB UEPVB | UERAC UERLC | 11.89 | 49.14 49.14 | 26.04 26.04 | | | | | 20.35 20.35 | 10.54 10.54 | 13.32 13.32 13.32 | 1.40 1.40 1.40 |
| REMC | change (PIC and LPIC) TE CALL FORWARDING - (Business) Remote Call Forwarding Service, Area Calling - Bus Remote Call Forwarding Service, Local Calling - Bus Remote Call Forwarding Service, InterLATA - Bus Remote Call Forwarding Service, IntraLATA - Bus Remote Call Forwarding Service Expanded and Exception Local | | | UEPVB UEPVB UEPVB UEPVB | UERAC UERLC UERTE UERTR | 11.89 11.89 11.89 | 49.14 49.14 49.14 49.14 | 26.04 26.04 26.04 26.04 | | | | | 20.35 20.35 20.35 20.35 | 10.54 10.54 10.54 10.54 | 13.32 13.32 13.32 13.32 | 1.40 1.40 1.40 1.40 |
| | change (PIC and LPIC) TE CALL FORWARDING - (Business) Remote Call Forwarding Service, Area Calling - Bus Remote Call Forwarding Service, Local Calling - Bus Remote Call Forwarding Service, InterLATA - Bus Remote Call Forwarding Service, IntraLATA - Bus Remote Call Forwarding Service Expanded and Exception Local Calling | | | UEPVB UEPVB UEPVB | UERAC UERLC UERTE | 11.89 11.89 | 49.14 49.14 49.14 | 26.04 26.04 26.04 | | | | | 20.35 20.35 20.35 | 10.54 10.54 10.54 | 13.32 13.32 13.32 | 1.40 1.40 1.40 |
| | change (PIC and LPIC) TE CALL FORWARDING - (Business) Remote Call Forwarding Service, Area Calling - Bus Remote Call Forwarding Service, Local Calling - Bus Remote Call Forwarding Service, InterLATA - Bus Remote Call Forwarding Service, IntraLATA - Bus Remote Call Forwarding Service Expanded and Exception Local Calling Recurring (Business) | | | UEPVB UEPVB UEPVB UEPVB UEPVB | UERAC UERLC UERTE UERTR UERVJ | 11.89 11.89 11.89 | 49.14 49.14 49.14 49.14 49.14 | 26.04 26.04 26.04 26.04 | | | | | 20.35 20.35 20.35 20.35 20.35 | 10.54 10.54 10.54 10.54 10.54 | 13.32 13.32 13.32 13.32 13.32 | 1.40 1.40 1.40 1.40 1.40 |
| | change (PIC and LPIC) TE CALL FORWARDING - (Business) Remote Call Forwarding Service, Area Calling - Bus Remote Call Forwarding Service, Local Calling - Bus Remote Call Forwarding Service, InterLATA - Bus Remote Call Forwarding Service, InterLATA - Bus Remote Call Forwarding Service Expanded and Exception Local Calling Recurring (Business) Remote Call Forwarding Service - Conversion - Switch-as-is | | | UEPVB UEPVB UEPVB UEPVB | UERAC UERLC UERTE UERTR | 11.89 11.89 11.89 | 49.14 49.14 49.14 49.14 | 26.04 26.04 26.04 26.04 | | | | | 20.35 20.35 20.35 20.35 | 10.54 10.54 10.54 10.54 | 13.32 13.32 13.32 13.32 | 1.40 1.40 1.40 1.40 |
| | change (PIC and LPIC) TE CALL FORWARDING - (Business) Remote Call Forwarding Service, Area Calling - Bus Remote Call Forwarding Service, Local Calling - Bus Remote Call Forwarding Service, InterLATA - Bus Remote Call Forwarding Service, IntraLATA - Bus Remote Call Forwarding Service Expanded and Exception Local Calling Recurring (Business) | | | UEPVB UEPVB UEPVB UEPVB UEPVB | UERAC UERLC UERTE UERTR UERVJ | 11.89 11.89 11.89 | 49.14 49.14 49.14 49.14 49.14 | 26.04 26.04 26.04 26.04 | | | | | 20.35 20.35 20.35 20.35 20.35 | 10.54 10.54 10.54 10.54 10.54 | 13.32 13.32 13.32 13.32 13.32 | 1.40 1.40 1.40 1.40 1.40 |

| | - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------------|--|--|--|--|----------------|----------|--|---------------|--------------------|------------------|-------------|-------------|----------------|----------------|--------------|--|
| 1 | | | | | | | | | | | Svc Order | Svc Order | | Incremental | Incremental | Incremental |
| | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | Intent | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | | Manual Svo |
| CATEGORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | Disc 1st | Disc Add I |
| | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | Nec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| EXCH | ANGE PORT RATES | | | | | | | | | | | | | | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | | | | | | | 1 | | | | | | | |
| | Below.) | | | UEPEX | UEPEX | 389.00 | 1,000.00 | 900.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 4-Wire ISDN DS1 Port with Detailed E911 | | | l | | | | | 1 | | | | | | | |
| \vdash | Locator Capability (See Note1and 2 Below.) | ļ | | UEPEX | UEPEX | 389.00 | 1,000.00 | 900.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports - 4-Wire ISDN DS1 Port (See Note1and 2 | | | | | | 4 000 00 | | 1 | | | | | | | |
| $\overline{}$ | Below.) | | | UEPDX | UEPDX | 389.00 | 1,000.00 | 900.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| \vdash | Physical Collocation - DS1 Cross-Connects | ļ | | UEPEX UEPDX | PE1P1 | 1.51 | 53.27 | 40.16 | | | | | | | | |
| | Virtual collocation - cross-connect per DS1 | ļ | | UEPEX UEPDX | CNC1X | 1.32 | 32.22 | 17.76 | | | | | | | | |
| Detail | ed E911 with Locator Capability (required with UEPEX port) | | | | | | | | | | | | | | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | LIEDEY | LIEDAA | 0.00 | 4 000 00 | | | | 1 | 1 | 00.0= | 10.51 | | |
| | Capability - Initial Profile Establishment per CLEC per State | 1 | <u> </u> | UEPEX | UEP1A | 0.00 | 1,699.00 | | | | | - | 20.35 | 10.54 | - | 1 |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | LIEDEY | UEP1B | 0.00 | 404.01 | | | | | | 00.0= | 10.51 | | |
| <u> </u> | Capability - Subsequent Profile Changes, Additions, Deletions | | | UEPEX | DEPTB | 0.00 | 164.94 | | | | | | 20.35 | 10.54 | | |
| New c | or Additional PRI Telephone Numbers | 1 | <u> </u> | | + | | | | | | | - | | - | - | 1 |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | İ | I | | | | | | 1 | 1 | | | | |
| | Capability 2-way Telephone Numbers, per number in E911 | | | HEDEV | LIED40 | 0.0755 | 0.04 | | 1 | | | | 00.05 | 40.54 | | |
| $\overline{}$ | profile [New or Additional] | | | UEPEX | UEP1C | 0.0755 | 0.94 | | | | | | 20.35 | 10.54 | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - E911 Locator | | | | | | | | 1 | | | | | | | |
| | Capability - Outdial Telephone Numbers, per number in E911 | | | | | | | | 1 | | | | | | | |
| $\overline{}$ | profile [New or Additional] | | | UEPEX | UEP1D | 0.0755 | 22.36 | 22.36 | | | | | 20.35 | 10.54 | | |
| | Exchange Ports, 4-Wire ISDN DS1 Port - Inward Telephone | | | HEDDY | LIED4E | 0.00 | 0.04 | | 1 | | | | 00.05 | 40.54 | | |
| $\overline{}$ | Numbers - Inward Data Only Option [New or Additional] | | | UEPDX | UEP1E | 0.00 | 0.94 | | | | | | 20.35 | 10.54 | | |
| | Exchange Ports - 4-Wire ISDN DS1 Port - Subsequent [New] | | | | | | | | 1 | | | | | | | |
| | Inward Tel Numbers [Customer Testing Purposes] | | | UEPEX | PR7ZT | 0.00 | 44.71 | 44.70 | | | | | 20.35 | 10.54 | | |
| INTER | RFACE (Provsioning Only) | | | HEDEV | DD741/ | 0.00 | 0.00 | 0.00 | | | | | 00.05 | 10.51 | | 1 |
| \vdash | Voice/Data Digital Data | 1 | 1 | UEPEX UEPEX | PR71V PR71D | 0.00 | 0.00 | 0.00 | + | | | - | 20.35 20.35 | 10.54 10.54 | - | |
| \longrightarrow | | | | UEPDX | PR71E | | | | | | | | | | | 1 |
| | Inward Data | | | UEPDX | PR/TE | 0.00 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | | 1 |
| New c | or Additional Channel | 1 | 1 | UEPEX | PR7BV | 0.00 | 20.20 | | + | | | - | 20.25 | 10.54 | - | |
| +- | New or Additional - Voice/Data "B" Channel | | - | UEPEX | PR7BF | 0.00 | 28.39 29.11 | | | | | | 20.35 20.35 | 10.54 | | |
| +- | New or Additional - Digital Data "B" Channel | | - | UEPDX | PR7BD | 0.00 | 29.11 | | | | | | 20.35 | 10.54 | | |
| \vdash | New or Additional Inward Data "B" Channel New or Additional Useage Sensitive Voice Data "B" Channel | 1 | 1 | UEPEX | PR7BS | 0.00 | 29.39 | | + | | | - | 20.35 | 10.54 | - | |
| +- | | | - | UEPEX | PR7BU | | | | | | | | | | | |
| \vdash | New or Additional Useage Sensitive Digital Data "B" Channel New or Additional PRI "D" Channel | | - | UEPEX | PR7EX | 0.00 | 29.39 29.39 | | + | | | | 20.35 20.35 | 10.54 10.54 | - | 1 |
| CALL | TYPES | | - | ULPEA | LL/EY | 0.00 | 29.39 | | + | | - | | ∠0.35 | 10.54 | - | 1 |
| CALL | Inward | | - | UEPEX UEPDX | PR7C1 | 0.00 | 0.00 | 0.00 | + | | - | | | - | - | 1 |
| \vdash | Outward | | - | UEPEX UEPDX | PR7C0 | 0.00 | 0.00 | 0.00 | + | | | | | - | - | 1 |
| \vdash | Two-way | | - | UEPEX | PR7CC | 0.00 | 0.00 | 0.00 | + | | - | | | - | - | 1 |
| NOTE | Transmission/usage charges associated with POTS circuit | cwitch | d uco | | | | | | mission by P C | hannole acce | ciated with | 2-wire ISDA | Inorte | - | - | |
| | 2: Access to B Channel or D Channel Packet capabilities will | | | | | | | | | | | | | es Paguast B | rocess | 1 |
| | SALE LOCAL PLATFORM SERVICE | De avail | lable 0 | lily tillough brk/Ne | W DUSINESS N | l | s. Rates for th | е раскет сара | bilities will be a | ieteriiirieu via | І ше вопа г | lue Reques | i/New busine | ss Request F | locess. | |
| | Vholesale Local Platform Service-Direct Inward Dialing (DID) | | - | | + | - | | | + | | - | | | - | - | |
| | oop Rates | | | | + | | | | + | | | - | | | | 1 |
| D30 L | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | | 1 | UEPPX | UECD1 | 8.55 | | | + | | | 1 | | 1 | 1 | 1 |
| \vdash | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 | | 2 | UEPPX | UECD1 | 12.80 | | | + | | | 1 | | 1 | 1 | 1 |
| | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | 1 | 3 | UEPPX | UECD1 | 21.38 | | | + | | | | | | | |
| \vdash | Exchange Ports - 2-Wire DID Port | | 3 | UEPPX | UEPD1 | 28.78 | 445.44 | 129.94 | + | | | 1 | 30.89 | 7.03 | 1 | 1 |
| NONE | RECURRING CHARGES - Existing Platform | | | OLI I A | JLI DI | 20.70 | 440.44 | 123.34 | + | | | 1 | 30.09 | 7.03 | 1 | 1 |
| NONK | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Existing | 1 | | | + | | | | + | | | | | | | |
| | Platform - Switch-As-Is | | | UEPPX | USAC1 | | 10.00 | 10.00 | | | 1 | 1 | | | | |
| \vdash | 2-Wire Voice Grade Loop / 2-Wire DID Trunk Port Conversion | | | OLFFA | USACI | | 10.00 | 10.00 | + | | | 1 | | 1 | 1 | 1 |
| | with AT&T Allowable Changes | | | UEPPX | USA1C | | 10.00 | 10.00 | 1 | | | | | | | |
| 1 1 | FIONAL NRCs | | - | OLFFA | JUNIO | - | 10.00 | 10.00 | + | | | | | - | - | 1 |
| ADDIT | | | - | LIEDDY | USAS1 | - | 0.00 | | ++ | | | - | | - | - | 1 |
| ADDI | 2 Wire DID Subsequent Activity Add Truels Der Truels | | | | | | | | | | | | | | | |
| ADDI" | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk | 1 | | UEPPX | USAS1 | | 0.00 | | + | | | | | | | |
| ADDI* | 2-Wire DID Subsequent Activity - Add Trunks, Per Trunk Miscellaneous Rate Element, Tag Designed Loop at End User Premise | | | UEPPX | URETN | | 11.23 | 1.10 | | | | | | | | |

| SERVICE | S - Tennessee | | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--|--|--|--|--|-------------|--|-----------------|-------------------|---------------|--|----------------|--|-------------|---------------|----------------|-------------|-------------|
| SERVICE | 3 - Tellilessee | 1 | 1 | 1 | | | 1 | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | | | Charge - | Charge - | Charge - |
| | | | | | | | | | | | | Elec | | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGORY | RATE ELEMENTS | Interi | Zone | | cs | usoc | | | RATES(\$) | | | II . | | | | | |
| OATE CONT | TOTAL ELEMENTO | m | | _ | | 0000 | | | π. Ευ(ψ) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | B | Nonrecurring | | Nonrecurring | g Disconnect | | | oss | Rates(\$) | | |
| | | i | 1 | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | DID Trunk Termination (One Per Port) | | | UEPPX | | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPPX | | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPPX | | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPPX | | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPPX | | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| |) Wholesale Local Platform Service - ISDN/Basic Rate ISDN (ISDN | I/BRI) | | | | | | | | | | | | | | | |
| DS0 |) Wholesale Local Voice Service Platform Rates | | | | | | 44.40 | | | | | | | | | | |
| — | 2-Wire ISDN Digital Grade Loop - Zone 1 | | 1 | UEPPB | UEPPR | USL2X | 14.42 | | | | | | | | | | |
| | 2 Wiss ICDN Disital Conda Lang. Zana 2 | | 2 | UEPPB | UEPPR | LICLOY | 04.00 | | | | | | | | | | ı |
| | 2-Wire ISDN Digital Grade Loop - Zone 2 2-Wire ISDN Digital Grade Loop - Zone 3 | | 3 | UEPPB | UEPPR | USL2X USL2X | 21.60 36.07 | | | | | | | | | | |
| | Exchange Port - 2-Wire ISDN Line Side Port | | 3 | UEPPR | ULPPR | UEPPR | 50.00 | 425.00 | 285.00 | | 1 | 1 | | 30.89 | 7.03 | | |
| | Exchange Port - 2-Wire ISDN Line Side Port Exchange Port - 2-Wire ISDN Line Side Port | † | † | UEPPB | | UEPPB | 50.00 | 425.00 | 285.00 | | 1 | | | 30.89 | 7.03 | | |
| NON | NRECURRING CHARGES - Existing Platform | † | † | 52.10 | | JE11 D | 30.00 | 723.00 | 203.00 | | 1 | | | 30.09 | 7.03 | | |
| 1.01 | 2-Wire ISDN Digital Grade Loop / 2-Wire ISDN Line Side Port - | 1 | | | | 1 | | | | - | 1 | 1 | | | | | |
| | Conversion - | | | LIFPPR | UEPPR | USACB | 0.00 | 90.00 | 65.00 | | | | | | | | ı |
| ADI | DITIONAL NRCs | | | 02.72 | OLITIK | 00,102 | 0.00 | 00.00 | 00.00 | | | İ | | | | | |
| | 2-Wire ISDN Loop / 2-Wire ISDN Port Combination - Sub Actvy | | | | | | | | | | | İ | | | | | |
| | Non Feature/Add Trunk | | | UEPPB | UEPPR | USASB | | 212.88 | | | | | | | | | ı |
| | Miscellaneous Rate Element, Tag Designed Loop at End User | i e | | | | | | | | | | | | | | | |
| | Premise | | | UEPPB | UEPPR | URETN | | 11.23 | 1.10 | | | | | | | | ı |
| | Miscellaneous Rate Element, Tag Loop at End User Premise | | | UEPPB | UEPPR | URETL | | 8.33 | 0.83 | | | | | | | | |
| B-C | HANNEL USER PROFILE ACCESS: | | | | | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCA | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCB | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CSD | <u> </u> | <u> </u> | UEPPB | UEPPR | U1UCC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| В-С | HANNEL AREA PLUS USER PROFILE ACCESS: (AL,KY,LA,MS S | C,MS, 8 | (TN) | | HEDDD | | | | | | | | | | | | |
| | CVS/CSD (DMS/5ESS) | | | UEPPB | UEPPR | U1UCD | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | CVS (EWSD) | | | UEPPB | UEPPR | U1UCE | 0.00 | 0.00 | 0.00 | | | 1 | | | | | |
| LICE | CSD ER TERMINAL PROFILE | <u> </u> | 1 | UEPPB | UEPPR | U1UCF | 0.00 | 0.00 | 0.00 | - | | - | | | | | |
| USE | User Terminal Profile (EWSD only) | - | | UEPPB | UEPPR | U1UMA | 0.00 | 0.00 | 0.00 | - | | | | | | | |
| VEE | RTICAL FEATURES | 1 | - | UEPPB | UEPPR | UTUNA | 0.00 | 0.00 | 0.00 | - | | 1 | | | | | |
| 1 | All Vertical Features - One per Channel B User Profile- All | | | | | | | | | | | 1 | | | | | |
| | States | | | UEPPB | UEPPR | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | ı |
| | Interoffice Channel mileage each, including first mile and | | | OLITE | OLITIK | OLI VI | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | facilities termination | | | UEPPB | UEPPR | M1GNC | 18.5974 | 53.99 | 17.37 | | | | | | | | ı |
| | Interoffice Channel mileage each, additional mile | | | | UEPPR | M1GNM | 0.0174 | 0.00 | 0.00 | | | | | | | | |
| DS1 WHOL | ESALE LOCAL PLATFORM SERVICE | i e | | | | | | | | | | | | | | | |
| The | following Terms and Conditions apply to DS1 Wholesale Local | Platforn | n Servi | ce : | | | | | | | | | | | | | |
| | or New Install scenarios the Nonrecurring charges are listed in the | | | | NRC colum | ns for each F | ort USOC. For | r Existing Platf | orm scenarios | , the Nonrecur | ring charges a | re listed in t | he NRC - Co | onversions se | ection. Additi | onal NRCs m | ay apply |
| also | and are categorized accordingly. | | | | | | | | | | | | | | | | |
| >> | End Office and Tandem Switching Usage and Wholesale Commo | | | sage rate | s in the Po | rt section of | this rate exhib | it shall apply to | all DS0 Whol | esale Local Pla | atform Service | s. | | | | | |
| | Wholesale Local Platform Service - ISDN/Primary Rate ISDN (IS | DN/PRI) | | | | | | | | | | | | | | | |
| DS1 | Loop Rates | | | | | | | | | | | | | | | | |
| | | 1 | - | | | | | | | _ | | | | | | | . 7 |
| \vdash | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 1 | ļ | 1 | UEPPP | | USL4P | 168.00 | | | | | | | | | | , |
| | | | | | | | .== | | | | | | | | | | ı |
| \vdash | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 2 | ļ | 2 | UEPPP | | USL4P | 175.00 | | | - | ļ | | | | | | |
| | AIM DOA DISTRICT CONTROL DOA DISTRICT COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO COLD CONTROL TO CONT | 1 | _ | LIEDDO | | 1101.45 | 100.00 | | | I | | | | | | | , |
| \vdash | 4W DS1 Digital Loop/4W ISDN DS1 Digital Trunk Port - Zone 3 | 1 | 3 | UEPPP | | USL4P | 180.00 | 1 000 00 | 1 000 00 | | 1 | ļ | | 40.00 | 19.99 | | |
| 1014 | Exchange Ports - 4-Wire ISDN DS1 Port NRECURRING CHARGES - Existing Platform | | 1 | UEPPP | | UEPPP | 389.00 | 1,200.00 | 1,000.00 | | - | | | 19.99 | 19.99 | | |
| NOI | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | ! | | - | | | | | 1 | | | - | | | |
| | Conversion -Switch-As-Is | 1 | | UEPPP | | USACP | 0.00 | 500.00 | 500.00 | I | | | | | | | |
| ADI | DITIONAL NRCs | | | JLI FF | | JUNUF | 0.00 | 300.00 | 300.00 | | 1 | 1 | | | | | |
| ADL | 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | † | † | - | | | <u> </u> | | | | 1 | | | | | | |
| | Inward/two way Telephone Numbers (except NC) | 1 | | UEPPP | | PR7TF | | 0.94 | | I | | | | | | | , |
| | (oncoperior) | | | | | 1 | | 5.0∓ | | | | | | | | 1 | |

| SERVICE | S- | Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|--------------|-------|---|-------------|------|----------------|----------------|----------|--|-----------|--|------------|---|---|--|--|---|---|
| CATEGORY | Υ | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring D | Disconnect | | | oss | Rates(\$) | • | • |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | | | | | | | | | | |
| | | Outward Tel Numbers (All States except NC) | | | UEPPP | PR7TO | | 22.36 | 22.36 | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | | | | | | | | | | | | | |
| | | Subsequent Inward Telephone Numbers | | | UEPPP | PR7ZT | | 44.71 | 44.70 | | | | | | | | |
| INT | | ACE (Provsioning Only) | | | LIEDDD | DD74)/ | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Voice/Data Digital Data | | - | UEPPP UEPPP | PR71V PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | - | UEPPP | PR71E | 0.00 | 0.00 | 0.00 | - | | | | | | | |
| New | | Additional "B" Channel | | | OLFFF | FRIIL | 0.00 | 0.00 | 0.00 | | | | | | | | |
| 1404 | | New or Additional - Voice/Data B Channel | | | UEPPP | PR7BV | 0.00 | 28.39 | | | | | | 19.99 | 19.99 | | |
| | | New or Additional - Digital Data B Channel | | | UEPPP | PR7BF | 0.00 | | | | | | | 19.99 | 19.99 | | |
| | | New or Additional Inward Data B Channel | | | UEPPP | PR7BD | 0.00 | | | | | | | 19.99 | 19.99 | İ | |
| CAL | | YPES | | | | 1 | | | | | | | | | | | |
| | | Inward | | | UEPPP | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Outward | | | UEPPP | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Two-way | | | UEPPP | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Inte | eroff | ice Channel Mileage | | | | | | | | | | | | | | | |
| | | Fixed Each Including First Mile | | | UEPPP | 1LN1A | 54.60 | 145.98 | 109.85 | | | | | | | | |
| | | Each Airline-Fractional Additional Mile | | | UEPPP | 1LN1B | 13.44 | | | | | | | | | | |
| | | nolesale Local Platform Service - 4-wire DDITS | | | | + | | | | | | | | | | | |
| | | nolesale Local Platform Service Rates op Rates | | | | + | | - | | | | | | | | | |
| ופט | | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | USLDC | 168.00 | - | | - | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPDC | USLDC | 175.00 | - | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPDC | USLDC | 180.00 | | | | | | | | | | |
| DS1 | | rt Rate | | Ŭ | OLI DO | OOLDO | 100.00 | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 339.00 | 1,100.00 | 900.00 | | | | | 19.99 | 19.99 | | |
| NON | | CURRING CHARGES - Existing Platform | | | | | | , | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Switch-As-Is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - Conversion with DS1 Changes | | | UEPDC | USAWA | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Platform - | | | | | | | | | | | | | | | |
| | | Conversion with Change | | | UEPDC | USAWB | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | | |
| ADI | DITIO | ONAL NRCs | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | | | | | | | | | | | | | | | |
| $oxed{oxed}$ | | Service Activity Per Service Order | | | UEPDC | USAS4 | | 94.88 | 94.88 | | | | | | | ļ | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | | | l | l | | | | 1 | | 1 | | | | | 1 |
| \vdash | | Subsequent Channel Activation/Chan - 2-Way Trunk | | | UEPDC | UDTTA | | 108.67 | 108.67 | ļ | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent Channel Activation/Chan - 1-Way Outward Trunk | | | UEPDC | UDTTB | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | LIEBBO | LIDITO | | 400.00 | 400.00 | | | | | 40.00 | 40.00 | | |
| \vdash | | Activation/Chan Inward Trunk w/out DID 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | - | UEPDC | UDTTC | - | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DD11S Trunk Port - Subsqnt Chan Activation Per Chan - Inward Trunk with DID | | | UEPDC | UDTTD | | 108.67 | 108.67 | | | | | 19.99 | 19.99 | | |
| \vdash | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | OLPDO | טווטט | | 108.07 | 108.67 | + + | | | | 19.99 | 19.99 | | |
| 1 1 | | Activation / Chan - 2-Way DID w User Trans | | | UEPDC | UDTTE | | 108.67 | 108.67 | 1 | | 1 | | 19.99 | 19.99 | | |
| BIP | | AR 8 ZERO SUBSTITUTION | | | 02. 00 | CDITE | | 100.07 | 100.07 | | | | | 10.00 | 10.99 | | |
| | | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.001 | 590.00S | | | | | 19.99 | 19.99 | | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | | 590.00S | † | | | | 19.99 | 19.99 | l | ĺ |
| Alte | | te Mark Inversion | | | | | | | | | | | | | | | |
| | | AMI -Superframe Format | | | UEPDC | MCOSF | | 0.00 | 0.00 | | | | | | | | |
| | | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Tele | | one Number/Trunk Group Establisment Charges | | | | | | | • | | | | | | | | |
| | | Telephone Number for 2-Way Trunk Group | | | UEPDC | UDTGX | 0.00 | | | | | | | 19.99 | 19.99 | | |
| \vdash | | Telephone Number for 1-Way Outward Trunk Group | | | UEPDC | UDTGY | 0.00 | | | ļļ. | | | | 19.99 | 19.99 | | |
| \vdash | | Telephone Number for 1-Way Inward Trunk Group Without DID | | - | UEPDC | UDTGZ | 0.00 | | | + + | | | | 19.99 | 19.99 | | |
| | | DID Numbers, Establish Trunk Group and Provide First Group of 20 DID Numbers | | | UEPDC | NDZ | 0.00 | 0.00 | 0.00 | | | | | | | | |

| 3ERVICES | - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------------------------------|--|-------------|--|-------------------------------|----------------|----------|--------------|-----------|--------------|--|-------------|------------------------|---------------|--|---|--|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted | | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incrementa Charge - Manual Svo Order vs. Electronic- Disc Add'l |
| $\overline{}$ | | | - | | - | | Nonrecurring | | Nonrecurring | g Disconnect | | | 220 | Rates(\$) | l | l |
| \longrightarrow | | | - | | | Rec | First | Add'l | First | Add'l | COMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| \longrightarrow | DID Numbers for each Group of 20 DID Numbers | | - | UEPDC | ND4 | 0.00 | 0.00 | 0.00 | FIRST | Addi | SOWIEC | SUMAN | SUMAN | SOWAN | SOWAN | SUMAN |
| \longrightarrow | DID Numbers, Non- consecutive DID Numbers , Per Number | | - | UEPDC | ND5 | 0.00 | 0.00 | 0.00 | | | - | - | | | | - |
| \longrightarrow | Reserve Non-Consecutive DID Nos. | | - | UEPDC | ND6 | 0.00 | 0.00 | 0.00 | | | - | - | | | | - |
| | Reserve DID Numbers | | - | UEPDC | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| Dodic | ated DS1 (Interoffice Channel Mileage) - FX/FCO for DDITS | | | OLFDC | INDV | 0.00 | 0.00 | 0.00 | | - | | | | | | |
| Deuic | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | | | | | | | | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO1 | 54.60 | 145.98 | 109.85 | | | | | | | | |
| | Termination) | | | OLFDC | ILINOI | 34.00 | 143.30 | 109.03 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | | | UEPDC | 1LNOA | 13.44 | 0.00 | 0.00 | | | | | | | | |
| -+- | Interoffice Channel Mileage - Additional rate per fille - 0-8 miles Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | | - | OL: DO | ILINOA | 13.44 | 0.00 | 0.00 | | | | | | | | - |
| | Termination) | | | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | 1 | | | | | | |
| -+ | Interoffice Channel Mileage - Additional rate per mile - 9-25 | | | OLFDO | ILINUZ | 0.00 | 0.00 | 0.00 | | + | 1 | | | | 1 | |
| 1 | miles | | | UEPDC | 1LNOB | 13.44 | 0.00 | 0.00 | | I | 1 | | | | | |
| -+- | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | - | OL: DO | ILINOD | 13.44 | 0.00 | 0.00 | | | | | | | | - |
| 1 | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | 1 | | | | | | |
| | TOTTIMACUIT) | | | OLFDO | ILINUS | 0.00 | 0.00 | 0.00 | | + | 1 | | | | 1 | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 13.44 | 0.00 | 0.00 | | | | | | | | |
| | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | 0.00 | 0.00 | | | | | | | | |
| DS1 V | Vholesale Local Platform Service - 4-WIRE DS1 LOOP WITH CH | ANNEL | ZATIO | | CIG | 0.00 | | | | | | | | | | |
| | m is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Acti | | | WITHFORT | - | | | | | | - | - | | | | - |
| | tem can have various rate combinations based on type and nur | | | unned | - | | | | | | - | - | | | | - |
| DS1 L | | liber or | ports | useu | - | | | | | | - | - | | | | - |
| DSTE | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | - | - | | | | - |
| $\!\!\!+\!\!\!-$ | 4-Wire DS1 Loop - Zone 2 | | | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 3 | | | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | | |
| DSO | Channelization Capacities (D4 Channel Bank Configurations) | | 3 | UEFIVIG | USLDC | 100.00 | 0.00 | 0.00 | | | - | - | | | | - |
| D30 (| 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 131.87 | 0.00 | 0.00 | | - | | | | | | |
| -+ | 48 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM48 | 263.74 | 0.00 | 0.00 | | - | | | | | | |
| $\longrightarrow \longleftarrow$ | 96 DSO Channel Capacity - 1 per 2 DS1s | | - | UEPMG | VUM96 | 527.48 | 0.00 | 0.00 | | | - | - | | | | - |
| \longrightarrow | 144 DS0 Channel Capacity - 1 per 6 DS1s | | - | UEPMG | VUM14 | 791.42 | 0.00 | 0.00 | | | - | - | | | | - |
| \longrightarrow | 192 DS0 Channel Capacity -1 per 8 DS1s | | - | UEPMG | VUM19 | 827.76 | 0.00 | 0.00 | | | - | - | | | | - |
| +- | 240 DS0 Channel Capacity - 1 per 10 DS1s | | - | UEPMG | VUM2O | 1,318.70 | 0.00 | 0.00 | | | - | - | | | | - |
| $\longrightarrow \longleftarrow$ | 288 DS0 Channel Capacity - 1 per 12 DS1s | | - | UEPMG | VUM28 | 1,582.44 | 0.00 | 0.00 | | | - | - | | | | - |
| | 384 DS0 Channel Capacity - 1 per 16 DS1s | | - | UEPMG | VUM38 | 2.109.92 | 0.00 | 0.00 | | | | | | | | |
| +- | 480 DS0 Channel Capacity - 1 per 10 DS1s | | - | UEPMG | VUM4O | 2,637.40 | 0.00 | 0.00 | | | - | - | | | | - |
| +- | 576 DS0 Channel Capacity -1 per 24 DS1s | | - | UEPMG | VUM57 | 3,164.88 | 0.00 | 0.00 | | | - | - | | | | - |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,692.36 | 0.00 | 0.00 | | | | | | | | |
| Non-I | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with | Chanr | aliztio | | | | | 0.00 | | | | | | | 1 | 1 |
| | imum System configuration is One (1) DS1, One (1) D4 Channel | | | | | | Sterri | | | | | | | | 1 | 1 |
| | ples of this configuration functioning as one are considered Ad | | | | | | | | | | | | | | 1 | 1 |
| with | NRC - Conversion (Currently Combined) with or without AT&T | iu i aite | l me n | liiiiiiiiiiiiiii systeiii coi | Iliguration is | counted. | | | | | | | | | 1 | 1 |
| 1 | Allowed Changes | | | UEPMG | USAC4 | 0.00 | 350.00 | 20.00 | | I | 1 | | | | | |
| Systa | m Additions Where Platform Currently Exists and New Installat | ione | | OL: IVIG | USAU4 | 0.00 | 330.00 | 20.00 | | | | | | | | |
| Syste | 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | 10113 | | | + | | | | | + | 1 | | | | 1 | |
| | Fea Activation - | | | UEPMG | VUMD4 | 0.00 | 850.00 | 485.00 | | 1 | | | | | | |
| Rinol | ar 8 Zero Substitution | | - | OLI IVIO | V OIVID4 | 0.00 | 050.00 | 400.00 | | | + | | | | | |
| Біроі | Clear Channel Capability Format, superframe - Subsequent | | | | + | | | | | + | | | | | | |
| 1 | Activity Only | | | UEPMG | CCOSF | 0.00 | 0.001 | 590.00S | | I | 1 | | | | | |
| -+- | Clear Channel Capability Format - Extended Superframe - | | | 52. NIO | 2000 | 5.00 | 0.001 | 555.000 | | + | | | | | | |
| | Subsequent Activity Only | | | UEPMG | CCOEF | 0.00 | 0.001 | 590.00S | | 1 | | | | | | |
| Alterr | nate Mark Inversion (AMI) | | | | 0000 | 0.00 | 5.501 | -30.000 | | t | | | | | i | i |
| 7 | Superframe Format | | t | UEPMG | MCOSF | 0.00 | 0.00 | 0.00 | | 1 | 1 | | | | 1 | 1 |
| | Extended Superframe Format | | l – | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | | 1 | i e | | | | i e | i e |
| Exch | ange Ports Associated with 4-Wire DS1 Loop with Channelization | on with | Port | | 1 | 2.00 | 5.00 | 2.00 | | 1 | 1 | | | | 1 | 1 |
| | ange Ports | | T | | 1 | | | | | 1 | | | | | i | i |
| Excha | | | | | | | | | | 1 | | | | | | |
| Excha | inge i orto | | | | | | | | | | | | | | | |
| Excha | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPPX | UEPCX | 11.79 | 0.00 | 0.00 | | | | | | | | |

| SED. | ICES | Tennessee | | | | | | | | | | | | A44. 4 Full. 4 | | | |
|----------|--|---|--|--|-------------------|----------------|------------------|-----------------|---------------|--|-----------------|--------------|--------------|------------------------------|---------------|-------------|-------------|
| SERV | ICES - | Termessee | | 1 | | ı | I | | | | | Svo Orde- | | Att: 1 Exh: A Incremental | | Incremental | Incremental |
| 1 | | | 1 | | | | | | | | | | | | | | |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| CATE | OPV | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | Elec | Manually | Manual Svc | | Manual Svc | Manual Svc |
| CAIL | JOKI | KATE EEEMENTS | m | Zone | ВСЗ | 0300 | | | KATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | | | | | | | | | | | | Electronic- | | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | ı | | | | | | | Nonrecurring | | Nonrecurring | Disconnect | | l | OSS | Rates(\$) | I. | |
| | | | | | | 1 | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | | | | | 1 | | 11130 | даат | 11130 | Addi | COME | COMPAR | COMPAR | COMPAR | COMPAN | COMPAR |
| | | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPPX | UEP1X | 11.79 | 0.00 | 0.00 | | | | | | | | |
| | | 2-Wire Trunk Side Channelized DID Trunk Port | | | UEPPX | UEPDM | 28.78 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, | | | | | | | | | | | | | | | |
| | | MS. & TN) | | | UEPPX | UEPCY | 11.79 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports, 2-Wire Channelized – Combination (AL, KY, | | | | | | | | | | | | | | | |
| | | LA, MS, & TN | | | UEPPX | UEPCT | 11.79 | 0.00 | 0.00 | | | | | | | | |
| | | Exchange Ports, 2-Wire Channelized – Outdial – Tennessee | | | | | | | | | | | | | | | |
| | | Only - Calling Plan - Regionserv | | | UEPPX | UEPCZ | 11.79 | 0.00 | 0.00 | | | | | | | | |
| | Ì | Exchange Ports, 2-Wire Channelized – Two Way - Tennessee | Ì | | | 1 | | | | | | | | | | | |
| 1 | 1 | Only - Calling Plan - Regionserv | 1 | 1 | UEPPX | UEPC6 | 11.79 | 0.00 | 0.00 | I | | 1 | 1 | | | | |
| | Featur | e Activations - Loop Concentration | | | | | | | | | | | | | | | |
| | | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| L | L | Bank (includes Q.1.4, P.50.1, & P.50.498) | L | <u> </u> | UEPPX | 1PQWM | 2.02 | 40.00 | 40.00 | <u> </u> | <u> </u> | | | | | <u> </u> | <u> </u> |
| | | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | | D4 Bank (includes Q.1.4, P.50.1, & P.50.498) | | | UEPPX | 1PQWU | 2.02 | 445.44 | 129.94 | | | | | | | | |
| | Teleph | one Number/ Group Establishment Charges for DID Service | | | | | | | | | | | | | | | |
| | | DID Trunk Termination (1 per Port) | | | UEPPX | NDT | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | DID Numbers - groups of 20 - Valid all States | | | UEPPX | ND4 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Non-Consecutive DID Numbers - per number | | | UEPPX | ND5 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve Non-Consecutive DID Numbers | | | UEPPX | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Reserve DID Numbers | | | UEPPX | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | IRES - Vertical and Optional | | | | | | | | | | | | | | | |
| | Local | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | | All Features Available | | | UEPPX | UEPVF | 0.00 | 0.00 | 0.00 | | | | | 30.89 | 7.03 | | |
| CENTI | | FICE SYNC TEST (COST) | C. !: | 4: | : | la ambi Nata | | lamata Cita Lin | - Charina 0 I | in a Culittin a | | | | | | | |
| - | Note: | COST rates are applicable for Central Office Line Sharing & Li Central Office Sync Test (COST) - Per 15 Minute Increments - | ne Spin | ting in | a maintenance mod | ie only. Not a | ipplicable for F | remote Site Lin | e Sharing & L | ine Splitting | | | | | | | |
| | | Basic | | | | | | 25.00 | | | | | | | | | |
| | 1 | Central Office Sync Test (COST) - Per 15 Minute Increments - | | | | 1 | | 25.00 | | - | | | | | | | |
| | | Overtime | | | | | | 30.00 | | | | | | | | | |
| | 1 | Central Office Sync Test (COST) - Per 15 Minute Increments - | | | | | | 30.00 | | | | | | | | | |
| | | Premium | | | | | | 40.00 | | | | | | | | | |
| LOOP | SPLITTI | NG FRAME CONNECTION SERVICE | | | | | | 40.00 | | | | | | | | | |
| | | SELECTIVE CALL ROUTING USING LINE CLASS CODES (SCR | -LCC) | | | | | | | | | | | | | | |
| | | Selective Routing Per Unique Line Class Code Per Request Per | l ' | | | | | | | | | | | | | | |
| | | Switch | | | | | | 240.03 | 240.03 | 37.04 | 37.04 | | | | | | |
| DS0 W | | e Local Platform Service With E911 Call Locator Capability | | | | | | | | | | | | | | | |
| | | llowing contidions apply to DS0 Wholesale Local Platform Se | | | | | | | | | | | | | | | |
| | | Office and Tandem Switching Usage and Wholesale Common | | | | | | | | | | | | | | | |
| | | New Installation scenarios the Nonrecurring charges are listed | d in the | First a | nd Additional NRC | columns for e | each Port USO | C. For Currentl | y Combined s | cenarios, the N | Nonrecurring of | harges are l | isted in the | NRC - Currer | ntly Combined | section. Ad | ditional |
| | | may apply also and are categorized accordingly. | | | | | | | | | | | | | | | |
| | | holesale Local Platform Service (BUS - PBX) With DID and E9 | 11 Call I | Locato | Capability | | | | | | | | | | | | |
| L | DS0 Lo | pop Rates | ! | ļ . | LIEDDW | LIEDLY | | | | ļ | | | | | | | |
| <u> </u> | <u> </u> | 2-Wire Voice Grade Loop (SL1) - Zone 1 | ļ | 1 | UEPRW | UEPLX | 11.11 | | | - | - | | | | | | |
| <u> </u> | ! | 2-Wire Voice Grade Loop (SL1) - Zone 2 | | 2 | UEPRW | UEPLX | 16.65 | | | | - | | | | 1 | | |
| <u> </u> | ! | 2-Wire Voice Grade Loop (SL1) - Zone 3 | | 3 | UEPRW | UEPLX | 27.80 | | | | - | | | | 1 | | |
| <u> </u> | ! | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 1 | | 1 | UEPRW UEPRW | UECD1 UECD1 | 9.60 11.09 | | | | - | | | | 1 | | |
| — | | 2-Wire Analog Voice Grade Loop - (SL2) - Zone 2 2-Wire Analog Voice Grade Loop - (SL2) - Zone 3 | | 3 | UEPRW UEPRW | UECD1 | 11.09 16.00 | | | | - | | | | 1 | - | <u> </u> |
| — | 2-14/: | Voice Grade Line Port Rates (BUS - PBX) | - | 3 | OLFKW | OECDI | 10.00 | | | | | | | | | - | |
| - | Z-wire | Line Side Combination 2-Way PBX Trunk Port - Bus | - | 1 | UEPRW | UEPPC | 11.70 | 49.14 | 26.04 | + | | - | | | 1 | | |
| \vdash | | Line Side Outward PBX Trunk Port - Bus | <u> </u> | | UEPRW | UEPPO | 11.70 | 49.14 | 26.04 | | | | | | | | |
| — | 1 | Line Side Incoming PBX Trunk Port - Bus | 1 | | UEPRW | UEPP1 | 11.70 | 49.14 | 26.04 | + | | - | | | 1 | | |
| \vdash | | 2-Wire Voice PBX LD Terminal Ports | | ! | UEPRW | UEPLD | 11.70 | 49.14 | 26.04 | t | | | | | 1 | l | |
| \vdash | † | 2-Wire Voice 2-Way Combination PBX Tennessee Calling Port | | | UEPRW | UEPT2 | 11.70 | 49.14 | 26.04 | t | | | - | | 1 | | |
| | <u> </u> | 2-Wire Voice 1-Way Outgoing PBX Tennessee Calling Port | | | UEPRW | UEPTO | 11.70 | 49.14 | 26.04 | <u> </u> | | | | | | | |
| | i – | 2-Wire Voice 2-Way Combination PBX Usage Port | | † | UEPRW | UEPXA | 11.70 | 49.14 | 26.04 | 1 | | | | | | | |
| | t | 2-Wire Voice PBX Toll Terminal Hotel Ports | † | t | UEPRW | UEPXB | 11.70 | 49.14 | 26.04 | † | İ | | | | Ì | i | |
| | | | | | | | 0 | | 20.07 | | · | | · | | | · | |

| SERVIC | CES - 1 | Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------|--|--|--|--|----------------|------------|-----------------|--|----------------|--|--------------|--|-----------|---------------|--|-------------|--|
| SEK VIC | <u>, </u> | i cimicosco | l . | l I | I | 1 | | | | | | Svc Order | Svc Order | Incremental | | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | 1 | | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEGO | RY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | .,, | | | per Lor | per Lor | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | D130 131 | DISC Add I |
| | | | | | | | Rec | Nonrecurring | | | g Disconnect | | | | Rates(\$) | | |
| | | | | | | | | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | 2-Wire Voice PBX LD DDD Terminals Port | | | UEPRW | UEPXC | 11.70 | 49.14 | 26.04 | | | | | | | | |
| | | 2-Wire Voice PBX LD Terminal Switchboard Port | | | UEPRW | UEPXD | 11.70 | 49.14 | 26.04 | | | | ļ | | | | |
| | | 2-Wire Voice PBX LD Terminal Switchboard IDD Capable Port | | | UEPRW | UEPXE | 11.70 | 49.14 | 26.04 | | | | | | | | |
| | | 2-Wire Voice 1-W Out PBX Hotel/Hospital Economy | | | UEPRW | UEPXN | 44.70 | 40.44 | 20.04 | | | | | | | | |
| + | | Administrative Calling Port TN 2-Wire Voice PBX Collierville and Memphis Calling Port | - | | UEPRW | UEPXU | 11.70 11.70 | 49.14 49.14 | 26.04 26.04 | | | | | | | | |
| \vdash | | 2-Wire Voice 2-Way PBX Tennessee RegionServ Callling Port | | | UEPRW | UEPXV | 11.70 | 49.14 | 26.04 | | | <u> </u> | <u> </u> | | | | |
| | | 2-Wire Voice Z-way FBX Termessee Regionselv Canning Fort | 1 | 1 | OLI KW | OLI AV | 11.70 | 43.14 | 20.04 | | | † | 1 | | | | |
| | | Trunk Collierville and Memphis Local Calling Plan | | | UEPRW | UEPA6 | 11.70 | 49.14 | 26.04 | | | | | | | | |
| — | | 2-Wire Voice Tennessee PBX 2-Way Combo First Trunk | | | 02 | 02.7.0 | | | 20.0 . | | | 1 | | | | | — |
| | | Collierville and Memphis Local Calling Plan | | | UEPRW | UEPA7 | 11.70 | 49.14 | 26.04 | | | | | | | | |
| F | ort Rat | e -DID | i | 1 | | | | | | | | | | | | | |
| | | Exchange Ports - 2-Wire DID Port | | | UEPRW | UEPD1 | 28.78 | 445.44 | 129.94 | | | | | | | | |
| F | | LL LOCATOR CAPABILITY | | | | | | | | | | | | | | | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | | nitial Profile Establishment, Per CLEC End-User | | | UEPRW | URE9A | 0.00 | 1,701.00 | | | | | | | | | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | | | | | | | |
| | | Subsequent Profile Changes, Additions/Deletions | <u> </u> | | UEPRW | URE9B | 0.00 | 142.35 | | | | | | | | | |
| I I | | ne Number/Trunk Group Establisment Charges For DID Num | nbers w | ith E91 | | | | | | | | | | | | | |
| \vdash | | DID Trunk Termination (One Per Port) | ļ | | UEPRW | NDT | 0.00 | 0.00 | 0.00 | | | | ļ | | | | <u> </u> |
| \vdash | | Additional DID Numbers for each Group of 20 DID Numbers DID Numbers, Non- consecutive DID Numbers, Per Number | <u> </u> | 1 | UEPRW UEPRW | ND4 ND5 | 1.438 0.0719 | 0.00 | 0.00 | - | | | - | | | | ├── |
| | | Reserve Non-Consecutive DID numbers , Per Number | - | | UEPRW | ND6 | 0.0719 | 0.00 | 0.00 | - | | | | | - | | |
| h | | Reserve DID Numbers | 1 | <u> </u> | UEPRW | NDV | 0.00 | 0.00 | 0.00 | - | | 1 | 1 | | - | | |
| F | EATUR | | | | OLI IVV | INDV | 0.00 | 0.00 | 0.00 | | | | + | | | | |
| | | All Features Offered | 1 | | UEPRW | UEPVF | 0.00 | 0.00 | 0.00 | | | | 1 | 30.89 | 7.03 | | |
| 1 | | CURRING CHARGES - CURRENTLY COMBINED | | | | | | | | | | İ | İ | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch-As-Is | i e | | UEPRW | USAC2 | | 10.00 | 10.00 | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Switch with | i | 1 | | | | | | | | | | | | | |
| | (| Change | | | UEPRW | USACC | | 10.00 | 10.00 | | | | | | | | |
| F | | NAL NRCs | | | | | | | | | | | | | | | |
| | | 2-Wire Voice Grade Loop/ Line Port Platform - Subsequent | | | UEPRW | USAS2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | 2 Wire Loop/Line Side Port Platform - Non feature - Subsequent | | | | | | | | | | | | | | | |
| | | Activity- Nonrecurring | | | | | | 0.00 | 0.00 | | | | | | | | |
| | | PBX Subsequent Activity - Change/Rearrange Multiline Hunt | | | | | | | | | | | | | | | |
| \vdash | | Group | ļ | | UEPRW | LIDETI | | 14.64 | 14.64 | | | | ļ | 00.05 | 40.54 | 40.00 | 40.00 |
| | | Wiscellaneous Rate Element, Tag Loop at End User Premise PREMISES EXTENSION CHANNELS | <u> </u> | 1 | UEPRW | URETL | | 8.33 | 0.83 | - | | | - | 20.35 | 10.54 | 13.32 | 13.32 |
| H- | | Local Channel Voice grade, per termination | <u> </u> | 1 | UEPRW | P2JHX | 16.56 | 75.06 | 48.20 | - | | | . | 20.35 | 10.54 | 13.32 | 13.32 |
| \vdash | | Local Channel Voice grade, per termination | | 2 | UEPRW | P2JHX | 21.63 | 75.06 | 48.20 | | 1 | + | <u> </u> | 20.35 | 10.54 | 13.32 | 13.32 |
| + | | Local Channel Voice grade, per termination | † | 3 | UEPRW | P2JHX | 28.28 | 75.06 | 48.20 | | 1 | | | 20.35 | 10.54 | 13.32 | 13.32 |
| \vdash | - 1 | Non-Wire Direct Serve Channel Voice Grade | 1 | SW | UEPRW | SDD2X | 10.02 | 148.84 | 112.34 | † | | 1 | 1 | 20.35 | 10.54 | 13.32 | 13.32 |
| I | | FFICE TRANSPORT | t | <u> </u> | | | .5.52 | 0.04 | 2.54 | i | | | | 20.00 | | .0.02 | .0.52 |
| | | nteroffice Transport - Dedicated - 2 Wire Voice Grade - Facility | t | t | | 1 1 | | | | i | | | | İ | 1 | İ | |
| | | Termination | 1 | | UEPRW | U1TV2 | 18.58 | 55.39 | 17.37 | I | | | | 20.35 | 21.09 | 9.80 | 10.54 |
| | | nteroffice Transport - Dedicated - 2 Wire Voice Grade - Per Mile | | i – | | | | | | | | İ | İ | | | | |
| | c | or Fraction Mile | <u></u> | <u></u> | UEPRW | U1TVM | 0.0174 | 0.00 | 0.00 | <u> </u> | | | | <u> </u> | | <u></u> | |
| | | Local Platform Service With E911 Call Locator Capability | | | | | | | | | | | | | | | |
| | | DS1 DIGITAL LOOP WITH 4-WIRE ISDN DS1 DIGITAL TRUNK | K PORT | | | | | | | | | | | | | | |
| | | pp Rates | | | | | | | | | | | | | | | |
| \vdash | | 4-Wire DS1 Digital Loop - Zone 1 | ļ | 1 | UEPPN | USL4P | 168.00 | ļ | | ļ | | | | | ļ | | <u> </u> |
| \vdash | | 4-Wire DS1 Digital Loop - Zone 2 | ļ | 2 | UEPPN | USL4P | 175.00 | | | | | ļ | | | | | ↓ |
| \vdash | | 4-Wire DS1 Digital Loop - Zone 3 | ! | 3 | UEPPN | USL4P | 180.00 | 4.000.00 | 4 000 00 | | 1 | ļ | | 40.00 | 40.00 | | _ |
| | | Exchange Ports - 4-Wire ISDN DS1 Port | ! | | UEPPN | UEPPN | 389.00 | 1,200.00 | 1,000.00 | | 1 | | ļ | 19.99 | 19.99 | | |
| ├ | | ALL LOCATOR CAPABILITY | | | | + + | | | | | 1 | | ļ | - | | - | |
| 1 ! | | Miscellaneous Rate Element, E911 Call Locator Capability - Initial Profile Establishment, Per CLEC End-User | | | UEPPN | URE9A | 0.00 | 1,701.00 | | 1 | | | | | 1 | | |
| 1 1 | - 11 | | 1 | 1 | OLFFIN | OLLEGA | 0.00 | 1,701.00 | | 1 | 1 | i . | i . | 1 | 1 | 1 | 1 |
| | | Wiscellaneous Rate Element, E911 Call Locator Capability - | | | | | | | | | 1 | | | | | | |

| SFR\ | ICES - | Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|----------|----------|---|----------|----------|----------------|----------------|----------------|--------------|-----------|--------------|-------|-----------|-----------|---------------|-------------|-------------|-------------|
| SLIC | .oL0 - | Tellicooce | | | | | | | | | | Svc Order | | Incremental | | Incremental | Incremental |
| | | | 1 | | | | | | | | | Submitted | Submitted | | Charge - | Charge - | Charge - |
| | | | lustani | | | | | | | | | Elec | Manually | Manual Svc | | Manual Svc | Manual Svc |
| CATE | GORY | RATE ELEMENTS | Interi | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | Order vs. | Order vs. |
| | | | m | | | | | | | | | per Lore | per Lore | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | | | | | | | | | | D130 131 | Disc Add I |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | | | | | Rates(\$) | | |
| | | | | | | | 1100 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | NONRE | CURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | | | | = | = | | | | | | | | |
| | | Conversion -Switch-As-Is | Ļ | Ь. | UEPPN | USACP | 0.00 | 500.00 | 500.00 | | | | | | | | |
| - | ADDIT | ONAL NRCs and E911 Call Locator Capability Telephone Num 4-Wire DS1 Loop/4-W ISDN Digtl Trk Port - Subsqt Actvy- | nber Re | curring | Charges | | | | | | | | | | | | |
| | | Inward/two way Tel Nos. (except NC) | | | UEPPN | PR7TF | 0.0719 | 0.94 | | | | | | 19.99 | 19.99 | | |
| - | + | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trunk Port - | | | UEFFIN | PR/IF | 0.0719 | 0.94 | | | | | | 19.99 | 19.99 | | |
| | | Outward Tel Numbers (All States except NC) | | | UEPPN | PR7TO | 0.0719 | 22.36 | 22.36 | | | | | 19.99 | 19.99 | | |
| - | 1 | 4-Wire DS1 Loop / 4-Wire ISDN DS1 Digital Trk Port - | | | OLITIV | 11010 | 0.07 10 | 22.00 | 22.00 | | | | | 10.00 | 10.00 | | |
| | | Subsequent Inward Tel Numbers | | | UEPPN | PR7ZT | 0.0719 | 44.71 | 44.70 | | | | | 19.99 | 19.99 | | |
| | INTERI | FACE (Provsioning Only) | | | | | 5.5.10 | | 10 | | | İ | | | | İ | |
| | 1 | Voice/Data | i – | | UEPPN | PR71V | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Digital Data | | | UEPPN | PR71D | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | | Inward Data | | | UEPPN | PR71E | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | New or | Additional "B" Channel | | | | | | | | | | | | | | | |
| | | New or Additional - Voice/Data B Channel | | | UEPPN | PR7BV | 0.00 | 28.39 | | | | | | | | | |
| | | New or Additional - Digital Data B Channel | | | UEPPN | PR7BF | 0.00 | 29.11 | | | | | | | | | |
| | | New or Additional Inward Data B Channel | | | UEPPN | PR7BD | 0.00 | 29.39 | | | | | | | | | |
| | CALL | | | | | | | | | | | | | | | | |
| | | Inward | | | UEPPN | PR7C1 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | 1 | Outward | | | UEPPN | PR7CO | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | 1 | Two-way | - | | UEPPN | PR7CC | 0.00 | 0.00 | 0.00 | | | | | | | | |
| - | Interor | rice Channel Mileage | - | | HEDDN | AL NIA A | F4.00 | 445.00 | 400.05 | | | | | 20.25 | 24.00 | 0.00 | 40.54 |
| - | + | Fixed Each Including First Mile Each Airline-Fractional Additional Mile | | | UEPPN UEPPN | 1LN1A 1LN1B | 54.60 13.44 | 145.98 | 109.85 | | | - | | 20.35 | 21.09 | 9.80 | 10.54 |
| | 4-W/IDE | E DS1 DIGITAL LOOP WITH 4-WIRE DDITS TRUNK PORT | 1 | | UEPPIN | ILINID | 13.44 | | | 1 | | | | | | | |
| | | op Rates | | | | 1 | | | | | | | | | | | |
| | DO: 20 | 4-Wire DS1 Digital Loop - Zone 1 | | 1 | UEPDC | USLDC | 168.00 | | | | | | | | | | |
| | 1 | 4-Wire DS1 Digital Loop - Zone 2 | | 2 | UEPDC | USLDC | 175.00 | | | | | | | | | | |
| | 1 | 4-Wire DS1 Digital Loop - Zone 3 | | 3 | UEPDC | USLDC | 180.00 | | | | | | | | | | |
| | DS1 Pc | ort Rates | | | | | | | | | | | | | | | |
| | | 4-Wire DDITS Digital Trunk Port | | | UEPDC | UDD1T | 339.00 | 1,100.00 | 900.00 | | | | | 19.99 | 19.99 | | |
| | NONRE | CURRING CHARGES - Existing Platform | | | | | | | | | | | | | | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | | | | | | | | | | | | | | | |
| | | - Switch-as-is | | | UEPDC | USAC4 | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | 1 | | | I | | | | | | | | | | | |
| | ļ | - Conversion with DS1 Changes | ļ | L | UEPDC | USAWA | | 500.00 | 500.00 | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Digital Loop / 4-Wire DDITS Trunk Port Combination | 1 | | LIEDDO | LIGANCE | | =00.0- | =00.5 | | | | 1 | | | | |
| | F044 0 | - Conversion with Change - Trunk | - | | UEPDC | USAWB | | 500.00 | 500.00 | ļ | | | | 19.99 | 19.99 | | |
| - | E911 C | ALL LOCATOR CAPABILITY | - | | | + | | | | | | | | | 1 | | |
| | | Miscellaneous Rate Element, E911 Call Locator Capability - Initial Profile Establishment, Per CLEC End-User | | | UEPDB | URE9A | 0.00 | 1,701.00 | | | | | | | | | |
| | 1 | Miscellaneous Rate Element, E911 Call Locator Capability - | 1 | | ULFUD | UKESA | 0.00 | 1,701.00 | | + | | 1 | | | 1 | | |
| | | Subsequent Profile Changes, Additions/Deletions | 1 | | UEPDB | URE9B | 0.00 | 142.35 | | | | | 1 | | | | |
| \vdash | ADDIT | ONAL NRCs | t | \vdash | J_1 DD | 511255 | 0.00 | 172.33 | | | | | - | | 1 | | |
| - | 720111 | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - NRC - | † | | | _ | | | | 1 | | - | | | 1 | | |
| | | Subsequent Channel Activation/Chan - 2-Way Trunk | 1 | | UEPDB | UDTTA | | 108.67 | | | | | 1 | 19.99 | 19.99 | | |
| | 1 | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsequent | 1 | | | | | | | | | 1 | | | | l | |
| | | Channel Activation/Chan - 1-Way Outward Trunk | 1 | | UEPDB | UDTTB | | 108.67 | | | | | 1 | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Channel | | | | | | | | | | | | | | | |
| | <u> </u> | Activation/Chan Inward Trunk w/out DID | <u> </u> | | UEPDB | UDTTC | <u> </u> | 108.67 | | | | | | 19.99 | 19.99 | | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| L | <u> </u> | Activation Per Chan - Inward Trunk with DID | <u> </u> | <u> </u> | UEPDB | UDTTD | | 108.67 | | | | | | 19.99 | 19.99 | <u></u> | |
| | | 4-Wire DS1 Loop / 4-Wire DDITS Trunk Port - Subsqnt Chan | | | | | | | | | | | | | | | |
| | 1 | Activation / Chan - 2-Way DID w User Trans | 1 | | UEPDB | UDTTE | | 108.67 | | | | | | 19.99 | 19.99 | | |
| | BIPOL | AR 8 ZERO SUBSTITUTION | | | | 1 | | | | | | | | | | | |
| \vdash | 1 | B8ZS -Superframe Format | | | UEPDC | CCOSF | | 0.001 | 590.00S | | | | | | | | |
| | | B8ZS - Extended Superframe Format | | | UEPDC | CCOEF | | 0.001 | 590.00S | | | | | | | | |
| | Alterna | te Mark Inversion | <u> </u> | | | | | | | | | | <u> </u> | | l | | |

| SERVICES | 3 - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------------------------|---|--|--|---|--|----------------------|---------------------------|-------------------|--|-----------|---|-----------|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | usoc | | | RATES(\$) | | | Svc Order Submitted Elec per LSR | Submitted | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'l | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | + | | Nonrecurring | | Nonrecurring D | isconnect | | | oss | Rates(\$) | l | l |
| | | | | | + | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | AMI -Superframe Format | | 1 | UEPDC | MCOSF | | 0.00 | 0.00 | 11130 | Auu | JOINEO | JONAN | JOHIAN | JONIAN | JONIAN | JOINAIN |
| | AMI - Extended SuperFrame Format | | | UEPDC | MCOPO | | 0.00 | 0.00 | | | | | | | | |
| Teler | phone Number/Trunk Group Establisment Charges And Charges | For DI | D Num | | | ability | 0.00 | 0.00 | | | | | | | | |
| | Telephone Number for 2-Way Trunk Group | | | UEPDB | UDTGX | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Outward Trunk Group | | | UEPDB | UDTGY | 0.00 | | | | | | | | | | |
| | Telephone Number for 1-Way Inward Trunk Group Without DID | | | UEPDB | UDTGZ | 0.00 | | | | | | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPDB | ND4 | 1.438 | 0.00 | 0.00 | | | | | | | | |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPDB | ND5 | 0.0719 | 0.00 | 0.00 | | | | | | | | |
| | Reserve Non-Consecutive DID numbers | | | UEPDB | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPDB | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FX/F | CO for 4-Wire DS1 Digital Loop with 4-Wire DDITS Trunk Port | | | | | | | | | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 0-8 miles (Facilities | 1 | 1 | l | 1 | | | | | | | | | | | |
| | Termination) | ļ | | UEPDC | 1LNO1 | 54.60 | 145.98 | 109.85 | 1 | | | | | | | ļ |
| | | 1 | 1 | | l | | | | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 0-8 miles | ļ | <u> </u> | UEPDC | 1LNOA | 13.44 | 0.00 | 0.00 | 1 | | | | | | | |
| | Interoffice Channel Mileage - Fixed rate 9-25 miles (Facilities | 1 | 1 | LIEDDO | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Termination) | | - | UEPDC | 1LNO2 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 9-25 miles | | | UEPDC | 1LNOB | 13.44 | 0.00 | 0.00 | | | | | | | | |
| -+ | Interoffice Channel Mileage - Fixed rate 25+ miles (Facilities | | | UEPDC | ILINOB | 13.44 | 0.00 | 0.00 | | | | | | | | |
| | Termination) | | | UEPDC | 1LNO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| -+ | Termination) | | 1 | UEPDC | ILINO3 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Interoffice Channel Mileage - Additional rate per mile - 25+ miles | | | UEPDC | 1LNOC | 13.44 | 0.00 | 0.00 | | | | | | | | |
| Addi | tional Rates | | 1 | OLI DO | TENCO | 10.44 | 0.00 | 0.00 | t | | | | | | | |
| 7144 | Central Office Termininating Point | | | UEPDC | CTG | 0.00 | | | | | | | | | | |
| 4-WI | RE DS1 LOOP WITH CHANNELIZATION WITH PORT WITH CALL | LOCAT | OR CA | | 0.0 | 0.00 | | | | | | | | | | |
| | em is 1 DS1 Loop, 1 D4 Channel Bank, and up to 24 Feature Act | | | | | | | | | | | | | | | |
| | stem can have various rate combinations based on type and nu | | | used | | | | | | | | | | | | |
| DS1 | Loop | | ĺ | | | | | | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 1 | | 1 | UEPMG | USLDC | 168.00 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 2 | | 2 | UEPMG | USLDC | 175.00 | 0.00 | 0.00 | | | | | | | | |
| | 4-Wire DS1 Loop - Zone 3 | | 3 | UEPMG | USLDC | 180.00 | 0.00 | 0.00 | | | | | | | | |
| DSO | Channelization Capacities (D4 Channel Bank Configurations) | | | | | | | | | | | | | | | |
| | 24 DSO Channel Capacity - 1 per DS1 | | | UEPMG | VUM24 | 131.87 | 0.00 | 0.00 | | | | | | | | |
| | 48 DSO Channel Capacity - 1 per 2 DS1s | ! | <u> </u> | UEPMG | VUM48 | 263.74 | 0.00 | 0.00 | ļ | | | | | | | |
| | 96 DSO Channel Capacity -1per 4 DS1s | ļ | <u> </u> | UEPMG | VUM96 | 527.48 | 0.00 | 0.00 | 1 | | | | | | | |
| | 144 DS0 Channel Capacity - 1 per 6 DS1s | | - | UEPMG | VUM14 | 791.42 | 0.00 | 0.00 | 1 | | | | | | | |
| $-\!\!\!\!-\!\!\!\!\!-$ | 192 DS0 Channel Capacity -1 per 8 DS1s | | - | UEPMG | VUM19 | 827.76 | 0.00 | 0.00 | 1 | | | | | | | |
| | 240 DS0 Channel Capacity - 1 per 10 DS1s | - | - | UEPMG UEPMG | VUM2O VUM28 | 1,318.70 1,582.44 | 0.00 | 0.00 | | | | | | | | |
| + | 288 DS0 Channel Capacity - 1 per 12 DS1s 384 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM28 VUM38 | 2,109.92 | 0.00 | 0.00 | + + | | | | | | | |
| -+- | 480 DS0 Channel Capacity - 1 per 16 DS1s | | | UEPMG | VUM4O | 2,109.92 | 0.00 | 0.00 | + + | | | | | | l | |
| -+ | 576 DS0 Channel Capacity -1 per 24 DS1s | - | | UEPMG | VUM57 | 3,164.88 | 0.00 | 0.00 | + | | | | | | | |
| | 672 DS0 Channel Capacity - 1 per 28 DS1s | | | UEPMG | VUM67 | 3,692.36 | 0.00 | 0.00 | + | | | | | | | |
| 1 = | | | | | | | | 2.00 | | | | | | | | |
| Non- | | h Chani | neliztio | n with Port - Conve | rsion Charge | Based on a SV | | | | | | | | | | |
| | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with | | | | | | Stein | | | | | | | | | |
| A Mii | | l Bank, | and U | p To 24 DSO Ports v | with Feature A | ctivations. | , stem | | | | | | | | | |
| A Mii | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with nimum System configuration is One (1) DS1, One (1) D4 Channe | l Bank, | and U | p To 24 DSO Ports v | with Feature Anfiguration is | ctivations. | Stelli | | | | | | | | | |
| A Mir | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with nimum System configuration is One (1) DS1, One (1) D4 Channe iples of this configuration functioning as one are considered Ac | l Bank, | and U | p To 24 DSO Ports v | with Feature A | ctivations. | 350.00 | 20.00 | | | | | | | | |
| A Mii Multi | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with nimum System configuration is One (1) DS1, One (1) D4 Channe iples of this configuration functioning as one are considered AC NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes am Additions Where Platform Currently Exists and New Installat | l Bank, id'l afte | and U | o To 24 DSO Ports v ninimum system cor | with Feature Anfiguration is | ctivations. | | 20.00 | | | | | | | | |
| A Mii Multi | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with innum System configuration is One (1) DS1, One (1) D4 Channe iples of this configuration functioning as one are considered Act NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes em Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc | l Bank, id'l afte | and U | D TO 24 DSO Ports vinimum system cor UEPMG | with Feature Anfiguration is USAC4 | counted. 0.00 | 350.00 | | | | | | | | | |
| A Min Multi Syste | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with inimum System configuration is One (1) DS1, One (1) D4 Channe iples of this configuration functioning as one are considered Activation Compared to the constant of the considered Activation (Currently Combined) with or without AT&T Allowed Changes and Additions Where Platform Currently Exists and New Installated 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - | l Bank, id'l afte | and U | o To 24 DSO Ports v ninimum system cor | with Feature Anfiguration is | ctivations. | | 20.00 | | | | | | | | |
| A Min Multi Syste | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with immum System configuration is One (1) DS1, One (1) D4 Channe iples of this configuration functioning as one are considered Activation (Currently Combined) with or without AT&T Allowed Changes MRC - Conversion (Currently Combined) with or without AT&T Allowed Changes MRC - Matter Combined (Currently Exists and New Installated In DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - Iar 8 Zero Substitution | l Bank, id'l afte | and U | D TO 24 DSO Ports vinimum system cor UEPMG | with Feature Anfiguration is USAC4 | counted. 0.00 | 350.00 | | | | | | | | | |
| A Mir Multi Syste | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with inimum System configuration is One (1) DS1, One (1) D4 Channe iples of this configuration functioning as one are considered At NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes are Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent | l Bank, id'l afte | and U | o To 24 DSO Ports vininimum system cor UEPMG | with Feature Antiguration is USAC4 VUMD4 | 0.00 | 350.00 850.00 | 485.00 | | | | | | | | |
| A Mir Multi Syste | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with inimum System configuration is One (1) DS1, One (1) D4 Channe piles of this configuration functioning as one are considered Act NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes and Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only | l Bank, id'l afte | and U | D TO 24 DSO Ports vinimum system cor UEPMG | with Feature Anfiguration is USAC4 | counted. 0.00 | 350.00 | | | | | | | | | |
| A Mir Multi Syste | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with inimum System configuration is One (1) DS1, One (1) D4 Channe iples of this configuration functioning as one are considered Act NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes and Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only Clear Channel Capability Format - Extended Superframe - | l Bank, id'l afte | and U | DEPMG | vith Feature Antiguration is USAC4 VUMD4 CCOSF | 0.00 0.00 0.00 | 350.00 850.00 0.001 | 485.00 590.00S | | | | | | | | |
| A Min Multi | Recurring Charges (NRC) Associated with 4-Wire DS1 Loop with inimum System configuration is One (1) DS1, One (1) D4 Channe piles of this configuration functioning as one are considered Act NRC - Conversion (Currently Combined) with or without AT&T Allowed Changes and Additions Where Platform Currently Exists and New Installat 1 DS1/D4 Channel Bank - Add NRC for each Port and Assoc Fea Activation - lar 8 Zero Substitution Clear Channel Capability Format, superframe - Subsequent Activity Only | l Bank, id'l afte | and U | o To 24 DSO Ports vininimum system cor UEPMG | with Feature Antiguration is USAC4 VUMD4 | 0.00 | 350.00 850.00 | 485.00 | | | | | | | | |

| SERVICES | - Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-----------------|---|-------------|--------|--|--------|-----------|--------------|-----------|--|--|--|---|--|--|---|---|
| CATEGORY | RATE ELEMENTS | Interi m | Zone | BCS | USOC | | | RATES(\$) | | | | Svc Order Submitted Manually per LSR | Incremental Charge - Manual Svc Order vs. Electronic- 1st | Incremental Charge - Manual Svc Order vs. Electronic- Add'I | Incremental Charge - Manual Svc Order vs. Electronic- Disc 1st | Incremental Charge - Manual Svc Order vs. Electronic- Disc Add'l |
| | | | | | | Rec | Nonrecurring | | | g Disconnect | L | · | | Rates(\$) | | |
| | F. to de la Conserva Francia | | | LIEDMO | 140000 | 0.00 | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| Fueb | Extended Superframe Format | :41- | Dant | UEPMG | MCOPO | 0.00 | 0.00 | 0.00 | - | - | + | | | | - | |
| | ange Ports Associated with 4-Wire DS1 Loop with Channelization processing angle Ports | on with | Port | | - | | | | - | - | | | | | | |
| EXCII | linge Forts | | | | + | | | | | | - | | | | | _ |
| | Line Side Combination Channelized PBX Trunk Port - Business | | | UEPRW | UEPCX | 11.79 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Line Side Combination Charmelized PBX Trunk Port - Business | | | UEPRW | UEPOX | 11.79 | 0.00 | 0.00 | | | + | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Elife Olde Odtward Orlannenzed i BX Trunk i Ort - Business | | | OLI IXVV | OLI OX | 11.75 | 0.00 | 0.00 | | | + | | 20.55 | 10.54 | 13.32 | 1.40 |
| | Line Side Inward Only Channelized PBX Trunk Port without DID | | | UEPRW | UEP1X | 11.79 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | 2-Wire Trunk Side Channelized DID Trunk Port | | | UEPRW | UEPDM | 28.78 | 0.00 | 0.00 | t | t | 1 | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports, 2-Wire Channelized – Outdial – (AL, KY, LA, | | | | | | | | | | | | | | | |
| | MS, & TN) | | | UEPRW | UEPCY | 11.79 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports, 2-Wire Channelized - Combination (AL, KY, | | | | | | | | | | | | | | | |
| | LA, MS, & TN | | | UEPRW | UEPCT | 11.79 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports, 2-Wire Channelized – Outdial – Tennessee | | | | | | | | | | | | | | | 1 |
| | Only - Calling Plan - Regionserv | | | UEPRW | UEPCZ | 11.79 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| | Exchange Ports, 2-Wire Channelized – Two Way - Tennessee | | | | | | | | | | | | | | | |
| | Only – Calling Plan - Regionserv | | | UEPRW | UEPC6 | 11.79 | 0.00 | 0.00 | | | | | 20.35 | 10.54 | 13.32 | 1.40 |
| Featu | re Activations - Loop Concentration | | | | | | | | | | | | | | | |
| | Feature (Service) Activation for each Line Port Terminated in D4 | | | | | | | | | | | | | | | |
| | Bank (includes Q.1.4, P.50.1, & P.50.498) | | | UEPRW | 1PQWM | 2.02 | 40.00 | 40.00 | | | | | | | | |
| | Feature (Service) Activation for each Trunk Port Terminated in | | | | | | | | | | | | | | | |
| | D4 Bank (includes Q.1.4, P.50.1, & P.50.498) | | | UEPRW | 1PQWU | 2.02 | 445.44 | 129.94 | | | | | | | | |
| E911 | CALL LOCATOR CAPABILITY | | | | | | | | | | | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - | | | | | | . =000 | | | | | | | | | |
| | Initial Profile Establishment, Per CLEC End-User | | | UEPRW | URE9A | 0.00 | 1,701.00 | | | | 1 | | | | | |
| | Miscellaneous Rate Element, E911 Call Locator Capability - Subsequent Profile Changes, Additions/Deletions | | | UEPRW | URE9B | 0.00 | 142.35 | | | | | | | | | |
| Tolon | hone Number/Trunk Group Establisment Charges For DID Num | hore wi | th EQ1 | | | 0.00 | 142.33 | | - | - | + | | | | | |
| relep | DID Trunk Termination (One Per Port) | DEIS WI | ui Egi | UEPRW | INDT | 0.00 | 0.00 | 0.00 | 1 | 1 | + | | | | | |
| | Additional DID Numbers for each Group of 20 DID Numbers | | | UEPRW | ND4 | 1.438 | 0.00 | 0.00 | | | + | | | | | 1 |
| | DID Numbers, Non- consecutive DID Numbers , Per Number | | | UEPRW | ND5 | 0.0719 | 0.00 | 0.00 | | | 1 | | | | | 1 |
| | Reserve Non-Consecutive DID numbers | | | UEPRW | ND6 | 0.00 | 0.00 | 0.00 | | | | | | | | |
| | Reserve DID Numbers | | | UEPRW | NDV | 0.00 | 0.00 | 0.00 | | | | | | | | |
| FEAT | URES - Vertical and Optional | | | | | | | | | | | | | | | |
| Local | Switching Features Offered with Line Side Ports Only | | | | | | | | | | | | | | | |
| | All Features Available | | | UEPRW | UEPVF | 0.00 | 0.00 | 0.00 | | | | | | | | |
| ODUF/ADUF/ | | | | | | | | | | | | | | | | |
| ACCE | SS DAILY USAGE FILE (ADUF) | | | | | | | | | | | | | | | |
| | ADUF: Message Processing, per message | | | | | 0.0158054 | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | ADUF: Data Transmission (CONNECT:DIRECT), per message | | | | | 0.00018 | | | | | | | | | | |
| OPTIO | ONAL DAILY USAGE FILE (ODUF) | | | | | | | | | | | | | | | _ |
| | ODUF: Recording, per message | | | | | 0.0000280 | | | | | | | | | | |
| | ODUF: Message Processing, per message | | | | _ | 0.004101 | | | | | | | | | | <u> </u> |
| | ODUF: Message Processing, per Magnetic Tape provisioned | | | | 1 | 52.75 | | | | | 1 | | | | | |
| | ODUE: Data Tanansianian (CONNECT:DIDECT) and manage | | | | | 0.00045 | | | | | | | | | | |
| CENT | ODUF: Data Transmission (CONNECT:DIRECT), per message RALIZED MESSAGE DISTRIBUTION SERVICE (CMDS) | | | | + | 0.00015 | | | | | + | | | | | + |
| CENT | CMDS: Message Processing, per message | | | | + | 0.004 | | | - | - | + | | | | | |
| | ONIDO. Message i rocessing, per message | | | | 1 | 0.004 | | | | | | | | l | | |
| | CMDS: Data Transmission (CONNECT:DIRECT), per message | | | 1 | | 0.001 | | | I | I | 1 | | | | | |
| 8XX ACCESS | TEN DIGIT SCREENING | | | | + | 0.001 | | | | | + | | | | | + |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit | | | <u> </u> | 1 | | | | <u> </u> | <u> </u> | <u> </u> | | | | | t |
| | Screening service with 800 Number Delivery per query | | | 1 | | 0.00421 | | | 1 | 1 | | | | | | |
| | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing | | | <u> </u> | 1 | 2.00.21 | | | <u> </u> | <u> </u> | | | | | 1 | |
| | Screening service with 800 Number Delivery for 800 Numbers | | | 1 | | | | | 1 | 1 | | | | | | |
| | with Optional Complex Feature, i.e., Call handling and | | | 1 | | | | | I | I | 1 | | | | | |
| | Destination Features per query | | | I | 1 | 1 | 11.47 | 1.46 | 7.34 | 0.7602 | 1 | 1 | 20.35 | 0.00 | 13.28 | 0.00 |

| SERVI | CES - | Tennessee | | | | | | | | | | | | Att: 1 Exh: A | | | |
|-------|-------|---|--------|------|-----|------|----------|--------------|-----------|--------------|------------|-----------|-----------|---------------|-------------|-------------|-------------|
| | | | | | | | | | | | | Svc Order | Svc Order | Incremental | Incremental | Incremental | Incremental |
| | | | | | | | | | | | | Submitted | Submitted | Charge - | Charge - | Charge - | Charge - |
| | | | Interi | _ | | | | | | | | Elec | Manually | Manual Svc | Manual Svc | Manual Svc | Manual Svc |
| CATEG | ORY | RATE ELEMENTS | m | Zone | BCS | USOC | | | RATES(\$) | | | per LSR | per LSR | Order vs. | Order vs. | | Order vs. |
| | | | | | | | | | | | | | | Electronic- | Electronic- | Electronic- | Electronic- |
| | | | | | | | | | | | | | | 1st | Add'l | Disc 1st | Disc Add'l |
| | | | | | | | Rec | Nonrecurring | | Nonrecurring | Disconnect | | | oss | Rates(\$) | • | |
| | | | | | | | Rec | First | Add'l | First | Add'l | SOMEC | SOMAN | SOMAN | SOMAN | SOMAN | SOMAN |
| | | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit | | | | | | | | | | | | | | | |
| | | Screening service with POTS Number Delivery per query | | | | | 0.003830 | 5.97 | 0.76 | | | | | 20.35 | 0.00 | 0.00 | 0.00 |
| | | Per 800 Call Utilizing AT&T SWA 8XX Toll Free Dialing Ten Digit | | | | | | | | | | | | | | | |
| | | Screening service with POTS Number delivery for 800 Numbers | | | | | | | | | | | | | | | |
| | | with Optional Complex Feature,i.e., Call Handling and | | | | | | | | | | | | | | | |
| | | Destination Features per query | | | | | 0.004310 | 4.47 | | | | | | 20.35 | 0.00 | 0.00 | 0.00 |

Attachment 2

Pre-Ordering, Ordering, Provisioning and Maintenance and Repair

Version: 2Q07 MBR - SLC

TABLE OF CONTENTS

| 1. | Guidelines | 3 |
|-----|---|-----------|
| 2. | Pre-Ordering | 3 |
| 3. | Ordering | 4 |
| 4. | Provisioning | 5 |
| 5. | Maintenance and Repair | 6 |
| 6. | Miscellaneous | 6 |
| 7. | Rates | 7 |
| Gui | ides. Business Rules and Specifications | Exhibit A |

Version: 2Q07 MBR - SLC

PRE-ORDERING, ORDERING, PROVISIONING AND MAINTENANCE AND REPAIR

1. Guidelines

- 1.1 The guidelines for pre-ordering, ordering, provisioning and maintenance and repair are set forth in Exhibit A attached hereto.
- 1.2 AT&T shall provide CUSTOMER pre-ordering, ordering, provisioning and maintenance and repair capabilities through manual and electronic interfaces as described in this Attachment (Interfaces). It is the sole responsibility of CUSTOMER to obtain the technical capability to access and utilize AT&T's Interfaces as they may be modified from time to time. CUSTOMER's use of AT&T's Interfaces shall be in accordance with the applicable guides, business rules and specifications set forth in Exhibit A.
- Notwithstanding anything to the contrary in any guides, business rules or other specifications, listed or referenced in Exhibit A, CUSTOMER shall have no right to submit requests, vote on issues, or otherwise participate in AT&T's Change Control Process with respect to the Services hereunder.
- 1.4 CUSTOMER agrees to comply with the provisions of the Operations Support Systems (OSS) Interconnection Volume Guidelines as set forth at AT&T's Interconnection Web site.

2. Pre-Ordering

- 2.1 The Interfaces provide access to the following pre-ordering functions: service address validation, telephone number selection, service and feature availability, due date information and customer service record (CSR) information.
- 2.1.1 Loop make-up information is not necessary for the Services offered pursuant to this Agreement and, although the function may be available as a pre-ordering function of the Interfaces, CUSTOMER is not authorized to receive loop make-up information pursuant to this Agreement. CUSTOMER shall not request loop make-up information for Services under this Agreement and shall indemnify AT&T against any claims, loss, damage or other expenses arising as a result of CUSTOMER requesting loop make-up.
- 2.2 CUSTOMER shall provide to AT&T access to the same type of CSR information that AT&T makes available to CUSTOMER, including circuit numbers associated with each telephone number where applicable. CUSTOMER shall provide such information within four (4) hours after request via electronic access where

Version: 2Q07 MBR - SLC

available. If electronic access is not available, CUSTOMER shall provide to AT&T paper copies of CSR information, via email, to an address designated by AT&T, unless otherwise agreed to by AT&T including circuit numbers associated with each telephone number where applicable. If AT&T requests the information before noon, the CSR information shall be provided the same day. If AT&T requests the information after noon, the CSR information shall be provided by noon the following day.

CUSTOMER agrees not to view, copy, or otherwise obtain access to the CSR information of any End User without that End User's permission. CUSTOMER will obtain access to CSR information only in strict compliance with applicable laws, rules, or regulations of the state in which the Service is provided. AT&T reserves the right to monitor CUSTOMER's access to CSR information. If AT&T determines that CUSTOMER is accessing CSR information without having obtained the proper End User authorization, AT&T upon reasonable notice to CUSTOMER may take corrective action, including but not limited to suspending or terminating CUSTOMER's access to AT&T's Interfaces.

3. Ordering

- 3.1 CUSTOMER shall place orders for Services by submitting a complete and correct (Valid) LSR to AT&T. AT&T shall bill CUSTOMER an electronic service order charge as specified in Exhibit A of Attachment 1 for each LSR submitted by means of an electronic interface. AT&T shall bill CUSTOMER a manual service order charge as specified in Exhibit A of Attachment 1 for each LSR submitted by means other than the electronic interfaces (e.g., mail, fax, courier, etc.). An individual LSR will be identified for billing purposes by its Purchase Order Number (PON).
- 3.2 CUSTOMER may submit an LSR to request that an End User's service be temporarily suspended or denied, or restored. Alternatively, CUSTOMER may submit a list of such End Users if CUSTOMER provides a separate PON for each location on the list. AT&T will bill an electronic or manual service order charge for each location.
- 3.3 AT&T will bill the electronic or manual service order charge, as applicable, for an LSR, regardless of whether that LSR is later supplemented, clarified or cancelled.
- Notwithstanding the foregoing, AT&T will not bill an additional electronic or manual service order charge for supplements to any LSR submitted to clarify, correct, change or cancel a previously submitted LSR.
- Pending Orders and LSRs. To the extent that CUSTOMER submits an LSR with incomplete, incorrect or conflicting information, AT&T will return the LSR to CUSTOMER for clarification. CUSTOMER shall respond to the request for clarification within thirty (30) days by submitting a supplement LSR. If

Version: 2Q07 MBR - SLC

CUSTOMER does not submit a supplement LSR within thirty (30) days, AT&T will cancel the original LSR and CUSTOMER shall be required to submit a new LSR, with a new PON.

4. Provisioning

- AT&T shall provision Services during its regular working hours. To the extent CUSTOMER requests provisioning of Service to be performed outside AT&T's regular working hours, or the work so requested requires AT&T's technicians or Project Manager to work outside of regular working hours, the overtime charges set forth inAT&T's State Access (E) Tariff, Section 13.2, shall apply. Notwithstanding the foregoing, if such work is performed outside of regular working hours by an AT&T technician or Project Manager during his or her scheduled shift and AT&T does not incur any overtime charges in performing the work on behalf of CUSTOMER, AT&T will not assess overtime charges. To the extent CUSTOMER requests project management for provisioning of Services under this Agreement, additional charges may apply and shall be negotiated by the Parties.
- In the event AT&T must dispatch to the End User's location more than once due to incorrect or incomplete information provided by CUSTOMER (e.g., incomplete address, incorrect contact name/number, etc.), AT&T will bill CUSTOMER for each additional dispatch required to provision the Service due to the incorrect/incomplete information provided. AT&T will assess applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.
- 4.3 <u>Cancellation Charges.</u> If CUSTOMER cancels an LSR subsequent to AT&T's generation of a service order, any costs incurred by AT&T in conjunction with provisioning of Services as requested on the cancelled LSR will be recovered in accordance with the cancellation methodology set forth in the Cancellation Charge Percentage Chart found on AT&T's Interconnection Web site. In addition, AT&T reserves the right to issue cancellation charges if CUSTOMER fails to respond within 9 business days to a Missed Appointment order notification.
- 4.4 <u>Service Date Advancement Charges (Expedites).</u> Service Date Advancement charges will apply where CUSTOMER, requests that Services be provisioned prior to the due date provided by AT&T, and where AT&T agrees to an expedited provisioning time frame. The charges are as outlined in Exhibit A of Attachment 1.
- 4.5 Order Modification Charges. If CUSTOMER modifies an order (Order Modification Charge (OMC) or Order Modification Charge Additional Dispatch (OMCAD)) after being sent a Firm Order Confirmation (FOC) from AT&T, any costs incurred by AT&T to accommodate the modification will be paid by CUSTOMER in accordance with applicable rates set forth in Exhibit A of Attachment 1.

Version: 2Q07 MBR - SLC

5. Maintenance and Repair

- AT&T will make Interfaces available to CUSTOMER for the purpose of reporting and monitoring service troubles. CUSTOMER's use of AT&T's maintenance and repair Interfaces shall be in accordance with the applicable guides, business rules and specifications for maintenance and repair as set forth in Exhibit A.
- Once CUSTOMER has isolated a trouble on a Wholesale Local Platform Service to the AT&T provided network, and has issued a trouble report to AT&T, AT&T will take the actions necessary to repair the network when the trouble is found. AT&T will repair its network facilities to its Wholesale customers in the same time frames that AT&T repairs similar services to its own End Users.
- 5.3 If CUSTOMER reports a trouble on a Wholesale Local Platform Service and no trouble is found in AT&T's network, AT&T will charge CUSTOMER a Maintenance of Service Charge for any dispatching and testing (both inside and outside the CO) required by AT&T in order to confirm the Service's working status. AT&T will assess the applicable Maintenance of Service rates from BellSouth's FCC No.1 Tariff, Section 13.3.1.
- In the event AT&T must dispatch to the End User's location more than once due to incorrect or incomplete information provided by CUSTOMER (e.g., incomplete address, incorrect contact name/number, etc.), AT&T will bill CUSTOMER for each additional dispatch required to repair the Service due to the incorrect/incomplete information provided. AT&T will assess the applicable Maintenance of Service rates from BellSouth's FCC No. 1 Tariff, Section 13.3.1.

6. Miscellaneous

- 6.1 Single Point of Contact. CUSTOMER will be the single point of contact with AT&T for ordering activity pursuant to this Agreement, except that AT&T may accept a request directly from another CLEC, or from AT&T, acting with authorization of the affected End User, to disconnect the Services provided hereunder in order to permit the End User to change service providers, as described in Section 6.3 below. CUSTOMER shall execute a blanket letter of authorization with respect to CUSTOMER's ordering activity so that prior proof of End User authorization will not be necessary with every LSR (except in the case of a local service freeze). The Parties shall each be entitled to adopt their own internal processes for verification of End User authorization for requests, provided, however, that such processes shall comply with applicable state and federal law and industry and regulatory guidelines.
- 6.2 CUSTOMER shall not prevent or delay an End User from changing to another carrier because of unpaid bills, denied service, or contract terms.

Version: 2Q07 MBR - SLC

- 6.3 <u>Use of Facilities.</u> Pursuant to a request from an End User of CUSTOMER, or from another LEC, including AT&T, on behalf of such End User, AT&T shall have the right to disconnect the Services being used by CUSTOMER to provide Service to that End User and reuse those facilities to enable such other LEC to provide service to that End User. In addition, AT&T may disconnect and reuse facilities when the Service to the End User has been withheld or denied by CUSTOMER, or by AT&T in accordance with the terms of this Agreement, and AT&T has received a request from an End User or another LEC to establish new or additional service at, or to transfer service to, the same address served by that facility. AT&T will notify CUSTOMER that such a request has been processed after the order disconnecting CUSTOMER's Service to that End User has been completed.
- 6.4 <u>Contact Numbers.</u> The Parties agree to provide one another with toll-free nation-wide (50 states) contact numbers for the purpose of ordering, provisioning and maintenance of Services.
- 6.5 <u>Subscription Functions.</u> In cases where AT&T performs subscription functions for an IXC (i.e., where AT&T changes the End User Preferred Interexchange Carrier (PIC) and/or End User LPIC via Customer Account Record Exchange (CARE)), AT&T will provide the affected IXCs with the OCN of CUSTOMER for the purpose of obtaining End User billing account and other End User information required under subscription requirements.
- PIC and LPIC Charges. When CUSTOMER's End User that is served utilizing Wholesale Local Platform Services or Wholesale Switch Port Services, changes its PIC and/or LPIC, and per AT&T's FCC or state tariff, the IXC elects to charge the End User the PIC and/or LPIC change charge, AT&T will bill the PIC and/or LPIC change charge to CUSTOMER, which has the billing relationship with that End User, and CUSTOMER may pass such charge to the End User.

7. Rates

Unless otherwise specified herein, charges for the use of AT&T's Interfaces, and other charges applicable to preordering, ordering, provisioning and maintenance and repair, shall be as set forth in Exhibit A of Attachment 1. In the event CUSTOMER modifies the rates or rate structure for use of AT&T's manual or electronic interfaces in any other agreement with AT&T, then upon AT&T's request, CUSTOMER shall amend this Agreement to reflect the same rates or rate structure. In the state of Tennessee, manual service order charges shall apply on a per element, nonrecurring basis as identified in Exhibit A of Attachment 1 in lieu of the per LSR manual service order charge.

Version: 2Q07 MBR - SLC

Guides, Business Rules and Specifications

The applicable guides, business rules and specifications are set forth on the AT&T Interconnection Web site and include, but are not limited to, the following:

AT&T Local Ordering Handbook (LOH)

CLEC Billing Guide

CLEC Service Order Tracking System (CSOTS) User Guide

CLEC Trouble Analysis Facilitation Interface (TAFI) User Guide

CLEC Universal Service Order Code (USOC) Manual

Electronic Communications Trouble Administration (ECTA) Start-Up Guide

Electronic Data Interchange (EDI) Specifications Guide

Local Exchange Navigation System (LENS) User Guide

Operational Understanding

OSS Interconnection Volume Guidelines

Telecommunications Access Gateway (TAG) User Guide

Version: 2Q07 MBR - SLC

Market Agreement Attachment 3 Page 1

Attachment 3

Billing

Version: 2Q07 MBR - SLC

TABLE OF CONTENTS

| 1 | Payment and Billing Arrangements | 3 |
|----|----------------------------------|----|
| 2. | Billing Disputes 1 | .0 |

Version: 2Q07 MBR - SLC 06/04/07

BILLING

1 Payment and Billing Arrangements

- 1.1 The terms and conditions set forth in this Attachment shall apply to all Services ordered and provisioned pursuant to this Agreement.
- Billing. AT&T will use its best efforts to format bills in CABS Billing Output Specification (CBOS) standard format. AT&T's billing format may change in accordance with applicable industry standards; provided, however, that AT&T may, in some instances, not apply CBOS standard format for certain types of billing for certain products and services. Billing in a format other than CBOS shall not be the basis of any CUSTOMER dispute or withholding of payment.
- 1.2.1 Subject to Section 4 of General Terms and Conditions AT&T will render bills each month on established bill days for each of CUSTOMER's accounts. If CUSTOMER requests multiple billing media or additional copies of the bills, AT&T will provide these at the rates set forth in BellSouth's FCC No. 1 Tariff, Section 13.3.6.3.
- 1.2.2 AT&T will bill CUSTOMER in advance for all Services to be provided during the ensuing billing period except charges associated with Service usage and nonrecurring charges, which will be billed in arrears.
- 1.2.3 AT&T will not perform billing and collection services for CUSTOMER as a result of the execution of this Agreement.
- 1.3 <u>Establishing Accounts.</u> Unless AT&T elects otherwise, AT&T will bill for Services using wholesale billing accounts established by AT&T pursuant to a separate agreement between the Parties. If AT&T elects to establish a new account under this Agreement for billing Services, or if CUSTOMER does not have an appropriate wholesale billing account established under a separate agreement with AT&T, such account shall be established under this Agreement as follows.
- 1.3.1 After submitting a credit profile and deposit, if required, and after receiving certification as a LEC from the appropriate Commission, CUSTOMER will provide the appropriate AT&T Local Contract Manager responsible for new CLEC activation, the necessary documentation to enable AT&T to establish accounts for the Services described in this Agreement. Such documentation shall include an application for the establishment of accounts, if applicable, proof of authority to provide Telecommunications Services, the appropriate OCN for each state as assigned by the National Exchange Carriers Association (NECA), CIC, Access Customer Name and Abbreviation (ACNA), AT&T's blanket form Letter

Version: 2Q07 MBR - SLC

of Authorization (LOA), Misdirected Number form, and a tax exemption certificate, if applicable. Notwithstanding anything to the contrary in this Agreement, CUSTOMER may not order Services under a new account established in accordance with this Section 1.3.1 until thirty (30) days after all information specified in this Section 1.3.1 is received from CUSTOMER.

- 1.3.2 <u>ACNAs.</u> CUSTOMER shall provide AT&T with documentation from Telcordia identifying the ACNA assigned to it by Telcordia (as applicable) in the same legal name as reflected in the preamble to this Agreement. Such ACNA will be used by CUSTOMER to order services pursuant to this Agreement and will not be shared by CUSTOMER with another entity.
- 1.3.3 Company Identifiers. If CUSTOMER needs to change, add to, eliminate or convert its OCN(s), ACNAs, and other identifying codes (collectively "Company Identifiers") under which it operates when CUSTOMER has already been conducting business utilizing those Company Identifiers, CUSTOMER shall pay all charges as a result of such change, addition, elimination or conversion to the new Company Identifiers. Such charges include, but are not limited to, all time required to make system updates to all of CUSTOMER's End User records and any other changes to AT&T systems or CUSTOMER records, and will be handled in a separately negotiated agreement or as otherwise required by AT&T.
- 1.3.4 Tax Exemption. It is the responsibility of CUSTOMER to provide AT&T with a properly completed tax exemption certificate at intervals required by the appropriate taxing authorities. A tax exemption certificate must be supplied for each individual CUSTOMER entity purchasing Services under this Agreement. Upon AT&T's receipt of a properly completed tax exemption certificate, subsequent billings to CUSTOMER will not include those taxes or fees from which CUSTOMER is exempt. Prior to receipt of a properly completed exemption certificate, AT&T shall bill, and CUSTOMER shall pay all applicable taxes and fees. In the event that CUSTOMER believes that it is entitled to an exemption from and refund of taxes with respect to the amount billed prior to AT&T's receipt of a properly completed exemption certificate, AT&T shall assign to CUSTOMER its rights to claim a refund of such taxes. If applicable law prohibits the assignment of tax refund rights or requires the claim for refund of such taxes to be filed by AT&T, AT&T shall, after receiving a written request from CUSTOMER and at CUSTOMER's sole expense, pursue such refund claim on behalf of CUSTOMER, provided that CUSTOMER promptly reimburses AT&T for any costs and expenses incurred by AT&T in pursuing such refund claim, and provided further that AT&T shall have the right to deduct any such outstanding costs and expenses from the amount of any refund obtained prior to remitting such refund to CUSTOMER or to deduct any such outstanding costs and expenses from any amounts owed by AT&T to CUSTOMER if no refund is obtained. CUSTOMER shall be solely responsible for the computation, tracking, reporting and payment of

Version: 2Q07 MBR - SLC

all taxes and fees associated with the Services provided by CUSTOMER to its End Users.

- 1.4 <u>Deposit Policy.</u> Prior to the inauguration of Service or, thereafter, upon AT&T's request, CUSTOMER shall complete the AT&T Credit Profile (AT&T form) and provide information to AT&T regarding CUSTOMER's credit and financial condition. Based on AT&T's analysis of the AT&T Credit Profile and other relevant information regarding CUSTOMER's credit and financial condition, AT&T reserves the right to require CUSTOMER to provide AT&T with a suitable form of security deposit for CUSTOMER's account(s). If, in AT&T's sole discretion, circumstances so warrant and/or CUSTOMER's gross monthly billing has increased, AT&T reserves the right to request additional security (or to require a security deposit if none was previously requested) and/or file a Uniform Commercial Code (UCC-1) security interest in CUSTOMER's "accounts receivables and proceeds".
- 1.4.1 Security deposit shall take the form of cash, an irrevocable letter of credit (AT&T form), surety bond (AT&T form) or, in AT&T's sole discretion, some other form of security proposed by CUSTOMER and accepted by AT&T. Any such security deposit shall in no way release CUSTOMER from its obligation to make complete and timely payments of its bill(s). If AT&T requires CUSTOMER to provide a security deposit, CUSTOMER shall provide such security deposit prior to the inauguration of Service or within fifteen (15) days of AT&T's request, as applicable. Security deposit request notices will be sent to CUSTOMER via certified mail or overnight delivery. Such notice period will start the day after the deposit request notice is rendered by certified mail or overnight delivery. Interest on a cash security deposit shall, accrue and be applied or refunded in accordance with the terms in AT&T's GSST.
- 1.4.2 Security deposits collected under this Section 1.4 shall not exceed two (2) months' estimated billing for services pursuant to this Agreement. Estimated billings are calculated based upon the monthly average of the previous six (6) months current billings, if CUSTOMER has received service from AT&T during such period at a level comparable to that anticipated to occur over the next six (6) months. If either CUSTOMER or AT&T has reason to believe that the level of service to be received during the next six (6) months will be materially higher or lower than received in the previous six (6) months, CUSTOMER and AT&T shall agree on a level of estimated billings based on all relevant information.
- 1.4.3 In the event CUSTOMER fails to provide AT&T with a suitable form of security deposit or additional security deposit as required herein, defaults on its account(s), or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time required, service to CUSTOMER may be Suspended, Discontinued or Terminated in accordance with the terms of Section 1.6 below. Upon Termination of Services, AT&T shall apply any security

Version: 2Q07 MBR - SLC

deposit to CUSTOMER's final bill for its account(s). If no bill is rendered to CUSTOMER, AT&T shall, nevertheless, apply any security deposit to CUSTOMER's outstanding balance.

- 1.4.3.1 At least seven (7) days prior to the expiration of any letter of credit provided by CUSTOMER as security under this Agreement, CUSTOMER shall renew such letter of credit or provide AT&T with evidence that CUSTOMER has obtained a suitable replacement for the letter of credit. If CUSTOMER fails to comply with the foregoing, AT&T shall thereafter be authorized, in its sole discretion, to draw down the full amount of such letter of credit and utilize the cash proceeds as security for CUSTOMER account(s). If CUSTOMER provides a security deposit or additional security deposit in the form of a surety bond as required herein, CUSTOMER shall renew the surety bond or provide AT&T with evidence that CUSTOMER has obtained a suitable replacement for the surety bond at least seven (7) days prior to the cancellation date of the surety bond. If CUSTOMER fails to comply with the foregoing, AT&T shall thereafter be authorized, in its sole discretion, to take action on the surety bond and utilize the cash proceeds as security for CUSTOMER's account(s). If the credit rating of any bonding company that has provided CUSTOMER with a surety bond provided as security hereunder has fallen below B, AT&T will provide written notice to CUSTOMER that CUSTOMER must provide a replacement bond or other suitable security within fifteen (15) days of AT&T's written notice. If CUSTOMER fails to comply with the foregoing, AT&T shall thereafter be authorized, in its sole discretion, to take action on the surety bond and utilize the cash proceeds as security for CUSTOMER's account(s). Notwithstanding anything contained in this Agreement to the contrary, AT&T shall be authorized, in its sole discretion, to draw down the full amount of any letter of credit or take action on any surety bond provided by CUSTOMER as security hereunder if CUSTOMER defaults on its account(s) or otherwise fails to make any payment or payments required under this Agreement in the manner and within the time, as required herein and apply the cash proceeds to any outstanding balance on CUSTOMER's accounts and utilize any remaining cash proceeds as security for CUSTOMER's account(s).
- 1.5 <u>Payment Responsibility.</u> Payment of all charges will be the responsibility of CUSTOMER. CUSTOMER shall pay invoices utilizing wire transfer services or automatic clearing house services. CUSTOMER shall make payment to AT&T for all services billed including disputed amounts. AT&T will not become involved in billing disputes that may arise between CUSTOMER and CUSTOMER's End User.
- 1.5.1 Payment Due. Payment for Services provided by AT&T, including disputed charges, is due on or before the next bill date. Information required to apply payments must accompany the payment. The information must notify AT&T of Billing Account Numbers (BAN) paid; invoices paid and the amount to be applied to each BAN and invoice (Remittance Information). Payment is considered to

Version: 2Q07 MBR - SLC

have been made when the payment and Remittance Information are received by AT&T. If the Remittance Information is not received with payment, AT&T will be unable to apply amounts paid to CUSTOMER's accounts. In such event, AT&T shall hold such funds until the Remittance Information is received. If AT&T does not receive the Remittance Information by the payment due date for any account(s), late payment charges shall apply.

- 1.5.1.1 <u>Due Dates.</u> If the payment due date falls on a Sunday or on a holiday that is observed on a Monday, the payment due date shall be the first non-holiday day following such Sunday or holiday. If the payment due date falls on a Saturday or on a holiday which is observed on Tuesday, Wednesday, Thursday, or Friday, the payment due date shall be the last non-holiday day preceding such Saturday or holiday. If payment is not received by the payment due date, a late payment charge, as set forth in Section 1.5.1.2, below, shall apply.
- 1.5.1.2 <u>Late Payment.</u> If any portion of the payment is not received by AT&T on or before the payment due date as set forth preceding, or if any portion of the payment is received by AT&T in funds that are not immediately available to AT&T, then a late payment and/or interest charge shall be due to AT&T. The late payment and/or interest charge shall apply to the portion of the payment not received and shall be assessed as set forth in Section A2 of AT&T's GSST, Section B2 of the Private Line Service Tariff or Section E2 of the AT&T intrastate Access Services Tariff or pursuant to the applicable state law as determined by AT&T. In addition to any applicable late payment and/or interest charges, CUSTOMER may be charged a fee for all returned checks at the rate set forth in Section A2 of AT&T's GSST or pursuant to the applicable state law.
- 1.6 <u>Discontinuing Service to CUSTOMER.</u> The procedures for discontinuing Service to CUSTOMER are as follows:
- 1.6.1 In order of severity, Suspend/Suspension, Discontinue/Discontinuance and Terminate/Termination are defined as follows for the purposes of this Attachment:
- 1.6.1.1 Suspend/Suspension is the temporary restriction of the billed Party's access to the ordering systems and/or access to the billed Party's ability to initiate PIC-related changes. In addition, during Suspension, pending orders may not be completed and orders for new Service or changes to existing Services may not be accepted.
- 1.6.1.2 Discontinue/Discontinuance is the denial of service by the billing Party to the billed Party that will result in the disruption and discontinuation of Service to the billed Party's End Users or customers. Additionally, at the time of Discontinuance, AT&T will remove any Local Service Freezes in place on the billed Party's End Users.
- 1.6.1.3 Terminate/Termination is the disconnection of Service by the billing Party to the billed Party.

Version: 2Q07 MBR - SLC

- 1.6.1.4 AT&T reserves the right to Suspend, Discontinue or Terminate service in the event of prohibited, unlawful or improper use of AT&T facilities or service, abuse of AT&T facilities, or any other violation or noncompliance by CUSTOMER of the rules and regulations of AT&T's tariffs.
- Suspension. If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, or fifteen (15) days from the date of a deposit request in the case of security deposits, AT&T will provide written notice to CUSTOMER that Services will be Suspended if payment of such amounts, and all other amounts that become past due before Suspension, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.5.1 above or in the case of a security deposit request, in the manner set forth in Section 1.4.1 above: (1) within seven (7) days following such notice for CABS billed Services; (2) within fifteen (15) days following such notice for Security deposit requests.
- 1.6.2.1 The Suspension notice shall also provide that all past due charges for CRIS and IBS billed Services, and all other amounts that become past due for such services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CRIS and IBS billed Services.
- 1.6.2.2 For CABS billed services, AT&T will provide a Discontinuance notice that is separate from the Suspension notice, that all past due charges for CABS billed Services, and all other amounts that become past due for such Services before Discontinuance, must be paid within thirty (30) days from the date of the Suspension notice to avoid Discontinuance of CABS billed Services. This Discontinuance notice may be provided at the same time that AT&T provides the Suspension notice.
- 1.6.2.3 <u>Discontinuance.</u> If payment of amounts due as described herein is not received by the bill date in the month after the original bill date, AT&T will provide written notice that AT&T may Discontinue the provision of existing Services to CUSTOMER if payment of such amounts and all other amounts that become past due before Discontinuance, including requested security deposits, is not received by wire transfer, automatic clearing house or cashier's check in the manner set forth in Section 1.5.1 above or in the case of a security deposit in accordance with Section 1.4.1 within thirty (30) days following such written notice; provided, however, that AT&T may provide written notice that such existing Services may be Discontinued within fifteen (15) days following such notice, subject to the criteria described in Section 1.5 above.
- 1.6.3 AT&T may take the action to Discontinue the provision of existing Service upon fifteen (15) days from the day after AT&T provides written notice of such Discontinuance if (a) such notice is sent by certified mail or overnight delivery; (b)

Version: 2Q07 MBR - SLC

CUSTOMER has not paid all amounts due pursuant to a subject bill(s), or has not provided adequate security pursuant to a deposit request; and (c) either:

- (1) AT&T has sent the subject bill(s) to CUSTOMER within (7) business days of the bill date(s), verifiable by records maintained by AT&T:
 - i. in paper or CDROM form via the United States Postal Service (USPS), or
 - ii. in magnetic tape form via overnight delivery, or
 - iii. via electronic transmission; or
- (2) AT&T has sent the subject bill(s) to CUSTOMER, using one of the media described in (1) above, more than thirty (30) days before notice to discontinue service has been rendered.
- 1.6.4 In the case of Discontinuance of Services, all billed charges, as well as applicable disconnect, interest and late payment charges, shall become due.
- 1.6.5 CUSTOMER is solely responsible for notifying the End User of the Discontinuance of service. If, within seven (7) days after CUSTOMER's Services have been Discontinued, CUSTOMER pays, by wire transfer, automatic clearing house or cashier's check, all past due charges, including late payment charges, outstanding security deposit request amounts if applicable and any applicable restoral charges as set forth in Section A4 of AT&T's GSST, then AT&T will reestablish Service for CUSTOMER.
- 1.6.6 <u>Termination.</u> If within seven (7) days after CUSTOMER's Service has been Discontinued and CUSTOMER has failed to pay all past due charges as described above, then CUSTOMER's Service will be Terminated.
- Notices. Notwithstanding anything to the contrary in this Agreement, all bills and notices regarding billing matters, disconnection of services for nonpayment of charges, and rejection of additional orders from CUSTOMER, shall be forwarded to the individual and/or address provided by CUSTOMER in establishment of its billing account(s) with AT&T, or to the individual and/or address subsequently provided by CUSTOMER as the contact for billing. All monthly bills and notices described in this Section shall be forwarded to the same individual and/or address; provided, however, upon written request from CUSTOMER to AT&T's billing organization, the notice of discontinuance of services purchased by CUSTOMER under this Agreement provided for in Section 1.6.2 of this Attachment shall be sent via certified mail to the individual(s) listed in the Notices provision of General Terms and Conditions.

Version: 2Q07 MBR - SLC

2. Billing Disputes

- CUSTOMER shall electronically submit all billing disputes to AT&T using the form specified by AT&T. In the event of a billing dispute, the Parties will endeavor to resolve the dispute within sixty (60) days of the notification date. Within five (5) business days of AT&T's denial, or partial denial, of the billing dispute, if CUSTOMER is not satisfied with AT&T's resolution of the billing dispute or if no response to the billing dispute has been received by CUSTOMER by such sixtieth (60th) day, CUSTOMER must pursue the escalation process as outlined in the Billing Dispute Escalation Matrix, set forth on the AT&T Interconnection Web site, or the billing dispute shall be considered denied and closed. If, after escalation, the Parties are unable to reach resolution, then the aggrieved Party, if it elects to pursue the dispute, shall pursue dispute resolution in accordance with General Terms and Conditions.
- 2.2 For purposes of this Section 2, a billing dispute means a reported dispute submitted pursuant to Section 2.1 of a specific amount of money actually billed by AT&T within twelve (12) months of the submission of such dispute. CUSTOMER agrees to not submit billing disputes for amounts billed more than twelve (12) months prior to submission of a billing dispute filed for amounts billed. The billing dispute must be clearly explained by CUSTOMER and supported by written documentation, which clearly shows the basis for disputing charges. The determination as to whether the billing dispute is clearly explained or clearly shows the basis for disputing charges shall be within AT&T's sole reasonable discretion. Disputes that are not clearly explained or those that do not provide complete information may be rejected by AT&T. Claims by CUSTOMER for damages of any kind will not be considered a billing dispute for purposes of this Section. If AT&T resolves the billing dispute, in whole or in part, in favor of CUSTOMER, any credits and interest due to CUSTOMER as a result thereof shall be applied to CUSTOMER's account by AT&T upon resolution of the billing dispute.

Version: 2Q07 MBR - SLC

Attachment 4

Service Level Commitments (SLCs) for DS0 Wholesale Local Voice Platform Services

Version: 2Q07 MBR – SLC 06/04/07

TABLE OF CONTENTS

| 1. | Introduction | 3 |
|----|--|---|
| 2. | Reporting Methodology | 3 |
| 3. | SLC Methodology | 3 |
| 4. | SLC Performance Metric Definitions | 4 |
| 5. | Calculation of Occurrences and Payment | 5 |

Version: 2Q07 MBR – SLC 06/04/07

Service Level Commitments (SLCs) for DS0 Wholesale Local Voice Platform Services

1. Introduction

The SLCs as stated in this Attachment 4 shall become effective and apply to Services ordered during and after the first full calendar month following the Effective Date of the Agreement and shall be applied only to BellSouth's performance with respect to DS0 Wholesale Local Voice Platform Services.

2. Reporting Methodology

- 2.1 BellSouth will self-report CUSTOMER service performance data (and BellSouth retail performance data for SLC-4, Maintenance Average Duration) using BellSouth's internal processes to determine performance metrics for DS0 Wholesale Local Voice Platform Services. The reporting period for each metric is a full calendar month. CUSTOMER data will be collected and reports will be generated on both a regional and a state specific basis for all metrics. In addition, for SLC-4, Maintenance Average Duration, BellSouth retail data reports will be generated on a BellSouth regional retail aggregate basis. Reports will display all percentages and averages to two decimal points, using standard rounding rules.
- 2.2 BellSouth will utilize the reports described above to calculate the performance metrics and associated payments, if any, for the reporting period.

3. SLC Methodology

The following SLCs, as defined in this Attachment, will be measured in accordance with the terms and conditions herein. Payments for SLCs, as applicable, shall be paid based upon regional data only within the reporting period. SLCs and applicable remedy payments are as follows:

| Service Level Commitments | Per Occurrence Payment |
|---|------------------------|
| FOC Timeliness (≤3 hours): 95% | \$10* |
| Installation Appointments Met: 98% | \$25* |
| Repair Appointments Met: 94% | \$25* |
| Maintenance Average Duration: SellSouth retail aggregate | \$25** |

Version: 2Q07 MBR - SLC

- * Per missed occurrence below the stated performance objective as described in Section 5
- ** Per occurrence below the stated performance objective as described in SLC-4 as described in Section 5

4. SLC Performance Metric Definitions

- 4.1 SLC-1: Firm Order Confirmation (FOC) Timeliness
- 4.1.1 SLC-1 measures the percentage of Local Service Requests (LSRs) confirmed through the return of a FOC within an interval of three (3) hours or less during the reporting period. The interval for return of a FOC is measured by the elapsed time from receipt of a valid (complete and correct) fully mechanized LSR (date and time stamped in ordering interface gateways) until BellSouth processes the LSR, generates appropriate service orders and returns a FOC to CUSTOMER via ordering interface gateways. When multiple FOCs occur on a single LSR, the first FOC is used to measure the interval.
- 4.1.2 The following exclusions apply: 1) LSRs that are identified as Projects as defined in BellSouth's Local Ordering Handbook, as amended from time to time; 2) Test Transactions/Records; 3) LSRs cancelled by CUSTOMER prior to a FOC being returned; 4) Scheduled OSS Maintenance; 5) Partially Mechanized LSRs (submitted electronically but processed manually); and 6) Non-Mechanized LSRs (submitted and processed manually).
- 4.2 SLC-2: Installation Appointments Met
- 4.2.1 SLC-2 measures the percentage of total completed installation service orders for which BellSouth meets the committed due date for service orders completed in the reporting period. BellSouth is considered to have met the committed due date unless the installation date is later than the committed due date and the missed installation appointment is due to a BellSouth reason. The SLC-2 metric only applies to the first committed due date, regardless of whether subsequent committed due dates are established for the same service order. Calculation of SLC-2 includes service orders requiring dispatches and service orders not requiring dispatches.
- 4.2.2 The following exclusions apply: 1) Cancelled service orders; 2) Order activities of BellSouth or CUSTOMER associated with internal or administrative use of local services (e.g. Record Orders, Test Orders, etc., which may be order types C, N, R or T); 3) Disconnect orders; and 4) Listing orders.
- 4.3 SLC-3: Repair Appointments Met

Version: 2Q07 MBR - SLC

- 4.3.1 SLC-3 measures the percentage of closed CUSTOMER trouble reports within the reporting period where the service is resolved as repaired by the committed date and time. Calculation of the metric includes repairs requiring dispatch and repairs not requiring dispatch.
- 4.3.2 The following exclusions apply: 1) CUSTOMER trouble reports cancelled at CUSTOMER's request; 2) BellSouth trouble reports associated with internal or administrative service; 3) Customer (End User) Provided Equipment (CPE) or CUSTOMER equipment troubles; 4) Trouble outside BellSouth's control; and 5) Informational trouble tickets.
- 4.4 SLC-4: Maintenance Average Duration
- 4.4.1 SLC-4 measures the average duration of closed CUSTOMER trouble reports compared to closed BellSouth End User trouble reports in the reporting period. The duration of a trouble report starts on the date and time of receipt of a trouble report and stops on the date and time the service is resolved as repaired. Calculation of the metric includes trouble reports requiring dispatches and trouble reports not requiring dispatches.
- 4.4.2 The following exclusions apply: 1) CUSTOMER trouble tickets cancelled at CUSTOMER's request; 2) BellSouth trouble reports associated with internal or administrative service; 3) Customer (End User) Provided Equipment (CPE) or CUSTOMER equipment troubles; 4) Troubles outside BellSouth's control; and 5) Informational trouble tickets.
- 5. Calculation of Occurrences and Payment

The metrics described above shall be calculated and the payments, if any, to CUSTOMER shall be determined as follows:

- 5.1 For SLC-1, FOC Timeliness:
- 5.1.1 BellSouth will divide (i) the number of CUSTOMER LSRs submitted for which a FOC is returned within the reporting period within 3 hours by (ii) the total number of CUSTOMER LSRs submitted for which a FOC is returned in the reporting period.
- 5.1.2 If the resulting quotient in Section 5.1.1 above is .95 or greater, there are no missed occurrences for which payment is due under this Attachment.
- 5.1.3 In the event that greater than 5% of the FOCs returned within the reporting period exceed the 3-hour interval, then each FOC returned in greater than 3 hours in excess of 5% shall constitute a missed occurrence.

Version: 2007 MBR – SLC

- 5.1.4 BellSouth shall pay CUSTOMER \$10 for each such missed occurrence.
- For SLC-2, Installation Appointments Met:
- 5.2.1 BellSouth will divide (i) the number of CUSTOMER installation service orders completed within the reporting period on or before the committed due date by (ii) the total number of CUSTOMER installation service orders completed within the reporting period.
- 5.2.2 If the resulting quotient in Section 5.2.1 above is .98 or greater, there are no missed occurrences for which payment is due under this Attachment.
- 5.2.3 In the event that greater than 2% of the completed installation service orders within the reporting period are not completed on or before the committed due date due to BellSouth reasons, then each installation service order not completed on or before the committed due date due to BellSouth reasons in excess of 2% shall constitute a missed occurrence.
- 5.2.4 BellSouth shall pay CUSTOMER \$25 for each such missed occurrence.
- 5.3 For SLC-3, Repair Appointments Met:
- 5.3.1 BellSouth will divide (i) the number of closed CUSTOMER trouble reports within the reporting period that were resolved as repaired by the committed date and time by (ii) the total number of closed CUSTOMER trouble reports within the reporting period that were resolved as repaired.
- 5.3.2 If the resulting quotient in Section 5.3.1 above is .94 or greater, there are no missed occurrences for which payment is due under this Attachment.
- 5.3.3 In the event that greater than 6% of the closed trouble reports within the reporting period were not resolved as repaired by the committed date and time, then each closed trouble report that was not resolved as repaired by the committed date and time in excess of 6% shall constitute a missed occurrence.
- 5.3.4 BellSouth shall pay CUSTOMER \$25 for each such missed occurrence.
- 5.4 For SLC-4, Maintenance Average Duration:
- 5.4.1 BellSouth will add the maintenance duration (as defined in Section 4) of each trouble report received from BellSouth Retail Residence and Business Plain Old Telephone Service (POTS) End Users, and divide that number by the total number of BellSouth Retail Residence and Business POTS End User trouble reports closed during the reporting period to determine the Maintenance Average Duration for BellSouth retail;

Version: 2007 MBR - SLC

- 5.4.2 BellSouth will add the maintenance duration (as defined in Section 4) of each trouble report received from CUSTOMER, and divide that number by the total number of CUSTOMER trouble reports closed during the reporting period to determine the Maintenance Average Duration for CUSTOMER.
- 5.4.3 If the Maintenance Average Duration for BellSouth retail is equal to or greater than the Maintenance Average Duration for CUSTOMER, there are no occurrences for which payment is due under this Attachment.
- 5.4.4 If the Maintenance Average Duration for BellSouth retail is less than the Maintenance Average Duration for CUSTOMER, BellSouth shall remove from the metric calculation the number of trouble reports received from CUSTOMER (starting with the longest duration trouble report and proceeding to the next longest duration trouble report) that, when added together and removed from the metric calculation, results in a revised Maintenance Average Duration for CUSTOMER that is equal to or less than the Maintenance Average Duration for BellSouth.
- 5.4.5 Each CUSTOMER trouble report removed from the metric calculation shall constitute an occurrence.
- 5.4.6 BellSouth shall pay CUSTOMER \$25 for each such occurrence.
- Performance payments shall not be paid in the event of a Force Majeure condition, as described in the General Terms and Conditions of this Agreement.

Version: 2Q07 MBR – SLC